```
1                               .TITLE CZMLADO ML-11 LOGIC TEST
          .SBTTL USER DOCUMENTATION
                                                        .REM &
```

IDENTIFICATION

PRODUCT CODE:	AC-S388D-MC
PRODUCT NAME:	CZMLADO ML11 LOGIC TEST
PRODUCT DATE:	19-MAR-82
MAINTAINER:	MEMORY DIAGNOSTIC ENGINEERING
AUTHOR:	D.W. NEALE

THE INFORMATION IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION. DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR ANY ERRORS THAT MAY APPEAR IN THIS DOCUMENT.

NO RESPONSIBILITY IS ASSUMED FOR THE USE OR RELIABILITY OF SOFTWARE ON EQUIPMENT THAT IS NOT SUPPLIED BY DIGITAL OR ITS AFFILIATED COMPANIES.

COPYRIGHT (C) 1981, 1982 BY DIGITAL EQUIPMENT CORPORATION

THE FOLLOWING ARE TRADEMARKS OF DIGITAL EQUIPMENT CORPORATION:

DIGITAL	PDP	UNIBUS	MASSBUS
DEC	DECUS	DECTAPE	

TABLE OF CONTENTS

1.0 GENERAL INFORMATION
1.1 PROGRAM ABSTRACT
1.2 SYSTEM REQUIREMENTS
1.3 RELATED DOCUMENTS AND STANDARDS
1.4 ASSUMPTIONS

2.0 OPERATING INSTRUCTIONS
2.1 COMMANDS
2.2 SWITCHES
2.3 FLAGS
2.4 HARDWARE QUESTIONS
2.5 SOFTWARE QUESTIONS
2.6 EXTENDED P-TABLE DIALOGUE
2.7 QUICK STARTUP PROCEDURE

3.0 ERROR INFORMATION

4.0 PERFORMANCE AND PROGRESS REPORTS

5.0 DEVICE INFORMATION TABLES

6.0 TEST SUMMARIES

1.0 GENERAL INFORMATION

1.1 PROGRAM ABSTRACT

DIAGNOSTIC ENGINEERING WAS CONTRACTED BY MEMORY ENGINEERING TO MAKE THIS DIAGNOSTIC IN ORDER TO AID MEMORY ENGINEERING TO DESIGN AND DEBUG THE ML-11, AID FIELD SERVICE FOR FIELD REPAIRS AND INSTALLATIONS THE ML-11.

THIS DIAGNOSTIC PRODUCT WILL BE DESIGNED TO TEST FROM ONE TO EIGHT ML-11A OR ML-11B UNITS OFF A SINGLE RH11 OR RH70 CONTROLLER.

THE FUNCTIONAL LEVEL (FRU) OF THIS DIAGNOSTIC PRODUCT WILL BE TO THE LOGIC FUNCTION LEVEL. UPON DETECTION OF AN ERROR BY THE DIAGNOSTIC, THE LOGIC FUNCTION AND RESPECTIVE MODULE WHICH IT IS LOCATED ON WILL BE PRINTED TO THE OPERATOR.

THIS DIAGNOSTIC HAS BEEN WRITTEN FOR USE WITH THE DIAGNOSTIC RUNTIME SERVICES SOFTWARE (SUPERVISOR). THESE SERVICES PROVIDE THE INTERFACE TO THE OPERATOR AND TO THE SOFTWARE ENVIRONMENT.

THIS PROGRAM CAN BE USED WITH XXDP+, ACT, APT, SLIDE AND PAPER TAPE. FOR A COMPLETE DESCRIPTION OF THE RUNTIME SERVICES, REFER TO THE XXDP+ USER'S MANUAL. THERE IS A BRIEF DESCRIPTION OF THE RUNTIME SERVICES IN SECTION 2 OF THIS DOCUMENT.

1.2 SYSTEM REQUIREMENTS

PDP-11 WITH MINIMUM OF 28K WORDS OF MEMORY

CONSOLE TERMINAL

RH11 OR RH70

1 TO 8 ML-11A OR ML-11B DRIVES ON INTERMIXED BUS

XXDP+ LOAD MEDIA

1.3 RELATED DOCUMENTS AND STANDARDS

1. SUPPRGC.DOC
2. SUPINT.MEN
3. SUPFUN.C
4. XXDPPLUS.DOC
5. BLISS LANGUAGE GUIDE
6. BLISS-16 USER'S GUIDE

1.4 ASSUMPTIONS

IT WILL BE ASSUMED THAT PRIOR TO THE RUNNING OF THIS DIAGNOSTIC THAT ALL APPROPRIATE CPU, MAIN MEMORY AND RH CONTROLLER DIAGNOSTICS HAVE BEEN SUCCESSFULLY RUN.

THIS DIAGNOSTIC WILL HOWEVER PERFORM MINIMAL RH TESTS TO ENSURE ITS EXISTANCE AND BASIC FUNCTIONALITY BEFORE LOGIC TESTS ARE ALLOWED TO RUN.

2.0 OPERATING INSTRUCTIONS

THIS SECTION CONTAINS A BRIEF DESCRIPTION OF THE RUNTIME SERVICES. FOR DETAILED INFORMATION, REFER TO THE XXDP+ USER'S MANUAL (CHQUS).

2.1 COMMANDS

THERE ARE ELEVEN LEGAL COMMANDS FOR THE DIAGNOSTIC RUNTIME SERVICES (SUPERVISOR). THIS SECTION LISTS THE COMMANDS AND GIVES A VERY BRIEF DESCRIPTION OF THEM. THE XXDP+ USER'S MANUAL HAS MORE DETAILS.

COMMAND	EFFECT
START	START THE DIAGNOSTIC FROM AN INITIAL STATE
RESTART	START THE DIAGNOSTIC WITHOUT INITIALIZING
CONTINUE	CONTINUE AT TEST THAT WAS INTERRUPTED (AFTER ^C)
PROCEED	CONTINUE FROM AN ERROR HALT
EXIT	RETURN TO XXDP+ MONITOR (XXDP+ OPERATION ONLY!)
ADD	ACTIVATE A UNIT FOR TESTING (ALL UNITS ARE CONSIDERED TO BE ACTIVE AT START TIME
DROP	DEACTIVATE A UNIT
PRINT	PRINT STATISTICAL INFORMATION (IF IMPLEMENTED BY THE DIAGNOSTIC - SECTION 4.0)
DISPLAY	TYPE A LIST OF ALL DEVICE INFORMATION
FLAGS	TYPE THE STATE OF ALL FLAGS (SEE SECTION 2.3)
ZFLAGS	CLEAR ALL FLAGS (SEE SECTION 2.3)

A COMMAND CAN BE RECOGNIZED BY THE FIRST THREE CHARACTERS. SO YOU MAY, FOR EXAMPLE, TYPE "STA" INSTEAD OF "START".

2.2 SWITCHES

THERE ARE SEVERAL SWITCHES WHICH ARE USED TO MODIFY SUPERVISOR OPERATION. THESE SWITCHES ARE APPENDED TO THE LEGAL COMMANDS. ALL OF THE LEGAL SWITCHES ARE TABULATED BELOW WITH A BRIEF DESCRIPTION OF EACH. IN THE DESCRIPTIONS BELOW, A DECIMAL NUMBER IS DESIGNATED BY "DDDDD".

SWITCH	EFFECT
/TESTS:LIST	EXECUTE ONLY THOSE TESTS SPECIFIED IN THE LIST. LIST IS A STRING OF TEST NUMBERS, FOR EXAMPLE - /TESTS:1:5:7-10. THIS LIST WILL CAUSE TESTS 1,5,7,8,9,10 TO BE RUN. ALL OTHER TESTS WILL NOT BE RUN.
/PASS:DDDDD	EXECUTE DDDDD PASSES (DDDDD = 1 TO 64000)
/FLAGS:FLGS	SET SPECIFIED FLAGS. FLAGS ARE DESCRIBED IN SECTION 2.3.
/EOP:DDDDD	REPORT END OF PASS MESSAGE AFTER EVERY DDDDD PASSES ONLY. (DDDDD = 1 TO 64000)

/UNITS:LIST TEST/ADD/DROP ONLY THOSE UNITS SPECIFIED IN THE LIST. LIST EXAMPLE - /UNITS:0:5:10-12 USE UNITS 0,5,10,11,12 (UNIT NUMBERS = 0-63)

EXAMPLE OF SWITCH USAGE:

START/TESTS:1-5/PASS:1000/EOP:100

THE EFFECT OF THIS COMMAND WILL BE: 1) TESTS 1 THROUGH 5 WILL BE EXECUTED, 2) ALL UNITS WILL TESTED 1000 TIMES AND 3) THE END OF PASS MESSAGES WILL BE PRINTED AFTER EACH 100 PASSES ONLY. A SWITCH CAN BE RECOGNIZED BY THE FIRST THREE CHARACTERS. YOU MAY, FOR EXAMPLE, TYPE "/TES:1-5" INSTEAD OF "/TESTS:1-5".

BELOW IS A TABLE THAT SPECIFIES WHICH SWITCHES CAN BE USED BY EACH COMMAND.

	TESTS	PASS	FLAGS	EOP	UNITS
START	X	X	X	X	X
RESTART	X	X	X	X	X
CONTINUE		X	X	X	
PROCEED			X		
DROP					X
ADD					X
PRINT					
DISPLAY					X
FLAGS					
ZFLAGS					
EXIT					

2.3 FLAGS

FLAGS ARE USED TO SET UP CERTAIN OPERATIONAL PARAMETERS SUCH AS LOOPING ON ERROR. ALL FLAGS ARE CLEARED AT STARTUP AND REMAIN CLEARED UNTIL EXPLICITLY SET USING THE FLAGS SWITCH. FLAGS ARE ALSO CLEARED AFTER A START COMMAND UNLESS SET USING THE FLAG SWITCH. THE ZFLAGS COMMAND MAY ALSO BE USED TO CLEAR ALL FLAGS. WITH THE EXCEPTION OF THE START AND ZFLAGS COMMANDS, NO COMMANDS AFFECT THE STATE OF THE FLAGS; THEY REMAIN SET OR CLEARED AS SPECIFIED BY THE LAST FLAG SWITCH.

FLAG	EFFECT
HOE	HALT ON ERROR - CONTROL IS RETURNED TO RUNTIME SERVICES COMMAND MODE
LOE	LOOP ON ERROR
IER*	INHIBIT ALL ERROR REPORTS
IBE*	INHIBIT ALL ERROR REPORTS EXCEPT FIRST LEVEL (FIRST LEVEL CONTAINS ERROR TYPE, NUMBER, PC, TEST AND UNIT)
IXE*	INHIBIT EXTENDED ERROR REPORTS (THOSE CALLED BY PRINTX MACRO'S)
PRI	DIRECT MESSAGES TO LINE PRINTER
PNT	PRINT TEST NUMBER AS TEST EXECUTES
BOE	"BELL" ON ERROR

UAM	UNATTENDED MODE (NO MANUAL INTERVENTION)
ISR	INHIBIT STATISTICAL REPORTS (DOES NOT APPLY TO DIAGNOSTICS WHICH DO NOT SUPPORT STATISTICAL REPORTING)
IDU	INHIBIT PROGRAM DROPPING OF UNITS
ADR	EXECUTE AUTODROP CODE
LOT	LOOP ON TEST
EVL	EXECUTE EVALUATION (ON DIAGNOSTICS WHICH HAVE EVALUATION SUPPORT)

*ERROR MESSAGES ARE DESCRIBED IN SECTION 3.1

SEE THE XXDP+ USER'S MANUAL FOR MORE DETAILS ON FLAGS. YOU MAY SPECIFY MORE THAN ONE FLAG WITH THE FLAG SWITCH. FOR EXAMPLE, TO CAUSE THE PROGRAM TO LOOP ON ERROR, INHIBIT ERROR REPORTS AND TYPE A "BELL" ON ERROR, YOU MAY USE THE FOLLOWING STRING:

```
/FLAGS:LOE:IER:BOE
```

2.4 HARDWARE QUESTIONS

WHEN A DIAGNOSTIC IS STARTED, THE RUNTIME SERVICES WILL PROMPT THE USER FOR HARDWARE INFORMATION BY TYPING "CHANGE HW (L) ?" YOU MUST ANSWER "Y" AFTER A START COMMAND UNLESS THE HARDWARE INFORMATION HAS BEEN "PRELOADED" USING THE SETUP UTILITY (SEE CHAPTER 6 OF THE XXDP+ USER'S MANUAL). WHEN YOU ANSWER THIS QUESTION WITH A "Y", THE RUNTIME SERVICES WILL ASK FOR THE NUMBER OF UNITS (IN DECIMAL). YOU WILL THEN BE ASKED THE FOLLOWING QUESTIONS FOR EACH UNIT.

PARAMETER CODING CALLS

```
GPRMA   MSGH1,0,0,0,177777,YES          ;RH ADDRESS
GPRMD   MSGH2,2,0,77,11,70,YES          ;RH TYPE
GPRMD   MSGH3,4,0,777,0,777,YES         ;RH VECTOR ADDRESS
GPRMD   MSGH4,6,0,77,1,16.,YES          ;NUMBER OF ARRAYS
GPRML   MSGH5,10,1,YES                  ;DRIVE OPTION TYPE
GPRMD   MSGH6,12,0,7,0,7,YES            ;DRIVE NUMBER
GPRML   MSGH7,14,1,YES                  ;PARITY DISABLED
```

PARAMETER CODING MESSAGES

```
MSGH1:  .ASCIZ  /RH ADDRESS?/
MSGH2:  .ASCIZ  /IS RH AN '70' OR '11?/
MSGH3:  .ASCIZ  /RH VECTOR ADDRESS?/
MSGH4:  .ASCIZ  /NUMBER OF ARRAY MODULES?/
MSGH5:  .ASCIZ  /IS DRIVE OPTION AN ML11A?/
MSGH6:  .ASCIZ  /ML-11 DRIVE NUMBER?/
MSGH7:  .ASCIZ  /IS PARITY DISABLED?/
```

SAMPLE DIALOGE

```
DR> S/A  <CR>
```

```
CHANGE HW <L>  ?  Y  <CR>

# UNITS <D>  ? 1  <CR>

UNIT 0
RH ADDRESS <O> 176400  ?  <CR>
IS RH AN '70' OR '11' <O>  ?  <CR>
RH VECTOR ADDRESS <O>  204  ?  <CR>
NUMBER OF ARRAYS MODULES  ? <D>  16  ?  14  <CR>
IS DRIVE OPTION AN ML11A ? <L>  Y  ?  <CR>
ML-11 DRIVE NUMBER ? <O>  0  ?  <CR>
IS PARITY DISABLED ? <L>  N  ?  <CR>
```

2.5 SOFTWARE QUESTIONS

AFTER YOU HAVE ANSWERED THE HARDWARE QUESTIONS OR AFTER A RESTART OR CONTINUE COMMAND, THE RUNTIME SERVICES WILL ASK FOR SOFTWARE PARAMETERS. THESE PARAMETERS WILL GOVERN SOME DIAGNOSTIC SPECIFIC OPERATION MODES. YOU WILL BE PROMPTED BY "CHANGE SW (L) ?" IF YOU WISH TO CHANGE ANY PARAMETERS, ANSWER BY TYPING "Y".

THE FOLLOWING OPTIONS ARE AVAILABLE FOR OPERATOR SELECTION:

1. ENABLE PRINTING OF DRIVE SERIAL NUMBERS.
2. LIMIT THE NUMBER OF ERRORS PRINTED PER EACH DETECTED ERROR. A MAXIMUM OF 10 ERRORS WILL BE PRINTED PER ERROR BEFORE THE ERROR IS EXITED.
3. ENABLE RH AND ML11 REGISTER DUMP ON ERRORS.
4. ABORTING PROGRAM EXECUTION AFTER ONE COMPLETE PASS.
5. ENABLE MANUAL INTERVENTION TESTS.

2.6 EXTENDED P-TABLE DIALOGUE

WHEN YOU ANSWER THE HARDWARE QUESTIONS, YOU ARE BUILDING ENTRIES IN A TABLE THAT DESCRIBES THE DEVICES UNDER TEST. THE SIMPLEST WAY TO BUILD THIS TABLE IS TO ANSWER ALL QUESTIONS FOR EACH UNIT TO BE TESTED. IF YOU HAVE A MULTIPLEXED DEVICE SUCH AS A MASS STORAGE CONTROLLER WITH SEVERAL DRIVES OR A COMMUNICATION DEVICE WITH SEVERAL LINES, THIS BECOMES TEDIOUS SINCE MOST OF THE ANSWERS ARE REPETITIOUS.

TO ILLUSTRATE A MORE EFFICIENT METHOD, SUPPOSE YOU ARE TESTING A FICTIONAL DEVICE, THE XY11. SUPPOSE THIS DEVICE CONSISTS OF A CONTROL MODULE WITH EIGHT UNITS (SUB-DEVICES) ATTACHED TO IT. THESE UNITS ARE DESCRIBED BY THE OCTAL NUMBERS 0 THROUGH 7. THERE IS ONE HARDWARE PARAMETER THAT CAN VARY AMONG UNITS CALLED THE Q-FACTOR. THIS Q-FACTOR MAY BE 0 OR 1. BELOW IS A SIMPLE WAY TO BUILD A TABLE FOR ONE XY11 WITH EIGHT UNITS.

```
# UNITS (D) ?  8<CR>

UNIT 1
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  0<CR>
Q-FACTOR (O) 0 ?  1<CR>

UNIT 2
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  1<CR>
Q-FACTOR (O) 1 ?  0<CR>

UNIT 3
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  2<CR>
Q-FACTOR (O) 0 ?  <CR>

UNIT 4
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  3<CR>
Q-FACTOR (O) 0 ?  <CR>

UNIT 5
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  4<CR>
Q-FACTOR (O) 0 ?  <CR>

UNIT 6
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  5<CR>
Q-FACTOR (O) 0 ?  <CR>

UNIT 7
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  6<CR>
Q-FACTOR (O) 0 ?  1<CR>

UNIT 8
CSR ADDRESS (O)  160000<CR>
SUB-DEVICE # (O) ?  7<CR>
Q-FACTOR (O) 1 ?  <CR>
```

NOTICE THAT THE DEFAULT VALUE FOR THE Q-FACTOR CHANGES WHEN A NON-DEFAULT RESPONSE IS GIVEN. BE CAREFUL WHEN SPECIFYING MULTIPLE UNITS!

AS YOU CAN SEE FROM THE ABOVE EXAMPLE, THE HARDWARE PARAMETERS DO NOT VARY SIGNIFICANTLY FROM UNIT TO UNIT. THE PROCEDURE SHOWN IS NOT VERY EFFICIENT.

THE RUNTIME SERVICES CAN TAKE MULTIPLE UNIT SPECIFICATIONS HOWEVER. LET'S BUILD THE SAME TABLE USING THE MULTIPLE SPECIFICATION FEATURE.

```
# UNITS (D) ?  8<CR>
```

```
UNIT 1
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  0,1<CR>
Q-FACTOR (O) 0 ?  1,0<CR>

UNIT 3
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  2-5<CR>
Q-FACTOR (O) 0 ?  0<CR>

UNIT 7
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  6,7<CR>
Q-FACTOR (O) 0 ?  1<CR>
```

AS YOU CAN SEE IN THE ABOVE DIALOGUE, THE RUNTIME SERVICES WILL BUILD AS MANY ENTRIES AS IT CAN WITH THE INFORMATION GIVEN IN ANY ONE PASS THROUGH THE QUESTIONS. IN THE FIRST PASS, TWO ENTRIES ARE BUILT SINCE TWO SUB-DEVICES AND Q-FACTORS WERE SPECIFIED. THE SERVICES ASSUME THAT THE CSR ADDRESS IS 160000 FOR BOTH SINCE IT WAS SPECIFIED ONLY ONCE. IN THE SECOND PASS, FOUR ENTRIES WERE BUILT. THIS IS BECAUSE FOUR SUB-DEVICES WERE SPECIFIED. THE "-" CONSTRUCT TELLS THE RUNTIME SERVICES TO INCREMENT THE DATA FROM THE FIRST NUMBER TO THE SECOND. IN THIS CASE, SUB-DEVICES 2, 3, 4 AND 5 WERE SPECIFIED. (IF THE SUB-DEVICE WERE SPECIFIED BY ADDRESSES, THE INCREMENT WOULD BE BY 2 SINCE ADDRESSES MUST BE ON AN EVEN BOUNDARY.) THE CSR ADDRESSES AND Q-FACTORS FOR THE FOUR ENTRIES ARE ASSUMED TO BE 160000 AND 0 RESPECTIVELY SINCE THEY WERE ONLY SPECIFIED ONCE. THE LAST TWO UNITS ARE SPECIFIED IN THE THIRD PASS.

THE WHOLE PROCESS COULD HAVE BEEN ACCOMPLISHED IN ONE PASS AS SHOWN BELOW.

```
# UNITS (D) ?  8<CR>

UNIT 1
CSR ADDRESS (O) ?  160000<CR>
SUB-DEVICE # (O) ?  0-7<CR>
Q-FACTOR (O) 0 ?  0,1,0,,,,1,1<CR>
```

AS YOU CAN SEE FROM THIS EXAMPLE, NULL REPLIES (COMMAS ENCLOSING A NULL FIELD) TELL THE RUNTIME SERVICES TO REPEAT THE LAST REPLY.

2.7 QUICK START-UP PROCEDURE (XXDP+)

TO START-UP THIS PROGRAM:

1. BOOT XXDP+
2. GIVE THE DATE
3. TYPE "R CZMLA"
4. TYPE "START"
5. ANSWER THE "CHANGE HW" QUESTION WITH "Y"

6. ANSWER ALL THE HARDWARE QUESTIONS

7. ANSWER THE "CHANGE SW" QUESTION WITH 'N"

WHEN YOU FOLLOW THIS PROCEDURE YOU WILL BE USING ONLY THE DEFAULTS FOR FLAGS AND SOFTWARE PARAMETERS. THESE DEFAULTS ARE DESCRIBED IN SECTIONS 2.3 AND 2.5.

3.0 ERROR INFORMATION

3.1 TYPES OF ERROR MESSAGES

THERE ARE THREE LEVELS OF ERROR MESSAGES THAT MAY BE ISSUED BY A DIAGNOSTIC: GENERAL, BASIC AND EXTENDED. GENERAL ERROR MESSAGES ARE ALWAYS PRINTED UNLESS THE "IER" FLAG IS SET (SECTION 2.3). THE GENERAL ERROR MESSAGE IS OF THE FORM:

```
NAME  TYPE  NUMBER  ON UNIT NUMBER  TST NUMBER PC:XXXXXX
ERROR MESSAGE
```

,WHERE; NAME = DIAGNOSTIC NAME
TYPE = ERROR TYPE (SYS FATAL, DEV FATAL, HARD OR SOFT)
NUMBER = ERROR NUMBER
UNIT NUMBER = 0 - N (N IS LAST UNIT IN PTABLE)
TST NUMBER = TEST AND SUBTEST WHERE ERROR OCCURRED
PC:XXXXXX = ADDRESS OF ERROR MESSAGE CALL

BASIC ERROR MESSAGES ARE MESSAGES THAT CONTAIN SOME ADDITIONAL INFORMATION ABOUT THE ERROR. THESE ARE ALWAYS PRINTED UNLESS THE "IER" OR "IBR" FLAGS ARE SET (SECTION 2.3). THESE MESSAGES ARE PRINTED AFTER THE ASSOCIATED GENERAL MESSAGE.

EXTENDED ERROR MESSAGES CONTAIN SUPPLEMENTARY ERROR INFORMATION SUCH AS REGISTER CONTENTS OR GOOD/BAD DATA. THESE ARE ALWAYS PRINTED UNLESS THE "IER", "IBR" OR "IXR" FLAGS ARE SET (SECTION 2.3). THESE MESSAGES ARE PRINTED AFTER THE ASSOCIATED GENERAL ERROR MESSAGE AND ANY ASSOCIATED BASIC ERROR MESSAGES.

3.2 SPECIFIC ERROR MESSAGES

ERROR MESSAGES ARE HANDLED VIA A DICTIONARY STRUCTURE.

WORDS AND PHRASES ARE MULTIPLY REFERENCED USING ONLY ONE COPY OF THE WORD OR PHRASE IN CORE.

THIS PERMITS EXTENSIVE ERROR MESSAGE PRINTING AT MINIMAL STORAGE REQUIREMENTS.

THE FOLLOWING DEMONSTRATES TYPICAL ERROR MESSAGES:

```
ML11 DVC FTL ERR 00077 ON UNIT 07 TST 027 SUB 002 PC: 050432
ASYNCHRONOUS MODULE FAILURE
EXCESSIVE DATA ERRORS DURING INITIAL ARR RD_WRT

ML11 DVC FTL ERR  00112 ON UNIT 03 TST 037 SUB 000 PC: 056466
ASYNCHRONOUS MODULE FAILURE
```

ARRAY ADRS MULTIPLEXER FAILURE
FAILED AT DSA: 000000

3.2.1 ERROR NUMBER DEFINITION

ERROR NO.	FAILING LOGIC
1	DRIVE DID NOT RESPOND WITHIN 1.5 US
2	DSA REG READ/WRITE ERROR DURING DRIVE SEL TEST
3	UNIQUE DRIVE SELECTION ERROR
4	ML REGISTER READ WRITE ONES/ZEROES ERROR
5	ML REGISTER SHIFTING ONES/ZEROES ERROR
6	ML REGISTER INITIALIZATION ERROR
7	CONTROL BUS BAD PARITY NOT DETECTED. (CPAR NOT SET)
8	CONTROL BUS GOOD PARITY NOT DETECTED. (CPAR SET)
9	CONTROL BUS BAD PARITY GENERATED. (MCPE SET)
10	ARRAY SIZING LOGIC ERROR
11	GO BIT NOT CLR AFTER NOOP FUNCTION
12	ILF BIT SET DURING NOOP FUNCTION
13	OPI BIT SET DURING NOOP FUNCTION
14	GO BIT NOT SET DURING WRITE CHECK FUNCTION
15	DRY BIT CLEARED WHILE GO CLEARED DURING WRITE CHECK FUNCTION TEST
16	DRY BIT SET WHEN GO SET DURING WRITE CHECK FUNCTION
17	ILF SET DURING WRITE CHECK FUNCTION
18	OPI BIT SET DURING WRITE CHECK FUNCTION
19	GO BIT NOT CLEAR AFTER WRITE CHECK FUNCTION 'ASYNC FAILURE'
20	GO BIT NOT CLEAR AFTER WRITE CHECK FUNCTION 'SYNC FUNCTION'
21	DRY BIT NOT SET AFTER WRITE CHECK FUNCTION
22	GO BIT NOT CLEAR AFTER WRITE CHECK FUNCTION 'ASYNC FAILURE'
23	GO BIT NOT CLEAR AFTER WRITE CHECK FUNCTION 'SYNC FAILURE'
24	GO BIT NOT SET DURING WRITE FUNCTION

```
                25              DRY BIT CLEAR WITH GO CLEAR DURING WRITE FUNCTION.
                26              DRY BIT SET WITH GO BIT DURING WRITE FUNCTION.
                27              ILF BIT SET DURING WRITE FUNCTION
                28              OPI BIT SET DURING WRITE FUNCTION
                29              GO BIT NOT CLEAR AFTER WRITE FUNCTION 'ASYNC FAILURE'
                30              GO BIT NOT CLEAR AFTER WRITE FUNCTION 'SYNC FAILURE'
                31              DRY BIT NOT SET AFTER WRITE FUNCTION.
                32              GO BIT NOT CLEAR AFTER WRITE FUNCTION 'ASYNC FAILURE'
                33              GO BIT NOT CLEAR AFTER WRITE FUNCTION 'ASYNC FAILURE'
                34              GO BIT NOT SET DURING READ FUNCTION.
                35              DRY BIT SET WHILE GO CLEAR DURING READ FUNCTION.
                36              DRY BIT SET WHILE GO SET DURING READ FUNCTION.
                37              ILF BIT SET DURING READ FUNCTION.
                38              OPI BIT SET DURING READ FUNCTION
                39              GO BIT NOT CLEAR AFTER READ FUNCTION 'ASYNC FAILURE'
                40              GO BIT NOT CLEAR AFTER READ FUNCTION 'SYNC FAILURE'
                41              DRY BIT NOT SET AFTER READ FUNCTION
                42              GO BIT NOT CLEAR AFTER READ FUNCTION 'ASYNC FAILURE'
                43              GO BIT NOT CLEAR AFTER READ FUNCTION 'SYNC FAILURE'
                44              GO BIT NOT CLEAR AFTER CLEAR FUNCTION
                45              DRY BIT SET WHILE GO SET DURING CLEAR FUNCTION
                46              DRY BIT NOT SET AFTER CLEAR FUNCTION .
                47              ILF BIT SET DURING CLEAR FUNCTION
                48              OPI BIT SET DURING CLEAR FUNCTION
                49              ERROR REGISTER DID NOT CLEAR AFTER DRIVE CLEAR.
                50              COMPOSITE ERROR BIT NOT SET AFTER MLER BITS SET
                51              ATA BIT SETTING ERROR
                52              ATTN BIT SETTING ERROR
                53              ATTN BIT NOT CLEARED BY MLCS1 NOOP FUNCTION
```

```
54          ATA BIT NOT CLEAR AFTER WRITING A ONE TO IT
55          WRITING A ONE TO OTHER DRIVES ATA BIT CLEARED THIS DRIVES ATA BIT
56          GO BIT NOT CLEARED AFTER SEARCH FUNCTION
57          ILF BIT SET DURING SEARCH FUNCTION
58          NO-OP FUNCTION DID NOT CLEAR THE ATA BIT AFTER BEING SET
59          ATTN BIT NOT SET AFTER SEARCH FUNCTION
60          OPI BIT SET DURING SEARCH FUNCTION AT PRESENT ARRAYS
61          OPI BIT NOT SET AFTER SEARCH AT NON-PRESENT ARRAYS
62          GO BIT NOT CLEAR AFTER READ-IN-PRESET FUNCTION
63          ILF BIT SET DURING READ-IN-PRESET FUNCTION
64          OPI BIT SET DURING READ-IN-PRESET FUNCTION
65          ECC INITIALIZE DID NOT CLEAR MEMORY AFTER POWER UP WITH BAD BATTERY BACK-UP
66          GO BIT NOT CLEARED AFTER ILLEGAL FUNCTION
67          ILLEGAL FUNCTION NOT DETECTED
68          OPI BIT SET WITH ILLEGAL FUNCTION
69          RMR BIT NOT SET AFTER MODIFYING REG WITH FUNCTION IN PROGRESS
70          MEMORY ARRAY PROM CHECK SUM ERRORS DURING INITIAL PROM READS
71          NIBBLE OFF SET COUNTS GREATER THAN 14 DETECTED
72          UNS BIT SET WITH GOOD UV DATA
73          UNS BIT SET WITH GOOD UV DATA
74          UNS BIT NOT SET WITH BAD UV DATA
75          UNS BIT NOT SET WITH BAD UV DATA
76          MEMORY ARRAY PROM ROW/COL DATA ORING ERROR
77          BAD NIBBLE THRESHOLD OF 36 EXCEEDED DURING INITIAL ARRAY READ/WRITE TEST
78          UNIQUE PROM SELECTION ERROR
79          FAILURE TO FIND GOOD ROW DURING READ WRITE ARRAY WITH PROM DATA
80          MEMORY ARRAY TIMING AND CONTROL FAILURE TO REFRESH MEMORY
81          DATA ERRORS DETECTED AT LAST BLOCK DURING ADDRESSES COUNTER TEST.  (TEST ABORTED)
```

```
                82                  ADDRESS COUNTER ERROR
                83                  UNIQUE MEMORY ARRAY MODULE SELECTION FAILURE
                84                  ALL BITS IN ALL NIBBLES TESTED DURING SEQUENCER EXISTENCE TEST WERE IN  ERROR (FAIL
                85                  INTERMEDIATE FAILURE.  SOME BITS IN NIBBLES TESTED WERE IN ERROR (CONTINUE TESTING)
                86                  SYNC BUS DATA BIT WRITE PATH CONTINUITY FAILURE
                87                  SYNC BUS DATA BIT READ PATH CONTINUITY FAILURE
                88                  RAM BUS ADRS COUNTER FAILURE TO LOAD/UNLOAD SKIP RAM DURING WRITE FUNCTION
                89                  RAM BUS ADRS COUNTER FAILURE TO LOAD/UNLOAD SKIP RAM DURING READ FUNCTION
                90                  SYNC DATA BUS WRITE PATH UNIQUE DATA BIT FAILURE (ALL ONES NIBBLE PATTERN)
                91                  SYNC DATA BUS WRITE PATH UNIQUE DATA BIT FAILURE (SHIFTED BIT NIBBLE PATTERN)
                92                  SYNC DATA BUS WRITE PATH UNIQUE DATA BIT FAILURE (ALL ONES NIBBLE PATTERN)
                93                  SYNC DATA BUS READ PATH UNIQUE DATA BIT FAILURE
                94                  NIBBLE OFF SET COUNTERS FAILURE
                95                  CS1 FUNCTION ABORT FAILURE DURING CLASS 'A' ERROR
                96                  CS1 FUNCTION ABORT FAILURE DURING CLASS 'B' ERROR
                97                  LBT BIT SET BEFORE A LAST BLOCK TRANSFER
                98                  DSA REGISTER INCREMENT FAILURE DURING NON LAST BLOCK TRANSFERS.
                99                  LBT BIT NOT CLEAR AFTER LOADING DSA REG
               100                  LBT BIT NOT SET AFTER A LAST BLOCK TRANSFER
               101                  DSA REGISTER INCREMENT FAILURE AFTER A LAST BLOCK TRANSFER
               102                  IAE BIT NOT SET AT INVALID SECTOR ADDRESSES
               103                  AOE BIT NOT SET AFTER ADDRESS OVERFLOW
               104                  SC BIT NOT AFTER CS1 FUNCTION ADORT
               105                  GOOD DATA BUS PARITY NOT DETECTED
               106                  GOOD DATA BUS PARITY NOT GENERATED
               107                  UNS BIT SET AFTER WRITING TO A SECTOR DURING PROM DATA TEST
               108                  UNS BIT NOT SET WITH BAD UV DATA
               109                  WCE BIT SET DURING MBUS WRITE/READ FUNCTION TROUBLE SHOOTING LOOP TEST
               110                  UNIQUE REGISTER SELECTION TEST FAILURE
```

111	FAILURE TO FIND GOOD MOS RAM ROW DURING ARRAY ADRS MUX TEST (INTERMEDIATE DIAG MSG)
112	UNIQUE ARRAY MODULE ROW/COL ADDRESSING FAILURE
113	DRIVE TYPE REGISTER VALUE WAS NOT CORRECT
114	TRE BIT SET UNEXPECTEDLY DURING A WRITE CHECK TRANSFER (INTERMEDIATE DIAG ERROR)
115	TRE BIT SET UNEXPECTEDLY DURING A WRITE TRANSFER (INTERMEDIATE DIAG ERROR)
116	TRE BIT SET UNEXPECTEDLY DURING A READ TRANSFER (INTERMEDIATE DIAG ERROR)
117	TRE BIT DID NOT SET AFTER A REGISTER MODIFICATION ERROR (EXCEPTION WAS NOT ASSERTED)
118	DATA DIAGNOSTIC REGISTER (D1 D2 E2) INITIALIZATION ERRORS
119	RH CONTROLLER FAILED EXISTANCE PROBE TEST
120	NED BIT SET DURING MASS BUS HANDSHAKE PROBE
121	DATA DIAGNOSTIC REGISTER (D1 D2 E2) ONE'S ZERO'S READ/WRITE ERRORS
122	DATA DIAGNOSTIC REGISTER (D1 D2 E2) SHIFTING 1'S AND 0'S READ/WRITE ERRORS
123	ECC HARD ERROR BIT NOT SET WHEN UNCORRECTABLE ECC ERRORS WERE READ
124	ECC ERROR REGISTER FAILURE TO LATCH FAILING ERROR CORRECTION INFORMATION
125	ECC ERROR REGISTER FAILURE TO CLEAR
126	ECC ERROR LOCATION REGISTER FAILED TO CLOCK IN DSA ADDRESS
127	ECC ERROR LOCATION REGISTER DATA BIT ERRORS
128	ECC ERROR LOCATION REGISTER INITIALIZATION ERRORS
129	ECC HARD ERROR BIT FAILED TO SET NOT SET
130	DATA CHECK ERROR BIT FAILED TO SET / NOT SET
131	CRC DATA BUS FAILURE. BIT CONTINUITY / UNIQUENESS ERRORS
132	UNIQUE NIBBLE CRC GENERATION CODE FAILURES
133	UNIQUE WORD CRC GENERATION CODE FAILURES
134	CORRECTABLE ERROR SYNDRONE DECODE FAILURE. FAILURE TO COMPLIMENT EXPECTED FAILING B
135	CORRECTABLE ERROR SYNDRONE DECODE FAILURE. UNEXPECTED BIT(S) FOUND COMPLIMENTED
136	ECH OR UNC BIT NOT SET DURING READS WITH ECC ERRORS IN CHANNEL > 35
137	ERROR CORRECTION WAS NOT INHIBITED DURING UNCORRECTABLE ECC ERRORS. UNEXPECTED BIT(S) WERE FOUND COMPLIMENTED
138	ECH OR UNC BIT NOT SET WHEN MULTIPLE CHANNEL ERRORS WERE READ

```
139                     ERROR CORRECTION WAS NOT INHIBITED DURING UNCORRECTABLE ECC ERROR.
                        UNEXPECTED BIT(S) WERE FOUND COMPLIMENTED
140                     ECC FAILURE TO DETECT AND CORRECT SINGLE BIT CHANNEL ERRORS
141                     ECC FAILURE TO DETECT AND CORRECT MULTIPLE BIT CHANNEL ERRORS
142                     FAILURE TO FIND GOOD BLOCK DURING ARRAY SELECT TEST
148                     SC BIT SET DURING MASS BUS WRITE OR WRITE CHECK TRANSFERS DURING TEST 21 AND 61
149                     VV BIT WAS SET WHEN TESTED AND GOT CLEARED AFTER A READ-IN-PRESET FUNCTION WAS PERFO
150                     VV BIT WAS CLEARED WHEN TESTED AND DID NOT GET SET WHEN A READ-IN-PRESET FUNCTION WA
151                     THE UNS BIT DID NOT SET WHEN BOX POWER WAS LOST
152                     THE VV BIT DID NOT CLEAR WHEN DRIVE AC POWER RESUMED WITH BAD BATTERY BACK-UP
153                     DC LO DID NOT INITIATE 'MB DIS LO' RESULTING IN THE ML-11 REGISTERS NOT GETTING CLEA
                        POWER UP.
154                     VV BIT GOT CLEARED AFTER POWER FAIL WITH GOOD BATTERY BACK-UP
155                     ECC INIT CLEARED OUT MEMORY AFTER POWER FAILED WITH GOOD BATTERY BACK-UP
156                     BATTERY BACK-UP FAILED TO MAINTAIN DATA INTEGRITY DURING POWER FAIL
```

4.0 PERFORMANCE AND PROGRESS REPORTS

AT THE END OF EACH PASS, THE PASS COUNT IS GIVEN ALONG WITH THE
TOTAL NUMBER OF ERRORS REPORTED SINCE THE DIAGNOSTIC WAS STARTED.
THE "EOP" SWITCH CAN BE USED TO CONTROL HOW OFTEN THE END
OF PASS MESSAGE IS PRINTED. SECTION 2.2 DESCRIBES SWITCHES.

5.0 DEVICE INFORMATION TABLES

HARDWARE DEFAULT PTABLE

```
.WORD   176400          ;RH ADDRESS
.WORD   70              ;RH TYPE
.WORD   204             ;RH VECTOR ADDRESS
.WORD   16.             ;NUMBER OF ARRAY MODULES
.WORD   1               ;IS DRVE OPTION ML11A,  1=16K,  0=64K
.WORD   0               ;ML-11 DRIVE NUMBER
.WORD   0               ;IS PARITY DISABLED,  1=YES,  0=NO
```

6.0 TEST SUMMARIES

TST1. MASS BUS READY

TEST THE RH CONTROLLER FOR EXISTANCE

TST2. MASS BUS HANDSHAKE

TEST MASS BUS ---> UNIBUS COMMUNICATIONS

TST3. DRIVE PRESENT

TEST TO SEE IF THE DRIVE UNDER TEST EXIST.

TST4. DRIVE SELECTION

SEE IF SELECTING OTHER DRIVES ON RH EFFECTS DRIVE UNDER TEST.

TST5. READ WRITE REGISTER ONE'S ZERO'S TEST

TEST REGISTERS READ WRITE CAPABILITY AND UNIQUENESS

TST6. READ WRITE REGISTER SHIFTING ONE'S AND ZEROES

TEST REGISTERS FOR UNIQUE DATA BITS.

TST7. REGISTER INITIALIZATION

TEST REGISTERS FOR CORRECT INIT DATA.

TST8 REGISTER SELECTION TEST

TEST FOR UNIQUE REGISTER SELECTION

TST9. PRINT DRIVE SERIAL NUMBER

PRINT THE CONTENTS OF MLSN IF THE SOFTWARE QUESTION WAS ANSWERED 'YES'.

TST10. C-BUS PARITY

TEST IF DRIVE CAN DETECT BAD PARITY ON C-BUS AND GENERATE GOOD PARITY.

TST11. MEMORY SIZING

SEE IF MEMORY SIZING LOGIC DETECTS AND RECORD CORRECT NUMBER OF ARRAYS PRESENT.

TST12. NO-OP FUNCTION

SEE IF A NO-OP FUNCTION CAN BE EXECUTED.

TST13. WRITE CHECK FUNCTION

SEE IF A WRITE CHECK FUNCTION CAUSES THE DRIVE TO HANG.

TST14. WRITE FUNCTION

SEE IF A WRITE FUNCTION CAUSES THE DRIVE TO HANG.

TST15. READ FUNCTION

SEE IF A READ FUNCTION CAUSES THE DRIVE TO HANG.

TST16. CLEAR FUNCTION

SEE IF A CLEAR FUNCTION CAN BE EXECUTED.

TST17. DIAGNOSTIC REGISTER READ WRITE

TEST THE DIAGNOSTIC REGISTERS FOR
1'S/0'S , SHIFTING 1'S/0'S AND
INITIALIZATION

TST18. COMPOSITE ERROR BIT TEST

SEE IF EACH INDIVIDUAL ERROR BIT IN MLER CAUSES A COMPOSITE ERROR.

TST19. ATA BIT

TEST IF THE ATA BIT CAN BE SET AND CLEARED.

TST20. SEARCH FUNCTION

SEE IF A SEARCH FUNCTION CAN BE EXECUTED ON ALL PRESENT ARRAYS.

TST21. POWER FAIL TEST *MANUAL INTERVENTION TEST*
TEST THE VV BIT SETTING/CLEARING, ECC INIT, REGISTER CLEARING UNS BIT SETTING, AC AND DC LOW.

TST22. ILLEGAL FUNCTION

SEE IF WRITING AN ILLEGAL FUNCTION TO CS1 CAN BE DETECTED AND THAT A TRANSFER IS NOT INITIATED.

TST23. REGISTER MODIFICATION REFUSED

TEST TO SEE IF WRITING TO SPECIFIC REGISTERS ARE ABORTED WHILE THE DRIVE IS ACTIVE. SEE IF WRITING TO NON-SPECIFIC REGISTERS ARE ALLOWED WHILE DRIVE IS ACTIVE.

TST24. INITIAL PROM TEST

TEST PROMS FOR EXISTENCE.

TST25. PROM 'OR' FUNCTION TEST

TEST THE PROM DATA ORING FUNC

TST26. UV ERROR TEST

TEST ABILITY OF UV ERR PROMS TO DETECT ALL POSSIBLE CHECK SUM ERRORS.

TST27. INITIAL ARRAY TEST

TEST ARRAY TIMING AND CONTROLFOR EXISTENCE.

TST28. PROM SELECTION TEST

TEST FOR UNIQUE PROM SELECTION.

TST29. READ WRITE MEMORY ARRAY WITH PROM DATA (DIAG MODE)

SEE IF MEMORY CAN BE WRITTEN AND READ.

ALSO FIND ERROR FREE BLOCK OF MEMORY FOR FUTURE TESTS.

TST30. REFRESH TIMING

TEST TO SEE IF MEMORY CAN BE REFRESHED.

TST31. ADDRESS COUNTER

TEST THE ADDRESS COUNTER FOR ABILITY TO COUNT THROUGH ALL POSSIBLE MEMORY ADDRESSES.

TST32. ARRAY MODULE SELECTION

TEST FOR UNIQUE ARRAY MODULE SELECTION

TST33. SEQUENCER EXISTENCE TEST

TEST TO SEE IF BASIC SEQUENCER TIMING EXISTS.

TST34. SYNC DATA BUS CONTINUITY/WRITE PATH

TEST SYNCHRONOUS DATA BUS WRITE PATH FOR CONTINUITY BY READ-ING WRITING ONE'S AND ZERO'S.

TST35. SYNC DATA BUS CONTINUITY/READ PATH

TEST SYNCHRONOUS DATA BUS READ PATH FOR CONTINUITY BY READING WRITING ONE'S AND ZEROES.

TST36. RAM-BUS ADDRESS COUNTER/WRITE PATH

TEST ABILITY OF THE RAM-BUS ADDRESS COUNTERS TO LOAD/UNLOAD THE SKIP DURING WRITE FUNCTIONS.

TST37. RAM BUS ADRS COUNTER/READ PATH

TEST ABILITY OF RAM/BUS ADRS COUNTERS TO LOAD/UNLOAD THE SKIP RAM DURING READ FUNCTIONS.

TST38. SYNC DATA BUS BIT UNIQUENESS/WRITE PATH

TEST SYNCHRONOUS DATA BUS FOR DATA BIT UNIQUENESS BY WRITING SHIFTING PATTERNS OF ONE'S AND ZERO'S TO THE ML.

TST39. SYNC DAT BUS BIT UNIQUENESS/READ PATH

TEST SYNCHRONOUS DATA BUS READ PATH FOR DATA BIT UNIQUENESS

BY WRITING SHIFTING PATTERNS OF ONES AND ZEROES TO THE

TST40. ARRAY ADDRESS MUX

TEST FOR UNIQUE ROW AND COLUMN ADDRESSING

TST41. NIBBLE OFFSET

TEST NIBBLE OFFSET COUNTERS TO COUNT TO 14 NIBBLE DATA TO BE SHIFTED ON DETECTION OF BAD NIBBLES.

TST42. CS1 FUNCTION ABORT

SEE IF A CLASS 'B' ERROR ABORTS A FUNCTION WHILE IN PROGRESS.

SEE IF A CLASS'A' ERROR IS DETECTED BUT FUNCTION IS ALLOWED TO COMPLETE.

TST43. LAST BLOCK INDICATOR

TEST THE LAST BLOCK INDICATOR BIT FOR NOT SETTING BELOW THE LAST AND SETTING AND CLRING AT THE LAST BLOCK

TST44. INVALID ADDRESS TEST

FOR ALL ILLEGAL DSA ADDRESSES READ THE IAE BIT SET.

TST45. ADDRESS OVERFLOW

TEST FOR AOE ON TRANSFERS WHICH EXTEND BEYOND THE LAST BLOCK.

TST46. SYNC BUS PARITY

TEST FOR BAD PARITY DETECTION AND GOOD PARITY GENERATION.

TST47. WRITE READ MEMORY ARRAY (M-BUS BLOCK MODE)

WRITE READ MEMORY VIA M-BUS BLOCK WITH MINIMUM OVERHEAD

TST48. TEST THE CRC DATA BUS BETWEEN THE CRC GENERATORS AND THE CRC/MBUS DATA MUX FOR CONTINUITY AND BIT UNIQUENESS

TST49. TEST CRC CODES GENERATED FOR ONE CRC GROUP (52 UNIQUE NIBBLES)

TST50. TEST CRC CODES GENERATED FOR ONE CRC GROUP (13 UNIBUS WORDS)

TST51. TEST SYNDRONE DECODE AND ERROR CORRECTION TO DECODE AND CORRECT SINGLE BIT AND MULTIPLE BIT CHANNEL ERRORS

TST52. TEST SYNDRONE DECODE TO DETECT BUT NOT CORRECT UNCORRECTABLE CHANNEL

ERRORS

TST53. TEST SYNDRONE DECODE TO DETECT BUT NOT CORRECT UNCORRECTABLE MULTIPLE CHANNEL ERRORS

TST54. TEST SYNDRONE GENERATION, SYNDRONE DECODE AND ERROR CORRECTION FOR SIGLE BIT CHANNEL ERRORS

TST55. TEST SYNDRONE GENERATION, SYNDRONE DECODE AND ERROR CORRECTION FOR MULTIPLE BIT CHANNEL ERRORS

TST56. TEST THE ECC ERROR REGISTER FOR CLEARING AND LATCHING OF ECC ERROR INFORMATION ON DETECTION OF ECC ERRORS

TST57. TEST THE ECC ERROR LOCATION REGISTER FOR CLOCKING, BIT UNIQUENESS, CLEARING AND LATCHING

TST58. VIA ECC_DM AND ECC_DIS TEST THE ECH BIT FOR SETTING AND NOT SETTING

TST59. VIA ECC_EN, ECC_DM AND ECC_DIS TEST THE DCK BIT FOR SETTING AND NOT SETTING

TST60. PROM DATA TEST

VERIFY THAT CHECK SUM VALUES FOR ALL PROM LOCATIONS ARE CORRECT.

TST61. BATTERY BACK-UP TEST *MANUAL INTERVENTION TEST*
TEST THE DRIVE BATTERY BACK-UP DURING POWER FAILS AND ALSO TEST VV BIT, ECC INIT.

```
                                .SBTTL  PROGRAM HEADER AND TABLES
                                
000000                                  .ENABL  ABS,AMA
002000                          .       =       2000
                                
002000                                  BGNMOD
                                
                                ;++
                                ; THE PROGRAM HEADER IS THE INTERFACE BETWEEN
                                ; THE DIAGNOSTIC PROGRAM AND THE SUPERVISOR.
                                ;--
                                
002000                                  POINTER ALL
                                
002000                                  HEADER  CZMLA,D,0,1800.,0
                                
                                ;
                                ;       NAMES OF DEVICES SUPPORTED BY THIS PROGRAM
                                ;
002122                                  DEVTYP <ML-11>
                                
                                
                                ;
                                ;       TEST DESCRIPTION
                                ;
002130                                  DESCRIPT <ML-11 LOGIC TEST>
                                
                                
                                ;
                                ;       THE GLOBAL ERROR TABLE (INFORMATION
                                ;       USED IN A CALL TO THE MACRO 'ERROR')
                                ;
002152                          ERRTBL
002152  000000                  ERRTYP::        .WORD   0
002154  000000                  ERRNBR::        .WORD   0
002156  000000                  ERRMSG::        .WORD   0
002160  000000                  ERRBLK::        .WORD   0
                                
                                ;++
                                ; THE DISPATCH TABLE CONTAINS THE STARTING ADDRES OF EACH TEST.
                                ; IT IS USED BY THE SUPERVISOR TO DISPATCH TO EACH TEST.
                                ;--
                                
002162                                  DISPATCH 61
                                
                                
                                ;++
                                ; THE DEFAULT HARDWARE P-TABLE CONTAINS DEFAULT VALUES OF
                                ; THE TEST-DEVICE PARAMETERS.  THE STRUCTURE OF THIS TABLE
                                ; IS IDENTICAL TO THE STRUCTURE OF THE HARDWARE P-TABLES,
                                ; AND IS USED AS A "TEMPLATE" FOR BUILDING THE P-TABLES.
                                ;--
                                
```

```
                                        BGNHW   DFPTBL
                                        .WORD   176400          ;RH ADDRESS
                                        .WORD   70              ;RH TYPE
                                        .WORD   204             ;RH VECTOR ADDRESS
                                        .WORD   1               ;NUMBER OF ARRAY MODULES
                                        .WORD   1               ;IS DRIVE OPTION ML11A,  1=16K,  0=64K
                                        .WORD   0               ;ML-11 DRIVE NUMBER
                                        .WORD   0               ;IS PARITY DISABLED,  1=YES,  0=NO

                                        ENDHW


                                ;++
                                ; THE DEFAULT SOFTWARE P-TABLE CONTAINS VARIOUS DATA USED BY THE
                                ; PROGRAM AS OPERATIONAL PARAMETERS.  THESE PARAMETERS ARE SET
                                ; UP AT ASSEMBLY TIME AND MAY BE VARIED BY THE OPERATOR AT RUN
                                ; TIME.
                                ;--

                                        BGNSW   SFPTBL

                                PRSN::          .WORD   0       ;PRINT SERIAL NUMBER, 1=YES,  0=NO
                                ERRTHR::        .WORD   1       ;ENABLE ERROR THRESHOLD 1=YES, 0=NO
                                REGDMP::        .WORD   0       ;ENABLE REGISTER DUMPS 1=YES, 0=NO
                                ONEPAS::        .WORD   1       ;DROP UNIT AFTER ONE (EOP)
                                INTERVEN::      .WORD   0       ;MANUAL INTERVENTION TESTS 1=YES, 0=NO
                                        ENDSW
```

```
                                        ;++
                                        ; THE HARDWARE PARAMETER CODING SECTION CONTAINS MACROS
                                        ; THAT ARE USED BY THE SUPERVISOR TO BUILD P-TABLES.  THE
                                        ; MACROS ARE NOT EXECUTED AS MACHINE INSTRUCTIONS BUT ARE
                                        ; INTERPRETED BY THE SUPERVISOR AS DATA STRUCTURES.  THE
                                        ; MACROS ALLOW THE SUPERVISOR TO ESTABLISH COMMUNICATIONS
                                        ; WITH THE OPERATOR.
                                        ;--

002412                                          BGNHRD


002414                                          GPRMA   MSGH1,0,0,0,177777,YES
002424                                          GPRMD   MSGH2,2,0,77,11,70,YES
002436                                          GPRMD   MSGH3,4,0,777,0,777,YES
002450                                          GPRMD   MSGH4,6,D,77,1,16.,YES
002462                                          GPRML   MSGH5,10,1,YES
002470                                          GPRMD   MSGH6,12,0,7,0,7,YES
002502                                          GPRML   MSGH7,14,1,YES

002510                                          ENDHRD


002510  122  110  040  MSGH1:  .ASCIZ  /RH CONTROLER BASE REGISTER ADDRESS  ?/
002556  122  110  040  MSGH2:  .ASCIZ  /RH CONTROLER TYPE '70  OR  11'      ?/
002624  122  110  040  MSGH3:  .ASCIZ  /RH CONTROLER VECTOR ADDRESS         ?/
002670  116  125  115  MSGH4:  .ASCIZ  /NUMBER OF ARRAY MODULES IN THIS UUT ?/
002736  111  123  040  MSGH5:  .ASCIZ  /IS UUT DRIVE OPTION TYPE AN 'ML11A' ?/
003004  104  122  111  MSGH6:  .ASCIZ  /DRIVE SELECT NUMBER OF THIS UUT     ?/
003052  111  123  040  MSGH7:  .ASCIZ  /IS PARITY DISABLED IN THIS UUT      ?/
                                .EVEN

                                        ;++
                                        ; THE SOFTWARE PARAMETER CODING SECTION CONTAINS MACROS
                                        ; THAT ARE USED BY THE SUPERVISOR TO BUILD P-TABLES.  THE
                                        ; MACROS ARE NOT EXECUTED AS MACHINE INSTRUCTIONS BUT ARE
                                        ; INTERPRETED BY THE SUPERVISOR AS DATA STRUCTURES.  THE
                                        ; MACROS ALLOW THE SUPERVISOR TO ESTABLISH COMMUNICATIONS
                                        ; WITH THE OPERATOR.
                                        ;--

003120                                          BGNSFT


003122                                          GPRML   MSGS1,0,1,YES
003130                                          GPRML   MSGS2,2,1,YES
003136                                          GPRML   MSGS3,4,1,YES
003144                                          GPRML   MSGS4,6,1,YES
003152                                          GPRML   MSGS5,10,1,YES
                                                .EVEN

003160                                          ENDSFT
```

```
297
304 003160   120   122   111  MSGS1:  .ASCIZ  /PRINT DRIVE SERIAL NUMBER          ?/          ;PRINT DRIVE SERIAL NUMBER?
305 003224   105   116   101  MSGS2:  .ASCIZ  /ENABLE ERROR MESSAGE THRESHOLD    ?/          ;ERROR THRESHOLD FLAG
306 003270   105   116   101  MSGS3:  .ASCIZ  /ENABLE REGISTER DUMP ON ERRORS    ?/          ;REG DUMP FLAG
307 003334   105   130   111  MSGS4:  .ASCIZ  /EXIT PROGRAM AFTER ONE PASS       ?/          ;EXIT PROG FLAG
308 003400   105   116   101  MSGS5:  .ASCIZ  /ENABLE MANUAL INTERVENTION TESTS  ?/
309                             .EVEN
310
311                         ;++
312                         ; THIS TABLE IS USED BY THE RUNTIME SERVICES
313                         ; TO PROTECT THE LOAD MEDIA.
314                         ;--
315
316 003444                       BGNPROT
317
318 003444  177777               -1              ;OFFSET INTO P-TABLE FOR CSR ADDRESS
319 003446  177777               -1              ;OFFSET INTO P-TABLE FOR MASSBUS ADDRESS
320 003450  177777               -1              ;OFFSET INTO P-TABLE FOR DRIVE NUMBER
321
322 003452                       ENDPROT
323
337
338 003452                  $PATCH::
339 003452                       .BLKW   20
340
347
348 003512                       ENDMOD
349
350
363
```

```
;ML3AD                                                  22-Mar-1982 11:35:31    TOPS-20 Bliss-16 V2(212)
;                                                       22-Mar-1982 11:32:50    PA:<NEALE>ML3AD.BLI.1 (1)

;          0001  MODULE ML3AD =
;          0002  BEGIN
;          0003
;          0004  %SBTTL 'REPORT CODE SECTION'
;          0005
;          0006  REQUIRE 'BLSMAC.REQ';
;          1496
;          1497  !+
;          1498  !  THE REPORT CODING SECTION CONTAINS THE
;          1499  ! "PRINTS" CALLS THAT GENERATE STATISTICAL REPORTS.
;          1500  !-
;          1501
;          1502  BGNRPT;
;          1503  RETURN;
;          1504  ENDRPT;


                                        .SBTTL  LRPT REPORT CODE SECTION

004646  000207                  LRPT:   RTS     PC                              ;                       1495

                                ; Routine Size:  1 word
                                ; Maximum stack depth per invocation:  0 words


                                        .SBTTL  L$RPT REPORT CODE SECTION
004650  004767  177772          L$RPT:: JSR     PC,LRPT                         ;                       1503
004654  104425                          TRAP    25
004656  000207                          RTS     PC

                                ; Routine Size:  4 words
                                ; Maximum stack depth per invocation:  0 words
```

```
                1505
                1506    !+
                1507    ! THE AUTODROP CODE IS EXECUTED IMMEDIATELY AFTER THE INITIALIZE
                1508    ! CODE IF THE "ADR" FLAG WAS SET.  THE UNIT(S) UNDER TEST ARE
                1509    ! CHECKED TO SEE IF THEY WILL RESPOND.  THOSE THAT DON'T ARE IMMEDIATELY
                1510    ! DROPPED FROM TESTING.  ISSUE A "DODU" FOR THOSE THAT DON'T RESPOND.
                1511    !-
                1512
                1513    BGNAUTO;
                1514    RETURN;
                1515    ENDAUTO;

                                        .SBTTL  LAUTO REPORT CODE SECTION
004660  000207                  LAUTO:  RTS     PC                              ;                       1504

                                ; Routine Size:  1 word
                                ; Maximum stack depth per invocation:  0 words


                                        .SBTTL  L$AUTO REPORT CODE SECTION
004662  004767  177772          L$AUTO::JSR     PC,LAUTO                        ;                       1514
004666  104461                          TRAP    61
004670  000207                          RTS     PC

                                ; Routine Size:  4 words
                                ; Maximum stack depth per invocation:  0 words
```

```
                                                        22-Mar-1982 11:35:31    TOPS-20 Bliss-16 V2(212)
                                                        22-Mar-1982 11:32:50    PA:<NEALE>ML3AD.BLI.1 (1)
    116 ;ML3AD
    117 ;                   REPORT CODE SECTION
    118
    119 ;           1516
    120 ;           1517    !+
    121 ;           1518    ! THE DROP-UNIT SECTION CONTAINS THE CODING THAT CAUSES A DEVICE
    122 ;           1519    ! TO NO LONGER BE TESTED.
    123 ;           1520    !-
    124 ;           1521
    125 ;           1522    BGNDU;
    126 ;           1523    RETURN;
    127 ;           1524    ENDDU;
    131
    132                                     .SBTTL  LDU REPORT CODE SECTION
    136 004672  000207                  LDU:    RTS     PC                              ;                       1515
    137
    138                                     ; Routine Size:  1 word
    139                                     ; Maximum stack depth per invocation:  0 words
    144
    145
    149
    150                                     .SBTTL  L$DU REPORT CODE SECTION
    154 004674  004767  177772          L$DU::  JSR     PC,LDU                          ;                       1523
    155 004700  104453                          TRAP    53
    156 004702  000207                          RTS     PC
    157
    158                                     ; Routine Size:  4 words
    159                                     ; Maximum stack depth per invocation:  0 words
    164
    165
    166 ;           1525
    167 ;           1526    !+
    168 ;           1527    ! THE ADD-UNIT SECTION CONTAINS ANY CODE THE PROGRAMMER WISHES
    169 ;           1528    ! TO BE EXECUTED IN CONJUNCTION WITH THE ADDING OF A UNIT BACK
    170 ;           1529    ! TO THE TEST CYCLE.
```

```
                                                                    22-Mar-1982 11:35:31    TOPS-20 Bliss-16 V2(212)
                                                                    22-Mar-1982 11:32:50    PA:<NEALE>ML3AD.BLI.1 (1)
;ML3AD
;                REPORT CODE SECTION

;          1530  !-
;          1531
;          1532  BGNAU;
;          1533  RETURN;
;          1534  ENDAU;

                                        .SBTTL  LAU REPORT CODE SECTION
004704  000207                LAU:      RTS     PC                                ;                    1524

                                ; Routine Size:  1 word
                                ; Maximum stack depth per invocation:  0 words


                                        .SBTTL  L$AU REPORT CODE SECTION
004706  004767  177772          L$AU::  JSR     PC,LAU                            ;                    1533
004712  104452                          TRAP    52
004714  000207                          RTS     PC

                                ; Routine Size:  4 words
                                ; Maximum stack depth per invocation:  0 words


;          1535  END
;          1536
;          1537  ELUDOM
```

```
                                ;ML3AD                                  22-Mar-1982 11:35:31    TOPS
                                ;                REPORT CODE SECTION    22-Mar-1982 11:32:50    PA:<
                                ;
                                ;
                                ;
                                ; Size:          20 code + 0 data words
                                ; Run Time:      00:02.9
                                ; Elapsed Time:  00:05.5
                                ; Memory Used:   24 pages
                                ; Compilation Complete
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                                                         29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (1)
;
;          0001  MODULE ML4AD =
;          0002  BEGIN
;          0003  !
;          0004  ! PRETTY BLF COMMANDS
;          0005  !
;          0006  !<BLF/LOWERCASE_KEY>
;          0007  !
;          0008  ! REQUIRE
;          0009  !
;          0010
;          0011  %SBTTL 'DECLARATION SECTION'
;          0012
;          0013  require 'BLSMAC.REQ';                      !BLISS INTERFACE MODULE
;          1503
;          1504  !
;          1505  ! CONSTANT LITERALS
;          1506  !
;          1507
;          1508  literal
;          1509      ONE = 1,                               !DATA BIT OF ONE
;          1510      ONES = %o'177777',                     !DATA PATTERN OF ONES
;          1511      ZERO = 0,                              !DATA BIT OF ZERO
;          1512      ZEROES = 0,                            !DATA PATTERN OF ZEROES
;          1513      NUM_OF_REG = 22,                       !NUMBER OF BLOCKS IN GLOBAL STORAGE 'ML-REG'
;          1514      FIELD_SIZ = 4,                         !FIELD SIZ FOR FIELD DECLARATIONS 'WORD_MAP'
;          1515      !
;          1516      !MLCS1 FUNCTION CODES
;          1517      !
;          1518      NOOP = 1,                              !NOOP FUNCTION
;          1519      DRV_CLR = %o'11',                      !DRIVE CLEAR FUNCTION
;          1520      RD_IN_PRE = %o'21',                    !READ IN PRESET FUNCTION
;          1521      SEARCH = %o'31',                       !SEARCH FUNCTION
;          1522      WRT_CHK = %o'51',                      !WRITE CHECK FUNCTION
;          1523      write = %o'61',                        !WRITE FUNCTION
;          1524      read = %o'71',                         !READ FUNCTION
;          1525      !
;          1526      ! DELAY ARGUMENTS
;          1527      !
;          1528      ONE_US = 1,                            !ONE MICRO SECOND DELAY
;          1529      FRTY_US = 40,                          !FORTY MICRO SECOND DELAY
;          1530      TWO_TH_US = 2000,                      !TWO THOUSAND MICRO SECOND DELAY
;          1531      ONE_SEC = 100,                         !ONE SECOND DELAY
;          1532      ONE_MS = 10;                           !ONE MILL SECOND DELAY
;          1533
;          1534  !
;          1535  ! FIELD DECLARATIONS
;          1536  !
;          1537
;          1538  field
;          1539      WORD_MAP =                             !MAPS GLOBAL STORAGE 'ML_REG' INTO REGISTER PERSONALITIES
;          1540          set
;          1541          REGISTER_ADD = [0, 0, 16, 0],      !REGISTERS ADDRESS
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    DECLARATION SECTION                29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (1)
;
;          1542          FORCE_HI = [1, 0, 16, 0],      !REGISTERS  FORCED HI BITS
;          1543          FORCE_LO = [2, 0, 16, 0],      !REGISTERS FORCED LO BITS
;          1544          DONT_CARE = [3, 0, 16, 0]      !REGISTERS IGNORE BITS
;          1545          tes,
;          1546      NIB_MAP =                          !MAPS OWN STORAGE NIB_SAVE INTO TEN FOUR BIT NIBBLES
;          1547          set
;          1548          NIB_0 = [0, 0, 4, 0],          !NIBBLE 0 BITS <0:3>
;          1549          NIB_1 = [0, 4, 4, 0],          !NIBBLE 1 BITS <4:7>
;          1550          NIB_2 = [0, 8, 4, 0],          !NIBBLE 2 BITS <8:11>
;          1551          NIB_3 = [0, 12, 4, 0],         !NIBBLE 3 BITS <12:15>
;          1552          NIB_4 = [1, 0, 4, 0],          !NIBBLE 4 BITS <16:19>
;          1553          NIB_5 = [1, 4, 4, 0],          !NIBBLE 5 BITS <20:23>
;          1554          NIB_6 = [1, 8, 4, 0],          !NIBBLE 6 BITS <24:27>
;          1555          NIB_7 = [1, 12, 4, 0],         !NIBBLE 7 BITS <28:31>
;          1556          NIB_8 = [2, 8, 4, 0],          !NIBBLE 8 BITS <32:35>
;          1557          NIB_9 = [2, 12, 3, 0]          !NIBBLE 9 BITS <36:39>
;          1558          tes,
;          1559      DT1_FLD =
;          1560          set
;          1561          E0_5 = [0, 0, 6, 0],
;          1562          C0_5 = [0, 6, 6, 0],
;          1563          CRC_DATA = [0, 13, 1, 0],
;          1564          SGL_DATA = [0, 14, 1, 0],
;          1565          UNC_DATA = [0, 15, 1, 0],
;          1566          EE_DATA = [0, 0, 16, 0],
;          1567          A0_5 = [1, 0, 6, 0],
;          1568          P0_5 = [1, 6, 6, 0],
;          1569          ECR_DATA = [1, 12, 1, 0],
;          1570          B0_5 = [2, 0, 6, 0]
;          1571          tes;
;          1572
;          1573  external
;          1574      REGDMP : volatile,                 !REGISTER DUMP ON ERROR FLAG
;          1575      ONEPAS : volatile,                 !DROP UNIT AFTER ONE PASS
;          1576      INTERVEN : volatile,                       !MANUAL INTERVENTION FLAG
;          1577      PRSN : volatile,                   !PRINT SERIAL NUMBER FLAG
;          1578      ERRTHR : volatile;                 !ENABLE ERROR THRESHOLD FLAG
;          1579
;          1580  !<BLF/PAGE>
```

```
105 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
106 ;                DECLARATION SECTION                      29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (2)
107 ;
108 ;          1581  !
109 ;          1582  ! OWN STORAGE
110 ;          1583  !
111 ;          1584
112 ;          1585  own
113 ;          1586      NIB_SAVE : block [3] field (NIB_MAP) volatile,
                                                        !STORAGE LOCATION TO SAVE NIBBLE DATA READ DURING DIAG MODE
114 ;          1587
115 ;          1588      HW_OR_TBL : vector [127] volatile,
                                                        !STORES HARDWARE ORED PROM DATA DURING PROM OR FUNC TEST
116 ;          1589      PTBL_PTR : volatile,
                                                        !HARDWARE P-TABLE POINTER
117 ;          1590      OP_NUM_ARR : volatile,
                                                        !OPERATORS NUMBER  OF ARRAY INPUTTED
118 ;          1591      ARR_INC : volatile,
                                                        !ARRAY SELECTION INCREMENT VALUE
119 ;          1592      GOOD_BLK : volatile,
                                                        !GOOD BLOCK ADRS
120 ;          1593      PAR_DIS : volatile,
                                                        !PARITY DISABLE FLAG
121 ;          1594      CHIP_SIZ : volatile,
                                                        !MOS RAM CHIP SIZE
122 ;          1595      LST_BLK : volatile,
                                                        !LAST ADDRESSABLE BLOCK
123 ;          1596      ARR_16 : volatile,
                                                        !MAX NUMBER OF ARRAY ALLOWED
124 ;          1597      LST_ARR : volatile,
                                                        !LAST ADDRESSABLE ARRAY
125 ;          1598      IO_BUF : vector [256] volatile,
                                                        !INPUT OUTPUT BUFFER
126 ;          1599      STK_OFF : vector [10, byte] volatile,
                                                        !STACK OFFSET STORAGE LOCATION
127 ;          1600      stack : vector [198, byte] volatile,
                                                        !STACK OF 198 BYTE LOCATIONS
128 ;          1601      PD_TEMP : bitvector [16] volatile,
                                                        !PROM DATA STORAGE LOCATION DURING DIAG MODES
129 ;          1602      W_C_SIZE : volatile,
                                                        !STORES WORD COUNT FOR 16K OR 64K XFERS
130 ;          1603      RAS_INC : volatile,
                                                        !ROW ADRS STROBE INCREMENT
131 ;          1604      WT_DATA : volatile,
                                                        !SAVE WRITE DATA DURING REG READ WRITE TEST
132 ;          1605      RD_DATA : volatile,
                                                        !SAVE READ DATA DURING REG READ WRITE TEST
133 ;          1606      DRIVE_TYPE : volatile,
                                                        !DRIVE TYPE STORAGE LOCATION
134 ;          1607      LST_DOT_REG : volatile,
                                                        !LAST ML-11 REG INDEX FOR THIS TYPE RH CONTROLLER
135 ;          1608      REG_INIT_FLG : initial (0) volatile,
                                                        !FLAG TO DETECT DOING REG INIT TEST
136 ;          1609      A_CAL : volatile,
                                                        !CALCULATED CRC STORAGE LOCATION
137 ;          1610      B_CAL : volatile,
                                                        !CALCULATED CRC STORAGE LOCATION
138 ;          1611      P_CAL : volatile,
                                                        !CALCULATED CRC STORAGE LOCATION
139 ;          1612      A_GEN : volatile,
                                                        !GENERATED CRC STORAGE LOCATION
140 ;          1613      B_GEN : volatile,
                                                        !GENERATED CRC STORAGE LOCATION
141 ;          1614      P_GEN : volatile,
                                                        !GENERATED CRC STORAGE LOCATION
142 ;          1615      P_CNT : volatile,
                                                        !ERROR MESSAGE PRINT COUNTER
143 ;          1616      LIMIT : volatile,
                                                        !LIMIT OF ERROR MESSAGES PRINTED
144 ;          1617      DROP_CNT : volatile,
                                                        !COUNTS NUMBER OF PASSES DONE
145 ;          1618  !
146 ;          1619  !<BLF/NOFORMAT>
147 ;          1620  !
148 ;          1621     ML_REG: blockvector [NUM_OF_REG,FIELD_SIZ] field(WORD_MAP) !ML11 REGISTERS
149 ;          1622        preset (                                                 !STRUCTURE TO STORE INDIVIDULA
150 ;          1623                                                                 !REGISTER PERSONALITIES
151 ;          1624                                                                 !ie. REGISTER ADDRESSES
152 ;          1625                                                                 !BITS FORCED HIGH
153 ;          1626                                                                 !BITS FORCED LOW
154 ;          1627                                                                 !READ ONLY BITS
155 ;          1628           [0,FORCE_HI]    = %o'004000',    !MLCS1
156 ;          1629
157 ;          1630           [0,FORCE_LO]    = %o'173701',
158 ;          1631           [0,DONT_CARE]   = %o'160200',
159 ;          1632
```

```
;SAU REPORT CODE SECTION

;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    DECLARATION SECTION                 29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (2)

                1633            [5,FORCE_LO]    = %o'25077',    !MLDS
                1634            [5,FORCE_HI]    = %o'010600',
                1635            [5,DONT_CARE]   = %o'000100',
                1636
                1637            [6,FORCE_LO]    = %o'014620',   !MLER
                1638
                1639            [7,DONT_CARE]   = %o'177400',   !MLAS
                1640
                1641            [8,FORCE_LO]    = %o'100000',   !MLPA
                1642
                1643            [10,FORCE_LO]   = %o'000020',   !MLMR
                1644            [10,DONT_CARE]  = %o'177400',
                1645
                1646            [11,FORCE_HI]   = %o'000110',   !MLDT
                1647            [11,FORCE_LO]   = %o'177666',
                1648            [11,DONT_CARE]  = %o'000001',
                1649
                1650            [13,FORCE_LO]   = %o'140300',   !MLE1
                1651
                1652            [14,FORCE_LO]   = %o'100300',   !MLE2
                1653
                1654            [17,FORCE_LO]   = %o'010000',   !MLEE
                1655            [21,DONT_CARE]  = %o'000000'    !MLCS2
                1656                    ) volatile,
                1657
                1658
                1659    REM_TBL:vector [63,byte]        !REMAINDER TABLE
                1660      preset (                      !STRUCTURE TO STORE PRECALCULATED
                1661            [0] = %b'000001',       !CRC REMAINDER VALUES FOR CRC CODE
                1662            [1] = %b'000010',       !GENERATION
                1663            [2] = %b'000100',
                1664            [3] = %b'001000',
                1665            [4] = %b'010000',
                1666            [5] = %b'100000',
                1667            [6] = %b'000011',
                1668            [7] = %b'000110',
                1669            [8] = %b'001100',
                1670            [9] = %b'011000',
                1671            [10] = %b'110000',
                1672            [11] = %b'100011',
                1673            [12] = %b'000101',
                1674            [13] = %b'001010',
                1675            [14] = %b'010100',
                1676            [15] = %b'101000',
                1677            [16] = %b'010011',
                1678            [17] = %b'100110',
                1679            [18] = %b'001111',
                1680            [19] = %b'011110',
                1681            [20] = %b'111100',
                1682            [21] = %b'111011',
                1683            [22] = %b'110101',
                1684            [23] = %b'101001',
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (2)

```
;ML4AD
;                    DECLARATION SECTION

;          1685          [24] = %b'010001',
;          1686          [25] = %b'100010',
;          1687          [26] = %b'000111',
;          1688          [27] = %b'001110',
;          1689          [28] = %b'011100',
;          1690          [29] = %b'111000',
;          1691          [30] = %b'110011',
;          1692          [31] = %b'100101',
;          1693          [32] = %b'001001',
;          1694          [33] = %b'010010',
;          1695          [34] = %b'100100',
;          1696          [35] = %b'001011',
;          1697          [36] = %b'010110',
;          1698          [37] = %b'101100',
;          1699          [38] = %b'011011',
;          1700          [39] = %b'110110',
;          1701          [40] = %b'101111',
;          1702          [41] = %b'011101',
;          1703          [42] = %b'111010',
;          1704          [43] = %b'110111',
;          1705          [44] = %b'101101',
;          1706          [45] = %b'011001',
;          1707          [46] = %b'110010',
;          1708          [47] = %b'100111',
;          1709          [48] = %b'001101',
;          1710          [49] = %b'011010',
;          1711          [50] = %b'110100',
;          1712          [51] = %b'101011',
;          1713          [52] = %b'010101',
;          1714          [53] = %b'101010',
;          1715          [54] = %b'010111',
;          1716          [55] = %b'101110',
;          1717          [56] = %b'011111',
;          1718          [57] = %b'111110',
;          1719          [58] = %b'111111',
;          1720          [59] = %b'111101',
;          1721          [60] = %b'111001',
;          1722          [61] = %b'110001',
;          1723          [62] = %b'100001')volatile,
;          1724
;          1725     DT_1:blockvector[5,3] field (DT1_FLD)          !DATA TABLE 1
;          1726     preset (                                       !STRUCTURE TO STORE TEST DATA
;          1727               [0,E0_5] = %b'111111',               !FOR TEST 56 'ECC ERROR LOCATION TEST'
;          1728               [0,C0_5] = %b'100100',
;          1729               [0,CRC_DATA] = %b'1',
;          1730               [0,SGL_DATA] = %b'1',
;          1731               [0,UNC_DATA] = %b'0',
;          1732               [0,A0_5] = %b'000000',
;          1733               [0,P0_5] = %b'111111',
;          1734               [0,ECH_DATA] = %b'0',
;          1735               [0,B0_5] = %b'000000',
;          1736               [1,E0_5] = %b'111111',
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    DECLARATION SECTION                  29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (2)

1737                [1,CO_5] = %b'100100',
1738                [1,CRC_DATA] = %b'1',
1739                [1,SGL_DATA] = %b'1',
1740                [1,UNC_DATA] = %b'0',
1741                [1,AO_5] = %b'111111',
1742                [1,PO_5] = %b'000000',
1743                [1,ECA_DATA] = %b'0',
1744                [1,BO_5] = %b'000000',
1745                [2,EO_5] = %b'111111',
1746                [2,CO_5] = %b'000101',
1747                [2,CRC_DATA] = %b'0',
1748                [2,SGL_DATA] = %b'0',
1749                [2,UNC_DATA] = %b'1',
1750                [2,AO_5] = %b'000000',
1751                [2,PO_5] = %b'111111',
1752                [2,ECA_DATA] = %b'1',
1753                [2,BO_5] = %b'111111',
1754                [3,EO_5] = %b'111111',
1755                [3,CO_5] = %b'000101',
1756                [3,CRC_DATA] = %b'0',
1757                [3,SGL_DATA] = %b'0',
1758                [3,UNC_DATA] = %b'1',
1759                [3,AO_5] = %b'000000',
1760                [3,PO_5] = %b'000000',
1761                [3,ECA_DATA] = %b'0',
1762                [3,BO_5] = %b'111111',
1763                [4,EO_5] = %b'111111',
1764                [4,CO_5] = %b'000101',
1765                [4,CRC_DATA] = %b'0',
1766                [4,SGL_DATA] = %b'0',
1767                [4,UNC_DATA] = %b'1',
1768                [4,AO_5] = %b'111111',
1769                [4,PO_5] = %b'000000',
1770                [4,ECA_DATA] = %b'1',
1771                [4,BO_5] = %b'111111')volatile,
1772
1773     !
1774     !<BLF/FORMAT>
1775     !
1776         RH_ADD : volatile,                    !RH CONTROLLER BASE ADDRESS
1777         RH_TYP : volatile,                    !RH CONTROLLER TYPE
1778         RH_VEC : volatile,                    !RH CONTROLLER VECTOR ADDRESS
1779         ML_LUN : volatile,                    !ML LOGICAL UNIT NO.
1780         ML_DUT : volatile;                    !ML DRIVE NUMBER
1781
1782     !
1783     !<BLF/PAGE>
```

```
;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    DECLARATION SECTION        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (3)

                1784  !
                1785  EQUALS;
                1786  !
                1787  ! MACRO DEFINITIONS
                1788  !
                1789
                1790  macro
                1791  !
                1792  ! REGISTER NAMES:
                1793  !
              M 1794      MLCS1 =
                1795   .ML_REG [0,REGISTER_ADD]%,          !CONTROL AND STATUS REGISTER 1
              M 1796      MLWC =
                1797   .ML_REG [1,REGISTER_ADD]%,          !WORD COUNT REGISTER
              M 1798      MLBA =
                1799   .ML_REG [2,REGISTER_ADD]%,          !UNIBUS ADDRESS REGISTER
              M 1800      MLDA =
                1801   .ML_REG [3,REGISTER_ADD]%,          !DESIRED ADDRESS REGISTER
              M 1802      MLCS2 =
                1803   .ML_REG [4,REGISTER_ADD]%,          !CONTROL AND STATUS REGISTER 2
              M 1804      MLDS =
                1805   .ML_REG [5,REGISTER_ADD]%,          !DRIVE STATUS REGISTER
              M 1806      MLER =
                1807   .ML_REG [6,REGISTER_ADD]%,          !ERROR REGISTER
              M 1808      MLAS =
                1809   .ML_REG [7,REGISTER_ADD]%,          !ATTENTION SUMMARY REGISTER
              M 1810      MLLA =
                1811   .ML_REG [8,REGISTER_ADD]%,          !LOOK AHEAD REGISTER
              M 1812      MLPA =
                1813   .ML_REG [8,REGISTER_ADD]%,          !PROM ADDRESS REGISTER
              M 1814      MLDB =
                1815   .ML_REG [9,REGISTER_ADD]%,          !DATA BUFFER REGISTER
              M 1816      MLMR =
                1817   .ML_REG [10,REGISTER_ADD]%,         !MAINTENANCE REGISTER
              M 1818      MLDT =
                1819   .ML_REG [11,REGISTER_ADD]%,         !DRIVE TYPE REGISTER
              M 1820      MLSN =
                1821   .ML_REG [12,REGISTER_ADD]%,         !SERIAL NUMBER REGISTER
              M 1822      MLE1 =
                1823   .ML_REG [13,REGISTER_ADD]%,         !ECC CRC WORD REGISTER 1
              M 1824      MLE2 =
                1825   .ML_REG [14,REGISTER_ADD]%,         !ECC CRC WORD REGISTER 2
              M 1826      MLD1 =
                1827   .ML_REG [15,REGISTER_ADD]%,         !DATA DIAGNOSTIC REGISTER 1
              M 1828      MLD2 =
                1829   .ML_REG [16,REGISTER_ADD]%,         !DATA DIAGNOSTIC REGISTER 2
              M 1830      MLEE =
                1831   .ML_REG [17,REGISTER_ADD]%,         !ECC ERROR REGISTER
              M 1832      MLEL =
                1833   .ML_REG [18,REGISTER_ADD]%,         !ECC ERROR LCOATION REGISTER
              M 1834      MLPD =
                1835   .ML_REG [19,REGISTER_ADD]%,         !PROM DATA REGISTER
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    DECLARATION SECTION                  29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (3)

;        M 1836      MLBAE =
;          1837    .ML_REG [20,REGISTER_ADD]%,            !BUS ADDRESS EXTENSION REGISTER
;        M 1838      MLCS3 =
;          1839    .ML_REG [21,REGISTER_ADD]%,            !CONTROL AND STATUS REGISTER 3
;          1840    !
;          1841    ! BIT ASSIGNMENTS:
;          1842    !
;        M 1843      SC =
;          1844     (MLCS1)<15,1>%,                      !MLCS1 BIT ASSIGNMENTS
;        M 1845      TRE =
;          1846     (MLCS1)<14,1>%,
;        M 1847      MCPE =
;          1848     (MLCS1)<13,1>%,
;        M 1849      DVA =
;          1850     (MLCS1)<11,1>%,
;        M 1851      RDY =
;          1852     (MLCS1)<7,1>%,
;        M 1853      IE =
;          1854     (MLCS1)<6,1>%,
;        M 1855      GO =
;          1856    (MLCS1)<0,1>%,
;        M 1857      ML_FUNC =
;          1858     (MLCS1)<0,6>%,
;        M 1859      DLT =
;          1860     (MLCS2)<15,1>%,                      !MLCS2 BIT ASSIGNMENTS
;        M 1861      WCE =
;          1862     (MLCS2)<14,1>%,
;        M 1863      PE =
;          1864     (MLCS2)<13,1>%,
;        M 1865      NED =
;          1866     (MLCS2)<12,1>%,
;        M 1867      NEM =
;          1868     (MLCS2)<11,1>%,
;        M 1869      PGE =
;          1870     (MLCS2)<10,1>%,
;        M 1871      MXF =
;          1872     (MLCS2)<9,1>%,
;        M 1873      MDPE =
;          1874     (MLCS2)<8,1>%,
;        M 1875      ORDY =
;          1876     (MLCS2)<7,1>%,
;        M 1877      IRDY =
;          1878     (MLCS2)<6,1>%,
;        M 1879      CLR =
;          1880     (MLCS2)<5,1>%,
;        M 1881      PAT =
;          1882     (MLCS2)<4,1>%,
;        M 1883      BAI =
;          1884     (MLCS2)<3,1>%,
;        M 1885      DRV_NUM =
;          1886    (MLCS2)<0,3>%,
;        M 1887      ATTN =
```

```
436 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
437 ;                  DECLARATION SECTION          29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (3)
438
439 ;          1888    (MLDS)<15,1>%,               !MLDS BIT ASSIGNMENTS
440 ;        M 1889      COMP_ERR =
441 ;          1890    (MLDS)<14,1>%,
442 ;        M 1891      MOL =
443 ;          1892    (MLDS)<12,1>%,
444 ;        M 1893      LBT =
445 ;          1894    (MLDS)<10,1>%,
446 ;        M 1895      DPR =
447 ;          1896    (MLDS)<8,1>%,
448 ;        M 1897      DRY =
449 ;          1898    (MLDS)<7,1>%,
450 ;        M 1899      VV =
451 ;          1900    (MLDS)<6,1>%,
452 ;        M 1901      DCK =
453 ;          1902    (MLER)<15,1>%,               !MLER BIT ASSIGNMENTS
454 ;        M 1903      UNS =
455 ;          1904    (MLER)<14,1>%,
456 ;        M 1905      OPI =
457 ;          1906    (MLER)<13,1>%,
458 ;        M 1907      IAE =
459 ;          1908    (MLER)<10,1>%,
460 ;        M 1909      AOE =
461 ;          1910    (MLER)<9,1>%,
462 ;        M 1911      ECH_ERR =
463 ;          1912    (MLER)<6,1>%,
464 ;        M 1913      DPAR =
465 ;          1914    (MLER)<5,1>%,
466 ;        M 1915      CPAR =
467 ;          1916    (MLER)<3,1>%,
468 ;        M 1917      RMR =
469 ;          1918    (MLER)<2,1>%,
470 ;        M 1919      ILR =
471 ;          1920    (MLER)<1,1>%,
472 ;        M 1921      ILF =
473 ;          1922    (MLER)<0,1>%,
474 ;        M 1923      ARR_TYP =
475 ;          1924    (MLMR)<10,1>%,               !MLMR BIT ASSIGNMENTS
476 ;        M 1925      ML_NUM_ARR =
477 ;          1926    (MLMR)<11,5>%,
478 ;        M 1927      REF_MAR =
479 ;          1928    (MLMR)<7,1>%,
480 ;        M 1929      PROM_RW =
481 ;          1930    (MLMR)<6,1>%,
482 ;        M 1931      PROM_DIS =
483 ;          1932    (MLMR)<5,1>%,
484 ;        M 1933      DAT_CLK =
485 ;          1934    (MLMR)<4,1>%,
486 ;        M 1935      DAT_DM =
487 ;          1936    (MLMR)<3,1>%,
488 ;        M 1937      DCK_EN =
489 ;          1938    (MLMR)<2,1>%,
490 ;        M 1939      ECC_DIS =
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    DECLARATION SECTION                29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (3)

;          1940   (MLMR)<1,1>%,
;        M 1941     ECC_DM =
;          1942    (MLMR)<0,1>%,
;        M 1943     DRV_TYP =
;          1944    (MLDT)<0,1>%,                                !MLDT BIT ASSIGNMENTS
;        M 1945     CRC_A =
;        M 1946                                               !MLE1 BIT ASSIGNMENTS
;          1947   (MLE1)<0,6>%,
;        M 1948     PAR_CRC_WRD =
;          1949   (MLE1)<8,6>%,
;        M 1950     CRC_B =
;        M 1951                                               !MLE2 BIT ASSIGNMENTS
;          1952   (MLE2)<0,6>%,
;        M 1953     UNC_ERR =
;          1954    (MLEE)<15,1>%,                               !MLEE BIT ASSIGNMENTS
;        M 1955     SGL_ERR =
;          1956    (MLEE)<14,1>%,
;        M 1957     CRC_ERR =
;          1958    (MLEE)<13,1>%,
;        M 1959     BIT_IN_ERR =
;          1960   (MLEE)<0,8>%,
;        M 1961     CHAN_IN_ERR =
;          1962   (MLEE)<8,6>%,
;          1963   !
;          1964   ! MISCELLANEOUS MACRO DEFINITIONS:
;          1965   !
;        M 1966     SN3 =
;          1967   (MLSN)<12,4>%,
;        M 1968     SN2 =
;          1969   (MLSN)<8,4>%,
;        M 1970     SN1 =
;          1971   (MLSN)<4,4>%,
;        M 1972     SN0 =
;          1973   (MLSN)<0,4>%,
;        M 1974     IS_SET =
;        M 1975                                               !TEST IF BIT IS EQUAL 1
;          1976   eql 1%,
;        M 1977     IS_NOT_SET =
;        M 1978                                               !TEST IF BIT IS EQUAL 0
;          1979   eql 0%,
;        M 1980     HI =
;        M 1981                                               !READS REGISTERS FORCED HI BITS FROM PERSONALITY TABLE
;          1982   ML_REG[.index,FORCE_HI]%,
;        M 1983     LO =
;        M 1984                                               !READS REGISTERS FORCED LO BITS FROM PERSONALITY TABLE
;          1985   ML_REG[.index,FORCE_LO]%,
;        M 1986     IGNORE =
;        M 1987                                               !READS REGISTERS DONT_CARE BITS FROM PERSONALITY TABLE
;          1988   ML_REG[.index,DONT_CARE]%,
;        M 1989     MLE2_MASK =
;        M 1990                                               !READS MLE2 DONT CARE MASK EITHER DATA DIAG OR ECC CIE REG
;          1991   ML_REG[14,DONT_CARE]%,
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (3)

```
548 ;ML4AD
549 ;                   DECLARATION SECTION
550 ;
551 ;        M 1992       WRT_MASK =
552 ;        M 1993                                          !GENERATE MASK DATA PATTERN USING REGISTER FORCE LO, HI AND IGNORE B
553 ;          1994    .IGNORE or ((not .LO) and (.HI or .TST_PAT))%,
554 ;        M 1995       CLR_MBUS =
555 ;        M 1996                                          !CLEAR MASS BUS RESTORE DRIVE NUMBER
556 ;          1997    CLR = ONE; DRV_NUM = .ML_DUT%,
557 ;          1998    !<BLF/SYNONYM IS_SET = EQL 1 * >
558 ;          1999    !<BLF/SYNONYM IS_NOT_SET = EQL 0 * >
559 ;          2000    !
560 ;          2001    ! DIAGNOSTIC DATA REGISTER MACROS
561 ;          2002    !
562 ;        M 2003       RD_LNG_WRD =
563 ;        M 2004                                          !READ DATA DIAG REGS INTO BIND LOCATIONS
564 ;        M 2005       D1_TEMP = .MLD1;
565 ;        M 2006       D2_TEMP = .MLD2;
566 ;          2007       E2_TEMP = .MLE2%,
567 ;        M 2008       WRT_LNG_WRD =
568 ;        M 2009                                          !LOADS DATA DIAG REG WITH CONTENTS OF BIND LOCATIONS
569 ;        M 2010       MLD1 = .D1_TEMP;
570 ;        M 2011       MLD2 = .D2_TEMP;
571 ;          2012       MLE2 = .E2_TEMP%,
572 ;        M 2013       TIME_OUT_LOOP =
573 ;        M 2014                   !WAIT LOOP DIRING MASS BUS TRANSFER
574 ;        M 2015           do
575 ;        M 2016             0
576 ;          2017           until .DRY;%,
577 ;          2018    !
578 ;          2019    ! ERROR PRINTING THRESHOLD MACROS
579 ;          2020    !
580 ;        M 2021       CLR_THRESHOLD =
581 ;          2022    P_CNT = ZERO;%,
582 ;        M 2023       CMP_THRESHOLD =
583 ;        M 2024    P_CNT = .P_CNT + 1;
584 ;        M 2025
585 ;        M 2026    if .P_CNT gtr .LIMIT
586 ;          2027    then exitloop;%;
587 ;          2028
588 ;          2029    !
589 ;          2030    ! BIND DECLARATIONS
590 ;          2031    !
591 ;          2032
592 ;          2033    bind
593 ;          2034    !
594 ;          2035    ! MANUAL INTERVENTION TEST ERROR AND OPERATOR PROMPT MESSAGES.
595 ;          2036    ! TESTS 21 'POWER FAIL TEST' AND TEST 61 'BATTERY BACK-UP TEST'
596 ;          2037    !
597 ;          2038        T_21 = uplit (%asciz'********* MANUAL INTERVENTION TEST 21 POWER FAIL *********'),
598 ;          2039        T_61 = uplit (%asciz'********* MANUAL INTERVENTION TEST 61 BATTERY BACK-UP *********'),
599 ;          2040        PWR_OFF = uplit (%asciz'WITH BATTERY BACK-UP ON TURN BOX AC CIRCUIT BREAKER OFF'),
6   ;          2041        PWR_ON = uplit (%asciz'WITH BATTERY BACK-UP OFF TURN BOX AC CIRCUIT BREAKER ON'),
    ;          2042        UNS_ERR = uplit (%asciz'UNS BIT NOT SET DURING AC POWER FAIL'),
6.2 ;          2043        VV_NOT_SET = uplit (%asciz'VV BIT NOT SET AFTER RD_IN_PRESET FUNCTION'),
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    DECLARATION SECTION                  29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (3)

;          2044      VV_CLEAR = uplit (%asciz'VV BIT CLEARED AFTER RD-IN-PRESET FUNCTION'),
;          2045      NO_INIT = uplit (%asciz'MEMORY NOT INITIALIZED AFTER POWER UP WITH BAD BATTERY BACK-UP'),
;          2046      MB_DIS_ERR = uplit (%asciz'REGISTERS NOT CLEARED BY MB_DIS AFTER POWER FAIL'),
;          2047      WC_ERR = uplit (%asciz'SC BIT SET DURING WRITE CHECK TRANSFER'),
;          2048      W_ERR = uplit (%asciz'SC BIT SET DURING WRITE TRANSFER'),
;          2049      VV_SET = uplit (%asciz'VV BIT STILL SET AFTER POWER LOSS WITH BAD BATTERY BACK-UP'),
;          2050      PUP_BB = uplit (%asciz'WITH BATTERY BACK-UP ON TURN BOX AC CIRCUIT BREAKER ON'),
;          2051      BB_VV_ERR = uplit (%asciz'VV BIT CLEARED AFTER POWER FAIL WITH GOOD BATTERY BACK-UP'),
;          2052      BB_INIT_ERR = uplit (%asciz'MEMORY INITED AFTER POWER FAIL WITH GOOD BATTERY BACK-UP'),
;          2053      BB_BB_ERR = uplit (%asciz'BATTERY BACK-UP FAILED TO MAINTAIN MEMORY INTEGRITY DURING POWER FAIL'),
;          2054  !
;          2055  ! ERROR DATA MAPPING FORMATS
;          2056  !
;          2057      FMT_1 = uplit (%asciz'%AEXPECTED: %O6%A    READ: %O6%N%N'),
;          2058      FMT_2 = uplit (%asciz'%AGOOD DATA: %O6%A    BAD DATA: %O6%A    XOR: %O6%N%N'),
;          2059      FMT_3 = uplit (%asciz'%ADRIVE SN: %O6%N%N'),
;          2060      FMT_4 = uplit (%asciz'%ABIT IN ERROR: %O6%N%N'),
;          2061      FMT_5 = uplit (%asciz'%AGOOD NIB DATA: %O2%A    BAD NIB DATA: %O2%A    NIB POS: %O4%N%N'),
;          2062      FMT_6 = uplit (%asciz'%ANIB IN ERROR: %D4%N%N'),
;          2063      FMT_7 = uplit (%asciz'%AFAILED AT: %O6%N%N'),
;          2064      FMT_8 = uplit (%asciz'%AREPLACE ARR MOD: %D2%N%N'),
;          2065      FMT_9 = uplit (%asciz'%AFAILED AT DSA: %O6%N%N'),
;          2066      FMT_10 = uplit (%asciz'%ABIT<15:10>: %B6%A    BIT<9:0>: %B10%N%N'),
;          2067      FMT_11 = uplit (%asciz'%AFAILING REG ADRS: %O6%N%N'),
;          2068      FMT_12 = uplit (%asciz'%AFAILING FUNC: %O6%N%N'),
;          2069      FMT_13 = uplit (%asciz' %AOFF SET CNT FOR NIB : %D2 %A = %D2 %N%N'),
;          2070      FMT_14 = uplit (%asciz'%AWROTE: %D2%A    READ: %D2%N%N'),
;          2071      FMT_15 = uplit (%asciz'%ANIBBLES XFERED BEFORE ERROR: %D3%N'),
;          2072      FMT_16 = uplit (%asciz'%AFAILING REG: %O6%A GOOD DATA: %O6%A BAD DATA: %O6%N%N'),
;          2073      FMT_17 = uplit (%asciz'%N%ADIAGNOSING UNIT %O1%N%N'),
;          2074      FMT_18 = uplit (%asciz'%ATIMED OUT DURING MBUS %O2%A FUNC%N%N'),
;          2075      FMT_19 = uplit (%asciz'%ACRC GEN = B: %B6%A A: %B6%A P: %B6%N'),
;          2076      FMT_20 = uplit (%asciz'%ACRC CAL = B: %B6%A A: %B6%A P: %B6%N%N'),
;          2077      FMT_21 = uplit (%asciz'%AFAILED AT PLOG: %D2%A CHANNEL: %D2%N%N'),
;          2078      FMT_22 = uplit (%asciz'%AFAILED AT WRD: %D2%A BIT: %D2%N%N'),
;          2079      FMT_23 = uplit (%asciz'%AREGISTER%S3%AADDRESS%S7%ACONTENTS%N%N'),
;          2080      FMT_24 = uplit (%asciz'%S%T%S5%O6%S4%O16%N'),
;          2081      FMT_25 = uplit (%asciz'%S4%T%A:%S%O6%N'),
;          2082      FMT_26 = uplit (%asciz'%S4%T%A:%S%D1%D1%D1%D1%N'),
;          2083  !
;          2084  ! ERROR MESSAGE MAPPING FORMATS
;          2085  !
;          2086      ONE_FMT = uplit (%asciz'%T%N'),
;          2087      TWO_FMT = uplit (%asciz'%T%T%N'),
;          2088      THR_FMT = uplit (%asciz'%T%T%T%N'),
;          2089      FOR_FMT = uplit (%asciz'%T%T%T%T%N'),
;          2090      FIV_FMT = uplit (%asciz'%T%T%T%T%T%N'),
;          2091      SIX_FMT = uplit (%asciz'%T%T%T%T%T%T%N'),
;          2092      SEV_FMT = uplit (%asciz'%T%T%T%T%T%T%T%N'),
;          2093      EIG_FMT = uplit (%asciz'%T%T%T%T%T%T%T%T%N'),
;          2094      NIN_FMT = uplit (%asciz'%T%T%T%T%T%T%T%T%T%N'),
;          2095      TEN_FMT = uplit (%asciz'%T%T%T%T%T%T%T%T%T%T%N'),
```

```
;ML4AD
;                    DECLARATION SECTION

;          2096      ELV_FMT = uplit (%asciz'%T%T%T%T%T%T%T%T%T%T%T%T%N'),
;          2097  !
;          2098  ! DIAGNOSTIC VOCABULARY
;          2099  !
;          2100  !
;          2101  ! WORDS
;          2102  !
;          2103      WRD_1 = uplit (%asciz' GO'),
;          2104      WRD_2 = uplit (%asciz' DRV_RDY'),
;          2105      WRD_3 = uplit (%asciz' ILF'),
;          2106      WRD_4 = uplit (%asciz' OPI'),
;          2107      WRD_5 = uplit (%asciz' BAD'),
;          2108      WRD_6 = uplit (%asciz' GOOD'),
;          2109      WRD_7 = uplit (%asciz' PARITY NOT'),
;          2110      WRD_8 = uplit (%asciz' GENERATED'),
;          2111      WRD_9 = uplit (%asciz' DETECTED'),
;          2112      WRD_10 = uplit (%asciz' ERROR'),
;          2113      WRD_11 = uplit (%asciz' AFTER'),
;          2114      WRD_12 = uplit (%asciz' DURING'),
;          2115      WRD_13 = uplit (%asciz' AT'),
;          2116      WRD_14 = uplit (%asciz' FAILURE'),
;          2117      WRD_15 = uplit (%asciz' ATA'),
;          2118      WRD_16 = uplit (%asciz' ATTN'),
;          2119      WRD_17 = uplit (%asciz' WRITING'),
;          2120      WRD_18 = uplit (%asciz' VV'),
;          2121      WRD_19 = uplit (%asciz' FUNC'),
;          2122      WRD_20 = uplit (%asciz' TRE'),
;          2123      WRD_21 = uplit (%asciz' RMR'),
;          2124      WRD_22 = uplit (%asciz' EXCESSIVE'),
;          2125      WRD_23 = uplit (%asciz' MBUS'),
;          2126      WRD_24 = uplit (%asciz' DATA'),
;          2127      WRD_25 = uplit (%asciz' CONTINUITY'),
;          2128      WRD_26 = uplit (%asciz' ADE'),
;          2129      WRD_27 = uplit (%asciz' LBT'),
;          2130      WRD_29 = uplit (%asciz' PREMATURLY'),
;          2131      WRD_30 = uplit (%asciz' IAE'),
;          2132      WRD_31 = uplit (%asciz' INCREMENT'),
;          2133      WRD_32 = uplit (%asciz' WITH'),
;          2134      WRD_33 = uplit (%asciz' UV'),
;          2135      WRD_34 = uplit (%asciz' UNS'),
;          2136      WRD_35 = uplit (%asciz' PROM'),
;          2137      WRD_36 = uplit (%asciz' OR'),
;          2138      WRD_37 = uplit (%asciz' SELECT'),
;          2139      WRD_38 = uplit (%asciz' REG'),
;          2140      WRD_39 = uplit (%asciz' UNIQUE'),
;          2141      WRD_40 = uplit (%asciz' 14'),
;          2142      WRD_41 = uplit (%asciz' NIBBLE CNT'),
;          2143      WRD_42 = uplit (%asciz' GTR'),
;          2144      WRD_43 = uplit (%asciz' WHILE'),
;          2145      WRD_44 = uplit (%asciz' TRE'),
;          2146      WRD_45 = uplit (%asciz' INITIAL'),
;          2147      WRD_46 = uplit (%asciz' OFF_SET'),
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    DECLARATION SECTION                  29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (3)

;          2148      WRD_47 = uplit (%asciz' COUNT'),
;          2149      WRD_48 = uplit (%asciz' DELAY'),
;          2150      WRD_49 = uplit (%asciz' TESTS'),
;          2151      WRD_50 = uplit (%asciz' ADRS'),
;          2152      WRD_51 = uplit (%asciz' COUNTER'),
;          2153      WRD_52 = uplit (%asciz' REG'),
;          2154      WRD_53 = uplit (%asciz' TESTED'),
;          2155      WRD_54 = uplit (%asciz' NIBBLE'),
;          2156      WRD_55 = uplit (%asciz' ALL'),
;          2157      WRD_56 = uplit (%asciz' TEST'),
;          2158      WRD_57 = uplit (%asciz' XFERED'),
;          2159      WRD_58 = uplit (%asciz' NIBBLES'),
;          2160      WRD_59 = uplit (%asciz' SC'),
;          2161      WRD_60 = uplit (%asciz' MULTIPLEXER'),
;          2162      WRD_61 = uplit (%asciz' UNEXPECTED'),
;          2163      WRD_62 = uplit (%asciz' NED'),
;          2164      WRD_63 = uplit (%asciz' ILR'),
;          2165      WRD_64 = uplit (%asciz' CRC'),
;          2166      WRD_65 = uplit (%asciz' SGL'),
;          2167      WRD_67 = uplit (%asciz' ECH'),
;          2168      WRD_68 = uplit (%asciz'UNC'),
;          2169      WRD_69 = uplit (%asciz' BIT'),
;          2170      WRD_70 = uplit (%asciz' CHANNEL'),
;          2171      WRD_71 = uplit (%asciz' LATCH'),
;          2172      WRD_72 = uplit (%asciz' DCK'),
;          2173      WRD_73 = uplit (%asciz' BUS'),
;          2174      WRD_74 = uplit (%asciz' SYNDROME'),
;          2175      WRD_75 = uplit (%asciz' DECODE'),
;          2176      WRD_76 = uplit (%asciz' NOT'),
;          2177      WRD_77 = uplit (%asciz' UNCORRECTABLE'),
;          2178
;          2179      ! PHRASES
;          2180      !
;          2181      PHR_1 = uplit (%asciz' BIT NOT SET'),
;          2182      PHR_2 = uplit (%asciz' BIT NOT CLR'),
;          2183      PHR_3 = uplit (%asciz' NO RESPONCE AFTER 1.5 US'),
;          2184      PHR_4 = uplit (%asciz' DATA ERRORS'),
;          2185      PHR_5 = uplit (%asciz' BIT SET'),
;          2186      PHR_6 = uplit (%asciz' BIT CLR'),
;          2187      PHR_7 = uplit (%asciz' OF OTHER DRIVES'),
;          2188      PHR_8 = uplit (%asciz' CLASS A'),
;          2189      PHR_9 = uplit (%asciz' CLASS B'),
;          2190      PHR_10 = uplit (%asciz' TO FIND'),
;          2191      PHR_11 = uplit (%asciz' NOT LATCHED'),
;          2192      PHR_12 = uplit (%asciz' SINGLE BIT ERROR'),
;          2193      PHR_13 = uplit (%asciz' MULTIPLE BIT ERROR'),
;          2194      PHR_14 = uplit (%asciz'          REGISTER   DUMP'),
;          2195      PHR_15 = uplit (%asciz'SERIAL #'),
;          2196      !
;          2197      ! FUNCTIONS
;          2198      !
;          2199      FNC_1 = uplit (%asciz' MEM SIZING'),
```

```
                                                        29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (3)
772 ;ML4AD
773 ;                   DECLARATION SECTION
774 ;
775 ;          2200         FNC_2 = uplit (%asciz' NOOP'),
776 ;          2201         FNC_3 = uplit (%asciz' DRV'),
777 ;          2202         FNC_4 = uplit (%asciz' WRITE CHECK'),
778 ;          2203         FNC_5 = uplit (%asciz' WRITE'),
779 ;          2204         FNC_6 = uplit (%asciz' READ'),
780 ;          2205         FNC_7 = uplit (%asciz' CLEAR'),
781 ;          2206         FNC_8 = uplit (%asciz' COMP ERROR'),
782 ;          2207         FNC_9 = uplit (%asciz' SYS CLR'),
783 ;          2208         FNC_10 = uplit (%asciz' SEARCH'),
784 ;          2209         FNC_11 = uplit (%asciz' READ-IN-PRESET'),
785 ;          2210         FNC_12 = uplit (%asciz' ILLEGAL'),
786 ;          2211         FNC_13 = uplit (%asciz' ABORT'),
787 ;          2212         FNC_14 = uplit (%asciz' ARR RD_WRT'),
788 ;          2213         FNC_15 = uplit (%asciz' GOOD BLK'),
789 ;          2214         FNC_16 = uplit (%asciz' REFRESH'),
790 ;          2215         FNC_17 = uplit (%asciz' ARRAY'),
791 ;          2216         FNC_18 = uplit (%asciz' RAM-BUS'),
792 ;          2217         FNC_19 = uplit (%asciz' OVERFLOW'),
793 ;          2218         FNC_21 = uplit (%asciz' CHK_SUM'),
794 ;          2219         FNC_22 = uplit (%asciz' LAST BLK'),
795 ;          2220         FNC_23 = uplit (%asciz' INITIALIZE'),
796 ;          2221         !
797 ;          2222         ! REGISTERS
798 ;          2223         !
799 ;          2224         REG_1 = uplit (%asciz' MLCS1'),
800 ;          2225         REG_2 = uplit (%asciz' MLDS'),
801 ;          2226         REG_3 = uplit (%asciz' MLER'),
802 ;          2227         REG_4 = uplit (%asciz' MLMR'),
803 ;          2228         REG_5 = uplit (%asciz' MLAS'),
804 ;          2229         REG_6 = uplit (%asciz' MLDA'),
805 ;          2230         REG_7 = uplit (%asciz' MLDT'),
806 ;          2231         REG_8 = uplit (%asciz' MLPA'),
807 ;          2232         REG_9 = uplit (%asciz' MLSN'),
808 ;          2233         REG_10 = uplit (%asciz' MLE1'),
809 ;          2234         REG_11 = uplit (%asciz' MLE2'),
810 ;          2235         REG_12 = uplit (%asciz' MLD1'),
811 ;          2236         REG_13 = uplit (%asciz' MLD2'),
812 ;          2237         REG_14 = uplit (%asciz' MLEE'),
813 ;          2238         REG_15 = uplit (%asciz' MLEL'),
814 ;          2239         REG_16 = uplit (%asciz' MLPD'),
815 ;          2240         REG_17 = uplit (%asciz' MLCS2'),
816 ;          2241         REG_18 = uplit (%asciz' MLWC'),
817 ;          2242         REG_19 = uplit (%asciz' MLBA'),
818 ;          2243         REG_20 = uplit (%asciz' MLBAI'),
819 ;          2244         REG_21 = uplit (%asciz' MLCS3'),
820 ;          2245         !
821 ;          2246         ! MODULES IN ERROR MESSAGES
822 ;          2247         !
823 ;          2248         ASYNC = uplit (%asciz'ASYNCHRONOUS FAILURE MODULE 7361'),
824 ;          2249         SYNC = uplit (%asciz'SYNCHRONOUS FAILURE MODULE 7362 '),
825 ;          2250         ARR_DAT = uplit (%asciz'ARRAY DATA FAILURE MODULE 7363 '),
826 ;          2251         MEM_ARR = uplit (%asciz'MEMORY ARRAY FAILURE MODULE 7357'),
```

```
828 ;ML4AD
829 ;                   DECLARATION SECTION
830
831 ;          2252         INTER = uplit (%asciz'INTERMEDIATE DIAGNOSTIC MESSAGE'),
832 ;          2253         DATA_LATE = uplit (%asciz'DATA LATE ERROR DURING TRANSFER'),
833 ;          2254         SC_SET = uplit (%asciz'SC BIT SET DURING TRANSFER'),
834 ;          2255         TRBLE_LOOP = uplit (%asciz'TROUBLE SHOOT LOOP ERRORS'),
835 ;          2256         RH_ERROR = uplit (%asciz'RH CONTROLLER ERRORS'),
836 ;          2257         TIME_OUT = uplit (%asciz'DRIVE HUNG AFTER MASS BUS TRANSFER'),
837 ;          2258     !
838 ;          2259     ! DATA DIAGNOSTIC REGISTER SAVE LOCATIONS
839 ;          2260     !
840 ;          2261         D1_TEMP = NIB_SAVE,
841 ;          2262         D2_TEMP = NIB_SAVE [1, 0, 16, 0],
842 ;          2263         E2_TEMP = NIB_SAVE [2, 0, 16, 0];
843 ;          2264
844 ;          2265     %SBTTL 'ROUTINE DECLARATION SECTION'
845 ;          2266
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
:                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (4)

;          2267  routine LOAD_STACK (STK_PTR, NIB_PTR) : novalue =
;          2268      begin
;          2269
;          2270  !++
;          2271  ! FUNCTIONAL DESCRIPTION:
;          2272  !       LOAD STACK TAKES GOOD NIBBLE DATA
;          2273  !       FOUND IN THE STRUCTURE 'NIB_SAVE'
;          2274  !       AND STORES IT INTO THE STRUCTURE
;          2275  !       'STACK' REWRITING ANY BAD NIBBLE
;          2276  !       'STACK' LOCATIONS WITH GOOD NIBBLE
;          2277  !       DATA
;          2278  !
;          2279  ! FORMAL PARAMETERS:
;          2280  ! STK_PTR
;          2281  !       POINTS TO PRESENT DEPTH OF THE
;          2282  !       'STACK' WHERE PRESENT GOOD NIBBLE
;          2283  !       DATA IS TO BE STORED.
;          2284  !
;          2285  ! NIB_PTR
;          2286  !       POINTS TO CURRENT NIBBLE POSITION BEING
;          2287  !       MANIPULATED.
;          2288  !
;          2289  ! IMPLICIT INPUTS:
;          2290  ! STACK
;          2291  !       VECTOR OF 198 BYTE LOCATIONS WHERE
;          2292  !       GOOD NIBBLE DATA IS STORED
;          2293  !       DURING DIAGNOSTIC MODE READS, AFTER
;          2294  !       BAD NIBBLE LOCATIONS HAVE BEEN
;          2295  !       STRIPPED AWAY.
;          2296  !
;          2297  ! STK_OFF
;          2298  !
;          2299  !    vector of 9 byte LOCATIONS WHICH
;          2300  !       STORES AWAY A BAD NIBBLE OFF SET
;          2301  !       COUNT FOR EACH NIBBLE POSITION
;          2302  !
;          2303  ! NIB_SAVE
;          2304  !       BLOCK OF 3 WORDS TO STORE THE
;          2305  !       DATA FOUND IN MLD1, MLD2 AND
;          2306  !       MLE2 AFTER A DIAGNOSTIC MODE READ.
;          2307  !
;          2308  ! IMPLICIT OUTPUTS:
;          2309  !       'STACK' LOADED WITH GOOD NIBBLE
;          2310  !       DATA
;          2311  !
;          2312  ! COMPLETETION CODES:   NONE
;          2313  !
;          2314  ! SIDE EFFECTS:         NONE
;          2315  !
;          2316  !--
;          2317
;          2318      case .NIB_PTR from 0 to 9 of              !SELECT NIBBLE DATA TO BE LOADED INTO THE STACK
```

```
;ML4AD

;                    ROUTINE DECLARATION SECTION

                2319            set
                2320
                2321            [0] :
                2322                stack [(.STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_0];
                2323                                                    !LOAD NIBBLE DATA 0 INTO SELECTED STACK LOCATION
                2324
                2325            [1] :
                2326                stack [(.STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_1];
                2327                                                    !LOAD NIBBLE DATA 1 INTO SELECTED STACK LOCATION
                2328
                2329            [2] :
                2330                stack [(.STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_2];
                2331                                                    !LOAD NIBBLE DATA 2 INTO SELECTED STACK LOCATION
                2332
                2333            [3] :
                2334                stack [(.STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_3];
                2335                                                    !LOAD NIBBLE DATA 3 INTO SELECTED STACK LOCATION
                2336
                2337            [4] :
                2338                stack [(.STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_4];
                2339                                                    !LOAD NIBBLE DATA 4 INTO SELECTED STACK LOCATION
                2340
                2341            [5] :
                2342                stack [(.STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_5];
                2343                                                    !LOAD NIBBLE DATA 5 INTO SELECTED STACK LOCATION
                2344
                2345            [6] :
                2346                stack [(.STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_6];
                2347                                                    !LOAD NIBBLE DATA 6 INTO SELECTED STACK LOCATION
                2348
                2349            [7] :
                2350                stack [(.STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_7];
                2351                                                    !LOAD NIBBLE DATA 7 INTO SELECTED STACK LOCATION
                2352
                2353            [8] :
                2354                stack [ .STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_8];
                2355                                                    !LOAD NIBBLE DATA 8 INTO SELECTED STACK LOCATION
                2356
                2357            [9] :
                2358                stack [(.STK_PTR - (.STK_OFF [.NIB_PTR]))] = .NIB_SAVE [NIB_9];
                2359                                                    !LOAD NIBBLE DATA 9 INTO SELECTED STACK LOCATION
                2360            tes;
                2361
                2362        end;
```

```
                                        ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION   29-Mar-1982 16:21:03    PA:<
                                        ;
004716  052     052     052     P.AAA:  .ASCII  /***/
004721  052     052     052             .ASCII  /***/
004724  052     052     052             .ASCII  /***/
004727  040     115     101             .ASCII  / MA/
004732  116     125     101             .ASCII  /NUA/
004735  114     040     111             .ASCII  /L I/
004740  116     124     105             .ASCII  /NTE/
004743  122     126     105             .ASCII  /RVE/
004746  116     124     111             .ASCII  /NTI/
004751  117     116     040             .ASCII  /ON /
004754  124     105     123             .ASCII  /TES/
004757  124     040     062             .ASCII  /T 2/
004762  061     040     120             .ASCII  /1 P/
004765  117     127     105             .ASCII  /OWE/
004770  122     040     106             .ASCII  /R F/
004773  101     111     114             .ASCII  /AIL/
004776  040     052     052             .ASCII  / **/
005001  052     052     052             .ASCII  /***/
005004  052     052     052             .ASCII  /***/
005007  052     000     000             .ASCII  /*/<00><00>
005012  052     052     052     P.AAB:  .ASCII  /***/
005015  052     052     052             .ASCII  /***/
005020  052     052     052             .ASCII  /***/
005023  040     115     101             .ASCII  / MA/
005026  116     125     101             .ASCII  /NUA/
005031  114     040     111             .ASCII  /L I/
005034  116     124     105             .ASCII  /NTE/
005037  122     126     105             .ASCII  /RVE/
005042  116     124     111             .ASCII  /NTI/
005045  117     116     040             .ASCII  /ON /
005050  124     105     123             .ASCII  /TES/
005053  124     040     066             .ASCII  /T 6/
005056  061     040     102             .ASCII  /1 B/
005061  101     124     124             .ASCII  /ATT/
005064  105     122     131             .ASCII  /ERY/
005067  040     102     101             .ASCII  / BA/
005072  103     113     055             .ASCII  /CK-/
005075  125     120     040             .ASCII  /UP /
005100  052     052     052             .ASCII  /***/
005103  052     052     052             .ASCII  /***/
005106  052     052     052             .ASCII  /***/
005111  000                             .ASCII  <00>
005112  127     111     124     P.AAC:  .ASCII  /WIT/
005115  110     040     102             .ASCII  /H B/
005120  101     124     124             .ASCII  /ATT/
005123  105     122     131             .ASCII  /ERY/
005126  040     102     101             .ASCII  / BA/
005131  103     113     055             .ASCII  /CK-/
005134  125     120     040             .ASCII  /UP /
005137  117     116     040             .ASCII  /ON /
005142  124     125     122             .ASCII  /TUR/
005145  116     040     102             .ASCII  /N B/
```

```
                                        ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                        ;       ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<

005150  117  130  040          .ASCII  /OX /
005153  101  103  040          .ASCII  /AC /
005156  103  111  122          .ASCII  /CIR/
005161  103  125  111          .ASCII  /CUI/
005164  124  040  102          .ASCII  /T B/
005167  122  105  101          .ASCII  /REA/
005172  113  105  122          .ASCII  /KER/
005175  040  117  106          .ASCII  / OF/
005200  106  000                .ASCII  /F/<00>
005202  127  111  124  P.AAD:   .ASCII  /WIT/
005205  110  040  102          .ASCII  /H B/
005210  101  124  124          .ASCII  /ATT/
005213  105  122  131          .ASCII  /ERY/
005216  040  102  101          .ASCII  / BA/
005221  103  113  055          .ASCII  /CK-/
005224  125  120  040          .ASCII  /UP /
005227  117  106  106          .ASCII  /OFF/
005232  040  124  125          .ASCII  / TU/
005235  122  116  040          .ASCII  /RN /
005240  102  117  130          .ASCII  /BOX/
005243  040  101  103          .ASCII  / AC/
005246  040  103  111          .ASCII  / CI/
005251  122  103  125          .ASCII  /RCU/
005254  111  124  040          .ASCII  /IT /
005257  102  122  105          .ASCII  /BRE/
005262  101  113  105          .ASCII  /AKE/
005265  122  040  117          .ASCII  /R O/
005270  116  000                .ASCII  /N/<00>
005272  125  116  123  P.AAE:   .ASCII  /UNS/
005275  040  102  111          .ASCII  / BI/
005300  124  040  116          .ASCII  /T N/
005303  117  124  040          .ASCII  /OT /
005306  123  105  124          .ASCII  /SET/
005311  040  104  125          .ASCII  / DU/
005314  122  111  116          .ASCII  /RIN/
005317  107  040  101          .ASCII  /G A/
005322  103  040  120          .ASCII  /C P/
005325  117  127  105          .ASCII  /OWE/
005330  122  040  106          .ASCII  /R F/
005333  101  111  114          .ASCII  /AIL/
005336  000  000                .ASCII  <00><00>
005340  126  126  040  P.AAF:   .ASCII  /VV /
005343  102  111  124          .ASCII  /BIT/
005346  040  116  117          .ASCII  / NO/
005351  124  040  123          .ASCII  /T S/
005354  105  124  040          .ASCII  /ET /
005357  101  106  124          .ASCII  /AFT/
005362  105  122  040          .ASCII  /ER /
005365  122  104  137          .ASCII  /RD_/
005370  111  116  137          .ASCII  /IN_/
005373  120  122  105          .ASCII  /PRE/
005376  123  105  124          .ASCII  /SET/
```

```
                                                                    29-Mar-1982 16:23:04    TOPS
                                                                    29-Mar-1982 16:21:03    PA:<
1069                                    ;ML4AD
1070                                    ;               ROUTINE DECLARATION SECTION
1071
1072 005401    040     106     125             .ASCII  / FU/
1073 005404    116     103     124             .ASCII  /NCT/
1074 005407    111     117     116             .ASCII  /ION/
1075 005412    000     000                     .ASCII  <00><00>
1076 005414    126     126     040     P.AAG:  .ASCII  /VV /
1077 005417    102     111     124             .ASCII  /BIT/
1078 005422    040     103     114             .ASCII  / CL/
1079 005425    105     101     122             .ASCII  /EAR/
1080 005430    105     104     040             .ASCII  /ED /
1081 005433    101     106     124             .ASCII  /AFT/
1082 005436    105     122     040             .ASCII  /ER /
1083 005441    122     104     055             .ASCII  /RD-/
1084 005444    111     116     055             .ASCII  /IN-/
1085 005447    120     122     105             .ASCII  /PRE/
1086 005452    123     105     124             .ASCII  /SET/
1087 005455    040     106     125             .ASCII  / FU/
1088 005460    116     103     124             .ASCII  /NCT/
1089 005463    111     117     116             .ASCII  /ION/
1090 005466    000     000                     .ASCII  <00><00>
1091 005470    115     105     115     P.AAH:  .ASCII  /MEM/
1092 005473    117     122     131             .ASCII  /ORY/
1093 005476    040     116     117             .ASCII  / NO/
1094 005501    124     040     111             .ASCII  /T I/
1095 005504    116     111     124             .ASCII  /NIT/
1096 005507    111     101     114             .ASCII  /IAL/
1097 005512    111     132     105             .ASCII  /IZE/
1098 005515    104     040     101             .ASCII  /D A/
1099 005520    106     124     105             .ASCII  /FTE/
1100 005523    122     040     120             .ASCII  /R P/
1101 005526    117     127     105             .ASCII  /OWE/
1102 005531    122     040     125             .ASCII  /R U/
1103 005534    120     040     127             .ASCII  /P W/
1104 005537    111     124     110             .ASCII  /ITH/
1105 005542    040     102     101             .ASCII  / BA/
1106 005545    104     040     102             .ASCII  /D B/
1107 005550    101     124     124             .ASCII  /ATT/
1108 005553    105     122     131             .ASCII  /ERY/
1109 005556    040     102     101             .ASCII  / BA/
1110 005561    103     113     055             .ASCII  /CK-/
1111 005564    125     120     000             .ASCII  /UP/<00>
1112 005567    000                             .ASCII  <00>
1113 005570    122     105     107     P.AAI:  .ASCII  /REG/
1114 005573    111     123     124             .ASCII  /IST/
1115 005576    105     122     123             .ASCII  /ERS/
1116 005601    040     116     117             .ASCII  / NO/
1117 005604    124     040     103             .ASCII  /T C/
1118 005607    114     105     101             .ASCII  /LEA/
1119 005612    122     105     104             .ASCII  /RED/
1120 005615    040     102     131             .ASCII  / BY/
1121 005620    040     115     102             .ASCII  / MB/
1122 005623    137     104     111             .ASCII  / DI/
1123 005626    123     040     101             .ASCII  /S A/
```

```
1125                                    ;ML4AD
1126                                    ;               ROUTINE DECLARATION SECTION
1127
1128 005631  106  124  105             .ASCII  /FTE/
1129 005634  122  040  120             .ASCII  /R P/
1130 005637  117  127  105             .ASCII  /OWE/
1131 005642  122  040  106             .ASCII  /R F/
1132 005645  101  111  114             .ASCII  /AIL/
1133 005650  000  000                  .ASCII  <00><00>
1134 005652  123  103  040  P.AAJ:     .ASCII  /SC /
1135 005655  102  111  124             .ASCII  /BIT/
1136 005660  040  123  105             .ASCII  / SE/
1137 005663  124  040  104             .ASCII  /T D/
1138 005666  125  122  111             .ASCII  /URI/
1139 005671  116  107  040             .ASCII  /NG /
1140 005674  127  122  111             .ASCII  /WRI/
1141 005677  124  105  040             .ASCII  /TE /
1142 005702  103  110  105             .ASCII  /CHE/
1143 005705  103  113  040             .ASCII  /CK /
1144 005710  124  122  101             .ASCII  /TRA/
1145 005713  116  123  106             .ASCII  /NSF/
1146 005716  105  122  000             .ASCII  /ER/<00>
1147 005721  000                       .ASCII  <00>
1148 005722  123  103  040  P.AAK:     .ASCII  /SC /
1149 005725  102  111  124             .ASCII  /BIT/
1150 005730  040  123  105             .ASCII  / SE/
1151 005733  124  040  104             .ASCII  /T D/
1152 005736  125  122  111             .ASCII  /URI/
1153 005741  116  107  040             .ASCII  /NG /
1154 005744  127  122  111             .ASCII  /WRI/
1155 005747  124  105  040             .ASCII  /TE /
1156 005752  124  122  101             .ASCII  /TRA/
1157 005755  116  123  106             .ASCII  /NSF/
1158 005760  105  122  000             .ASCII  /ER/<00>
1159 005763  000                       .ASCII  <00>
1160 005764  126  126  040  P.AAL:     .ASCII  /VV /
1161 005767  102  111  124             .ASCII  /BIT/
1162 005772  040  123  124             .ASCII  / ST/
1163 005775  111  114  114             .ASCII  /ILL/
1164 006000  040  123  105             .ASCII  / SE/
1165 006003  124  040  101             .ASCII  /T A/
1166 006006  106  124  105             .ASCII  /FTE/
1167 006011  122  040  120             .ASCII  /R P/
1168 006014  117  127  105             .ASCII  /OWE/
1169 006017  122  040  114             .ASCII  /R L/
1170 006022  117  123  123             .ASCII  /OSS/
1171 006025  040  127  111             .ASCII  / WI/
1172 006030  124  110  040             .ASCII  /TH /
1173 006033  102  101  104             .ASCII  /BAD/
1174 006036  040  102  101             .ASCII  / BA/
1175 006041  124  124  105             .ASCII  /TTE/
1176 006044  122  131  040             .ASCII  /RY /
1177 006047  102  101  103             .ASCII  /BAC/
1178 006052  113  055  125             .ASCII  /K-U/
1179 006055  120  000  000             .ASCII  /P/<00><00>
```

```
                                                                    29-Mar-1982 16:23:04    TOPS
                                                                    29-Mar-1982 16:21:03    PA:<
1181                                    ;ML4AD
1182                                    ;               ROUTINE DECLARATION SECTION
1183
1184 006060  127  111  124  P.AAM:     .ASCII  /WIT/
1185 006063  110  040  102               .ASCII  /H B/
1186 006066  101  124  124               .ASCII  /ATT/
1187 006071  105  122  131               .ASCII  /ERY/
1188 006074  040  102  101               .ASCII  / BA/
1189 006077  103  113  055               .ASCII  /CK-/
1190 006102  125  120  040               .ASCII  /UP /
1191 006105  117  116  040               .ASCII  /ON /
1192 006110  124  125  122               .ASCII  /TUR/
1193 006113  116  040  102               .ASCII  /N B/
1194 006116  117  130  040               .ASCII  /OX /
1195 006121  101  103  040               .ASCII  /AC /
1196 006124  103  111  122               .ASCII  /CIR/
1197 006127  103  125  111               .ASCII  /CUI/
1198 006132  124  040  102               .ASCII  /T B/
1199 006135  122  105  101               .ASCII  /REA/
1200 006140  113  105  122               .ASCII  /KER/
1201 006143  040  117  116               .ASCII  / ON/
1202 006146  000  000                    .ASCII  <00><00>
1203 006150  126  126  040  P.AAN:      .ASCII  /VV /
1204 006153  102  111  124               .ASCII  /BIT/
1205 006156  040  103  114               .ASCII  / CL/
1206 006161  105  101  122               .ASCII  /EAR/
1207 006164  105  104  040               .ASCII  /ED /
1208 006167  101  106  124               .ASCII  /AFT/
1209 006172  105  122  040               .ASCII  /ER /
1210 006175  120  117  127               .ASCII  /POW/
1211 006200  105  122  040               .ASCII  /ER /
1212 006203  106  101  111               .ASCII  /FAI/
1213 006206  114  040  127               .ASCII  /L W/
1214 006211  111  124  110               .ASCII  /ITH/
1215 006214  040  107  117               .ASCII  / GO/
1216 006217  117  104  040               .ASCII  /OD /
1217 006222  102  101  124               .ASCII  /BAT/
1218 006225  124  105  122               .ASCII  /TER/
1219 006230  131  040  102               .ASCII  /Y B/
1220 006233  101  103  113               .ASCII  /ACK/
1221 006236  055  125  120               .ASCII  /-UP/
1222 006241  000                         .ASCII  <00>
1223 006242  115  105  115  P.AA0:      .ASCII  /MEM/
1224 006245  117  122  131               .ASCII  /ORY/
1225 006250  040  111  116               .ASCII  / IN/
1226 006253  111  124  105               .ASCII  /ITE/
1227 006256  104  040  101               .ASCII  /D A/
1228 006261  106  124  105               .ASCII  /FTE/
1229 006264  122  040  120               .ASCII  /R P/
1230 006267  117  127  105               .ASCII  /OWE/
1231 006272  122  040  106               .ASCII  /R F/
1232 006275  101  111  114               .ASCII  /AIL/
1233 006300  040  127  111               .ASCII  / WI/
1234 006303  124  110  040               .ASCII  /TH /
1235 006306  107  117  117               .ASCII  /GOO/
```

```
1237                                    ;ML4AD
1238                                    ;               ROUTINE DECLARATION SECTION
1239
1240 006311  104  040  102             .ASCII  /D B/
1241 006314  101  124  124             .ASCII  /ATT/
1242 006317  105  122  131             .ASCII  /ERY/
1243 006322  040  102  101             .ASCII  / BA/
1244 006325  103  113  055             .ASCII  /CK-/
1245 006330  125  120  000             .ASCII  /UP/<00>
1246 006333  000                       .ASCII  <00>
1247 006334  102  101  124  P.AAP:     .ASCII  /BAT/
1248 006337  124  105  122             .ASCII  /TER/
1249 006342  131  040  102             .ASCII  /Y B/
1250 006345  101  103  113             .ASCII  /ACK/
1251 006350  055  125  120             .ASCII  /-UP/
1252 006353  040  106  101             .ASCII  / FA/
1253 006356  111  114  105             .ASCII  /ILE/
1254 006361  104  040  124             .ASCII  /D T/
1255 006364  117  040  115             .ASCII  /O M/
1256 006367  101  111  116             .ASCII  /AIN/
1257 006372  124  101  111             .ASCII  /TAI/
1258 006375  116  040  115             .ASCII  /N M/
1259 006400  105  115  117             .ASCII  /EMO/
1260 006403  122  131  040             .ASCII  /RY /
1261 006406  111  116  124             .ASCII  /INT/
1262 006411  105  107  122             .ASCII  /EGR/
1263 006414  111  124  131             .ASCII  /ITY/
1264 006417  040  104  125             .ASCII  / DU/
1265 006422  122  111  116             .ASCII  /RIN/
1266 006425  107  040  120             .ASCII  /G P/
1267 006430  117  127  105             .ASCII  /OWE/
1268 006433  122  040  106             .ASCII  /R F/
1269 006436  101  111  114             .ASCII  /AIL/
1270 006441  000                       .ASCII  <00>
1271 006442  045  101  105  P.AAQ:     .ASCII  /%AE/
1272 006445  130  120  105             .ASCII  /XPE/
1273 006450  103  124  105             .ASCII  /CTE/
1274 006453  104  072  040             .ASCII  /D: /
1275 006456  045  117  066             .ASCII  /%06/
1276 006461  045  101  040             .ASCII  /%A /
1277 006464  040  040  040             .ASCII  /   /
1278 006467  122  105  101             .ASCII  /REA/
1279 006472  104  072  040             .ASCII  /D: /
1280 006475  045  117  066             .ASCII  /%06/
1281 006500  045  116  045             .ASCII  /%N%/
1282 006503  116  000  000             .ASCII  /N/<00><00>
1283 006506  045  101  107  P.AAR:     .ASCII  /%AG/
1284 006511  117  117  104             .ASCII  /OOD/
1285 006514  040  104  101             .ASCII  / DA/
1286 006517  124  101  072             .ASCII  /TA:/
1287 006522  040  045  117             .ASCII  / %O/
1288 006525  066  045  101             .ASCII  /6%A/
1289 006530  040  040  040             .ASCII  /   /
1290 006533  040  102  101             .ASCII  / BA/
1291 006536  104  040  104             .ASCII  /D D/
```

```
1293                                    ;ML4AD                          29-Mar-1982 16:23:04    TOPS
1294                                    :       ROUTINE DECLARATION SECTION  29-Mar-1982 16:21:03    PA:<
1295
1296 006541  101  124  101             .ASCII  /ATA/
1297 006544  072  040  045             .ASCII  /: %/
1298 006547  117  066  045             .ASCII  /06%/
1299 006552  101  040  040             .ASCII  /A  /
1300 006555  040  040  130             .ASCII  /  X/
1301 006560  117  122  072             .ASCII  /OR:/
1302 006563  040  045  117             .ASCII  / %O/
1303 006566  066  045  116             .ASCII  /6%N/
1304 006571  045  116  000             .ASCII  /%N/<00>
1305 006574  045  101  104  P.AAS:     .ASCII  /%AD/
1306 006577  122  111  126             .ASCII  /RIV/
1307 006602  105  040  123             .ASCII  /E S/
1308 006605  116  072  040             .ASCII  /N: /
1309 006610  045  117  066             .ASCII  /%06/
1310 006613  045  116  045             .ASCII  /%N%/
1311 006616  116  000                  .ASCII  /N/<00>
1312 006620  045  101  102  P.AAT:     .ASCII  /%AB/
1313 006623  111  124  040             .ASCII  /IT /
1314 006626  111  116  040             .ASCII  /IN /
1315 006631  105  122  122             .ASCII  /ERR/
1316 006634  117  122  072             .ASCII  /OR:/
1317 006637  040  045  117             .ASCII  / %O/
1318 006642  066  045  116             .ASCII  /6%N/
1319 006645  045  116  000             .ASCII  /%N/<00>
1320 006650  045  101  107  P.AAU:     .ASCII  /%AG/
1321 006653  117  117  104             .ASCII  /OOD/
1322 006656  040  116  111             .ASCII  / NI/
1323 006661  102  040  104             .ASCII  /B D/
1324 006664  101  124  101             .ASCII  /ATA/
1325 006667  072  040  045             .ASCII  /: %/
1326 006672  117  062  045             .ASCII  /02%/
1327 006675  101  040  040             .ASCII  /A  /
1328 006700  040  040  102             .ASCII  /  B/
1329 006703  101  104  040             .ASCII  /AD /
1330 006706  116  111  102             .ASCII  /NIB/
1331 006711  040  104  101             .ASCII  / DA/
1332 006714  124  101  072             .ASCII  /TA:/
1333 006717  040  045  117             .ASCII  / %O/
1334 006722  062  045  101             .ASCII  /2%A/
1335 006725  040  040  040             .ASCII  /   /
1336 006730  040  116  111             .ASCII  / NI/
1337 006733  102  040  120             .ASCII  /B P/
1338 006736  117  123  072             .ASCII  /OS:/
1339 006741  040  045  117             .ASCII  / %O/
1340 006744  064  045  116             .ASCII  /4%N/
1341 006747  045  116  000             .ASCII  /%N/<00>
1342 006752  045  101  116  P.AAV:     .ASCII  /%AN/
1343 006755  [illegible]  102  040     .ASCII  /IB /
1344 006760  [illegible]  116  040     .ASCII  /IN /
1345 006763  105  122  122             .ASCII  /ERR/
1346 006766  117  122  072             .ASCII  /OR:/
1347 006771  040  045  104             .ASCII  / %D/
```

```
1349                                    ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
1350                                    ;           ROUTINE DECLARATION SECTION 29-Mar-1982 16:21:03    PA:<
1351
1352 006774  064  045  116             .ASCII  /4%N/
1353 006777  045  116  000             .ASCII  /%N/<00>
1354 007002  045  101  106  P.AAW:     .ASCII  /%AF/
1355 007005  101  111  114             .ASCII  /AIL/
1356 007010  105  104  040             .ASCII  /ED /
1357 007013  101  124  072             .ASCII  /AT:/
1358 007016  040  045  117             .ASCII  / %O/
1359 007021  066  045  116             .ASCII  /6%N/
1360 007024  045  116  000             .ASCII  /%N/<00>
1361 007027  000                       .ASCII  <00>
1362 007030  045  101  122  P.AAX:     .ASCII  /%AR/
1363 007033  105  120  114             .ASCII  /EPL/
1364 007036  101  103  105             .ASCII  /ACE/
1365 007041  040  101  122             .ASCII  / AR/
1366 007044  122  040  115             .ASCII  /R M/
1367 007047  117  104  072             .ASCII  /OD:/
1368 007052  040  045  104             .ASCII  / %D/
1369 007055  062  045  116             .ASCII  /2%N/
1370 007060  045  116  000             .ASCII  /%N/<00>
1371 007063  000                       .ASCII  <00>
1372 007064  045  101  106  P.AAY:     .ASCII  /%AF/
1373 007067  101  111  114             .ASCII  /AIL/
1374 007072  105  104  040             .ASCII  /ED /
1375 007075  101  124  040             .ASCII  /AT /
1376 007100  104  123  101             .ASCII  /DSA/
1377 007103  072  040  045             .ASCII  /: %/
1378 007106  117  066  045             .ASCII  /O6%/
1379 007111  116  045  116             .ASCII  /N%N/
1380 007114  000  000                  .ASCII  <00><00>
1381 007116  045  101  102  P.AAZ:     .ASCII  /%AB/
1382 007121  111  124  074             .ASCII  /IT</
1383 007124  061  065  072             .ASCII  /15:/
1384 007127  061  060  076             .ASCII  /10>/
1385 007132  072  040  045             .ASCII  /: %/
1386 007135  102  066  045             .ASCII  /B6%/
1387 007140  101  040  040             .ASCII  /A  /
1388 007143  040  040  102             .ASCII  /  B/
1389 007146  111  124  074             .ASCII  /IT</
1390 007151  071  072  060             .ASCII  /9:0/
1391 007154  076  072  040             .ASCII  />: /
1392 007157  045  102  061             .ASCII  /%B1/
1393 007162  060  045  116             .ASCII  /0%N/
1394 007165  045  116  000             .ASCII  /%N/<00>
1395 007170  045  101  106  P.ABA:     .ASCII  /%AF/
1396 007173  101  111  114             .ASCII  /AIL/
1397 007176  111  116  107             .ASCII  /ING/
1398 007201  040  122  105             .ASCII  / RE/
1399 007204  107  040  101             .ASCII  /G A/
1400 007207  104  122  123             .ASCII  /DRS/
1401 007212  072  040  045             .ASCII  /: %/
1402 007215  117  066  045             .ASCII  /O6%/
1403 007220  116  045  116             .ASCII  /N%N/
```

```
1405                                    ;ML4AD
1406                                    ;                   ROUTINE DECLARATION SECTION
1407
1408 007223  000                                    .ASCII  <00>
1409 007224  045  101  106  P.ABB:      .ASCII  /%AF/
1410 007227  101  111  114              .ASCII  /AIL/
1411 007232  111  116  107              .ASCII  /ING/
1412 007235  040  106  125              .ASCII  / FU/
1413 007240  116  103  072              .ASCII  /NC:/
1414 007243  040  045  117              .ASCII  / %O/
1415 007246  066  045  116              .ASCII  /6%N/
1416 007251  045  116  000              .ASCII  /%N/<00>
1417 007254  040  045  101  P.ABC:      .ASCII  / %A/
1418 007257  117  106  106              .ASCII  /OFF/
1419 007262  137  123  105              .ASCII  / SE/
1420 007265  124  040  103              .ASCII  /T C/
1421 007270  116  124  040              .ASCII  /NT /
1422 007273  106  117  122              .ASCII  /FOR/
1423 007276  040  116  111              .ASCII  / NI/
1424 007301  102  040  072              .ASCII  /B :/
1425 007304  040  045  104              .ASCII  / %D/
1426 007307  062  040  045              .ASCII  /2 %/
1427 007312  101  040  075              .ASCII  /A =/
1428 007315  040  045  104              .ASCII  / %D/
1429 007320  062  040  045              .ASCII  /2 %/
1430 007323  116  045  116              .ASCII  /N%N/
1431 007326  000  000                    .ASCII  <00><00>
1432 007330  045  101  127  P.ABD:      .ASCII  /%AW/
1433 007333  122  117  124              .ASCII  /ROT/
1434 007336  105  072  040              .ASCII  /E: /
1435 007341  045  104  062              .ASCII  /%D2/
1436 007344  045  101  040              .ASCII  /%A /
1437 007347  040  040  040              .ASCII  /   /
1438 007352  122  105  101              .ASCII  /REA/
1439 007355  104  072  040              .ASCII  /D: /
1440 007360  045  104  062              .ASCII  /%D2/
1441 007363  045  116  045              .ASCII  /%N%/
1442 007366  116  000                    .ASCII  /N/<00>
1443 007370  045  101  116  P.ABE:      .ASCII  /%AN/
1444 007373  111  102  102              .ASCII  /IBB/
1445 007376  114  105  123              .ASCII  /LES/
1446 007401  040  130  106              .ASCII  / XF/
1447 007404  105  122  105              .ASCII  /ERE/
1448 007407  104  040  102              .ASCII  /D B/
1449 007412  105  106  117              .ASCII  /EFO/
1450 007415  122  105  040              .ASCII  /RE /
1451 007420  105  122  122              .ASCII  /ERR/
1452 007423  117  122  072              .ASCII  /OR:/
1453 007426  040  045  104              .ASCII  / %D/
1454 007431  063  045  116              .ASCII  /3%N/
1455 007434  000  000                    .ASCII  <00><00>
1456 007436  045  101  106  P.ABF:      .ASCII  /%AF/
1457 007441  101  111  114              .ASCII  /AIL/
1458 007444  111  116  107              .ASCII  /ING/
1459 007447  040  122  105              .ASCII  / RE/
```

```
                                                                    29-Mar-1982 16:23:04    TOPS
                                                                    29-Mar-1982 16:21:03    PA:<
 1461                                   ;ML4AD
 1462                                   ;                ROUTINE DECLARATION SECTION
 1463
 1464 007452   107   072   040          .ASCII  /G: /
 1465 007455   045   117   066          .ASCII  /%06/
 1466 007460   045   101   040          .ASCII  /%A /
 1467 007463   107   117   117          .ASCII  /GOO/
 1468 007466   104   040   104          .ASCII  /D D/
 1469 007471   101   124   101          .ASCII  /ATA/
 1470 007474   072   040   045          .ASCII  /: %/
 1471 007477   117   066   045          .ASCII  /06%/
 1472 007502   101   040   102          .ASCII  /A B/
 1473 007505   101   104   040          .ASCII  /AD /
 1474 007510   104   101   124          .ASCII  /DAT/
 1475 007513   101   072   040          .ASCII  /A: /
 1476 007516   045   117   066          .ASCII  /%06/
 1477 007521   045   116   045          .ASCII  /%N%/
 1478 007524   116   000                .ASCII  /N/<00>
 1479 007526   045   116   045  P.ABG:  .ASCII  /%N%/
 1480 007531   101   104   111          .ASCII  /ADI/
 1481 007534   101   107   116          .ASCII  /AGN/
 1482 007537   117   123   111          .ASCII  /OSI/
 1483 007542   116   107   040          .ASCII  /NG /
 1484 007545   125   116   111          .ASCII  /UNI/
 1485 007550   124   040   045          .ASCII  /T %/
 1486 007553   117   061   045          .ASCII  /01%/
 1487 007556   116   045   116          .ASCII  /N%N/
 1488 007561   000                      .ASCII  <00>
 1489 007562   045   101   124  P.ABH:  .ASCII  /%AT/
 1490 007565   111   115   105          .ASCII  /IME/
 1491 007570   104   040   117          .ASCII  /D O/
 1492 007573   125   124   040          .ASCII  /UT /
 1493 007576   104   125   122          .ASCII  /DUR/
 1494 007601   111   116   107          .ASCII  /ING/
 1495 007604   040   115   102          .ASCII  / MB/
 1496 007607   125   123   040          .ASCII  /US /
 1497 007612   045   117   062          .ASCII  /%02/
 1498 007615   045   101   040          .ASCII  /%A /
 1499 007620   106   125   116          .ASCII  /FUN/
 1500 007623   103   045   116          .ASCII  /C%N/
 1501 007626   045   116   000          .ASCII  /%N/<00>
 1502 007631   000                      .ASCII  <00>
 1503 007632   045   101   103  P.ABI:  .ASCII  /%AC/
 1504 007635   122   103   040          .ASCII  /RC /
 1505 007640   107   105   116          .ASCII  /GEN/
 1506 007643   040   075   040          .ASCII  / = /
 1507 007646   102   072   040          .ASCII  /B: /
 1508 007651   045   102   066          .ASCII  /%B6/
 1509 007654   045   101   040          .ASCII  /%A /
 1510 007657   101   072   040          .ASCII  /A: /
 1511 007662   045   102   066          .ASCII  /%B6/
 1512 007665   045   101   040          .ASCII  /%A /
 1513 007670   120   072   040          .ASCII  /P: /
 1514 007673   045   102   066          .ASCII  /%B6/
 1515 007676   045   116   000          .ASCII  /%N/<00>
```

```
                                        ;%L4AD                                  29-Mar-1982 16:23:04    TOPS
                                        ;       ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<

1517
1518
1519
1520 007701  000                        P.ABJ:  .ASCII  <00>
1521 007702  045  101  103                       .ASCII  /%AC/
1522 007705  122  103  040                       .ASCII  /RC /
1523 007710  103  101  114                       .ASCII  /CAL/
1524 007713  040  075  040                       .ASCII  / = /
1525 007716  102  072  040                       .ASCII  /B: /
1526 007721  045  102  066                       .ASCII  /%B6/
1527 007724  045  101  040                       .ASCII  /%A /
1528 007727  101  072  040                       .ASCII  /A: /
1529 007732  045  102  066                       .ASCII  /%B6/
1530 007735  045  101  040                       .ASCII  /%A /
1531 007740  120  072  040                       .ASCII  /P: /
1532 007743  045  102  066                       .ASCII  /%B6/
1533 007746  045  116  045                       .ASCII  /%N%/
1534 007751  116  000  000                       .ASCII  /N/<00><00>
1535 007754  045  101  106  P.ABK:               .ASCII  /%AF/
1536 007757  101  111  114                       .ASCII  /AIL/
1537 007762  105  104  040                       .ASCII  /ED /
1538 007765  101  124  040                       .ASCII  /AT /
1539 007770  120  114  117                       .ASCII  /PLO/
1540 007773  107  072  040                       .ASCII  /G: /
1541 007776  045  104  062                       .ASCII  /%D2/
1542 010001  045  101  040                       .ASCII  /%A /
1543 010004  103  110  101                       .ASCII  /CHA/
1544 010007  116  116  105                       .ASCII  /NNE/
1545 010012  114  072  040                       .ASCII  /L: /
1546 010015  045  104  062                       .ASCII  /%D2/
1547 010020  045  116  045                       .ASCII  /%N%/
1548 010023  116  000  000                       .ASCII  /N/<00><00>
1549 010026  045  101  106  P.ABL:               .ASCII  /%AF/
1550 010031  101  111  114                       .ASCII  /AIL/
1551 010034  105  104  040                       .ASCII  /ED /
1552 010037  101  124  040                       .ASCII  /AT /
1553 010042  127  122  104                       .ASCII  /WRD/
1554 010045  072  040  045                       .ASCII  /: %/
1555 010050  104  062  045                       .ASCII  /D2%/
1556 010053  101  040  102                       .ASCII  /A B/
1557 010056  111  124  072                       .ASCII  /IT:/
1558 010061  040  045  104                       .ASCII  / %D/
1559 010064  062  045  116                       .ASCII  /2%N/
1560 010067  045  116  000                       .ASCII  /%N/<00>
1561 010072  045  101  122  P.ABM:               .ASCII  /%AR/
1562 010075  105  107  111                       .ASCII  /EGI/
1563 010100  123  124  105                       .ASCII  /STE/
1564 010103  122  045  123                       .ASCII  /R%S/
1565 010106  063  045  101                       .ASCII  /3%A/
1566 010111  101  104  104                       .ASCII  /ADD/
1567 010114  122  105  123                       .ASCII  /RES/
1568 010117  123  045  123                       .ASCII  /S%S/
1569 010122  067  045  101                       .ASCII  /7%A/
1570 010125  103  117  116                       .ASCII  /CON/
1571 010130  124  105  116                       .ASCII  /TEN/
```

```
1573                                    ;ML4AD                          29-Mar-1982 16:23:04    TOPS
1574                                    ;       ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<
1575
1576 010133  124  123  045              .ASCII  /TS%/
1577 010136  116  045  116              .ASCII  /N%N/
1578 010141  000                        .ASCII  <00>
1579 010142  045  123  045  P.ABN:      .ASCII  /%S%/
1580 010145  124  045  123              .ASCII  /T%S/
1581 010150  065  045  117              .ASCII  /5%O/
1582 010153  066  045  123              .ASCII  /6%S/
1583 010156  064  045  117              .ASCII  /4%O/
1584 010161  061  066  045              .ASCII  /16%/
1585 010164  116  000                   .ASCII  /N/<00>
1586 010166  045  123  064  P.ABO:      .ASCII  /%S4/
1587 010171  045  124  045              .ASCII  /%T%/
1588 010174  101  072  045              .ASCII  /A:%/
1589 010177  123  045  117              .ASCII  /S%O/
1590 010202  066  045  116              .ASCII  /6%N/
1591 010205  000                        .ASCII  <00>
1592 010206  045  123  064  P.ABP:      .ASCII  /%S4/
1593 010211  045  124  045              .ASCII  /%T%/
1594 010214  101  072  045              .ASCII  /A:%/
1595 010217  123  045  104              .ASCII  /S%D/
1596 010222  061  045  104              .ASCII  /1%D/
1597 010225  061  045  104              .ASCII  /1%D/
1598 010230  061  045  104              .ASCII  /1%D/
1599 010233  061  045  116              .ASCII  /1%N/
1600 010236  000  000                   .ASCII  <00><00>
1601 010240  045  124  045  P.ABQ:      .ASCII  /%T%/
1602 010243  116  000  000              .ASCII  /N/<00><00>
1603 010246  045  124  045  P.ABR:      .ASCII  /%T%/
1604 010251  124  045  116              .ASCII  /T%N/
1605 010254  000  000                   .ASCII  <00><00>
1606 010256  045  124  045  P.ABS:      .ASCII  /%T%/
1607 010261  124  045  124              .ASCII  /T%T/
1608 010264  045  116  000              .ASCII  /%N/<00>
1609 010267  000                        .ASCII  <00>
1610 010270  045  124  045  P.ABT:      .ASCII  /%T%/
1611 010273  124  045  124              .ASCII  /T%T/
1612 010276  045  124  045              .ASCII  /%T%/
1613 010301  116  000  000              .ASCII  /N/<00><00>
1614 010304  045  124  045  P.ABU:      .ASCII  /%T%/
1615 010307  124  045  124              .ASCII  /T%T/
1616 010312  045  124  045              .ASCII  /%T%/
1617 010315  124  045  116              .ASCII  /T%N/
1618 010320  000  000                   .ASCII  <00><00>
1619 010322  045  124  045  P.ABV:      .ASCII  /%T%/
1620 010325  124  045  124              .ASCII  /T%T/
1621 010330  045  124  045              .ASCII  /%T%/
1622 010333  124  045  124              .ASCII  /T%T/
1623 010336  045  116  000              .ASCII  /%N/<00>
1624 010341  000                        .ASCII  <00>
1625 010342  045  124  045  P.ABW:      .ASCII  /%T%/
1626 010345  124  045  124              .ASCII  /T%T/
1627 010350  045  124  045              .ASCII  /%T%/
```

```
                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                    29-Mar-1982 16:21:03    PA:<
                                        ;ML4AD
                                        ;                ROUTINE DECLARATION SECTION

 010353      124     045     124        .ASCII  /T%T/
 010356      045     124     045        .ASCII  /%T%/
 010361      116     000     000        .ASCII  /N/<00><00>
 010364      045     124     045  P.ABX:.ASCII  /%T%/
 010367      124     045     124        .ASCII  /T%T/
 010372      045     124     045        .ASCII  /%T%/
 010375      124     045     124        .ASCII  /T%T/
 010400      045     124     045        .ASCII  /%T%/
 010403      124     045     116        .ASCII  /T%N/
 010406      000     000                .ASCII  <00><00>
 010410      045     124     045  P.ABY:.ASCII  /%T%/
 010413      124     045     124        .ASCII  /T%T/
 010416      045     124     045        .ASCII  /%T%/
 010421      124     045     124        .ASCII  /T%T/
 010424      045     124     045        .ASCII  /%T%/
 010427      124     045     124        .ASCII  /T%T/
 010432      045     116     000        .ASCII  /%N/<00>
 010435      000                        .ASCII  <00>
 010436      045     124     045  P.ABZ:.ASCII  /%T%/
 010441      124     045     124        .ASCII  /T%T/
 010444      045     124     045        .ASCII  /%T%/
 010447      124     045     124        .ASCII  /T%T/
 010452      045     124     045        .ASCII  /%T%/
 010455      124     045     124        .ASCII  /T%T/
 010460      045     124     045        .ASCII  /%T%/
 010463      116     000     000        .ASCII  /N/<00><00>
 010466      045     124     045  P.ACA:.ASCII  /%T%/
 010471      124     045     124        .ASCII  /T%T/
 010474      045     124     045        .ASCII  /%T%/
 010477      124     045     124        .ASCII  /T%T/
 010502      045     124     045        .ASCII  /%T%/
 010505      124     045     124        .ASCII  /T%T/
 010510      045     124     045        .ASCII  /%T%/
 010513      124     045     116        .ASCII  /T%N/
 010516      000     000                .ASCII  <00><00>
 010520      040     107     117  P.ACB:.ASCII  / GO/
 010523      000                        .ASCII  <00>
 010524      040     104     122  P.ACC:.ASCII  / DR/
 010527      126     137     122        .ASCII  /V_R/
 010532      104     131     000        .ASCII  /DY/<00>
 010535      000                        .ASCII  <00>
 010536      040     111     114  P.ACD:.ASCII  / IL/
 010541      106     000     000        .ASCII  /F/<00><00>
 010544      040     117     120  P.ACE:.ASCII  / OP/
 010547      111     000     000        .ASCII  /I/<00><00>
 010552      040     102     101  P.ACF:.ASCII  / BA/
 010555      104     000     000        .ASCII  /D/<00><00>
 010560      040     107     117  P.ACG:.ASCII  / GO/
 010563      117     104     000        .ASCII  /OD/<00>
 010566      040     120     101  P.ACH:.ASCII  / PA/
 010571      122     111     124        .ASCII  /RIT/
 010574      131     040     116        .ASCII  /Y N/
```

```
                                                ;ML4AD                                  29-Mar-1982 16:23.04    TOP
                                                ;                ROUTINE DECLARATION SECTION  29-Mar-1982 16:21:03    PA
                                                .ASCII  /OT/<00>
                                        P.ACI:  .ASCII  / GE/
                                                .ASCII  /NER/
                                                .ASCII  /ATE/
                                                .ASCII  /D/<00><00>
                                        P.ACJ:  .ASCII  / DE/
                                                .ASCII  /TEC/
                                                .ASCII  /TED/
                                                .ASCII  <00>
                                        P.ACK:  .ASCII  / ER/
                                                .ASCII  /ROR/
                                                .ASCII  <00><00>
                                        P.ACL:  .ASCII  / AF/
                                                .ASCII  /TER/
                                                .ASCII  <00><00>
                                        P.ACM:  .ASCII  / DU/
                                                .ASCII  /RIN/
                                                .ASCII  /G/<00>
                                        P.ACN:  .ASCII  / AT/
                                                .ASCII  <00>
                                        P.ACO:  .ASCII  / FA/
                                                .ASCII  /ILU/
                                                .ASCII  /RE/<00>
                                                .ASCII  <00>
                                        P.ACP:  .ASCII  / AT/
                                                .ASCII  /A/<00><00>
                                        P.ACQ:  .ASCII  / AT/
                                                .ASCII  /TN/<00>
                                        P.ACR:  .ASCII  / WR/
                                                .ASCII  /ITI/
                                                .ASCII  /NG/<00>
                                                .ASCII  <00>
                                        P.ACS:  .ASCII  / VV/
                                                .ASCII  <00>
                                        P.ACT:  .ASCII  / FU/
                                                .ASCII  /NC/<00>
                                        P.ACU:  .ASCII  / TR/
                                                .ASCII  /E/<00><00>
                                        P.ACV:  .ASCII  / RM/
                                                .ASCII  /R/<00><00>
                                        P.ACW:  .ASCII  / EX/
                                                .ASCII  /CES/
                                                .ASCII  /SIV/
                                                .ASCII  /E/<00><00>
                                        P.ACX:  .ASCII  / MB/
                                                .ASCII  /US/<00>
                                        P.ACY:  .ASCII  / DA/
                                                .ASCII  /TA/<00>
                                        P.ACZ:  .ASCII  / CO/
                                                .ASCII  /NTI/
                                                .ASCII  /NUI/
                                                .ASCII  /TY/<00>
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
                                        ;ML4AD
                                        ;                ROUTINE DECLARATION SECTION
                                        P.ADA:  .ASCII   / AD/
                                                .ASCII   /E/<00><00>
                                        P.ADB:  .ASCII   / LB/
                                                .ASCII   /T/<00><00>
                                        P.ADC:  .ASCII   / PR/
                                                .ASCII   /EMA/
                                                .ASCII   /TUR/
                                                .ASCII   /LY/<00>
                                        P.ADD:  .ASCII   / IA/
                                                .ASCII   /E/<00><00>
                                        P.ADE:  .ASCII   / IN/
                                                .ASCII   /CRE/
                                                .ASCII   /MEN/
                                                .ASCII   /T/<00><00>
                                        P.ADF:  .ASCII   / WI/
                                                .ASCII   /TH/<00>
                                        P.ADG:  .ASCII   / UV/
                                                .ASCII   <00>
                                        P.ADH:  .ASCII   / UN/
                                                .ASCII   /S/<00><00>
                                        P.ADI:  .ASCII   / PR/
                                                .ASCII   /OM/<00>
                                        P.ADJ:  .ASCII   / OR/
                                                .ASCII   <00>
                                        P.ADK:  .ASCII   / SE/
                                                .ASCII   /LEC/
                                                .ASCII   /T/<00>
                                        P.ADL:  .ASCII   / RE/
                                                .ASCII   /G/<00><00>
                                        P.ADM:  .ASCII   / UN/
                                                .ASCII   /IQU/
                                                .ASCII   /E/<00>
                                        P.ADN:  .ASCII   / 14/
                                                .ASCII   <00>
                                        P.ADO:  .ASCII   / NI/
                                                .ASCII   /BBL/
                                                .ASCII   /E C/
                                                .ASCII   /NT/<00>
                                        P.ADP:  .ASCII   / GT/
                                                .ASCII   /R/<00><00>
                                        P.ADQ:  .ASCII   / WH/
                                                .ASCII   /ILE/
                                                .ASCII   <00><00>
                                        P.ADR:  .ASCII   / TR/
                                                .ASCII   /E/<00><00>
                                        P.ADS:  .ASCII   / IN/
                                                .ASCII   /ITI/
                                                .ASCII   /AL/<00>
                                                .ASCII   <00>
                                        P.ADT:  .ASCII   / OF/
                                                .ASCII   /F S/
                                                .ASCII   /ET/<00>
```

```
                                        ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                        ;       ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<

 1800 011237  000                              .ASCII  <00>
 1801 011240  040  103  117  P.ADU:  .ASCII  / CO/
 1802 011243  125  116  124          .ASCII  /UNT/
 1803 011246  000  000              .ASCII  <00><00>
 1804 011250  040  104  105  P.ADV:  .ASCII  / DE/
 1805 011253  114  101  131          .ASCII  /LAY/
 1806 011256  000  000              .ASCII  <00><00>
 1807 011260  040  124  105  P.ADW:  .ASCII  / TE/
 1808 011263  123  124  123          .ASCII  /STS/
 1809 011266  000  000              .ASCII  <00><00>
 1810 011270  040  101  104  P.ADX:  .ASCII  / AD/
 1811 011273  122  123  000          .ASCII  /RS/<00>
 1812 011276  040  103  117  P.ADY:  .ASCII  / CO/
 1813 011301  125  116  124          .ASCII  /UNT/
 1814 011304  105  122  000          .ASCII  /ER/<00>
 1815 011307  000                    .ASCII  <00>
 1816 011310  040  122  105  P.ADZ:  .ASCII  / RE/
 1817 011313  107  000  000          .ASCII  /G/<00><00>
 1818 011316  040  124  105  P.AEA:  .ASCII  / TE/
 1819 011321  123  124  105          .ASCII  /STE/
 1820 011324  104  000              .ASCII  /D/<00>
 1821 011326  040  116  111  P.AEB:  .ASCII  / NI/
 1822 011331  102  102  114          .ASCII  /BBL/
 1823 011334  105  000              .ASCII  /E/<00>
 1824 011336  040  101  114  P.AEC:  .ASCII  / AL/
 1825 011341  114  000  000          .ASCII  /L/<00><00>
 1826 011344  040  124  105  P.AED:  .ASCII  / TE/
 1827 011347  123  124  000          .ASCII  /ST/<00>
 1828 011352  040  130  106  P.AEE:  .ASCII  / XF/
 1829 011355  105  122  105          .ASCII  /ERE/
 1830 011360  104  000              .ASCII  /D/<00>
 1831 011362  040  116  111  P.AEF:  .ASCII  / NI/
 1832 011365  102  102  114          .ASCII  /BBL/
 1833 011370  105  123  000          .ASCII  /ES/<00>
 1834 011373  000                    .ASCII  <00>
 1835 011374  040  123  103  P.AEG:  .ASCII  / SC/
 1836 011377  000                    .ASCII  <00>
 1837 011400  040  115  125  P.AEH:  .ASCII  / MU/
 1838 011403  114  124  111          .ASCII  /LTI/
 1839 011406  120  114  105          .ASCII  /PLE/
 1840 011411  130  105  122          .ASCII  /XER/
 1841 011414  000  000              .ASCII  <00><00>
 1842 011416  040  125  116  P.AEI:  .ASCII  / UN/
 1843 011421  105  130  120          .ASCII  /EXP/
 1844 011424  105  103  124          .ASCII  /ECT/
 1845 011427  105  104  000          .ASCII  /ED/<00>
 1846 011432  040  116  105  P.AEJ:  .ASCII  / NE/
 1847 011435  104  000  000          .ASCII  /D/<00><00>
 1848 011440  040  111  114  P.AEK:  .ASCII  / IL/
 1849 011443  122  000  000          .ASCII  /R/<00><00>
 1850 011446  040  103  122  P.AEL:  .ASCII  / CR/
 1851 011451  103  000  000          .ASCII  /C/<00><00>
```

```
1853                                    ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
1854                                    ;       ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<
1855
1856 011454    040     123     107     P.AEM:  .ASCII  / SG/
1857 011457    114     000     000             .ASCII  /L/<00><00>
1858 011462    040     105     103     P.AEN:  .ASCII  / EC/
1859 011465    110     000     000             .ASCII  /H/<00><00>
1860 011470    125     116     103     P.AEO:  .ASCII  /UNC/
1861 011473    000                             .ASCII  <00>
1862 011474    040     102     111     P.AEP:  .ASCII  / BI/
1863 011477    124     000     000             .ASCII  /T/<00><00>
1864 011502    040     103     110     P.AEQ:  .ASCII  / CH/
1865 011505    101     116     116             .ASCII  /ANN/
1866 011510    105     114     000             .ASCII  /EL/<00>
1867 011513    000                             .ASCII  <00>
1868 011514    040     114     101     P.AER:  .ASCII  / LA/
1869 011517    124     103     110             .ASCII  /TCH/
1870 011522    000     000                     .ASCII  <00><00>
1871 011524    040     104     103     P.AES:  .ASCII  / DC/
1872 011527    113     000     000             .ASCII  /K/<00><00>
1873 011532    040     102     125     P.AET:  .ASCII  / BU/
1874 011535    123     000     000             .ASCII  /S/<00><00>
1875 011540    040     123     131     P.AEU:  .ASCII  / SY/
1876 011543    116     104     122             .ASCII  /NDR/
1877 011546    117     116     105             .ASCII  /ONE/
1878 011551    000                             .ASCII  <00>
1879 011552    040     104     105     P.AEV:  .ASCII  / DE/
1880 011555    103     117     104             .ASCII  /COD/
1881 011560    105     000                     .ASCII  /E/<00>
1882 011562    040     116     117     P.AEW:  .ASCII  / NO/
1883 011565    124     000     000             .ASCII  /T/<00><00>
1884 011570    040     125     116     P.AEX:  .ASCII  / UN/
1885 011573    103     117     122             .ASCII  /COR/
1886 011576    122     105     103             .ASCII  /REC/
1887 011601    124     101     102             .ASCII  /TAB/
1888 011604    114     105     000             .ASCII  /LE/<00>
1889 011607    000                             .ASCII  <00>
1890 011610    040     102     111     P.AEY:  .ASCII  / BI/
1891 011613    124     040     116             .ASCII  /T N/
1892 011616    117     124     040             .ASCII  /OT /
1893 011621    123     105     124             .ASCII  /SET/
1894 011624    000     000                     .ASCII  <00><00>
1895 011626    040     102     111     P.AEZ:  .ASCII  / BI/
1896 011631    124     040     116             .ASCII  /T N/
1897 011634    117     124     040             .ASCII  /OT /
1898 011637    103     114     122             .ASCII  /CLR/
1899 011642    000     000                     .ASCII  <00><00>
1900 011644    040     116     117     P.AFA:  .ASCII  / NO/
1901 011647    040     122     105             .ASCII  / RE/
1902 011652    123     120     117             .ASCII  /SPO/
1903 011655    116     103     105             .ASCII  /NCE/
1904 011660    040     101     106             .ASCII  / AF/
1905 011663    124     105     122             .ASCII  /TER/
1906 011666    040     061     056             .ASCII  / 1./
1907 011671    065     040     125             .ASCII  /5 U/
```

29-Mar-1982 16:23:04 TOPS
29-Mar-1982 16:21:03 PA:<

```
1909                                    ;ML4AD
1910                                    ;               ROUTINE DECLARATION SECTION
1911
1912 011674    123     000                     .ASCII  /S/<00>
1913 011676    040     104     101     P.AFB:  .ASCII  / DA/
1914 011701    124     101     040             .ASCII  /TA /
1915 011704    105     122     122             .ASCII  /ERR/
1916 011707    117     122     123             .ASCII  /ORS/
1917 011712    000     000                     .ASCII  <00><00>
1918 011714    040     102     111     P.AFC:  .ASCII  / BI/
1919 011717    124     040     123             .ASCII  /T S/
1920 011722    105     124     000             .ASCII  /ET/<00>
1921 011725    000                             .ASCII  <00>
1922 011726    040     102     111     P.AFD:  .ASCII  / BI/
1923 011731    124     040     103             .ASCII  /T C/
1924 011734    114     122     000             .ASCII  /LR/<00>
1925 011737    000                             .ASCII  <00>
1926 011740    040     117     106     P.AFE:  .ASCII  / OF/
1927 011743    040     117     124             .ASCII  / OT/
1928 011746    110     105     122             .ASCII  /HER/
1929 011751    040     104     122             .ASCII  / DR/
1930 011754    111     126     105             .ASCII  /IVE/
1931 011757    123     000     000             .ASCII  /S/<00><00>
1932 011762    040     103     114     P.AFF:  .ASCII  / CL/
1933 011765    101     123     123             .ASCII  /ASS/
1934 011770    040     101     000             .ASCII  / A/<00>
1935 011773    000                             .ASCII  <00>
1936 011774    040     103     114     P.AFG:  .ASCII  / CL/
1937 011777    101     123     123             .ASCII  /ASS/
1938 012002    040     102     000             .ASCII  / B/<00>
1939 012005    000                             .ASCII  <00>
1940 012006    040     124     117     P.AFH:  .ASCII  / TO/
1941 012011    040     106     111             .ASCII  / FI/
1942 012014    116     104     000             .ASCII  /ND/<00>
1943 012017    000                             .ASCII  <00>
1944 012020    040     116     117     P.AFI:  .ASCII  / NO/
1945 012023    124     040     114             .ASCII  /T L/
1946 012026    101     124     103             .ASCII  /ATC/
1947 012031    110     105     104             .ASCII  /HED/
1948 012034    000     000                     .ASCII  <00><00>
1949 012036    040     123     111     P.AFJ:  .ASCII  / SI/
1950 012041    116     107     114             .ASCII  /NGL/
1951 012044    105     040     102             .ASCII  /E B/
1952 012047    111     124     040             .ASCII  /IT /
1953 012052    105     122     122             .ASCII  /ERR/
1954 012055    117     122     000             .ASCII  /OR/<00>
1955 012060    040     115     125     P.AFK:  .ASCII  / MU/
1956 012063    114     124     111             .ASCII  /LTI/
1957 012066    120     114     105             .ASCII  /PLE/
1958 012071    040     102     111             .ASCII  / BI/
1959 012074    124     040     105             .ASCII  /T E/
1960 012077    122     122     117             .ASCII  /RRO/
1961 012102    122     000                     .ASCII  /R/<00>
1962 012104    040     040     040     P.AFL:  .ASCII  /   /
1963 012107    040     040     040             .ASCII  /   /
```

```
                                        ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                        ;       ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<

1968 012112  040  040  040          .ASCII  /   /
1969 012115  122  105  107          .ASCII  /REG/
1970 012120  111  123  124          .ASCII  /IST/
1971 012123  105  122  040          .ASCII  /ER /
1972 012126  040  040  104          .ASCII  /  D/
1973 012131  125  115  120          .ASCII  /UMP/
1974 012134  000  000               .ASCII  <00><00>
1975 012136  123  105  122  P.AFM:  .ASCII  /SER/
1976 012141  111  101  114          .ASCII  /IAL/
1977 012144  040  043  000          .ASCII  / #/<00>
1978 012147  000                    .ASCII  <00>
1979 012150  040  115  105  P.AFN:  .ASCII  / ME/
1980 012153  115  040  123          .ASCII  /M S/
1981 012156  111  132  111          .ASCII  /IZI/
1982 012161  116  107  000          .ASCII  /NG/<00>
1983 012164  040  116  117  P.AFO:  .ASCII  / NO/
1984 012167  117  120  000          .ASCII  /OP/<00>
1985 012172  040  104  122  P.AFP:  .ASCII  / DR/
1986 012175  126  000  000          .ASCII  /V/<00><00>
1987 012200  040  127  122  P.AFQ:  .ASCII  / WR/
1988 012203  111  124  105          .ASCII  /ITE/
1989 012206  040  103  110          .ASCII  / CH/
1990 012211  105  103  113          .ASCII  /ECK/
1991 012214  000  000               .ASCII  <00><00>
1992 012216  040  127  122  P.AFR:  .ASCII  / WR/
1993 012221  111  124  105          .ASCII  /ITE/
1994 012224  000  000               .ASCII  <00><00>
1995 012226  040  122  105  P.AFS:  .ASCII  / RE/
1996 012231  101  104  000          .ASCII  /AD/<00>
1997 012234  040  103  114  P.AFT:  .ASCII  / CL/
1998 012237  105  101  122          .ASCII  /EAR/
1999 012242  000  000               .ASCII  <00><00>
2000 012244  040  103  117  P.AFU:  .ASCII  / CO/
2001 012247  115  120  040          .ASCII  /MP /
2002 012252  105  122  122          .ASCII  /ERR/
2003 012255  117  122  000          .ASCII  /OR/<00>
2004 012260  040  123  131  P.AFV:  .ASCII  / SY/
2005 012263  123  040  103          .ASCII  /S C/
2006 012266  114  122  000          .ASCII  /LR/<00>
2007 012271  000                    .ASCII  <00>
2008 012272  040  123  105  P.AFW:  .ASCII  / SE/
2009 012275  101  122  103          .ASCII  /ARC/
2010 012300  110  000               .ASCII  /H/<00>
2011 012302  040  122  105  P.AFX:  .ASCII  / RE/
2012 012305  101  104  055          .ASCII  /AD-/
2013 012310  111  116  055          .ASCII  /IN-/
2014 012313  120  122  105          .ASCII  /PRE/
2015 012316  123  105  124          .ASCII  /SET/
2016 012321  000                    .ASCII  <00>
2017 012322  040  111  114  P.AFY:  .ASCII  / IL/
2018 012325  114  105  107          .ASCII  /LEG/
2019 012330  101  114  000          .ASCII  /AL/<00>
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
2021                                    ;ML4AD
2022                                    ;                   ROUTINE DECLARATION SECTION
2023
2024 012333  000                                    .ASCII  <00>
2025 012334  040  101  102  P.AFZ:     .ASCII  / AB/
2026 012337  117  122  124             .ASCII  /ORT/
2027 012342  000  000                  .ASCII  <00><00>
2028 012344  040  101  122  P.AGA:     .ASCII  / AR/
2029 012347  122  040  122             .ASCII  /R R/
2030 012352  104  137  127             .ASCII  /D_W/
2031 012355  122  124  000             .ASCII  /RT/<00>
2032 012360  040  107  117  P.AGB:     .ASCII  / GO/
2033 012363  117  104  040             .ASCII  /OD /
2034 012366  102  114  113             .ASCII  /BLK/
2035 012371  000                       .ASCII  <00>
2036 012372  040  122  105  P.AGC:     .ASCII  / RE/
2037 012375  106  122  105             .ASCII  /FRE/
2038 012400  123  110  000             .ASCII  /SH/<00>
2039 012403  000                       .ASCII  <00>
2040 012404  040  101  122  P.AGD:     .ASCII  / AR/
2041 012407  122  101  131             .ASCII  /RAY/
2042 012412  000  000                  .ASCII  <00><00>
2043 012414  040  122  101  P.AGE:     .ASCII  / RA/
2044 012417  115  055  102             .ASCII  /M-B/
2045 012422  125  123  000             .ASCII  /US/<00>
2046 012425  000                       .ASCII  <00>
2047 012426  040  117  126  P.AGF:     .ASCII  / OV/
2048 012431  105  122  106             .ASCII  /ERF/
2049 012434  114  117  127             .ASCII  /LOW/
2050 012437  000                       .ASCII  <00>
2051 012440  040  103  110  P.AGG:     .ASCII  / CH/
2052 012443  113  137  123             .ASCII  /K_S/
2053 012446  125  115  000             .ASCII  /UM/<00>
2054 012451  000                       .ASCII  <00>
2055 012452  040  114  101  P.AGH:     .ASCII  / LA/
2056 012455  123  124  040             .ASCII  /ST /
2057 012460  102  114  113             .ASCII  /BLK/
2058 012463  000                       .ASCII  <00>
2059 012464  040  111  116  P.AGI:     .ASCII  / IN/
2060 012467  111  124  111             .ASCII  /ITI/
2061 012472  101  114  111             .ASCII  /ALI/
2062 012475  132  105  000             .ASCII  /ZE/<00>
2063 012500  040  115  114  P.AGJ:     .ASCII  / ML/
2064 012503  103  123  061             .ASCII  /CS1/
2065 012506  000  000                  .ASCII  <00><00>
2066 012510  040  115  114  P.AGK:     .ASCII  / ML/
2067 012513  104  123  000             .ASCII  /DS/<00>
2068 012516  040  115  114  P.AGL:     .ASCII  / ML/
2069 012521  105  122  000             .ASCII  /ER/<00>
2070 012524  040  115  114  P.AGM:     .ASCII  / ML/
2071 012527  115  122  000             .ASCII  /MR/<00>
2072 012532  040  115  114  P.AGN:     .ASCII  / ML/
2073 012535  101  123  000             .ASCII  /AS/<00>
2074 012540  040  115  114  P.AGO:     .ASCII  / ML/
2075 012543  104  101  000             .ASCII  /DA/<00>
```

29-Mar-1982 16:23:04 TOPS
29-Mar-1982 16:21:03 PA <

```
2077                                    ;ML4AD
2078                                    ;       ROUTINE DECLARATION SECTION
2079
2080 012546  040  115  114  P.AGP:  .ASCII  / ML/
2081 012551  104  124  000          .ASCII  /DT/<00>
2082 012554  040  115  114  P.AGQ:  .ASCII  / ML/
2083 012557  120  101  000          .ASCII  /PA/<00>
2084 012562  040  115  114  P.AGR:  .ASCII  / ML/
2085 012565  123  116  000          .ASCII  /SN/<00>
2086 012570  040  115  114  P.AGS:  .ASCII  / ML/
2087 012573  105  061  000          .ASCII  /E1/<00>
2088 012576  040  115  114  P.AGT:  .ASCII  / ML/
2089 012601  105  062  000          .ASCII  /E2/<00>
2090 012604  040  115  114  P.AGU:  .ASCII  / ML/
2091 012607  104  061  000          .ASCII  /D1/<00>
2092 012612  040  115  114  P.AGV:  .ASCII  / ML/
2093 012615  104  062  000          .ASCII  /D2/<00>
2094 012620  040  115  114  P.AGW:  .ASCII  / ML/
2095 012623  105  105  000          .ASCII  /EE/<00>
2096 012626  040  115  114  P.AGX:  .ASCII  / ML/
2097 012631  105  114  000          .ASCII  /EL/<00>
2098 012634  040  115  114  P.AGY:  .ASCII  / ML/
2099 012637  120  104  000          .ASCII  /PD/<00>
2100 012642  040  115  114  P.AGZ:  .ASCII  / ML/
2101 012645  103  123  062          .ASCII  /CS2/
2102 012650  000  000               .ASCII  <00><00>
2103 012652  040  115  114  P.AHA:  .ASCII  / ML/
2104 012655  127  103  000          .ASCII  /WC/<00>
2105 012660  040  115  114  P.AHB:  .ASCII  / ML/
2106 012663  102  101  000          .ASCII  /BA/<00>
2107 012666  040  115  114  P.AHC:  .ASCII  / ML/
2108 012671  102  101  111          .ASCII  /BAI/
2109 012674  000  000               .ASCII  <00><00>
2110 012676  040  115  114  P.AHD:  .ASCII  / ML/
2111 012701  103  123  063          .ASCII  /CS3/
2112 012704  000  000               .ASCII  <00><00>
2113 012706  101  123  131  P.AHE:  .ASCII  /ASY/
2114 012711  116  103  110          .ASCII  /NCH/
2115 012714  122  117  116          .ASCII  /RON/
2116 012717  117  125  123          .ASCII  /OUS/
2117 012722  040  106  101          .ASCII  / FA/
2118 012725  111  114  125          .ASCII  /ILU/
2119 012730  122  105  040          .ASCII  /RE /
2120 012733  115  117  104          .ASCII  /MOD/
2121 012736  125  114  105          .ASCII  /ULE/
2122 012741  040  067  063          .ASCII  / 73/
2123 012744  066  061  000          .ASCII  /61/<00>
2124 012747  000                    .ASCII  <00>
2125 012750  123  131  116  P.AHF:  .ASCII  /SYN/
2126 012753  103  110  122          .ASCII  /CHR/
2127 012756  117  116  117          .ASCII  /ONO/
2128 012761  125  123  040          .ASCII  /US /
2129 012764  106  101  111          .ASCII  /FAI/
2130 012767  114  125  122          .ASCII  /LUR/
2131 012772  105  040  115          .ASCII  /E M/
```

```
2133                                    ;ML4AD
2134                                    ;               ROUTINE DECLARATION SECTION
2135
2136 012775    117     104     125             .ASCII  /ODU/
2137 013000    114     105     040             .ASCII  /LE /
2138 013003    067     063     066             .ASCII  /736/
2139 013006    062     040     000             .ASCII  /2 /<00>
2140 013011    000                             .ASCII  <00>
2141 013012    101     122     122     P.AHG:  .ASCII  /ARR/
2142 013015    101     131     040             .ASCII  /AY /
2143 013020    104     101     124             .ASCII  /DAT/
2144 013023    101     040     106             .ASCII  /A F/
2145 013026    101     111     114             .ASCII  /AIL/
2146 013031    125     122     105             .ASCII  /URE/
2147 013034    040     115     117             .ASCII  / MO/
2148 013037    104     125     114             .ASCII  /DUL/
2149 013042    105     040     067             .ASCII  /E 7/
2150 013045    063     066     063             .ASCII  /363/
2151 013050    040     000                     .ASCII  / /<00>
2152 013052    115     105     115     P.AHH:  .ASCII  /MEM/
2153 013055    117     122     131             .ASCII  /ORY/
2154 013060    040     101     122             .ASCII  / AR/
2155 013063    122     101     131             .ASCII  /RAY/
2156 013066    040     106     101             .ASCII  / FA/
2157 013071    111     114     125             .ASCII  /ILU/
2158 013074    122     105     040             .ASCII  /RE /
2159 013077    115     117     104             .ASCII  /MOD/
2160 013102    125     114     105             .ASCII  /ULE/
2161 013105    040     067     063             .ASCII  / 73/
2162 013110    065     067     000             .ASCII  /57/<00>
2163 013113    000                             .ASCII  <00>
2164 013114    111     116     124     P.AHI:  .ASCII  /INT/
2165 013117    105     122     115             .ASCII  /ERM/
2166 013122    105     104     111             .ASCII  /EDI/
2167 013125    101     124     105             .ASCII  /ATE/
2168 013130    040     104     111             .ASCII  / DI/
2169 013133    101     107     116             .ASCII  /AGN/
2170 013136    117     123     124             .ASCII  /OST/
2171 013141    111     103     040             .ASCII  /IC /
2172 013144    115     105     123             .ASCII  /MES/
2173 013147    123     101     107             .ASCII  /SAG/
2174 013152    105     000                     .ASCII  /E/<00>
2175 013154    104     101     124     P.AHJ:  .ASCII  /DAT/
2176 013157    101     040     114             .ASCII  /A L/
2177 013162    101     124     105             .ASCII  /ATE/
2178 013165    040     105     122             .ASCII  / ER/
2179 013170    122     117     122             .ASCII  /ROR/
2180 013173    040     104     125             .ASCII  / DU/
2181 013176    122     111     116             .ASCII  /RIN/
2182 013201    107     040     124             .ASCII  /G T/
2183 013204    122     101     116             .ASCII  /RAN/
2184 013207    123     106     105             .ASCII  /SFE/
2185 013212    122     000                     .ASCII  /R/<00>
2186 013214    123     103     040     P.AHK:  .ASCII  /SC /
2187 013217    102     111     124             .ASCII  /BIT/
```

```
                                        ;ML4AD
                                        ;               ROUTINE DECLARATION SECTION
2192 013222  040  123  105              .ASCII  / SE/
2193 013225  124  040  104              .ASCII  /T D/
2194 013230  125  122  111              .ASCII  /URI/
2195 013233  116  107  040              .ASCII  /NG /
2196 013236  124  122  101              .ASCII  /TRA/
2197 013241  116  123  106              .ASCII  /NSF/
2198 013244  105  122  000              .ASCII  /ER/<00>
2199 013247  000                        .ASCII  <00>
2200 013250  124  122  117  P.AHL:     .ASCII  /TRO/
2201 013253  125  102  114              .ASCII  /UBL/
2202 013256  105  040  123              .ASCII  /E S/
2203 013261  110  117  117              .ASCII  /HOO/
2204 013264  124  040  114              .ASCII  /T L/
2205 013267  117  117  120              .ASCII  /OOP/
2206 013272  040  105  122              .ASCII  / ER/
2207 013275  122  117  122              .ASCII  /ROR/
2208 013300  123  000                    .ASCII  /S/<00>
2209 013302  122  110  040  P.AHM:     .ASCII  /RH /
2210 013305  103  117  116              .ASCII  /CON/
2211 013310  124  122  117              .ASCII  /TRO/
2212 013313  114  114  105              .ASCII  /LLE/
2213 013316  122  040  105              .ASCII  /R E/
2214 013321  122  122  117              .ASCII  /RRO/
2215 013324  122  123  000              .ASCII  /RS/<00>
2216 013327  000                        .ASCII  <00>
2217 013330  104  122  111  P.AHN:     .ASCII  /DRI/
2218 013333  126  105  040              .ASCII  /VE /
2219 013336  110  125  116              .ASCII  /HUN/
2220 013341  107  040  101              .ASCII  /G A/
2221 013344  106  124  105              .ASCII  /FTE/
2222 013347  122  040  115              .ASCII  /R M/
2223 013352  101  123  123              .ASCII  /ASS/
2224 013355  040  102  125              .ASCII  / BU/
2225 013360  123  040  124              .ASCII  /S T/
2226 013363  122  101  116              .ASCII  /RAN/
2227 013366  123  106  105              .ASCII  /SFE/
2228 013371  122  000  000              .ASCII  /R/<00><00>
2229
2230
2231
2232 013374                      NIB.SAVE:
2233 013374                              .BLKW   3
2234 013402                      HW.OR.TBL:
2235 013402                              .BLKW   177
2236 014000                      PTBL.PTR:
2237 014000                              .BLKW   1
2238 014002                      OP.NUM.ARR:
2239 014002                              .BLKW   1
2240 014004                      ARR.INC:.BLKW   1
2241 014006                      GOOD.BLK:
2242 014006                              .BLKW   1
```

```
                                                                    29-Mar-1982 16:23:04    TOPS
                                                                    29-Mar-1982 16:21:03    PA:<
                        ;ML4AD
                        ;                   ROUTINE DECLARATION SECTION

014010                  PAR.DIS:.BLKW   1
014012                  CHIP.SIZ:
014012                          .BLKW   1
014014                  LST.BLK:.BLKW   1
014016                  ARR.16: .BLKW   1
014020                  LST.ARR:.BLKW   1
014022                  IO.BUF: .BLKW   400
015022                  STK.OFF:.BLKW   5
015034                  STACK:  .BLKW   143
015342                  PD.TEMP:.BLKW   1
015344                  W.C.SIZE:
015344                          .BLKW   1
015346                  RAS.INC:.BLKW   1
015350                  WT.DATA:.BLKW   1
015352                  RD.DATA:.BLKW   1
015354                  DRIVE.TYPE:
015354                          .BLKW   1
015356                  LST.DUT.REG:
015356                          .BLKW   1
015360                  REG.INIT.FLG:
015360  000000                  .WORD   0
015362                  A.CAL:  .BLKW   1
015364                  B.CAL:  .BLKW   1
015366                  P.CAL:  .BLKW   1
015370                  A.GEN:  .BLKW   1
015372                  B.GEN:  .BLKW   1
015374                  P.GEN:  .BLKW   1
015376                  P.CNT:  .BLKW   1
015400                  LIMIT:  .BLKW   1
015402                  DROP.CNT:
015402                          .BLKW   1
015404      000         ML.REG: .BYTE   0
015405      000                 .BYTE   0
015406  004000                  .WORD   4000
015410  173701                  .WORD   -4077
015412  160200                  .WORD   -17600
015414      000                 .BYTE   0
015415      000                 .BYTE   0
015416      000                 .BYTE   0
015417      000                 .BYTE   0
015420      000                 .BYTE   0
015421      000                 .BYTE   0
015422      000                 .BYTE   0
015423      000                 .BYTE   0
015424      000                 .BYTE   0
015425      000                 .BYTE   0
015426      000                 .BYTE   0
015427      000                 .BYTE   0
015430      000                 .BYTE   0
015431      000                 .BYTE   0
015432      000                 .BYTE   0
015433      000                 .BYTE   0
```

```
2300                            ;ML4AD                          29-Mar-1982 16:23:04    TOPS
2301                            ;       ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<
2302
2303 015434      000                    .BYTE   0
2304 015435      000                    .BYTE   0
2305 015436      000                    .BYTE   0
2306 015437      000                    .BYTE   0
2307 015440      000                    .BYTE   0
2308 015441      000                    .BYTE   0
2309 015442      000                    .BYTE   0
2310 015443      000                    .BYTE   0
2311 015444      000                    .BYTE   0
2312 015445      000                    .BYTE   0
2313 015446      000                    .BYTE   0
2314 015447      000                    .BYTE   0
2315 015450      000                    .BYTE   0
2316 015451      000                    .BYTE   0
2317 015452      000                    .BYTE   0
2318 015453      000                    .BYTE   0
2319 015454      000                    .BYTE   0
2320 015455      000                    .BYTE   0
2321 015456   010600                    .WORD   10600
2322 015460   025077                    .WORD   25077
2323 015462   000100                    .WORD   100
2324 015464      000                    .BYTE   0
2325 015465      000                    .BYTE   0
2326 015466      000                    .BYTE   0
2327 015467      000                    .BYTE   0
2328 015470   014620                    .WORD   14620
2329 015472      000                    .BYTE   0
2330 015473      000                    .BYTE   0
2331 015474      000                    .BYTE   0
2332 015475      000                    .BYTE   0
2333 015476      000                    .BYTE   0
2334 015477      000                    .BYTE   0
2335 015500      000                    .BYTE   0
2336 015501      000                    .BYTE   0
2337 015502   177400                    .WORD   -400
2338 015504      000                    .BYTE   0
2339 015505      000                    .BYTE   0
2340 015506      000                    .BYTE   0
2341 015507      000                    .BYTE   0
2342 015510   100000                    .WORD   -100000
2343 015512      000                    .BYTE   0
2344 015513      000                    .BYTE   0
2345 015514      000                    .BYTE   0
2346 015515      000                    .BYTE   0
2347 015516      000                    .BYTE   0
2348 015517      000                    .BYTE   0
2349 015520      000                    .BYTE   0
2350 015521      000                    .BYTE   0
2351 015522      000                    .BYTE   0
2352 015523      000                    .BYTE   0
2353 015524      000                    .BYTE   0
2354 015525      000                    .BYTE   0
```

```
                                ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                ;                ROUTINE DECLARATION SECTION    29-Mar-1982 16:21:03    PA:<
                                
015526      000                         .BYTE   0
015527      000                         .BYTE   0
015530   000020                         .WORD   20
015532   177400                         .WORD   -400
015534      000                         .BYTE   0
015535      000                         .BYTE   0
015536   000110                         .WORD   110
015540   177666                         .WORD   -112
015542   000001                         .WORD   1
015544      000                         .BYTE   0
015545      000                         .BYTE   0
015546      000                         .BYTE   0
015547      000                         .BYTE   0
015550      000                         .BYTE   0
015551      000                         .BYTE   0
015552      000                         .BYTE   0
015553      000                         .BYTE   0
015554      000                         .BYTE   0
015555      000                         .BYTE   0
015556      000                         .BYTE   0
015557      000                         .BYTE   0
015560   140300                         .WORD   -37500
015562      000                         .BYTE   0
015563      000                         .BYTE   0
015564      000                         .BYTE   0
015565      000                         .BYTE   0
015566      000                         .BYTE   0
015567      000                         .BYTE   0
015570   100300                         .WORD   -77500
015572      000                         .BYTE   0
015573      000                         .BYTE   0
015574      000                         .BYTE   0
015575      000                         .BYTE   0
015576      000                         .BYTF   0
015577      000                         .BYTE   0
015600      000                         .BYTE   0
015601      000                         .BYTE   0
015602      000                         .BYTE   0
015603      000                         .BYTE   0
015604      000                         .BYTE   0
015605      000                         .BYTE   0
015606      000                         .BYTE   0
015607      000                         .BYTE   0
015610      000                         .BYTE   0
015611      000                         .BYTE   0
015612      000                         .BYTE   0
015613      000                         .BYTE   0
015614      000                         .BYTE   0
015615      000                         .BYTE   0
015616      000                         .BYTE   0
015617      000                         .BYTE   0
015620   010000                         .WORD   10000
```

```
                                ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                ;               ROUTINE DECLARATION SECTION  29-Mar-1982 16:21:03    PA:<
                                
015622      000                         .BYTE   0
015623      000                         .BYTE   0
015624      000                         .BYTE   0
015625      000                         .BYTE   0
015626      000                         .BYTE   0
015627      000                         .BYTE   0
015630      000                         .BYTE   0
015631      000                         .BYTE   0
015632      000                         .BYTE   0
015633      000                         .BYTE   0
015634      000                         .BYTE   0
015635      000                         .BYTE   0
015636      000                         .BYTE   0
015637      000                         .BYTE   0
015640      000                         .BYTE   0
015641      000                         .BYTE   0
015642      000                         .BYTE   0
015643      000                         .BYTE   0
015644      000                         .BYTE   0
015645      000                         .BYTE   0
015646      000                         .BYTE   0
015647      000                         .BYTE   0
015650      000                         .BYTE   0
015651      000                         .BYTE   0
015652      000                         .BYTE   0
015653      000                         .BYTE   0
015654      000                         .BYTE   0
015655      000                         .BYTE   0
015656      000                         .BYTE   0
015657      000                         .BYTE   0
015660      000                         .BYTE   0
015661      000                         .BYTE   0
015662  000000                          .WORD   0
015664  001001              REM.TBL:    .WORD   1001
015666  004004                          .WORD   4004
015670  020020                          .WORD   20020
015672  003003                          .WORD   3003
015674  014014                          .WORD   14014
015676  021460                          .WORD   21460
015700  005005                          .WORD   5005
015702  024024                          .WORD   24024
015704  023023                          .WORD   23023
015706  017017                          .WORD   17017
015710  035474                          .WORD   35474
015712  024465                          .WORD   24465
015714  021021                          .WORD   21021
015716  007007                          .WORD   7007
015720  034034                          .WORD   34034
015722  022463                          .WORD   22463
015724  011011                          .WORD   11011
015726  005444                          .WORD   5444
015730  026026                          .WORD   26026
```

```
2468                                    ;ML4A.D
2469                                    ;               ROUTINE DECLARATION SECTION
2470
2471 015732  033033                             .WORD   33033
2472 015734  016457                             .WORD   16457
2473 015736  033472                             .WORD   33472
2474 015740  014455                             .WORD   14455
2475 015742  023462                             .WORD   23462
2476 015744  015015                             .WORD   15015
2477 015746  025464                             .WORD   25464
2478 015750  025025                             .WORD   25025
2479 015752  027027                             .WORD   27027
2480 015754  037037                             .WORD   37037
2481 015756  036477                             .WORD   36477
2482 015760  030471                             .WORD   30471
2483 015762     041                             .BYTE   41
2484                                            .EVEN
2485 015764  064477                    DT.1:    .WORD   64477
2486 015766  007700                             .WORD   7700
2487 015770     000                             .BYTE   0
2488 015771     000                             .BYTE   0
2489 015772  064477                             .WORD   64477
2490 015774  000077                             .WORD   77
2491 015776     000                             .BYTE   0
2492 015777     000                             .BYTE   0
2493 016000  100577                             .WORD   -77201
2494 016002  017700                             .WORD   17700
2495 016004     077                             .BYTE   77
2496 016005     000                             .BYTE   0
2497 016006  100577                             .WORD   -77201
2498 016010  000000                             .WORD   0
2499 016012     077                             .BYTE   77
2500 016013     000                             .BYTE   0
2501 016014  100577                             .WORD   -77201
2502 016016  010077                             .WORD   10077
2503 016020     077                             .BYTE   77
2504                                            .EVEN
2505 016022                            RH.ADD:  .BLKW   1
2506 016024                            RH.TYP:  .BLKW   1
2507 016026                            RH.VEC:  .BLKW   1
2508 016030                            ML.LUN:  .BLKW   1
2509 016032                            ML.DUT:  .BLKW   1
2510
2511
2512                                            .GLOBL  REGDMP, ONEPAS, INTERVEN, PRSN
2513                                            .GLOBL  ERRTHR
2514
2515
2516          100000                    BIT15==          -100000
2517          040000                    BIT14==          40000
2518          020000                    BIT13==          20000
2519          010000                    BIT12==          10000
2520          004000                    BIT11==          4000
2521          002000                    BIT10==          2000
2522          001000                    BIT09==          1000
```

```
                                ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                ;               ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<
                                ;
000400          BIT08==         400
000200          BIT07==         200
000100          BIT06==         100
000040          BIT05==         40
000020          BIT04==         20
000010          BIT03==         10
000004          BIT02==         4
000002          BIT01==         2
000001          BIT00==         1
001000          BIT9==          1000
000400          BIT8==          400
000200          BIT7==          200
000100          BIT6==          100
000040          BIT5==          40
000020          BIT4==          20
000010          BIT3==          10
000004          BIT2==          4
000002          BIT1==          2
000001          BIT0==          1
000040          EF.START==      40
000037          EF.RESTART==    37
000036          EF.CONTINUE==   36
000035          EF.NEW==        35
000034          EF.PWR==        34
000340          PRI07==         340
000300          PRI06==         300
000240          PRI05==         240
000200          PRI04==         200
000140          PRI03==         140
000100          PRI02==         100
000040          PRI01==         40
000000          PRI00==         0
000004          EVL==           4
000010          LOT==           10
000020          ADR==           20
000040          IDU==           40
000100          ISR==           100
000200          UAM==           200
000400          BOE==           400
001000          PNT==           1000
002000          PRI==           2000
004000          IXE==           4000
010000          IBE==           10000
020000          IER==           20000
040000          LOE==           40000
100000          HOE==           -100000
004716          T.21=           P.AAA
005012          T.61=           P.AAB
005112          PWR.OFF=        P.AAC
005202          PWR.ON=         P.AAD
005272          UNS.ERR=        P.AAE
005340          VV.NOT.SET=     P.AAF
```

```
2580                        ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
2581                        :           ROUTINE DECLARATION SECTION 29-Mar-1982 16:21:03    PA-<
2582
2583        005414          VV.CLEAR=           P.AAG
2584        005470          NO.INIT=            P.AAH
2585        005570          MB.DIS.ERR=         P.AAI
2586        005652          WC.ERR=             P.AAJ
2587        005722          W.ERR=              P.AAK
2588        005764          VV.SET=             P.AAL
2589        006060          PUP.BB=             P.AAM
2590        006150          BB.VV.ERR=          P.AAN
2591        006242          BB.INIT.ERR=        P.AAO
2592        006334          BB.BB.ERR=          P.AAP
2593        006442          FMT.1=              P.AAQ
2594        006506          FMT.2=              P.AAR
2595        006574          FMT.3=              P.AAS
2596        006620          FMT.4=              P.AAT
2597        006650          FMT.5=              P.AAU
2598        006752          FMT.6=              P.AAV
2599        007002          FMT.7=              P.AAW
2600        007030          FMT.8=              P.AAX
2601        007064          FMT.9=              P.AAY
2602        007116          FMT.10=             P.AAZ
2603        007170          FMT.11=             P.ABA
2604        007224          FMT.12=             P.ABB
2605        007254          FMT.13=             P.ABC
2606        007330          FMT.14=             P.ABD
2607        007370          FMT.15=             P.ABE
2608        007436          FMT.16=             P.ABF
2609        007526          FMT.17=             P.ABG
2610        007562          FMT.18=             P.ABH
2611        007632          FMT.19=             P.ABI
2612        007702          FMT.20=             P.ABJ
2613        007754          FMT.21=             P.ABK
2614        010026          FMT.22=             P.ABL
2615        010072          FMT.23=             P.ABM
2616        010142          FMT.24=             P.ABN
2617        010166          FMT.25=             P.ABO
2618        010206          FMT.26=             P.ABP
2619        010240          ONE.FMT=            P.ABQ
2620        010246          TWO.FMT=            P.ABR
2621        010256          THR.FMT=            P.ABS
2622        010270          FOR.FMT=            P.ABT
2623        010304          FIV.FMT=            P.ABU
2624        010322          SIX.FMT=            P.ABV
2625        010342          SEV.FMT=            P.ABW
2526        010364          EIG.FMT=            P.ABX
2627        010410          NIN.FMT=            P.ABY
2628        010436          TEN.FMT=            P.ABZ
2629        010466          ELV.FMT=            P.ACA
2630        010520          WRD.1=              P.ACB
2631        010524          WRD.2=              P.ACC
2632        010536          WRD.3=              P.ACD
2633        010544          WRD.4=              P.ACE
2634        010552          WRD.5=              P.ACF
```

```
                                ;ML4AD
                                ;                ROUTINE DECLARATION SECTION

                        010560  WRD.6=            P.ACG
                        010566  WRD.7=            P.ACH
                        010602  WRD.8=            P.ACI
                        010616  WRD.9=            P.ACJ
                        010630  WRD.10=           P.ACK
                        010640  WRD.11=           P.ACL
                        010650  WRD.12=           P.ACM
                        010660  WRD.13=           P.ACN
                        010664  WRD.14=           P.ACO
                        010676  WRD.15=           P.ACP
                        010704  WRD.16=           P.ACQ
                        010712  WRD.17=           P.ACR
                        010724  WRD.18=           P.ACS
                        010730  WRD.19=           P.ACT
                        010736  WRD.20=           P.ACU
                        010744  WRD.21=           P.ACV
                        010752  WRD.22=           P.ACW
                        010766  WRD.23=           P.ACX
                        010774  WRD.24=           P.ACY
                        011002  WRD.25=           P.ACZ
                        011016  WRD.26=           P.ADA
                        011024  WRD.27=           P.ADB
                        011032  WRD.29=           P.ADC
                        011046  WRD.30=           P.ADD
                        011054  WRD.31=           P.ADE
                        011070  WRD.32=           P.ADF
                        011076  WRD.33=           P.ADG
                        011102  WRD.34=           P.ADH
                        011110  WRD.35=           P.ADI
                        011116  WRD.36=           P.ADJ
                        011122  WRD.37=           P.ADK
                        011132  WRD.38=           P.ADL
                        011140  WRD.39=           P.ADM
                        011150  WRD.40=           P.ADN
                        011154  WRD.41=           P.ADO
                        011170  WRD.42=           P.ADP
                        011176  WRD.43=           P.ADQ
                        011206  WRD.44=           P.ADR
                        011214  WRD.45=           P.ADS
                        011226  WRD.46=           P.ADT
                        011240  WRD.47=           P.ADU
                        011250  WRD.48=           P.ADV
                        011260  WRD.49=           P.ADW
                        011270  WRD.50=           P.ADX
                        011276  WRD.51=           P.ADY
                        011310  WRD.52=           P.ADZ
                        011316  WRD.53=           P.AEA
                        011326  WRD.54=           P.AEB
                        011336  WRD.55=           P.AEC
                        011344  WRD.56=           P.AED
                        011352  WRD.57=           P.AEE
                        011362  WRD.58=           P.AEF
```

```
2692                                ;ML4AD
2693                                ;              ROUTINE DECLARATION SECTION
2694
2695        011374                  WRD.59=         P.AEG
2696        011400                  WRD.60=         P.AEH
2697        011416                  WRD.61=         P.AEI
2698        011432                  WRD.62=         P.AEJ
2699        011440                  WRD.63=         P.AEK
2700        011446                  WRD.64=         P.AEL
2701        011454                  WRD.65=         P.AEM
2702        011462                  WRD.67=         P.AEN
2703        011470                  WRD.68=         P.AEO
2704        011474                  WRD.69=         P.AEP
2705        011502                  WRD.70=         P.AEQ
2706        011514                  WRD.71=         P.AER
2707        011524                  WRD.72=         P.AES
2708        011532                  WRD.73=         P.AET
2709        011540                  WRD.74=         P.AEU
2710        011552                  WRD.75=         P.AEV
2711        011562                  WRD.76=         P.AEW
2712        011570                  WRD.77=         P.AEX
2713        011610                  PHR.1=          P.AEY
2714        011626                  PHR.2=          P.AEZ
2715        011644                  PHR.3=          P.AFA
2716        011676                  PHR.4=          P.AFB
2717        011714                  PHR.5=          P.AFC
2718        011726                  PHR.6=          P.AFD
2719        011740                  PHR.7=          P.AFE
2720        011762                  PHR.8=          P.AFF
2721        011774                  PHR.9=          P.AFG
2722        012006                  PHR.10=         P.AFH
2723        012020                  PHR.11=         P.AFI
2724        012036                  PHR.12=         P.AFJ
2725        012060                  PHR.13=         P.AFK
2726        012104                  PHR.14=         P.AFL
2727        012136                  PHR.15=         P.AFM
2728        012150                  FNC.1=          P.AFN
2729        012164                  FNC.2=          P.AFO
2730        012172                  FNC.3=          P.AFP
2731        012200                  FNC.4=          P.AFQ
2732        012216                  FNC.5=          P.AFR
2733        012226                  FNC.6=          P.AFS
2734        012234                  FNC.7=          P.AFT
2735        012244                  FNC.8=          P.AFU
2736        012260                  FNC.9=          P.AFV
2737        012272                  FNC.10=         P.AFW
2738        012302                  FNC.11=         P.AFX
2739        012322                  FNC.12=         P.AFY
2740        012334                  FNC.13=         P.AFZ
2741        012344                  FNC.14=         P.AGA
2742        012360                  FNC.15=         P.AGB
2743        012372                  FNC.16=         P.AGC
2744        012404                  FNC.17=         P.AGD
2745        012414                  FNC.18=         P.AGE
2746        012426                  FNC.19=         P.AGF
```

29-Mar-1982 16:23:04 TOPS
29-Mar-1982 16:21:03 PA:<

```
                                        ;ML4AD
                                        ;               ROUTINE DECLARATION SECTION
                                        FNC.21=         P.AGG
                                        FNC.22=         P.AGH
                                        FNC.23=         P.AGI
                                        REG.1=          P.AGJ
                                        REG.2=          P.AGK
                                        REG.3=          P.AGL
                                        REG.4=          P.AGM
                                        REG.5=          P.AGN
                                        REG.6=          P.AGO
                                        REG.7=          P.AGP
                                        REG.8=          P.AGQ
                                        REG.9=          P.AGR
                                        REG.10=         P.AGS
                                        REG.11=         P.AGT
                                        REG.12=         P.AGU
                                        REG.13=         P.AGV
                                        REG.14=         P.AGW
                                        REG.15=         P.AGX
                                        REG.16=         P.AGY
                                        REG.17=         P.AGZ
                                        REG.18=         P.AHA
                                        REG.19=         P.AHB
                                        REG.20=         P.AHC
                                        REG.21=         P.AHD
                                        ASYNC=          P.AHE
                                        SYNC=           P.AHF
                                        ARR.DAT=        P.AHG
                                        MEM.ARR=        P.AHH
                                        INTER=          P.AHI
                                        DATA.LATE=      P.AHJ
                                        SC.SET=         P.AHK
                                        TRBLE.LOOP=     P.AHL
                                        RH.ERROR=       P.AHM
                                        TIME.OUT=       P.AHN
                                        D1.TEMP=        NIB.SAVE
                                        D2.TEMP=        NIB.SAVE+2
                                        E2.TEMP=        NIB.SAVE+4


                                                .SBTTL  LOAD.STACK ROUTINE DECLARATION SECTION

016034                                  LOAD.STACK:
016034  004167  166514                          JSR     R1,$SAVE3               ;                               2267
016040  016601  000012                          MOV     12(SP),R1               ; NIB.PTR,*                     2322
016044  012702  015022                          MOV     #STK.OFF,R2
016050  060102                                  ADD     R1,R2
016052  016601  000014                          MOV     14(SP),R1               ; STK.PTR,*
016056  016600  000012                          MOV     12(SP),R0               ; NIB.PTR,*                     2318
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION             29-Mar-1982 16:21:03    PA:<
                                        ;
016062  006300                          ASL     R0
016064  066007  016070                  ADD     1$(R0),PC
016070  000024                  1$:     .WORD   2$-1$
016072  000042                          .WORD   3$-1$
016074  000060                          .WORD   4$-1$
016076  000076                          .WORD   5$-1$
016100  000114                          .WORD   6$-1$
016102  000132                          .WORD   7$-1$
016104  000160                          .WORD   9$-1$
016106  000176                          .WORD   10$-1$
016110  000224                          .WORD   12$-1$
016112  000260                          .WORD   15$-1$
016114  005003                  2$:     CLR     R3                      ;                       2322
016116  151203                          BISB    (R2),R3
016120  010100                          MOV     R1,R0
016122  160300                          SUB     R3,R0
016124  016703  175244                  MOV     NIB.SAVE,R3
016130  000500                          BR      14$
016132  005003                  3$:     CLR     R3                      ;                       2326
016134  151203                          BISB    (R2),R3
016136  010100                          MOV     R1,R0
016140  160300                          SUB     R3,R0
016142  016703  175226                  MOV     NIB.SAVE,R3
016146  000433                          BR      8$
016150  005003                  4$:     CLR     R3                      ;                       2330
016152  151203                          BISB    (R2),R3
016154  010100                          MOV     R1,R0
016156  160300                          SUB     R3,R0
016160  016703  175210                  MOV     NIB.SAVE,R3
016164  000461                          BR      13$
016166  005003                  5$:     CLR     R3                      ;                       2334
016170  151203                          BISB    (R2),R3
016172  010100                          MOV     R1,R0
016174  160300                          SUB     R3,R0
016176  016703  175172                  MOV     NIB.SAVE,R3
016202  000437                          BR      11$
016204  005003                  6$:     CLR     R3                      ;                       2338
016206  151203                          BISB    (R2),R3
016210  010100                          MOV     R1,R0
016212  160300                          SUB     R3,R0
016214  016703  175156                  MOV     NIB.SAVE+2,R3
016220  000444                          BR      14$
016222  005003                  7$:     CLR     R3                      ;                       2342
016224  151203                          BISB    (R2),R3
016226  010100                          MOV     R1,R0
016230  160300                          SUB     R3,R0
016232  016703  175140                  MOV     NIB.SAVE+2,R3
016236  006203                  8$:     ASR     R3
016240  006203                          ASR     R3
016242  006203                          ASR     R3
016244  006203                          ASR     R3
016246  000431                          BR      14$
```

```
                                        ;ML4AD                                  29-Mar-1982 16:27:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION  29-Mar-1982 16:21:03    PA:<
                                        ;
016250  005003                  9$:     CLR     R3                      ;                               2346
016252  151203                          BISB    (R2),R3
016254  010100                          MOV     R1,R0
016256  160300                          SUB     R3,R0
016260  016703  175112                  MOV     NIB.SAVE+2,R3
016264  000421                          BR      13$
016266  005003                  10$:    CLR     R3                      ;                               2350
016270  151203                          BISB    (R2),R3
016272  010100                          MOV     R1,R0
016274  160300                          SUB     R3,R0
016276  016703  175074                  MOV     NIB.SAVE+2,R3
016302  006203                  11$:    ASR     R3
016304  006203                          ASR     R3
016306  006203                          ASR     R3
016310  006203                          ASR     R3
016312  000406                          BR      13$
016314  005003                  12$:    CLR     R3                      ;                               2354
016316  151203                          BISB    (R2),R3
016320  010100                          MOV     R1,R0
016322  160300                          SUB     R3,R0
016324  016703  175050                  MOV     NIB.SAVE+4,R3
016330  000303                  13$:    SWAB    R3
016332  042703  177760          14$:    BIC     #177760,R3
016336  105060  015034                  CLRB    STACK(R0)
016342  150360  015034                  BISB    R3,STACK(R0)
016346  000207                          RTS     PC                      ;                               2318
016350  005003                  15$:    CLR     R3                      ;                               2358
016352  151203                          BISB    (R2),R3
016354  160301                          SUB     R3,R1
016356  016703  175016                  MOV     NIB.SAVE+4,R3
016362  006203                          ASR     R3
016364  006203                          ASR     R3
016366  006203                          ASR     R3
016370  006203                          ASR     R3
016372  000303                          SWAB    R3
016374  042703  177770                  BIC     #177770,R3
016400  105061  015034                  CLRB    STACK(R1)
016404  150361  015034                  BISB    R3,STACK(R1)
016410  000207                          RTS     PC                      ;                               2267

                                        ; Routine Size:  119 words
                                        ; Maximum stack depth per invocation:  4 words
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (5)
;
;          2363  routine DAT_DM_XFER : novalue =
;          2364
;          2365  !++
;          2366  ! FUNCTIONAL DESCRIPTION:
;          2367  !
;          2368  !       A REPEATEDLY CALLED SEQUENCE
;          2369  !       OF ASSIGNMENT EXPRESSIONS TO
;          2370  !       LOAD THE DSA, BUS ADRS  AND WORD
;          2371  !       COUNT REGISTERS WITH APPROPRIATE
;          2372  !       INFORMATION BEFORE A MASS BUS
;          2373  !       TRANSFER CAN COMMENCE
;          2374  !
;          2375  !       LOADS A MASS BUS BLOCK TRANSFER,
;          2376  !       IN DIAGNOSTIC MODE, AT THE GOOD
;          2377  !       BLOCK ADRS.
;          2378  !
;          2379  !--
;          2380
;          2381      begin
;          2382      DAT_DM = ONE;                        !SET DATA DIAG MODE
;          2383      MLDA = .GOOD_BLK;                    !LOAD DSA REG WITH THE GOOD BLOCK ADRS
;          2384      MLBA = IO_BUF;                       !LOAD BUS ADRS REG WITH THE IO_BUF ADRS
;          2385      MLWC = not 255;                      !LOAD WORD COUNT REG WITH COMPLIMENT 256
;          2386      end;
;
;                                        .SBTTL  DAT.DM.XFER ROUTINE DECLARATION SECTION
;                                DAT.DM.XFER:
;016412                                  BISB    #10,@ML.REG+120                 ;                2382
;016412  152777  000010  177104          MOV     GOOD.BLK,@ML.REG+30             ;                2383
;016420  016777  175362  177006          MOV     #IO.BUF,@ML.REG+20              ;                2384
;016426  012777  014022  176770          MOV     #-400,@ML.REG+10                ;                2385
;016434  012777  177400  176752          RTS     PC                              ;                2363
;016442  000207
;
;                               ; Routine Size:  13 words
;                               ; Maximum stack depth per invocation:  0 words
;
;
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    ROUTINE DECLARATION SECTION          29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (6)
;
;          2387  routine STRIPPER (WRD_CNT, NIB_CNT) : novalue =
;          2388      begin
;          2389
;          2390  !++
;          2391  ! FUNCTIONAL DESCRIPTION:
;          2392  !       STRIPPER RUNS IN DATA DIAG MODE AND STRIPS OUT
;          2393  !       A VARIABLE NUMBER OF GOOD NIBBLES FROM THE
;          2394  !       GOOD BLOCK AND STORES THEM INTO A CONTIGIOUS
;          2395  !       STACK FOR SEQUENTIAL ACCESSING
;          2396  !
;          2397  ! FORMAL PARAMETERS:
;          2398  !       WRD_CNT
;          2399  !       TELLS STRIPPER HOW MANY WORDS IN THE GOOD
;          2400  !       BLOCK TO READ OUT
;          2401  !
;          2402  !       NIB_CNT
;          2403  !       TELLS STRIPPER HOW MANY NIBBLES TO
;          2404  !       STRIP OUT OF EACH WORD.
;          2405  !
;          2406  ! IMPLICIT INPUTS:
;          2407  !--
;          2408
;          2409      local
;          2410          STK_PTR;                                !STACK POINTER
;          2411
;          2412      incr CNT from 0 to .NIB_CNT do              !CLEAR OUT THE STACK OFFSETS
;          2413          STK_OFF [.CNT] = ZEROES;
;          2414
;          2415      CLR_MBUS;
;          2416      STK_PTR = -1;                               !RESET THE STACK POINTER
;          2417      DAT_DM_XFER ();                             !SET UP A DATA XFER AT THE GOOD BLOCK
;          2418      MLCS1 = read;                               !DO A READ XFER
;          2419      DELAY (ONE_US);                             !ALLOW PROM DATA TO GET INTO THE MLPD REG
;          2420
;          2421      incr CNT from 0 to .WRD_CNT do              !LOAD THE STACK WITH ALL GOOD NIBBLE DATA
;          2422          begin
;          2423          PD_TEMP = .MLPD;                        !GET THE PROM DATA
;          2424          DAT_CLK = ONE;                          !CLOCK OUT THE DATA WORD
;          2425          DELAY (ONE_US);                         !
;          2426          RD_LNG_WRD;                             !READ DATA DIAG REGS INTO NIBBLE SAVE
;          2427
;          2428          incr NIB_PTR from 0 to .NIB_CNT do      !STRIP OUT X NUMBER OF NIBBLES
;          2429              begin
;          2430              STK_PTR = .STK_PTR + 1;             !INCREMENT THE STACK POINTER
;          2431
;          2432              if .PD_TEMP [.NIB_PTR] IS_SET       !SEE IF THIS A GOOD NIBBLE
;          2433              then
;          2434                  STK_OFF [.NIB_PTR] = (.STK_OFF [.NIB_PTR]) + (.NIB_CNT + 1)
;          2435                                                  !THEN INCREMENT IT'S STACK OFFSET
;          2436              else
;          2437                  LOAD_STACK (.STK_PTR, .NIB_PTR);        !ELSE LOAD THE NIBBLE IN THE STACK
;          2438
```

```
                                                        29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (6)

3018 ;ML4AD
3019 ;                  ROUTINE DECLARATION SECTION
3020
3021 ;          2439            end;
3022 ;          2440
3023 ;          2441        end;
3024 ;          2442
3025 ;          2443    CLR_MBUS;
3026 ;          2444    end;
3030
3031                                        .GLOBL  L$DLY
3032
3033
3034                                        .SBTTL  STRIPPER ROUTINE DECLARATION SECTION
3038 016444                            STRIPPER:
3039 016444  004167  166142                 JSR     R1,$SAVE5                       ;                               2387
3040 016450  005746                         TST     -(SP)
3041 016452  016604  000020                 MOV     20(SP),R4                       ; NIB.CNT,*                     2412
3042 016456  005001                         CLR     R1                              ; CNT
3043 016460  000403                         BR      2$
3044 016462  105061  015022          1$:    CLRB    STK.OFF(R1)                     ; *(CNT)                        2413
3045 016466  005201                         INC     R1                              ; CNT                           2412
3046 016470  020104                  2$:    CMP     R1,R4                           ; CNT,*
3047 016472  003773                         BLE     1$
3048 016474  152777  000040  176742         BISB    #40,@ML.REG+40                  ;                               2413
3049 016502  016705  177324                 MOV     ML.DUT,R5
3050 016506  042705  177770                 BIC     #177770,R5
3051 016512  142777  000007  176724         BICB    #7,@ML.REG+40
3052 016520  150577  176720                 BISB    R5,@ML.REG+40
3053 016524  012705  177777                 MOV     #-1,R5                          ; *,STK.PTR                     2416
3054 016530  004767  177656                 JSR     PC,DAT.DM.XFER                  ;                               2417
3055 016534  012777  000071  176642         MOV     #71,@ML.REG                     ;                               2418
3056 016542  012701  000001                 MOV     #1,R1                           ; *,$STMP2                      2419
3057 016546  001410                  3$:    BEQ     6$
3058 016550  016702  163342                 MOV     L$DLY,R2                        ; *,$STMP1
3059 016554  001403                         BEQ     5$
3060 016556  005016                  4$:    CLR     (SP)                            ; $STMP
3061 016560  005302                         DEC     R2                              ; $STMP1
3062 016562  001375                         BNE     4$
3063 016564  005301                  5$:    DEC     R1                              ; $STMP2
3064 016566  000767                         BR      3$
3065 016570  005003                  6$:    CLR     R3                              ; CNT                           2421
3066 016572  000502                         BR      16$
3067 016574  017767  177034  176540  7$:    MOV     @ML.REG+230,PD.TEMP             ;                               2423
3068 016602  152777  000020  176714         BISB    #20,@ML.REG+120                 ;                               2424
3069 016610  012701  000001                 MOV     #1,R1                           ; *,$STMP2                      2425
3070 016614  001410                  8$:    BEQ     11$
3071 016616  016702  163274                 MOV     L$DLY,R2                        ; *,$STMP1
3072 016622  001403                         BEQ     10$
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION                     29-Mar-1982 16:21:03    PA:<

016624  005016                  9$:     CLR     (SP)                    ; $STMP
016626  005302                          DEC     R2                      ; $STMP1
016630  001375                          BNE     9$
016632  005301                  10$:    DEC     R1                      ; $STMP2
016634  000767                          BR      8$
016636  017767  176732  174530  11$:    MOV     @ML.REG+170,D1.TEMP
016644  017767  176734  174524          MOV     @ML.REG+200,D2.TEMP
016652  017767  176706  174520          MOV     @ML.REG+160,E2.TEMP
016660  005002                          CLR     R2                      ; NIB.PTR                       2428
016662  000443                          BR      15$
016664  005205                  12$:    INC     R5                      ; STK.PTR                       2430
016666  010201                          MOV     R2,R1                   ; NIB.PTR,*                     2432
016670  006201                          ASR     R1
016672  006201                          ASR     R1
016674  006201                          ASR     R1
016676  062701  015342                  ADD     #PD.TEMP,R1
016702  010146                          MOV     R1,-(SP)
016704  010246                          MOV     R2,-(SP)                ; NIB.PTR,*
016706  042716  177770                  BIC     #177770,(SP)
016712  012746  000001                  MOV     #1,-(SP)
016716  005046                          CLR     -(SP)
016720  004767  164710                  JSR     PC,BL$GT2
016724  062706  000010                  ADD     #10,SP
016730  005300                          DEC     R0
016732  001011                          BNE     13$
016734  005001                          CLR     R1                      ;                               2434
016736  156201  015022                  BISB    STK.OFF(R2),R1          ; *(NIB.PTR),*
016742  060401                          ADD     R4,R1
016744  010100                          MOV     R1,R0
016746  005200                          INC     R0
016750  110062  015022                  MOVB    R0,STK.OFF(R2)          ; *,*(NIB.PTR)
016754  000405                          BR      14$                     ;                               2432
016756  010546                  13$:    MOV     R5,-(SP)                ; STK.PTR,*                     2437
016760  010246                          MOV     R2,-(SP)                ; NIB.PTR,*
016762  004767  177046                  JSR     PC,LOAD.STACK
016766  022626                          CMP     (SP)+,(SP)+
016770  005202                  14$:    INC     R2                      ; NIB.PTR                       2428
016772  020204                  15$:    CMP     R2,R4                   ; NIB.PTR,*
016774  003733                          BLE     12$
016776  005203                          INC     R3                      ; CNT                           2421
017000  020366  000022          16$:    CMP     R3,22(SP)               ; CNT,WRD.CNT
017004  003673                          BLE     7$
017006  152777  000040  176430          BISB    #40,@ML.REG+40          ;                               2441
017014  016705  177012                  MOV     ML.OUT,R5
017020  042705  177770                  BIC     #177770,R5
017024  142777  000007  176412          BICB    #7,@ML.REG+40
017032  150577  176406                  BISB    R5,@ML.REG+40
017036  005726                          TST     (SP)+                   ;                               2387
017040  000207                          RTS     PC

                                        ; Routine Size:  127 words
                                        ; Maximum stack depth per invocation:  11 words
```

```
                                ;ML4AD
                                ;                ROUTINE DECLARATION SECTION
```

29-Mar-1982 16:23:04 TOPS
29-Mar-1982 16:21:03 PA:<

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (7)

;          2445  routine CAL_CRC : novalue =
;          2446      begin
;          2447
;          2448  !++
;          2449  ! FUNCTIONAL DESCRIPTION:
;          2450  !       CALCULATE THE CRC CODE FOR THE GOOD BLOCKS
;          2451  !       FIRST CRC GROUP (60 NIBBLES) BY STRIPPING
;          2452  !       OUT GOOD NIBBLES AND MODULO 2 ADDING EACH
;          2453  !       BITS WEIGHT RESULTING IN A_CAL,B_CAL,P_CAL.
;          2454  !
;          2455  ! IMPLICIT INPUTS:
;          2456  !       P_CAL,A_CAL,B_CAL
;          2457  !       GOLBAL STORAGE LOCATION WHERE CALCULATED
;          2458  !       CRC CODES ARE STORED AND EXAMINED FROM
;          2459  !
;          2460  !       REM_TBL
;          2461  !       TABLE CONTAINING PRECALCULATED BIT POSITION
;          2462  !       WEIGHTS USED IN THE MODULO 2 CALCULATION OF THE
;          2463  !       CRC CODE
;          2464  !--
;          2465
;          2466      local
;          2467          CHANNEL,                          !CHANNEL POINTS TO THE BITS IN A WORD
;          2468          STK_PTR,                          !STACK POINTER
;          2469          NIB_SAV : bitvector [4],          !NIBBLE SAVE LOCATION
;          2470          ALOG,                             !INDEX INTO REMAINDER TABLE
;          2471          BLOG;                             !INDEX INTO REMAINDER TABLE
;          2472
;          2473      STRIPPER (12, 9);                     !STRIP OUT ALL 10 NIBBLE FROM 13 ARRAY WORDS
;          2474      STK_PTR = -1;                         !RESET STACK POINTER
;          2475
;          2476      incr PLOG from 0 to 5 do              !PLOG POINTS TO ONE CRC GROUP '6 WORDS'
;          2477          begin
;          2478          CHANNEL = -1;                     !RESET CHANNEL FOR EACH WORD
;          2479
;          2480          incr NIB_CNT from 0 to 8 do       !READ DATA NIBBLE 0-8 AND CALCULATE CRC
;          2481              begin
;          2482              STK_PTR = .STK_PTR + 1;       !INCREMENT THE STACK POINTER
;          2483              NIB_SAV = .stack [.STK_PTR];  !LOAD NIV_SAV WITH A STACK NIBBLE
;          2484
;          2485              incr BIT_TST from 0 to 3 do   !TEST THE BIT FOR BEING SET
;          2486                  begin
;          2487                  CHANNEL = .CHANNEL + 1;   !CHANNEL POINTS TO THIS BIT
;          2488
;          2489                  if .NIB_SAV [.BIT_TST] IS_SET   !SEE IF THIS BIT IS SET
;          2490                  then
;          2491                      begin                 !IF SET THEN MOD 2 ADD THE REMAINDER
;          2492                      ALOG = .PLOG + .CHANNEL;    !CALCULATE THE ALOG
;          2493                      BLOG = .PLOG + .CHANNEL*2;  !CALCULATE THE BLOG
;          2494
;          2495                      while .ALOG geq 63 do       !REDUCE ALOG UNTIL < 64
;          2496                          ALOG = .ALOG - 63;
```

```
                                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                                    29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (7)
;ML4AD
;                ROUTINE DECLARATION SECTION
;
;          2497
;          2498                          while .BLOG geq 63 do       !REDUCE BLOG UNTIL <64
;          2499                              BLOG = .BLOG - 63;
;          2500
;          2501                          P_CAL = (.P_CAL) xor (.REM_TBL [.PLOG]);     !MOD 2 P_CAL WITH REM_TBL
;          2502                          A_CAL = (.A_CAL) xor (.REM_TBL [.ALOG]);     !MOD 2 A_CAL WITH REM_TBL
;          2503                          B_CAL = (.B_CAL) xor (.REM_TBL [.BLOG]);     !MOD 2 B_CAL WITH REM_TBL
;          2504                          end;
;          2505
;          2506                      end;
;          2507
;          2508                  end;
;          2509
;          2510              STK_PTR = .STK_PTR + 1;                 !SKIP OVER THE CRC NIB NT THE STACK
;          2511              end;
;          2512
;          2513          end;

                                    .SBTTL  CAL.CRC ROUTINE DFCLARATION SECTION
017042  004167  165544          CAL.CRC:JSR     R1,$SAVE5                       ;                                   2445
017046  162706  000012                  SUB     #12,SP
017052  012746  000014                  MOV     #14,-(SP)                       ;                                   2473
017056  012746  000011                  MOV     #11,-(SP)
017062  004767  177356                  JSR     PC,STRIPPER
017066  012766  177777  000006          MOV     #-1,6(SP)                       ; *,STK.PTR                         2474
017074  005066  000004                  CLR     4(SP)                           ; PLOG                              2476
017100  012766  177777  000010  1$:     MOV     #-1,10(SP)                      ; *,CHANNEL                         2478
017106  005066  000012                  CLR     12(SP)                          ; NIB.CNT                           2480
017112  005266  000006          2$:     INC     6(SP)                           ; STK.PTR                           2482
017116  016605  000006                  MOV     6(SP),R5                        ; STK.PTR,*                         2483
017122  116566  015034  000014          MOVB    STACK(R5),14(SP)                ; *,NIB.SAV
017130  105066  000015                  CLRB    15(SP)                          ; NIB.SAV
017134  005003                          CLR     R3                              ; BIT.TST                           2485
017136  005266  000010          3$:     INC     10(SP)                          ; CHANNEL                           2487
017142  010305                          MOV     R3,R5                           ; BIT.TST,*                         2489
017144  006205                          ASR     R5
017146  006205                          ASR     R5
017150  006205                          ASR     R5
017152  012704  000014                  MOV     #14,R4
017156  060604                          ADD     SP,R4                           ; NIB.SAV,*
017160  060405                          ADD     R4,R5
017162  010546                          MOV     R5,-(SP)
017164  010346                          MOV     R3,-(SP)                        ; BIT.TST,*
017166  042716  177770                  BIC     #177770,(SP)
017172  012746  000001                  MOV     #1,-(SP)
017176  005046                          CLR     -(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION                     29-Mar-1982 16:21:03    PA:<

017200  0047o7  164430                        JSR     PC,BL$GT2
017204  062706  000010                        ADD     #10,SP
017210  005300                                DEC     R0
017212  001066                                BNE     7$
017214  016601  000004                        MOV     4(SP),R1                ; PLOG,ALOG                     2492
017220  066601  000010                        ADD     10(SP),R1               ; CHANNEL,ALOG
017224  016605  000010                        MOV     10(SP),R5               ; CHANNEL,*                     2493
017230  006305                                ASL     R5
017232  066605  000004                        ADD     4(SP),R5                ; PLOG,*
017236  010502                                MOV     R5,R2                   ; *,BLOG
017240  020127  000077            4$:         CMP     R1,#77                  ; ALOG,*                        2495
017244  002403                                BLT     5$
017246  162701  000077                        SUB     #77,R1                  ; *,ALOG                        2496
017252  000772                                BR      4$                      ;                               2495
017254  020227  000077            5$:         CMP     R2,#77                  ; BLOG,*                        2498
017260  002403                                BLT     6$
017262  162702  000077                        SUB     #77,R2                  ; *,BLOG                        2499
017266  000772                                BR      5$                      ;                               2498
017270  005005                        6$:     CLR     R5                      ;                               2501
017272  016604  000004                        MOV     4(SP),R4                ; PLOG,*
017276  156405  015664                        BISB    REM.TBL(R4),R5
017302  010546                                MOV     R5,-(SP)
017304  046716  176056                        BIC     P.CAL,(SP)
017310  040567  176052                        BIC     R5,P.CAL
017314  052667  176046                        BIS     (SP)+,P.CAL
017320  005005                                CLR     R5                      ;                               2502
017322  156105  015664                        BISB    REM.TBL(R1),R5          ; *(ALOG),*
017326  010504                                MOV     R5,R4
017330  046704  176026                        BIC     A.CAL,R4
017334  040567  176022                        BIC     R5,A.CAL
017340  050467  176016                        BIS     R4,A.CAL
017344  005005                                CLR     R5                      ;                               2503
017346  156205  015664                        BISB    REM.TBL(R2),R5          ; *(BLOG),*
017352  010504                                MOV     R5,R4
017354  046704  176004                        BIC     B.CAL,R4
017360  040567  176000                        BIC     R5,B.CAL
017364  050467  175774                        BIS     R4,B.CAL
017370  005203                        7$:     INC     R3                      ; BIT.TST                       2485
017372  020327  000003                        CMP     R3,#3                   ; BIT.TST,*
017376  003657                                BLE     3$
017400  005266  000012                        INC     12(SP)                  ; NIB.CNT                       2480
017404  026627  000012  000010              CMP     12(SP),#10              ; NIB.CNT,*
017412  003637                                BLE     2$
017414  005266  000006                        INC     6(SP)                   ; STK.PTR                       2510
017420  005266  000004                        INC     4(SP)                   ; PLOG                          2476
017424  026627  000004  000005              CMP     4(SP),#5                ; PLOG,*
017432  003622                                BLE     1$
017434  062706  000016                        ADD     #16,SP                  ;                               2445
017440  000207                                RTS     PC

                                        ; Routine Size:  128 words
                                        ; Maximum stack depth per invocation:  17 words
```

```
                                ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                ;       ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (8)
;
;          2514  routine ERR_CHK_CRC =
;          2515      begin
;          2516
;          2517  !++
;          2518  ! FUNCTIONAL DESCRIPTION:
;          2519  !       'ERROR CHECK CRC' COMPARES HARDWARE GENERATED CRC
;          2520  !       CODES TO SOFTWARE CALCULATED CRC CODE FOR ONE
;          2521  !       CRC GROUP AND RETURNS A ONE ON DETECTION OF ERRORS
;          2522  !
;          2523  ! IMPLICIT INPUTS:
;          2524  !       P_CAL,A_CAL,B_CAL
;          2525  !       GLOBAL STORAGE LOCATIONS WHERE CALCULATED
;          2526  !       CRC CODES ARE STORED AND EXAMINED FROM
;          2527  !
;          2528  !       P_GEN,A_GEN,B_GEN
;          2529  !       GLOBAL STROAGE LOCATIONS WHERE HARDWARE GENERATED
;          2530  !       CRC CODES ARE STORED AND EXAMINED FROM
;          2531  !--
;          2532
;          2533      local
;          2534          POS,                                  !VARIABLE FOR FIELD SELECTOR
;          2535          TEMP;                                 !TEMPORARY STORAGE LOCATION
;          2536
;          2537      POS = -1;                                 !RESET THE POS
;          2538
;          2539      incr STK_PTR from 9 to 59 by 10 do        !CONVERT VERTICAL STACK CRC TO HORIZONTAL REPRESENTATION
;          2540          begin
;          2541          POS = .POS + 1;                       !INCREMENT POS
;          2542          TEMP = .stack [.STK_PTR];             !READ CRC NIB FROM THE STACK
;          2543          (P_GEN)<.POS, 1> = .TEMP<0, 1>;       !CONVERT 1ST BIT
;          2544          (A_GEN)<.POS, 1> = not .TEMP<1, 1>;   !CONVERT 2ND BIT
;          2545          (B_GEN)<.POS, 1> = not .TEMP<2, 1>;   !CONVERT 3ED BIT
;          2546          end;
;          2547
;          2548      if (.P_GEN neq .P_CAL) or (.A_GEN neq .A_CAL) or (.B_GEN neq .B_CAL) then return ONE else return ZERO;
;          2549
;          2550                                                !COMPARE GENERATED CRC CODE TO CALCULATED CRC CODE
;          2551      end;
;
                                    .SBTTL  ERR.CHK.CRC ROUTINE DECLARATION SECTION
017442                      ERR.CHK.CRC:
017442  004167  165106             JSR     R1,$SAVE3                   ;                                   2514
017446  012701  177777             MOV     #-1,R1                      ; *,POS                             2537
017452  012702  000011             MOV     #11,R2                      ; *,STK.PTR                         2539
017456  005201                1$:  INC     R1                          ; POS                               2541
017460  005003                     CLR     R3                          ; TEMP                              2542
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;                ROUTINE DECLARATION SECTION                    29-Mar-1982 16:21:03    PA:<
                                        ;
017462  156203  015034                        BISB    STACK(R2),R3            ; *(STK.PTR),TEMP
017466  012746  015374                        MOV     #P.GEN,-(SP)            ;                                               2543
017472  010146                                MOV     R1,-(SP)                ; POS,*
017474  012746  000001                        MOV     #1,-(SP)
017500  010346                                MOV     R3,-(SP)                ; TEMP,*
017502  042716  177776                        BIC     #177776,(SP)
017506  004767  164360                        JSR     PC,BL$PU2
017512  012716  015370                        MOV     #A.GEN,(SP)             ;                                               2544
017516  010146                                MOV     R1,-(SP)                ; POS,*
017520  012746  000001                        MOV     #1,-(SP)
017524  005046                                CLR     -(SP)
017526  032703  000002                        BIT     #2,R3                   ; *,TEMP
017532  001401                                BEQ     2$
017534  005216                                INC     (SP)
017536  005116                        2$:     COM     (SP)
017540  004767  164326                        JSR     PC,BL$PU2
017544  012716  015372                        MOV     #B.GEN,(SP)             ;                                               2545
017550  010146                                MOV     R1,-(SP)                ; POS,*
017552  012746  000001                        MOV     #1,-(SP)
017556  005046                                CLR     -(SP)
017560  032703  000004                        BIT     #4,R3                   ; *,TEMP
017564  001401                                BEQ     3$
017566  005216                                INC     (SP)
017570  005116                        3$:     COM     (SP)
017572  004767  164274                        JSR     PC,BL$PU2
017576  062706  000024                        ADD     #24,SP                  ;                                               2540
017602  062702  000012                        ADD     #12,R2                  ; *,STK.PTR                                     2539
017606  020227  000073                        CMP     R2,#73                  ; STK.PTR,*
017612  003721                                BLE     1$
017614  026767  175554  175544                CMP     P.GEN,P.CAL             ;                                               2548
017622  001010                                BNE     4$
017624  026767  175540  175530                CMP     A.GEN,A.CAL
017632  001004                                BNE     4$
017634  026767  175532  175522                CMP     B.GEN,B.CAL
017642  001403                                BEQ     5$
017644  012701  000001                4$:     MOV     #1,R1
017650  000401                                BR      6$
017652  005001                        5$:     CLR     R1
017654  010100                        6$:     MOV     R1,R0                   ;                                               2515
017656  000207                                RTS     PC                      ;                                               2514

                                        ; Routine Size:  71 words
                                        ; Maximum stack depth per invocation:  14 words
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (9)

;          2552  routine FIND_COMP_BIT (BITS_XFERED) =
;          2553      begin
;          2554
;          2555  !++
;          2556  ! FUNCTIONAL DESCRIPTION:
;          2557  !       'FIND COMPLIMENT'  BIT IS CALLED BY THE
;          2558  !       SYNDROME DECODE TESTS AND INDEXES INTO
;          2559  !       THE IO_BUF LOOKING FOR COMPLIMENTED
;          2560  !       BITS.  A COMPLIMENTED BIT IS BY DEF A ONE
;          2561  !
;          2562  !       A ONE IS RETURNED IF THE INDEXED BIT IS
;          2563  !       NOT SET
;          2564  !
;          2565  ! FORMAL PARAMETERS:
;          2566  !       BITS_XFERED
;          2567  !       REPRESENTS THE BIT BEING TESTED
;          2568  !       IN THE DRIVE AND FROM THIS THE
;          2569  !       WORD AND BIT INDEX INTO THE
;          2570  !       IO_BUF CAN BE CALCULATED
;          2571  !
;          2572  ! IMPLICIT INPUTS:
;          2573  !--
;          2574
;          2575      local
;          2576          COMP_WRD,                        !WORD WHERE COMPLINEMT BIT IS LOCATED
;          2577          COMP_BIT,                        !BIT THAT IS COMPLINEMTED
;          2578          BUF_SAV : bitvector [16];        !STORES THE WORD IN WHICH THE BIT IS COMPLIMENTED
;          2579
;          2580      COMP_WRD = .BITS_XFERED/16;          !CALCULATE THE COMP WORD
;          2581      COMP_BIT = .BITS_XFERED mod 16;      !CALCULATE THE COMP BIT
;          2582      BUF_SAV = .IO_BUF [.COMP_WRD];       !LOAD THE COMP WORD INTO BUF_SAV
;          2583      IO_BUF [.COMP_WRD] = ZEROES;         !ZERO THE COMP WORD
;          2584
;          2585      if .BUF_SAV [.COMP_BIT] IS_NOT_SET then return ZERO else return ONE;
;          2586
;          2587                                           !FIND COMPLIMENTED BIT AND RETURN ERROR STATUS
;          2588      end;
;
                                    .SBTTL  FIND.COMP.BIT ROUTINE DECLARATION SECTION
017660                      FIND.COMP.BIT:
017660  004167  164654              JSR     R1,$SAVE2                       ;                               2552
017664  005746                      TST     -(SP)
017666  016646  000012              MOV     12(SP),-(SP)                    ; BITS.XFERED,*                 2580
017672  012746  000020              MOV     #20,-(SP)
017676  004767  164544              JSR     PC,BL$DIV
017702  010001                      MOV     R0,R1                           ; *,COMP.WRD
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION                     29-Mar-1982 16:21:03    PA:<
                                        ;
017704  016616  000016                          MOV     16(SP),(SP)             ; BITS.XFERED,*                                 2581
017710  012746  000020                          MOV     #20,-(SP)
017714  004767  164540                          JSR     PC,BL$MOD
017720  010002                                  MOV     R0,R2                   ; *,COMP.BIT
017722  010100                                  MOV     R1,R0                   ; COMP.WRD,*                                    2582
017724  006300                                  ASL     R0
017726  016066  014022  000006                  MOV     IO.BUF(R0),6(SP)        ; *,BUF.SAV
017734  005060  014022                          CLR     IO.BUF(R0)              ;                                               2583
017740  010200                                  MOV     R2,R0                   ; COMP.BIT,*                                    2585
017742  006200                                  ASR     R0
017744  006200                                  ASR     R0
017746  006200                                  ASR     R0
017750  012701  000006                          MOV     #6,R1
017754  060601                                  ADD     SP,R1                   ; BUF.SAV,*
017756  060100                                  ADD     R1,R0
017760  010046                                  MOV     R0,-(SP)
017762  010246                                  MOV     R2,-(SP)                ; COMP.BIT,*
017764  042716  177770                          BIC     #177770,(SP)
017770  012746  000001                          MOV     #1,-(SP)
017774  005046                                  CLR     -(SP)
017776  004767  163632                          JSR     PC,BL$GT2
020002  062706  000010                          ADD     #10,SP
020006  005700                                  TST     R0
020010  001002                                  BNE     1$
020012  005001                                  CLR     R1
020014  000402                                  BR      2$
020016  012701  000001          1$:             MOV     #1,R1
020022  010100                  2$:             MOV     R1,R0                   ;                                               2553
020024  062706  000010                          ADD     #10,SP                  ;                                               2552
020030  000207                                  RTS     PC

                                        ; Routine Size:  53 words
                                        ; Maximum stack depth per invocation:  11 words
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (10)

                2589  routine FORCE_REM (PLOG, CHAN) : novalue =
                2590      begin
                2591
                2592  !++
                2593  ! FUNCTIONAL DESCRIPTION:
                2594  !       VIA ECC_DM AND THE PRECALCULATED MODULO 2
                2595  !       REMAINDERS STORED IN REM_TBL[], THE
                2596  !       CRC_A,CRC_B AND PAR_CRC_WRD
                2597  !       ARE FORCED WITH ERRONEOUS CRC DATA TO
                2598  !       FORCE PERDICTABLE ECC ERRORS
                2599  !
                2600  ! FORMAL PARAMETERS:
                2601  !       PLOG
                2602  !       POINTS TO ONE OF THE SIX WORDS OF
                2603  !       A CRC GROUP
                2604  !
                2605  !       CHAN
                2606  !       POINTS TO ONE OF 36 CHANNELS IN
                2607  !       A CRC GROUP
                2608  !
                2609  ! IMPLICIT INPUTS:
                2610  !--
                2611
                2612      local
                2613          TMP_E1,                          !TEMP STORAGE FOR E1 DATA WORD
                2614          ALOG,                            !INDEX INTO REM_TBL
                2615          BLOG;                            !INDEX INTO REM_TBL
                2616
                2617      ALOG = .PLOG + .CHAN;                !CALCULATE A_LOG
                2618      BLOG = .PLOG + .CHAN*2;              !CALCULATE B_LOG
                2619
                2620      while .ALOG geq 63 do                !REDUCE A_LOG UNTIL < 64
                2621          ALOG = .ALOG - 63;
                2622
                2623      while .BLOG geq 63 do                !REDUCE B_LOG UNTIL < 64
                2624          BLOG = .BLOG - 63;
                2625
                2626      ECC_DM = ONE;                        !SET ECC DIAG MODE
                2627  !+
                2628  ! THE FOLLOWING ASSIGNMENT:
                2629  !
                2630  !       MLE1 = .TMP_E1
                2631  !
                2632  ! IS EQUIVALENT TO THE FOLLOWING
                2633  ! TWO ASSINGMENTS:
                2634  !
                2635  !   PAR_CRC_WRD = .REM_TBL [.PLOG];      !LOAD PAR_CRC_WRD WITH REM_TBL
                2636  !   CRC_A = .REM_TBL [.ALOG];            !LOAD CRC_A WITH REM_TBL
                2637  !
                2638  ! THIS IS NECESSARY DUE TO THE FACT THAT
                2639  ! THE E1 REGISTER IS WORD ORIENTATED AND
                2640  ! THE BLISS COMPILER GENERATES BYTE INST
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;               ROUTINE DECLARATION SECTION               29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (10)
;
;          2641  ! TO ACCESS THE REGISTER.
;          2642  !-
;          2643
;          2644      TMP_E1 = ZEROES;                     !CLEAR OUT THE TEMP WORD
;          2645      TMP_E1<0, 6> = .REM_TBL [.ALOG];     !LOAD CRC_A WITH REM_TBL
;          2646      TMP_E1<8, 6> = .REM_TBL [.PLOG];     !LOAD PAR_CRC_WRD WITH REM_TBL
;          2647      MLET = .TMP_E1;                      !LOAD THE E1 REGISTER WITH DATA
;          2648
;          2649      CRC_B = .REM_TBL [.BLOG];            !LOAD CRC_B WITH REM_TBL
;          2650      end;

                                    .SBTTL  FORCE.REM ROUTINE DECLARATION SECTION
020032                          FORCE.REM:
020032  004167  164534                    JSR     R1,$SAVE4           ;                                   2589
020036  016601  000016                    MOV     16(SP),R1           ; PLOG,*                            2617
020042  010100                            MOV     R1,R0               ; *,ALOG
020044  066600  000014                    ADD     14(SP),R0           ; CHAN,ALOG
020050  016602  000014                    MOV     14(SP),R2           ; CHAN,*                            2618
020054  006302                            ASL     R2
020056  060102                            ADD     R1,R2
020060  010203                            MOV     R2,R3               ; *,BLOG
020062  020027  000077            1$:     CMP     R0,#77              ; ALOG,*                            2620
020066  002403                            BLT     2$
020070  162700  000077                    SUB     #77,R0              ; *,ALOG                            2621
020074  000772                            BR      1$                  ;                                   2620
020076  020327  000077            2$:     CMP     R3,#77              ; BLOG,*                            2623
020102  002403                            BLT     3$
020104  162703  000077                    SUB     #77,R3              ; *,BLOG                            2624
020110  000772                            BR      2$                  ;                                   2623
020112  152777  000001  175404    3$:     BISB    #1,@ML.REG+120      ;                                   2626
020120  005002                            CLR     R2                  ; TMP.E1                            2644
020122  116004  015664                    MOVB    REM.TBL(R0),R4      ; *(ALOG),*                         2645
020126  042704  177700                    BIC     #177700,R4
020132  142702  000077                    BICB    #77,R2              ; *,TMP.E1
020136  050402                            BIS     R4,R2               ; *,TMP.E1
020140  116104  015664                    MOVB    REM.TBL(R1),R4      ;                                   2646
020144  000304                            SWAB    R4
020146  042704  140377                    BIC     #140377,R4
020152  042702  037400                    BIC     #37400,R2           ; *,TMP.E1
020156  050402                            BIS     R4,R2               ; *,TMP.E1
020160  010277  175370                    MOV     R2,@ML.REG+150      ; TMP.E1,*                          2647
020164  116304  015664                    MOVB    REM.TBL(R3),R4      ; *(BLOG),*                         2649
020170  042704  177700                    BIC     #177700,R4
020174  142777  000077  175362            BICB    #77,@ML.REG+160
020202  150477  175356                    BISB    R4,@ML.REG+160
020206  000207                            RTS     PC                  ;                                   2589
```

```
                                ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                ;               ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<


                                ; Routine Size:  55 words
                                ; Maximum stack depth per invocation:  5 words
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (11)
;
;          2651  routine FOR_ECC_ERR (SGL, UNC) : novalue =
;          2652      begin
;          2653
;          2654  !++
;          2655  ! FUNCTIONAL DESCRIPTION:
;          2656  !       'FORCE ECC ERROR' WHEN CALLED WILL FORCE
;          2657  !       VIA ECC DIAG MODE, SINGLE BIT ECC ERRORS
;          2658  !       OR UNCORRECTABLE ECC ERRORS INTO THE
;          2659  !       ECC DIAGNOSTIC REGISTERS
;          2660  !
;          2661  ! FORMAL PARAMETERS:
;          2662  !       SGL
;          2663  !       WHEN SET TO A ONE THIS
;          2664  !       ROUTINE WILL FORCE SINGLE BIT ERRORS
;          2665  !
;          2666  !       UNC
;          2667  !       WHEN SET TO A ONE THIS ROUTINE WILL
;          2668  !       FORCE UNCORRECTABLE ECC ERRORS
;          2669  !
;          2670  ! IMPLICIT INPUTS:
;          2671  !--
;          2672
;          2673      local
;          2674          TMP_E1;                                  !TEMP STORAGE FOR E1 DATA WORD
;          2675
;          2676      ECC_DM = ONE;                                !SET ECC DIAG MODE
;          2677
;          2678      if .SGL                                      !IF SGL IS TRUE
;          2679      then
;          2680          begin                                    !THEN FORCE A SINGLE BIT ERROR
;          2681  !+
;          2682  ! THE FOLLOWING ASSIGNMENT:
;          2683  !
;          2684  !       MLE1 = .TMP_E1
;          2685  !
;          2686  ! IS EQUIVALENT TO THE FOLLOWING
;          2687  ! TWO ASSINGMENTS:
;          2688  !
;          2689  !   PAR_CRC_WRD = %b'111111';          !LOAD PAR_CRC_WRD WITH REM_TBL
;          2690  !   CRC_A = %b'000000';                !LOAD CRC_A WITH REM_TBL
;          2691  !
;          2692  ! THIS IS NECESSARY DUE TO THE FACT THAT
;          2693  ! THE E1 REGISTER IS WORD ORIENTATED AND
;          2694  ! THE BLISS COMPILER GENERATES BYTE INST
;          2695  ! TO ACCESS THE REGISTER.
;          2696  !-
;          2697
;          2698          TMP_E1 = ZEROES;                             !CLEAR OUT THE TEMP WORD
;          2699          TMP_E1<0, 6> = %b'000000';           !LOAD CRC_A WITH REM_TBL
;          2700          TMP_E1<8, 6> = %b'111111';           !LOAD PAR_CRC_WRD WITH REM_TBL
;          2701          MLE1 = .TMP_E1;                      !LOAD THE E1 REGISTER WITH DATA
;          2702
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (11)

;          2703          CRC_B = %b'000000';
;          2704          end
;          2705      else
;          2706          begin                            !ELSE FORCE A UNCORRECTABLE ERROR
;          2707      !+
;          2708      ! THE FOLLOWING ASSIGNMENT:
;          2709      !
;          2710      !       MLE1 = .TMP_E1
;          2711      !
;          2712      ! IS EQUIVALENT TO THE FOLLOWING
;          2713      ! TWO ASSINGMENTS:
;          2714      !
;          2715      !   PAR_CRC_WRD = %b'111111';          !LOAD PAR_CRC_WRD WITH REM_TBL
;          2716      !   CRC_A = %b'111111';                !LOAD CRC_A WITH REM_TBL
;          2717      !
;          2718      ! THIS IS NECESSARY DUE TO THE FACT THAT
;          2719      ! THE E1 REGISTER IS WORD ORIENTATED AND
;          2720      ! THE BLISS COMPILER GENERATES BYTE INST
;          2721      ! TO ACCESS THE REGISTER.
;          2722      !-
;          2723
;          2724          TMP_E1 = ZEROES;                          !CLEAR OUT THE TEMP WORD
;          2725          TMP_E1<0, 6> = %b'111111';         !LOAD CRC_A WITH REM_TBL
;          2726          TMP_E1<8, 6> = %b'111111';         !LOAD PAR_CRC_WRD WITH REM_TBL
;          2727          MLE1 = .TMP_E1;                    !LOAD THE E1 REGISTER WITH DATA
;          2728
;          2729          CRC_B = %b'000000';
;          2730          end;
;          2731
;          2732      end;

                                        .SBTTL  FOR.ECC.ERR ROUTINE DECLARATION SECTION
020210                          FOR.ECC.ERR:
020210  152777  000001  175306            BISB    #1,@ML.REG+120          ;                               2676
020216  005000                            CLR     R0                      ; TMP.E1                        2698
020220  032766  000001  000004            BIT     #1,4(SP)                ; *,SGL                         2678
020226  001403                            BEQ     1$
020230  142700  000077                    BICB    #77,R0                  ; *,TMP.E1                      2699
020234  000402                            BR      2$                      ;                               2700
020236  152700  000077            1$:     BISB    #77,R0                  ; *,TMP.E1                      2725
020242  052700  037400            2$:     BIS     #37400,R0               ; *,TMP.E1                      2726
020246  010077  175302                    MOV     R0,@ML.REG+150          ; TMP.E1,*                      2727
020252  142777  000077  175304            BICB    #77,@ML.REG+160         ;                               2729
020260  000207                            RTS     PC                      ;                               2651

                                ; Routine Size:  21 words
```

```
3763                                    ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
3764                                    ;               ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<
3765
3766                                    ; Maximum stack depth per invocation:  0 words
3771
3772
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (12)

;          2733  routine FIRST_BLK_XFER : novalue =
;          2734
;          2735  !++
;          2736  ! FUNCTIONAL DESCRIPTION:
;          2737  !       A REPEATEDLY CALLED SEQUENCE OF
;          2738  !       ASSIGNMENT EXPRESSION TO LOAD
;          2739  !       THE DSA, BUS ADRS AND WORD COUNT
;          2740  !       REGISTERS WITH APPROPRIATE INFORMATION
;          2741  !       BEFORE MASS BUS TRANSFERS CAN
;          2742  !       COMMENCE.
;          2743  !
;          2744  !       LOADS A MASS_BUS BLOCK XFERR AT
;          2745  !       BLOCK ZERO.
;          2746  !
;          2747  !--
;          2748
;          2749      begin
;          2750      ECC_DIS = ONE;                    !DISABLE ERROR CORRECTION
;          2751      MLDA = ZEROES;                    !LOAD THE DSA REG WITH SECTOR ZERO
;          2752      MLBA = IO_BUF;                    !LOAD THE BUS ADDRESS REG WITH IO_BUF ADRS
;          2753      MLWC = not 255;                   !LOAD WORD COUNT REG WITH COMPLIMENT 256
;          2754      end;

                                        .SBTTL  FIRST.BLK.XFER ROUTINE DECLARATION SECTION
020262                          FIRST.BLK.XFER:
020262  152777  000002  175234            BISB    #2,@ML.REG+120          ;                       2750
020270  005077  175140                    CLR     @ML.REG+30              ;                       2751
020274  012777  014022  175122            MOV     #IO.BUF,@ML.REG+20      ;                       2752
020302  012777  177400  175104            MOV     #-400,@ML.REG+10        ;                       2753
020310  000207                            RTS     PC                      ;                       2733

                                ; Routine Size:  12 words
                                ; Maximum stack depth per invocation:  0 words
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (13)

;          2755  routine GD_BLK_XFER : novalue =

;          2756
;          2757  !++
;          2758  ! FUNCTIONAL DESCRIPTION:
;          2759  !       A REPEATEDLY CALLED SEQUENCE OF
;          2760  !       ASSIGNMENT EXPRESSIONS TO LOAD
;          2761  !       THE DSA, BUS ADRS AND WORD
;          2762  !       COUNT REGISTERS WITH APPROPRIATE
;          2763  !       INFORMATION BEFORE A MASS BUS
;          2764  !       TRANSFERS CAN COMMENCE
;          2765  !
;          2766  !       LOADS A MASS BUS BLOCK XFERR
;          2767  !       AT THE GOOD BLOCK ADRS FOUND
;          2768  !       BY THE READ WRITE ARRAYS WITH
;          2769  !       PROM DATA TEST
;          2770  !
;          2771  !--
;          2772
;          2773      begin
;          2774      ECC_DIS = ONE;                    !DISABLE ERROR CORRECTION
;          2775      MLDA = .GOOD_BLK;                 !LOAD DSA REG WITH THE GOOD BLOCK ADRS
;          2776      MLBA = IO_BUF;                    !LOAD BUS ADRS REG WITH IO_BUF ADRS
;          2777      MLWC = not 255;                   !LOAD WORD COUNT REG WITH COMPLIMENT 256
;          2778      end;

                                        .SBTTL  GD.BLK.XFER ROUTINE DECLARATION SECTION
020312                          GD.BLK.XFER:
020312  152777  000002  175204          BISB    #2,@ML.REG+120          ;                       2774
020320  016777  173462  175106          MOV     GOOD.BLK,@ML.REG+30     ;                       2775
020326  012777  014022  175070          MOV     #IO.BUF,@ML.REG+20      ;                       2776
020334  012777  177400  175052          MOV     #-400,@ML.REG+10        ;                       2777
020342  000207                          RTS     PC                      ;                       2755

                                ; Routine Size:  13 words
                                ; Maximum stack depth per invocation:  0 words
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (14)

;          2779  routine LAST_BLK_XFER : novalue =
;          2780
;          2781  !++
;          2782  ! FUNCTIONAL DESCRIPTION:
;          2783  !       A REPEATEDLY CALLED SEQUENCE OF
;          2784  !       ASSIGNMENT EXPRESSIONS TO LOAD
;          2785  !       THE DSA, BUS ADRS AND WORD
;          2786  !       COUNT REGISTERS WITH APPROPRIATE
;          2787  !       INFORMATION BEFORE A MBUS
;          2788  !       TRANSFER CAN COMMENCE
;          2789  !
;          2790  !       LOADS A MASS BUS BLOCK
;          2791  !       TRANSFER AT THE LAST BLOCK
;          2792  !       ADDRESS
;          2793  !
;          2794  !--
;          2795
;          2796      begin
;          2797      ECC_DIS = ONE;                    !DISABLE ERROR CORRECTION
;          2798      MLDA = .LST_BLK;                  !LOAD DSA REG WITH THE LAST BLOCK ADRS
;          2799      MLBA = IO_BUF;                    !LOAD BUS ADRS REG WITH THE IO_BUF ADRS
;          2800      MLWC = not 255;                   !LOAD WORD COUNT REG WITH COMPLIMENT 256
;          2801      end;

                                        .SBTTL  LAST.BLK.XFER ROUTINE DECLARATION SECTION
020344                          LAST.BLK.XFER:
020344  152777  000002  175152          BISB    #2,@ML.REG+120          ;                       2797
020352  016777  173436  175054          MOV     LST.BLK,@ML.REG+30      ;                       2798
020360  012777  014022  175036          MOV     #IO.BUF,@ML.REG+20      ;                       2799
020366  012777  177400  175020          MOV     #-400,@ML.REG+10        ;                       2800
020374  000207                          RTS     PC                      ;                       2779

                                ; Routine Size:  13 words
                                ; Maximum stack depth per invocation:  0 words
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (15)

;          2802  routine TST_LNG_WRD (NIB_NUM, NIB_PAT, ERR_FLG) : novalue =
;          2803      begin
;          2804
;          2805  !++
;          2806  ! FUNCTIONAL DESCRIPTION:
;          2807  !       COMPARES THE CURRENT NIBBLE
;          2808  !       POSITION IN 'NIB_SAVE' WITH THE
;          2809  !       CURRENT TEST PATTERN.  IF THE
;          2810  !       TWO VALUES ARE NOT EQUAL AN
;          2811  !       ERROR FLG IS SET WHICH THE
;          2812  !       CALLER CAN INTERIGATE
;          2813  !
;          2814  ! FORMAL PARAMETERS:
;          2815  !       NIB_NUM
;          2816  !       CASE SELECT EXPRESSION TO SELECT THE
;          2817  !       CURRENT NIBBLE TO BE EXAMINED
;          2818  !
;          2819  !       NIB_PAT
;          2820  !       CURRENT NIBBLE PATTERN TO BE
;          2821  !       COMPARED
;          2822  !
;          2823  !       ERR_FLG
;          2824  !       CONTAINS THE ADDRESS (PASSED BY REF)
;          2825  !       OF THE CALLERS ERROR FLG
;          2826  !       TO ENABLE THE CALLER TO EXAMINE
;          2827  !       THE ERROR STATUS OF THE ROUTINE CALL
;          2828  !
;          2829  ! IMPLICIT INPUTS:
;          2830  !       NIB_SAVE
;          2831  !       BLOCK OF 3 WORDS TO STORE
;          2832  !       THE DATA FOUND IN MLD1, MLD2
;          2833  !       AND MLE2 AFTER A DIAGNOSTIC MODE
;          2834  !       READ
;          2835  !
;          2836  ! IMPLICIT OUTPUTS:     NONE
;          2837  !--
;          2838
;          2839      .ERR_FLG = ZERO;                          !CLEAR THE ERROR FLAG BACK IN THE CALLING ROUTINE
;          2840
;          2841      case .(NIB_NUM) from 0 to 9 of            !SELECT THE NIBBLE TO BE TESTED
;          2842          set
;          2843
;          2844          [0] :
;          2845
;          2846              if .NIB_SAVE [NIB_0] neq .(NIB_PAT)<0, 4> then .ERR_FLG = ONE;
;          2847
;          2848                                                !TEST NIBBLE 0 AND SET ERR FLG IF NEQ
;          2849
;          2850          [1] :
;          2851
;          2852              if .NIB_SAVE [NIB_1] neq .(NIB_PAT)<0, 4> then .ERR_FLG = ONE;
;          2853
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;               ROUTINE DECLARATION SECTION             29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (15)

;          2854                                                 !TEST NIBBLE 1 AND SET ERR FLG IF NEQ
;          2855
;          2856          [2] :
;          2857
;          2858              if .NIB_SAVE [NIB_2] neq .(NIB_PAT)<0, 4> then .ERR_FLG = ONE;
;          2859                                                 !TEST NIBBLE 2 AND SET ERR FLG IF NEQ
;          2860
;          2861          [3] :
;          2862
;          2863              if .NIB_SAVE [NIB_3] neq .(NIB_PAT)<0, 4> then .ERR_FLG = ONE;
;          2864                                                 !TEST NIBBLE 3 AND SET ERR FLG IF NEQ
;          2865
;          2866          [4] :
;          2867
;          2868              if .NIB_SAVE [NIB_4] neq .(NIB_PAT)<0, 4> then .ERR_FLG = ONE;
;          2869                                                 !TEST NIBBLE 4 AND SET ERR FLG IF NEQ
;          2870
;          2871          [5] :
;          2872
;          2873              if .NIB_SAVE [NIB_5] neq .(NIB_PAT)<0, 4> then .ERR_FLG = ONE;
;          2874                                                 !TEST NIBBLE 5 AND SET ERR FLG IF NEQ
;          2875
;          2876          [6] :
;          2877
;          2878              if .NIB_SAVE [NIB_6] neq .(NIB_PAT)<0, 4> then .ERR_FLG = ONE;
;          2879                                                 !TEST NIBBLE 6 AND SET ERR FLG IF NEQ
;          2880
;          2881          [7] :
;          2882
;          2883              if .NIB_SAVE [NIB_7] neq .(NIB_PAT)<0, 4> then .ERR_FLG = ONE;
;          2884                                                 !TEST NIBBLE 7 AND SET ERR FLG IF NEQ
;          2885
;          2886          [8] :
;          2887
;          2888              if .NIB_SAVE [NIB_8] neq .(NIB_PAT)<0, 4> then .ERR_FLG = ONE;
;          2889                                                 !TEST NIBBLE 8 AND SET ERR FLG IF NEQ
;          2890
;          2891          [9] :
;          2892
;          2893              if .NIB_SAVE [NIB_9] neq .(NIB_PAT)<0, 3>
;          2894              then
;          2895                  .ERR_FLG = ONE                 !TEST NIBBLE 9 AND SET ERR FLG IF NEQ
;          2896          tes;
;          2897
;          2898      end;
```

```
4036 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
4037 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (15)
4038
4042
4043                                          .SBTTL  TST.LNG.WRD ROUTINE DECLARATION SECTION
4047 020376                            TST.LNG.WRD:
4048 020376  004167  164136                    JSR     R1,$SAVE2                       ;                                2802
4049 020402  016600  000010                    MOV     10(SP),R0                       ; ERR.FLG,*                      2839
4050 020406  005010                            CLR     (R0)
4051 020410  016601  000014                    MOV     14(SP),R1                       ; NIB.NUM,*                      2841
4052 020414  006301                            ASL     R1
4053 020416  066107  020422                    ADD     1$(R1),PC
4054 020422  000024                      1$:   .WORD   2$-1$
4055 020424  000052                            .WORD   3$-1$
4056 020426  000110                            .WORD   4$-1$
4057 020430  000140                            .WORD   5$-1$
4058 020432  000200                            .WORD   6$-1$
4059 020434  000226                            .WORD   7$-1$
4060 020436  000264                            .WORD   8$-1$
4061 020440  000314                            .WORD   9$-1$
4062 020442  000354                            .WORD   10$-1$
4063 020444  000404                            .WORD   11$-1$
4064 020446  016602  000012                2$:   MOV     12(SP),R2                       ; NIB.PAT,*                      2846
4065 020452  042702  177760                    BIC     #177760,R2
4066 020456  016701  172712                    MOV     NIB.SAVE,R1
4067 020462  042701  177760                    BIC     #177760,R1
4068 020466  020102                            CMP     R1,R2
4069 020470  001577                            BEQ     13$
4070 020472  000574                            BR      12$
4071 020474  016601  000012                3$:   MOV     12(SP),R1                       ; NIB.PAT,*                      2852
4072 020500  042701  177760                    BIC     #177760,R1
4073 020504  016702  172664                    MOV     NIB.SAVE,R2
4074 020510  006202                            ASR     R2
4075 020512  006202                            ASR     R2
4076 020514  006202                            ASR     R2
4077 020516  006202                            ASR     R2
4078 020520  042702  177760                    BIC     #177760,R2
4079 020524  020201                            CMP     R2,R1
4080 020526  001560                            BEQ     13$
4081 020530  000555                            BR      12$
4082 020532  016601  000012                4$:   MOV     12(SP),R1                       ; NIB.PAT,*                      2858
4083 020536  042701  177760                    BIC     #177760,R1
4084 020542  016702  172626                    MOV     NIB.SAVE,R2
4085 020546  000302                            SWAB    R2
4086 020550  042702  177760                    BIC     #177760,R2
4087 020554  020201                            CMP     R2,R1
4088 020556  001544                            BEQ     13$
4089 020560  000541                            BR      12$
4090 020562  016601  000012                5$:   MOV     12(SP),R1                       ; NIB.PAT,*                      2864
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;       ROUTINE DECLARATION SECTION                             29-Mar-1982 16:21:03    PA:<
                                        ;
020566  042701  177760                        BIC     #177760,R1
020572  016702  172576                        MOV     NIB.SAVE,R2
020576  006202                              ASR     R2
020600  006202                              ASR     R2
020602  006202                              ASR     R2
020604  006202                              ASR     R2
020606  000302                              SWAB    R2
020610  042702  177760                        BIC     #177760,R2
020614  020201                              CMP     R2,R1
020616  001524                              BEQ     13$
020620  000521                              BR      12$
020622  016601  000012                6$:     MOV     12(SP),R1               ; NIB.PAT,*                     2870
020626  042701  177760                        BIC     #177760,R1
020632  016702  172540                        MOV     NIB.SAVE+2,R2
020636  042702  177760                        BIC     #177760,R2
020642  020201                              CMP     R2,R1
020644  001511                              BEQ     13$
020646  000506                              BR      12$
020650  016601  000012                7$:     MOV     12(SP),R1               ; NIB.PAT,*                     2876
020654  042701  177760                        BIC     #177760,R1
020660  016702  172512                        MOV     NIB.SAVE+2,R2
020664  006202                              ASR     R2
020666  006202                              ASR     R2
020670  006202                              ASR     R2
020672  006202                              ASR     R2
020674  042702  177760                        BIC     #177760,R2
020700  020201                              CMP     R2,R1
020702  001472                              BEQ     13$
020704  000467                              BR      12$
020706  016601  000012                8$:     MOV     12(SP),R1               ; NIB.PAT,*                     2882
020712  042701  177760                        BIC     #177760,R1
020716  016702  172454                        MOV     NIB.SAVE+2,R2
020722  000302                              SWAB    R2
020724  042702  177760                        BIC     #177760,R2
020730  020201                              CMP     R2,R1
020732  001456                              BEQ     13$
020734  000453                              BR      12$
020736  016601  000012                9$:     MOV     12(SP),R1               ; NIB.PAT,*                     2888
020742  042701  177760                        BIC     #177760,R1
020746  016702  172424                        MOV     NIB.SAVE+2,R2
020752  006202                              ASR     R2
020754  006202                              ASR     R2
020756  006202                              ASR     R2
020760  006202                              ASR     R2
020762  000302                              SWAB    R2
020764  042702  177760                        BIC     #177760,R2
020770  020201                              CMP     R2,R1
020772  001436                              BEQ     13$
020774  000433                              BR      12$
020776  016601  000012                10$:    MOV     12(SP),R1               ; NIB.PAT,*                     2894
021002  042701  177760                        BIC     #177760,R1
021006  016702  172366                        MOV     NIB.SAVE+4,R2
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<

                                                 SWAB    R2
021012  000302
                        177760           BIC     #177760,R2
021014  042702
                                         CMP     R2,R1
021020  020201
                                         BEQ     13$
021022  001422
                                         BR      12$
021024  000417
                        000012   11$:    MOV     12(SP),R1              ; NIB.PAT,*                      2900
021026  016601
                        177770           BIC     #177770,R1
021032  042701
                        172336           MOV     NIB.SAVE+4,R2
021036  016702
                                         ASR     R2
021042  006202
                                         ASR     R2
021044  006202
                                         ASR     R2
021046  006202
                                         ASR     R2
021050  006202
                                         SWAB    R2
021052  000302
                        177770           BIC     #177770,R2
021054  042702
                                         CMP     R2,R1
021060  020201
                                         BEQ     13$
021062  001402
                        000001   12$:    MOV     #1,(R0)                ;                                2902
021064  012710
021070  000207          13$:    RTS      PC                             ;                                2802

                                        ; Routine Size:  158 words
                                        ; Maximum stack depth per invocation:  3 words
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (16)

;          2906  routine XOR_LNG_WRD (NIB_NUM, NIB_PAT, RESULT) : novalue =
;          2907      begin
;          2908
;          2909  !++
;          2910  ! FUNCTIONAL DESCRIPTION:
;          2911  !       EXCLUSIVE ORS THE CURRENT
;          2912  !       NIBBLE POSITION IN 'NIB_SAVE'
;          2913  !       WITH THE CURRENT TEST PATTERN
;          2914  !       AND ASSIGNS THE RESULTS TO THE
;          2915  !       FORMAL PARAMETER 'RESULT'.
;          2916  !
;          2917  ! FORMAL PARAMETERS:
;          2918  !       NIB_NUM
;          2919  !       CASE SELECT EXPRESSION TO
;          2920  !       SELECT THE CURRENT NIBBLE TO BE
;          2921  !        EXAMINED
;          2922  !
;          2923  !       NIB_PAT
;          2924  !       CURRENT NIBBLE PATTERN TO BE
;          2925  !       XOR'ED
;          2926  !
;          2927  !       RESULT
;          2928  !       CONTAINS THE ADDRESS (PASSED BY REF)
;          2929  !       OF AN OWN STORAGE LOCATION TO
;          2930  !       ENABLE THE CALLER TO EXAMINE THE XOR RESULTS.
;          2931  !
;          2932  ! IMPLICIT INPUTS:
;          2933  !       NIB_SAVE
;          2934  !       BLOCK OF 3 WORDS TO STORE
;          2935  !       THE DATA FOUND IN MLD1
;          2936  !       MLD2 AND MLE2 AFTER A
;          2937  !       DIAGNOSTIC MODE READ.
;          2938  !
;          2939  ! IMPLICIT OUTPUTS:    NONE
;          2940  !--
;          2941
;          2942      case .(NIB_NUM) from 0 to 9 of              !SELECT THE NIBBLE TO BE XOR'ED
;          2943          set
;          2944
;          2945          [0] :
;          2946              .RESULT = .NIB_SAVE [NIB_0] xor .NIB_PAT;
;          2947                                                  !XOR NIBBLE 0 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
;          2948
;          2949          [1] :
;          2950              .RESULT = .NIB_SAVE [NIB_1] xor .NIB_PAT;
;          2951                                                  !XOR NIBBLE 1 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
;          2952
;          2953          [2] :
;          2954              .RESULT = .NIB_SAVE [NIB_2] xor .NIB_PAT;
;          2955                                                  !XOR NIBBLE 2 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
;          2956
;          2957          [3] :
```

```
4235 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
4236 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (16)
4237
4238 ;          2958              .RESULT = .NIB_SAVE [NIB_3] xor .NIB_PAT;
4239 ;          2959                                          !XOR NIBBLE 3 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
4240 ;          2960
4241 ;          2961          [4] :
4242 ;          2962              .RESULT = .NIB_SAVE [NIB_4] xor .NIB_PAT;
4243 ;          2963                                          !XOR NIBBLE 4 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
4244 ;          2964
4245 ;          2965          [5] :
4246 ;          2966              .RESULT = .NIB_SAVE [NIB_5] xor .NIB_PAT;
4247 ;          2967                                          !XOR NIBBLE 5 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
4248 ;          2968
4249 ;          2969          [6] :
4250 ;          2970              .RESULT = .NIB_SAVE [NIB_6] xor .NIB_PAT;
4251 ;          2971                                          !XOR NIBBLE 6 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
4252 ;          2972
4253 ;          2973          [7] :
4254 ;          2974              .RESULT = .NIB_SAVE [NIB_7] xor .NIB_PAT;
4255 ;          2975                                          !XOR NIBBLE 7 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
4256 ;          2976
4257 ;          2977          [8] :
4258 ;          2978              .RESULT = .NIB_SAVE [NIB_8] xor .NIB_PAT;
4259 ;          2979                                          !XOR NIBBLE 8 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
4260 ;          2980
4261 ;          2981          [9] :
4262 ;          2982              .RESULT = .NIB_SAVE [NIB_9] xor .NIB_PAT
4263 ;          2983                                          !XOR NIBBLE 9 AND STORE RESULTS IN THE ADRS CONTAINED IN .RESULTS
4264 ;          2984          tes;
4265 ;          2985
4266 ;          2986      end;
4270
4271                                    .SBTTL  XOR.LNG.WRD ROUTINE DECLARATION SECTION
4275 021072                        XOR.LNG.WRD:
4276 021072  004167  163474              JSR     R1,$SAVE4                       ;                                    2906
4277 021076  016601  000016              MOV     16(SP),R1                       ; NIB.PAT,*                          2946
4278 021102  016602  000014              MOV     14(SP),R2                       ; RESULT,*
4279 021106  016600  000020              MOV     20(SP),R0                       ; NIB.NUM,*                          2942
4280 021112  006300                      ASL     R0
4281 021114  066007  021120              ADD     1$(R0),PC
4282 021120  000024                1$:   .WORD   2$-1$
4283 021122  000036                      .WORD   3$-1$
4284 021124  000062                      .WORD   4$-1$
4285 021126  000070                      .WORD   5$-1$
4286 021130  000076                      .WORD   6$-1$
4287 021132  000120                      .WORD   8$-1$
4288 021134  000136                      .WORD   9$-1$
4289 021136  000144                      .WORD   10$-1$
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION             29-Mar-1982 16:21:03    PA:<
                                        .WORD   12$-1$
                                        .WORD   15$-1$
021140  000162
021142  000176
021144  016712  172224        2$:     MOV     NIB.SAVE,(R2)           ;                       2946
021150  042712  177760                BIC     #177760,(R2)
021154  000472                        BR      17$
021156  016703  172212        3$:     MOV     NIB.SAVE,R3             ;                       2950
021162  006203                        ASR     R3
021164  006203                        ASR     R3
021166  006203                        ASR     R3
021170  006203                        ASR     R3
021172  042703  177760                BIC     #177760,R3
021176  010312                        MOV     R3,(R2)
021200  000412                        BR      7$
021202  016704  172166        4$:     MOV     NIB.SAVE,R4             ;                       2954
021206  000437                        BR      13$
021210  016704  172160        5$:     MOV     NIB.SAVE,R4             ;                       2958
021214  000425                        BR      11$
021216  016712  172154        6$:     MOV     NIB.SAVE+2,(R2)         ;                       2962
021222  042712  177760                BIC     #177760,(R2)
021226  010104        7$:             MOV     R1,R4
021230  041204                        BIC     (R2),R4
021232  040112                        BIC     R1,(R2)
021234  050412                        BIS     R4,(R2)
021236  000207                        RTS     PC                      ;                       2942
021240  016704  172132        8$:     MOV     NIB.SAVE+2,R4           ;                       2966
021244  006204                        ASR     R4
021246  006204                        ASR     R4
021250  006204                        ASR     R4
021252  006204                        ASR     R4
021254  000415                        BR      14$
021256  016704  172114        9$:     MOV     NIB.SAVE+2,R4           ;                       2970
021262  000411                        BR      13$
021264  016704  172106        10$:    MOV     NIB.SAVE+2,R4           ;                       2974
021270  006204        11$:            ASR     R4
021272  006204                        ASR     R4
021274  006204                        ASR     R4
021276  006204                        ASR     R4
021300  000402                        BR      13$
021302  016704  172072        12$:    MOV     NIB.SAVE+4,R4           ;                       2978
021306  000304        13$:            SWAB    R4
021310  042704  177760        14$:    BIC     #177760,R4
021314  000411                        BR      16$
021316  016704  172056        15$:    MOV     NIB.SAVE+4,R4           ;                       2982
021322  006204                        ASR     R4
021324  006204                        ASR     R4
021326  006204                        ASR     R4
021330  006204                        ASR     R4
021332  000304                        SWAB    R4
021334  042704  177770                BIC     #177770,R4
021340  010412        16$:            MOV     R4,(R2)
021342  010103        17$:            MOV     R1,R3
021344  041203                        BIC     (R2),R3
```

```
                                                                                                                    K 9
 4342                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
 4348                                   ;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<
 4349
 4350 021346  040112                             BIC     R1,(R2)
 4351 021350  050312                             BIS     R3,(R2)
 4352 021352  000207                             RTS     PC                              ;                               2906
 4353
 4354                                   ; Routine Size:  89 words
 4355                                   ; Maximum stack depth per invocation:  5 words
 4360
 4361
```

```
4363 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
4364 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (17)
4365
4366 ;          2987  routine LD_LNG_WRD (NIB_NUM, NIB_PAT) : novalue =
4367 ;          2988      begin
4368 ;          2989
4369 ;          2990  !++
4370 ;          2991  ! FUNCTIONAL DESCRIPTION:
4371 ;          2992  !       LOADS 'NIB_SAVE' WITH UNIQUE
4372 ;          2993  !       NIBBLE PATTERNS PRIOR TO WRITING
4373 ;          2994  !       TO MLD1, MLD2 AND MLE2
4374 ;          2995  !       DATA DIAGNOSTIC REGISTERS.
4375 ;          2996  !
4376 ;          2997  ! FORMAL PARAMETERS:
4377 ;          2998  !       NIB_NUM
4378 ;          2999  !       CASE SELECT EXPRESSION TO SELECT
4379 ;          3000  !       THE CURRENT NIBBLE TO BE LOADED
4380 ;          3001  !
4381 ;          3002  !       NIB_PAT
4382 ;          3003  !       CURRENT NIBBLE PATTERN TO BE
4383 ;          3004  !       LOADED
4384 ;          3005  !
4385 ;          3006  ! IMPLICIT INPUTS:
4386 ;          3007  !       NIB_SAVE
4387 ;          3008  !       BLOCK OF 3 WORDS TO STORE
4388 ;          3009  !       THE DATA TO BE WRITTEN
4389 ;          3010  !       INTO MLD1 MLD2 MLE2
4390 ;          3011  !
4391 ;          3012  ! IMPLICIT OUTPUTS:
4392 ;          3013  !       NIB_SAVE IS LOADED WIH
4393 ;          3014  !       THE CURRENT NIBBLE PATTERN
4394 ;          3015  !--
4395 ;          3016
4396 ;          3017      case .(NIB_NUM) from 0 to 9 of          !SELECT THE NIBBLE LOCATION IN NIB_SAVE TO BE LOADED
4397 ;          3018          set
4398 ;          3019
4399 ;          3020          [0] :
4400 ;          3021              NIB_SAVE [NIB_0] = .NIB_PAT;    !LOAD NIBBLE 0 WITH NIB_PAT
4401 ;          3022
4402 ;          3023          [1] :
4403 ;          3024              NIB_SAVE [NIB_1] = .NIB_PAT;    !LOAD NIBBLE 1 WITH NIB_PAT
4404 ;          3025
4405 ;          3026          [2] :
4406 ;          3027              NIB_SAVE [NIB_2] = .NIB_PAT;    !LOAD NIBBLE 2 WITH NIB_PAT
4407 ;          3028
4408 ;          3029          [3] :
4409 ;          3030              NIB_SAVE [NIB_3] = .NIB_PAT;    !LOAD NIBBLE 3 WITH NIB_PAT
4410 ;          3031
4411 ;          3032          [4] :
4412 ;          3033              NIB_SAVE [NIB_4] = .NIB_PAT;    !LOAD NIBBLE 4 WITH NIB_PAT
4413 ;          3034
4414 ;          3035          [5] :
4415 ;          3036              NIB_SAVE [NIB_5] = .NIB_PAT;    !LOAD NIBBLE 5 WITH NIB_PAT
4416 ;          3037
4417 ;          3038          [6] :
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (17)

;          3039              NIB_SAVE [NIB_6] = .NIB_PAT;        !LOAD NIBBLE 6 WITH NIB_PAT
;          3040
;          3041          [7] :
;          3042              NIB_SAVE [NIB_7] = .NIB_PAT;        !LOAD NIBBLE 7 WITH NIB_PAT
;          3043
;          3044          [8] :
;          3045              NIB_SAVE [NIB_8] = .NIB_PAT;        !LOAD NIBBLE 8 WITH NIB_PAT
;          3046
;          3047          [9] :
;          3048              NIB_SAVE [NIB_9] = .NIB_PAT         !LOAD NIBBLE 9 WITH NIB_PAT
;          3049          tes;
;          3050
;          3051      end;

                                        .SBTTL  LD.LNG.WRD ROUTINE DECLARATION SECTION
021354                          LD.LNG.WRD:
021354  010146                          MOV     R1,-(SP)                ;                               2987
021356  016600  000004                  MOV     4(SP),R0                ; NIB.PAT,*                     3021
021362  016601  000006                  MOV     6(SP),R1                ; NIB.NUM,*                     3017
021366  006301                          ASL     R1
021370  066107  021374                  ADD     1$(R1),PC
021374  000024                  1$:     .WORD   2$-1$
021376  000040                          .WORD   3$-1$
021400  000064                          .WORD   4$-1$
021402  000102                          .WORD   5$-1$
021404  000134                          .WORD   7$-1$
021406  000150                          .WORD   8$-1$
021410  000174                          .WORD   9$-1$
021412  000212                          .WORD   10$-1$
021414  000244                          .WORD   12$-1$
021416  000262                          .WORD   13$-1$
021420  042700  177760          2$:     BIC     #177760,R0              ;                               3021
021424  142767  000017  171742          BICB    #17,NIB.SAVE
021432  000433                          BR      6$
021434  006300                  3$:     ASL     R0                      ;                               3024
021436  006300                          ASL     R0
021440  006300                          ASL     R0
021442  006300                          ASL     R0
021444  042700  177417                  BIC     #177417,R0
021450  142767  000360  171716          BICB    #360,NIB.SAVE
021456  000421                          BR      6$
021460  000300                  4$:     SWAB    R0                      ;                               3027
021462  042700  170377                  BIC     #170377,R0
021466  042767  007400  171700          BIC     #7400,NIB.SAVE
021474  000412                          BR      6$
021476  000300                  5$:     SWAB    R0                      ;                               3030
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;       ROUTINE DECLARATION SECTION                     29-Mar-1982 16:21:03    PA:<
                                        ;
021500  006300                                  ASL     R0
021502  006300                                  ASL     R0
021504  006300                                  ASL     R0
021506  006300                                  ASL     R0
021510  042700  007777                          BIC     #7777,R0
021514  042767  170000  171652                  BIC     #170000,NIB.SAVE
021522  050067  171646          6$:             BIS     R0,NIB.SAVE
021526  000467                                  BR      15$                             ;       3017
021530  042700  177760          7$:             BIC     #177760,R0                      ;       3033
021534  142767  000017  171634                  BICB    #17,NIB.SAVE+2
021542  000433                                  BR      11$
021544  006300                  8$:             ASL     R0                              ;       3036
021546  006300                                  ASL     R0
021550  006300                                  ASL     R0
021552  006300                                  ASL     R0
021554  042700  177417                          BIC     #177417,R0
021560  142767  000360  171610                  BICB    #360,NIB.SAVE+2
021566  000421                                  BR      11$
021570  000300                  9$:             SWAB    R0                              ;       3039
021572  042700  170377                          BIC     #170377,R0
021576  042767  007400  171572                  BIC     #7400,NIB.SAVE+2
021604  000412                                  BR      11$
021606  000300                  10$:            SWAB    R0                              ;       3042
021610  006300                                  ASL     R0
021612  006300                                  ASL     R0
021614  006300                                  ASL     R0
021616  006300                                  ASL     R0
021620  042700  007777                          BIC     #7777,R0
021624  042767  170000  171544                  BIC     #170000,NIB.SAVE+2
021632  050067  171540          11$:            BIS     R0,NIB.SAVE+2
021636  000423                                  BR      15$                             ;       3017
021640  000300                  12$:            SWAB    R0                              ;       3045
021642  042700  170377                          BIC     #170377,R0
021646  042767  007400  171524                  BIC     #7400,NIB.SAVE+4
021654  000412                                  BR      14$
021656  000300                  13$:            SWAB    R0                              ;       3048
021660  006300                                  ASL     R0
021662  006300                                  ASL     R0
021664  006300                                  ASL     R0
021666  006300                                  ASL     R0
021670  042700  107777                          BIC     #107777,R0
021674  042767  070000  171476                  BIC     #70000,NIB.SAVE+4
021702  050067  171472          14$:            BIS     R0,NIB.SAVE+4
021706  012601                  15$:            MOV     (SP)+,R1                        ;       2987
021710  000207                                  RTS     PC

                                        ; Routine Size:  111 words
                                        ; Maximum stack depth per invocation:  2 words
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    ROUTINE DECLARATION SECTION        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (18)

;          3052  routine WRT_CS1 (TST_PAT, index) : novalue =
;          3053      begin
;          3054
;          3055  !++
;          3056  ! FUNCTIONAL DESCRIPTION:
;          3057  !
;          3058  !       LOADS THE CONTROL & STATUS REGISTER 1 WITH A DATA PATTERN
;          3059  !       GENERATED BY THE MACRO WRT_MASK.
;          3060  !
;          3061  ! FORMAL PARAMETERS:
;          3062  !       TST_PAT
;          3063  !       CURRENT DATA PATTERN TO BE LOADED IN THE REGISTER.
;          3064  !
;          3065  !       INDEX
;          3066  !       USED BY THE MACRO WRT_MASK TO SELECT THE CURRENT REGISTERS ADDRESS,
;          3067  !       FORCED HI, FORCED LO AND DON'T CARE MASK INFORMATION.
;          3068  !
;          3069  !--
;          3070
;          3071      MLCS1 = WRT_MASK;                       !LOAD GENERATED WRT_MASK PATTERN INTO MLCS1
;          3072      end;
;
                                    .SBTTL  WRT.CS1 ROUTINE DECLARATION SECTION
021712  004167  162622        WRT.CS1:JSR     R1,$SAVE2                       ;                       3052
021716  016600  000010                MOV     10(SP),R0                       ; INDEX,*               3071
021722  006300                        ASL     R0
021724  006300                        ASL     R0
021726  006300                        ASL     R0
021730  010001                        MOV     R0,R1
021732  016100  015406                MOV     ML.REG+2(R1),R0
021736  056600  000012                BIS     12(SP),R0                       ; TST.PAT,*
021742  046100  015410                BIC     ML.REG+4(R1),R0
021746  016102  015412                MOV     ML.REG+6(R1),R2
021752  050002                        BIS     R0,R2
021754  010277  173424                MOV     R2,@ML.REG
021760  000207                        RTS     PC                              ;                       3052

                                    ; Routine Size:  20 words
                                    ; Maximum stack depth per invocation:  3 words
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (19)

          3073  routine RD_CS1 (TST_PAT, index, ERR_FLG) : novalue =
          3074      begin
          3075
          3076  !++
          3077  ! FUNCTIONAL DESCRIPTION:
          3078  !
          3079  !       COMPARES THE CONTENTS OF THE
          3080  !       CONTROL & STATUS REGISTER 1
          3081  !       WITH THE MASKED DATA PATTERN
          3082  !       GENERATED BY THE MACRO 'WRT_MASK'
          3083  !
          3084  !       IF THE COMPARE IS NOT EQUAL THEN
          3085  !       THE FORMAL PARAMETER 'ERR_FLG' IS
          3086  !       ASSIGNED A ONE TO INDICATE THE
          3087  !       ERROR.
          3088  !
          3089  ! FORMAL PARAMETERS:
          3090  !
          3091  !       TST_PAT
          3092  !       DATA PATTERN TO BE MASKED AND
          3093  !       COMPARED AGAINST THE CONTENTS
          3094  !       OF THE REGISTER UNDER TEST.
          3095  !
          3096  !       INDEX
          3097  !        USED BY THE MACRO WRT_MASK TO
          3098  !       SELECT THE CURRENT REGISTERS ADDRESS,
          3099  !       FORCED HI, FORCED LO AND DON'T CARE
          3100  !       MASK INFORMATION.
          3101  !
          3102  !       ERR_FLG
          3103  !       CONTAINS THE ADDRESS (PASSED BY REF)
          3104  !       OF THE CALLERS ERROR FLG TO ENABLE THE
          3105  !       CALLER TO EXAMINE THE ERROR STATUS
          3106  !       OF THE ROUTINE CALL.
          3107  !
          3108  ! IMPLICIT INPUTS:
          3109  !       WT_DATA
          3110  !         GETS LOADED WITH THE GENERATED
          3111  !         WRT_MASK DATA PATTERN THUS ALLOWING
          3112  !         CALLER TO PRINT FAILING GOOD DATA.
          3113  !
          3114  !       RD_DATA
          3115  !         GETS LOADED WITH DATA READ FROM THE
          3116  !         REGISTER THUS ALLOWING CALLER
          3117  !         TO PRINT FAILING BAD DATA.
          3118  !
          3119  ! IMPLICIT OUTPUTS:
          3120  !       GLOBAL LOCATION WR_DATA
          3121  !       AND RD_DATA LOADED WITH GOOD
          3122  !       AND BAD REGISTER DATA
          3123  !--
          3124
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (19)
;
;          3125      .ERR_FLG = ZERO;                   !CLEAR ERROR FLAG
;          3126      WT_DATA = WRT_MASK;                !SAVE THE DATA WRITTEN TO THE REGISTER
;          3127      RD_DATA = .ML[CS1 or .IGNORE;      !READ AND SAVE THE REGISTER
;          3128
;          3129      if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
;          3130
;          3131                                         !SET ERROR FLAG IF NEQ
;          3132      end;
                                        .SBTTL  RD.CS1 ROUTINE DECLARATION SECTION
021762  004167  162552          RD.CS1: JSR     R1,$SAVE2                       ;                       3073
021766  005076  000010                  CLR     @10(SP)                         ; ERR.FLG               3125
021772  016600  000012                  MOV     12(SP),R0                       ; INDEX,*               3126
021776  006300                          ASL     R0
022000  006300                          ASL     R0
022002  006300                          ASL     R0
022004  010001                          MOV     R0,R1
022006  016100  015406                  MOV     ML.REG+2(R1),R0
022012  056600  000014                  BIS     14(SP),R0                       ; TST.PAT,*
022016  046100  015410                  BIC     ML.REG+4(R1),R0
022022  016102  015412                  MOV     ML.REG+6(R1),R2
022026  050002                          BIS     R0,R2
022030  010267  173314                  MOV     R2,WT.DATA
022034  017702  173344                  MOV     @ML.REG,R2                      ;                       3127
022040  056102  015412                  BIS     ML.REG+6(R1),R2
022044  010267  173302                  MOV     R2,RD.DATA
022050  026767  173274  173274          CMP     WT.DATA,RD.DATA                 ;                       3129
022056  001403                          BEQ     1$
022060  012776  000001  000010          MOV     #1,@10(SP)                      ; *,ERR.FLG
022066  000207                  1$:     RTS     PC                              ;                       3073

                                ; Routine Size:  35 words
                                ; Maximum stack depth per invocation:  3 words
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    ROUTINE DECLARATION SECTION          29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (20)

;          3133  routine WRT_ER (TST_PAT, index) : novalue =
;          3134      begin
;          3135
;          3136  !++
;          3137  ! FUNCTIONAL DESCRIPTION:
;          3138  !
;          3139  !       LOADS THE ERROR REGISTER WITH A DATA PATTERN GENERATED BY THE MACRO WRT_MASK
;          3140  !
;          3141  ! FORMAL PARAMETERS:
;          3142  !
;          3143  !       TST_PAT
;          3144  !       CURRENT DATA PATTERN TO BE LOADED IN THE REGISTER.
;          3145  !
;          3146  !       INDEX
;          3147  !       USED BY THE MACRO WRT_MASK TO SELECT THE CURRENT REGISTERS ADDRESS,
;          3148  !       FORCED HI, FORCED LO AND DON'T CARE MASK INFORMATION.
;          3149  !--
;          3150
;          3151      MLER = WRT_MASK;                          !LOAD GENERATE WRT_MASK PATTERN INTO MLER
;          3152      end;

                                    .SBTTL  WRT.ER ROUTINE DECLARATION SECTION
022070  004167  162444        WRT.ER: JSR     R1,$SAVE2                       ;                       3133
022074  016600  000010                MOV     10(SP),R0                       ; INDEX,*               3151
022100  006300                        ASL     R0
022102  006300                        ASL     R0
022104  006300                        ASL     R0
022106  010001                        MOV     R0,R1
022110  016100  015406                MOV     ML.REG+2(R1),R0
022114  056600  000012                BIS     12(SP),R0                       ; TST.PAT,*
022120  046100  015410                BIC     ML.REG+4(R1),R0
022124  016102  015412                MOV     ML.REG+6(R1),R2
022130  050002                        BIS     R0,R2
022132  010277  173326                MOV     R2,@ML.REG+60
022136  000207                        RTS     PC                              ;                       3133

                                ; Routine Size:  20 words
                                ; Maximum stack depth per invocation:  3 words
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    ROUTINE DECLARATION SECTION          29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (21)

                3153  routine RD_ER (TST_PAT, index, ERR_FLG) : novalue =
                3154      begin
                3155
                3156  !++
                3157  ! FUNCTIONAL DESCRIPTION:
                3158  !
                3159  !       COMPARES THE CONTENTS OF THE
                3160  !       ERROR REGISTER WITH
                3161  !       THE MASKED DATA PATTERN
                3162  !       GENERATED BY THE MACRO 'WRT_MASK'.
                3163  !
                3164  !       IF THE COMPARE IS NOT EQUAL THEN
                3165  !       THE FORMAL PARAMETER 'ERR_FLG' IS
                3166  !       ASSIGNED A ONE TO INDICATE THE
                3167  !       ERROR.
                3168  !
                3169  ! FORMAL PARAMETERS:
                3170  !
                3171  !       TST_PAT
                3172  !       DATA PATTERN TO BE MASKED AND
                3173  !       COMPARED AGAINST THE CONTENTS
                3174  !       OF THE REGISTER UNDER TEST.
                3175  !
                3176  !       INDEX
                3177  !       USED BY THE MACRO WRT_MASK TO
                3178  !       SELECT THE CURRENT REGISTERS ADDRESS,
                3179  !       FORCED HI, FORCED LO AND DON'T CARE
                3180  !       MASK INFORMATION.
                3181  !
                3182  !       ERR_FLG
                3183  !       CONTAINS THE ADDRESS (PASSED BY REF)
                3184  !       OF THE CALLERS ERROR FLG TO ENABLE THE
                3185  !       CALLER TO EXAMINE THE ERROR STATUS
                3186  !       OF THE ROUTINE CALL.
                3187  !
                3188  ! IMPLICIT INPUTS:
                3189  !       WT_DATA
                3190  !         GETS LOADED WITH THE GENERATED
                3191  !         WRT_MASK DATA PATTERN THUS ALLOWING
                3192  !         CALLER TO PRINT FAILING GOOD DATA.
                3193  !
                3194  !       RD_DATA
                3195  !         GETS LOADED WITH DATA READ FROM THE
                3196  !         REGISTER THUS ALLOWING CALLER
                3197  !         TO PRINT FAILING BAD DATA.
                3198  !
                3199  ! IMPLICIT OUTPUTS:
                3200  !       GLOBAL LOCATION WR_DATA
                3201  !       AND RD_DATA LOADED WITH GOOD
                3202  !       AND BAD REGISTER DATA
                3203  !
                3204  !--
```

```
4801 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
4802 ;                  ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (21)
4803
4804 ;          3205
4805 ;          3206        .ERR_FLG = ZERO;                   !CLEAR THE ERROR FLAG
4806 ;          3207        WT_DATA = WRT_MASK;                !SAVE THE DATA WRITTEN TO THE REGISTER
4807 ;          3208        RD_DATA = .MLER or .IGNORE;        !READ AND SAVE THE REGISTER
4808 ;          3209
4809 ;          3210        if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
4810 ;          3211
4811 ;          3212                                           !SET ERROR FLAG IF NEQ
4812 ;          3213        end;
4816
4817                                        .SBTTL  RD.ER ROUTINE DECLARATION SECTION
4821 022140  004167  162374          RD.ER:  JSR     R1,$SAVE2                       ;                       3153
4822 022144  005076  000010                  CLR     @10(SP)                         ; ERR.FLG               3206
4823 022150  016600  000012                  MOV     12(SP),R0                       ; INDEX,*               3207
4824 022154  006300                         ASL     R0
4825 022156  006300                         ASL     R0
4826 022160  006300                         ASL     R0
4827 022162  010001                         MOV     R0,R1
4828 022164  016100  015406                  MOV     ML.REG+2(R1),R0
4829 022170  056600  000014                  BIS     14(SP),R0                       ; TST.PAT,*
4830 022174  046100  015410                  BIC     ML.REG+4(R1),R0
4831 022200  016102  015412                  MOV     ML.REG+6(R1),R2
4832 022204  050002                         BIS     R0,R2
4833 022206  010267  173136                  MOV     R2,WT.DATA
4834 022212  017702  173246                  MOV     @ML.REG+60,R2                   ;                       3208
4835 022216  056102  015412                  BIS     ML.REG+6(R1),R2
4836 022222  010267  173124                  MOV     R2,RD.DATA
4837 022226  026767  173116  173116          CMP     WT.DATA,RD.DATA                 ;                       3210
4838 022234  001403                         BEQ     1$
4839 022236  012776  000001  000010          MOV     #1,@10(SP)                      ; *,ERR.FLG
4840 022244  000207                  1$:     RTS     PC                              ;                       3153
4841
4842                                        ; Routine Size:  35 words
4843                                        ; Maximum stack depth per invocation:  3 words
4848
4849
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (22)

;          3214  routine WRT_DA (TST_PAT, index) : novalue =
;          3215      begin
;          3216
;          3217  !++
;          3218  ! FUNCTIONAL DESCRIPTION:
;          3219  !
;          3220  !       LOADS THE DESIRED SECTOR WITH A DATA PATTERN GENERATED BY THE MACRO WRT_MASK
;          3221  !
;          3222  ! FORMAL PARAMETERS:
;          3223  !
;          3224  !       TST_PAT
;          3225  !       CURRENT DATA PATTERN TO BE LOADED IN THE REGISTER.
;          3226  !
;          3227  !       INDEX
;          3228  !       USED BY THE MACRO WRT_MASK TO SELECT THE CURRENT REGISTERS ADDRESS,
;          3229  !       FORCED HI, FORCED LO AND DON'T CARE MASK INFORMATION.
;          3230  !--
;          3231
;          3232      MLDA = WRT_MASK;                          !LOAD MLDA WITH GENERATED WRT_MASK PATTERN
;          3233      end;

                                        .SBTTL  WRT.DA ROUTINE DECLARATION SECTION
022246  004167  162266          WRT.DA: JSR     R1,$SAVE2                       ;                       3214
022252  016600  000010                  MOV     10(SP),R0                       ; INDEX,*               3232
022256  006300                          ASL     R0
022260  006300                          ASL     R0
022262  006300                          ASL     R0
022264  010001                          MOV     R0,R1
022266  016100  015406                  MOV     ML.REG+2(R1),R0
022272  056600  000012                  BIS     12(SP),R0                       ; TST.PAT,*
022276  046100  015410                  BIC     ML.REG+4(R1),R0
022302  016102  015412                  MOV     ML.REG+6(R1),R2
022306  050002                          BIS     R0,R2
022310  010277  173120                  MOV     R2,@ML.REG+30
022314  000207                          RTS     PC                              ;                       3214

                                ; Routine Size:  20 words
                                ; Maximum stack depth per invocation:  3 words
```

```
4905 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
4906 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (23)
4907
4908 ;          3234  routine RD_DA (TST_PAT, index, ERR_FLG) : novalue =
4909 ;          3235      begin
4910 ;          3236
4911 ;          3237  !++
4912 ;          3238  ! FUNCTIONAL DESCRIPTION:
4913 ;          3239  !
4914 ;          3240  !       COMPARES THE CONTENTS OF THE
4915 ;          3241  !       DESIRED SECTOR ADDRESS REGISTER
4916 ;          3242  !       WITH THE MASKED DATA PATTERN
4917 ;          3243  !       GENERATED BY THE MACRO 'WRT_MASK'
4918 ;          3244  !
4919 ;          3245  !       IF THE COMPARE IS NOT EQUAL THEN
4920 ;          3246  !       THE FORMAL PARAMETER 'ERR_FLG' IS
4921 ;          3247  !       ASSIGNED A ONE TO INDICATE THE
4922 ;          3248  !       ERROR
4923 ;          3249  !
4924 ;          3250  ! FORMAL PARAMETERS:
4925 ;          3251  !
4926 ;          3252  !       TST_PAT
4927 ;          3253  !       DATA PATTERN TO BE MASKED AND
4928 ;          3254  !       COMPARED AGAINST THE CONTENTS
4929 ;          3255  !       OF THE REGISTER UNDER TEST
4930 ;          3256  !
4931 ;          3257  !       INDEX
4932 ;          3258  !       USED BY THE MACRO WRT_MASK TO
4933 ;          3259  !       SELECT THE CURRENT REGISTERS ADDRESS,
4934 ;          3260  !       FORCED HI, FORCED LO AND DON'T CARE
4935 ;          3261  !       MASK INFORMATION
4936 ;          3262  !
4937 ;          3263  !       ERR_FLG
4938 ;          3264  !       CONTAINS THE ADDRESS (PASSED BY REF)
4939 ;          3265  !       OF THE CALLERS ERROR FLG TO ENABLE THE
4940 ;          3266  !       CALLER TO EXAMINE THE ERROR STATUS
4941 ;          3267  !       OF THE ROUTINE CALL.
4942 ;          3268  ! IMPLICIT INPUTS:
4943 ;          3269  !       WT_DATA
4944 ;          3270  !         GETS LOADED WITH THE GENERATED
4945 ;          3271  !         WRT_MASK DATA PATTERN THUS ALLOWING
4946 ;          3272  !         CALLER TO PRINT FAILING GOOD DATA.
4947 ;          3273  !
4948 ;          3274  !       RD_DATA
4949 ;          3275  !         GETS LOADED WITH DATA READ FROM THE
4950 ;          3276  !         REGISTER THUS ALLOWING CALLER
4951 ;          3277  !         TO PRINT FAILING BAD DATA.
4952 ;          3278  !
4953 ;          3279  ! IMPLICIT OUTPUTS:
4954 ;          3280  !       GLOBAL LOCATION WR_DATA
4955 ;          3281  !       AND RD_DATA LOADED WITH GOOD
4956 ;          3282  !       AND BAD REGISTER DATA
4957 ;          3283  !
4958 ;          3284  !--
4959 ;          3285
```

```
;ML4AD                                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION                    29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (23)
;
;          3286      .ERR_FLG = ZERO;                          !CLEAR THE ERROR FLAG
;          3287      WT_DATA = WRT_MASK;                       !SAVE THE DATA WRITTEN TO THE REGISTER
;          3288      RD_DATA = .MLDA_r .IGNORE;                !READ AND SAVE THE REGISTER
;          3289
;          3290      if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
;          3291
;          3292                                                !SET ERROR FLAG IF NEQ
;          3293      end;
;
                                        .SBTTL  RD.DA ROUTINE DECLARATION SECTION
022316  004167  162216          RD.DA:  JSR     R1,$SAVE2                       ;                               3234
022322  005076  000010                  CLR     @10(SP)                         ; ERR.FLG                       3286
022326  016600  000012                  MOV     12(SP),R0                       ; INDEX,*                       3287
022332  006300                          ASL     R0
022334  006300                          ASL     R0
022336  006300                          ASL     R0
022340  010001                          MOV     R0,R1
022342  016100  015406                  MOV     ML.REG+2(R1),R0
022346  056600  000014                  BIS     14(SP),R0                       ; TST.PAT,*
022352  046100  015410                  BIC     ML.REG+4(R1),R0
022356  016102  015412                  MOV     ML.REG+6(R1),R2
022362  050002                          BIS     R0,R2
022364  010267  172760                  MOV     R2,WT.DATA
022370  017702  173040                  MOV     @ML.REG+30,R2                   ;                               3288
022374  056102  015412                  BIS     ML.REG+6(R1),R2
022400  010267  172746                  MOV     R2,RD.DATA
022404  026767  172740  172740          CMP     WT.DATA,RD.DATA                 ;                               3290
022412  001403                          BEQ     1$
022414  012776  000001  000010          MOV     #1,@10(SP)                      ; *,ERR.FLG
022422  000207                  1$:     RTS     PC                              ;                               3234

                                ; Routine Size:  35 words
                                ; Maximum stack depth per invocation:  3 words
```

```
5010 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5011 ;                  ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (24)
5012
5013 ;          3294    routine WRT_MR (TST_PAT, index) : novalue =
5014 ;          3295        begin
5015 ;          3296
5016 ;          3297    !++
5017 ;          3298    ! FUNCTIONAL DESCRIPTION:
5018 ;          3299    !
5019 ;          3300    !       LOADS THE MAINTENANCE REGISTER WITH A DATA PATTERN GENERATED BY THE MACRO WRT_MASK
5020 ;          3301    !
5021 ;          3302    ! FORMAL PARAMETERS:
5022 ;          3303    !
5023 ;          3304    !       TST_PAT
5024 ;          3305    !       CURRENT DATA PATTERN TO BE LOADED IN THE REGISTER.
5025 ;          3306    !
5026 ;          3307    !       INDEX
5027 ;          3308    !       USED BY THE MACRO WRT_MASK TO SELECT THE CURRENT REGISTERS ADDRESS,
5028 ;          3309    !       FORCED HI, FORCED LO AND DON'T CARE MASK INFORMATION.
5029 ;          3310    !--
5030 ;          3311
5031 ;          3312        MLMR = WRT_MASK;                        !LOAD MLMR WITH GENERATED WRT_MASK PATTERN
5032 ;          3313        end;
5036
5037                                        .SBTTL  WRT.MR ROUTINE DECLARATION SECTION
5041 022424  004167  162110          WRT.MR: JSR     R1,$SAVE2                       ;                       3294
5042 022430  016600  000010                  MOV     10(SP),R0                       ; INDEX,*               3312
5043 022434  006300                          ASL     R0
5044 022436  006300                          ASL     R0
5045 022440  006300                          ASL     R0
5046 022442  010001                          MOV     R0,R1
5047 022444  016100  015406                  MOV     ML.REG+2(R1),R0
5048 022450  056600  000012                  BIS     12(SP),R0                       ; TST.PAT,*
5049 022454  046100  015410                  BIC     ML.REG+4(R1),R0
5050 022460  016102  015412                  MOV     ML.REG+6(R1),R2
5051 022464  050002                          BIS     R0,R2
5052 022466  010277  173032                  MOV     R2,@ML.REG+120
5053 022472  000207                          RTS     PC                              ;                       3294
5054
5055                                    ; Routine Size:  20 words
5056                                    ; Maximum stack depth per invocation:  3 words
5061
5062
```

```
5064 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5065 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (25)
5066
5067 ;          3314  routine RD_MR (TST_PAT, index, ERR_FLG) : novalue =
5068 ;          3315      begin
5069 ;          3316
5070 ;          3317  !++
5071 ;          3318  ! FUNCTIONAL DESCRIPTION:
5072 ;          3319  !
5073 ;          3320  !       COMPARES THE CONTENTS OF THE
5074 ;          3321  !       MAINTENANCE REGISTER WITH THE
5075 ;          3322  !       MASKED DATA PATTERN
5076 ;          3323  !       GENERATED BY THE MACRO 'WRT_MASK'.
5077 ;          3324  !
5078 ;          3325  !       IF THE COMPARE IS NOT EQUAL THEN
5079 ;          3326  !       THE FORMAL PARAMETER 'ERR_FLG' IS
5080 ;          3327  !       ASSIGNED A ONE TO INDICATE THE
5081 ;          3328  !       ERROR.
5082 ;          3329  !
5083 ;          3330  ! FORMAL PARAMETERS:
5084 ;          3331  !
5085 ;          3332  !       TST_PAT
5086 ;          3333  !       DATA PATTERN TO BE MASKED AND
5087 ;          3334  !       COMPARED AGAINST THE CONTENTS
5088 ;          3335  !       OF THE REGISTER UNDER TEST.
5089 ;          3336  !
5090 ;          3337  !       INDEX
5091 ;          3338  !       USED BY THE MACRO WRT_MASK TO
5092 ;          3339  !       SELECT THE CURRENT REGISTERS ADDRESS,
5093 ;          3340  !       FORCED HI, FORCED LO AND DON'T CARE
5094 ;          3341  !       MASK INFORMATION.
5095 ;          3342  !
5096 ;          3343  !       ERR_FLG
5097 ;          3344  !       CONTAINS THE ADDRESS (PASSED BY REF)
5098 ;          3345  !       OF THE CALLERS ERROR FLG TO ENABLE THE
5099 ;          3346  !       CALLER TO EXAMINE THE ERROR STATUS
5100 ;          3347  !       OF THE ROUTINE CALL.
5101 ;          3348  !
5102 ;          3349  ! IMPLICIT INPUTS:
5103 ;          3350  !       WT_DATA
5104 ;          3351  !         GETS LOADED WITH THE GENERATED
5105 ;          3352  !         WRT_MASK DATA PATTERN THUS ALLOWING
5106 ;          3353  !         CALLER TO PRINT FAILING GOOD DATA.
5107 ;          3354  !
5108 ;          3355  !       RD_DATA
5109 ;          3356  !         GETS LOADED WITH DATA READ FROM THE
5110 ;          3357  !         REGISTER THUS ALLOWING CALLER
5111 ;          3358  !         TO PRINT FAILING BAD DATA.
5112 ;          3359  !
5113 ;          3360  ! IMPLICIT OUTPUTS:
5114 ;          3361  !       GLOBAL LOCATION WR_DATA
5115 ;          3362  !       AND RD_DATA LOADED WITH GOOD
5116 ;          3363  !       AND BAD REGISTER DATA
5117 ;          3364  !
5118 ;          3365  !--
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                  ROUTINE DECLARATION SECTION          29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (25)
;
;          3366
;          3367      .ERR_FLG = ZERO;                  !CLEAR THE ERROR FLAG
;          3368      WT_DATA = WRT_MASK;               !SAVE THE DATA WRITTEN TO THE REGISTER
;          3369      RD_DATA = .ML_MR or .IGNORE;      !READ AND SAVE THE REGISTER
;          3370
;          3371      if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
;          3372
;          3373                                        !SET ERROR FLAG IF NEQ
;          3374      end;
;
                                    .SBTTL  RD.MR ROUTINE DECLARATION SECTION
022474  004167  162040         RD.MR: JSR     R1,$SAVE2                    ;                          3314
022500  005076  000010                CLR     @10(SP)                      ; ERR.FLG                  3367
022504  016600  000012                MOV     12(SP),R0                    ; INDEX,*                  3368
022510  006300                         ASL     R0
022512  006300                         ASL     R0
022514  006300                         ASL     R0
022516  010001                         MOV     R0,R1
022520  016100  015406                MOV     ML.REG+2(R1),R0
022524  056600  000014                BIS     14(SP),R0                    ; TST.PAT,*
022530  046100  015410                BIC     ML.REG+4(R1),R0
022534  016102  015412                MOV     ML.REG+6(R1),R2
022540  050002                         BIS     R0,R2
022542  010267  172602                MOV     R2,WT.DATA
022546  017702  172752                MOV     @ML.REG+120,R2               ;                          3369
022552  056102  015412                BIS     ML.REG+6(R1),R2
022556  010267  172570                MOV     R2,RD.DATA
022562  026767  172562  172562       CMP     WT.DATA,RD.DATA              ;                          3371
022570  001403                         BEQ     1$
022572  012776  000001  000010       MOV     #1,@10(SP)                   ; *,ERR.FLG
022600  000207                   1$:   RTS     PC                           ;                          3314

                                    ; Routine Size:  35 words
                                    ; Maximum stack depth per invocation:  3 words
```

```
5170 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5171 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (26)
5172
5173 ;          3375  routine WRT_PA (TST_PAT, index) : novalue =
5174 ;          3376      begin
5175 ;          3377
5176 ;          3378  !++
5177 ;          3379  ! FUNCTIONAL DESCRIPTION:
5178 ;          3380  !       LOADS THE PROM ADDRESS REGISTER WITH A DATA PATTERN GENERATED BY THE MACRO WRT_MASK
5179 ;          3381  ! FORMAL PARAMETERS:
5180 ;          3382  !       TST_PAT
5181 ;          3383  !       CURRENT DATA PATTERN TO BE LOADED IN THE REGISTER.
5182 ;          3384  !       INDEX
5183 ;          3385  !       USED BY THE MACRO WRT_MASK TO SELECT THE CURRENT REGISTERS ADDRESS,
5184 ;          3386  !       FORCED HI, FORCED LO AND DON'T CARE MASK INFORMATION.
5185 ;          3387  !--
5186 ;          3388
5187 ;          3389      PROM_DIS = ONE;                          !SET PROM DISABLE BIT
5188 ;          3390      MLPA = WRT_MASK;                         !LOAD MLPA WITH GENERATED WRT_MASK PATTERN
5189 ;          3391      PROM_DIS = ZERO;                         !CLEAR PROM DISABLE BIT
5190 ;          3392      end;
5194
5195                                        .SBTTL  WRT.PA ROUTINE DECLARATION SECTION
5199 022602  004167  161732          WRT.PA: JSR     R1,$SAVE2                       ;                              3375
5200 022606  152777  000040  172710          BISB    #40,@ML.REG+120                 ;                              3389
5201 022614  016600  000010                  MOV     10(SP),R0                       ; INDEX,*                      3390
5202 022620  006300                          ASL     R0
5203 022622  006300                          ASL     R0
5204 022624  006300                          ASL     R0
5205 022626  010001                          MOV     R0,R1
5206 022630  016100  015406                  MOV     ML.REG+2(R1),R0
5207 022634  056600  000012                  BIS     12(SP),R0                       ; TST.PAT,*
5208 022640  046100  015410                  BIC     ML.REG+4(R1),R0
5209 022644  016102  015412                  MOV     ML.REG+6(R1),R2
5210 022650  050002                          BIS     R0,R2
5211 022652  010277  172626                  MOV     R2,@ML.REG+100
5212 022656  142777  000040  172640          BICB    #40,@ML.REG+120                 ;                              3391
5213 022664  000207                          RTS     PC                              ;                              3375
5214
5215                                ; Routine Size:  26 words
5216                                ; Maximum stack depth per invocation:  3 words
5221
5222
```

```
5224 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5225 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (27)
5226
5227 ;          3393  routine RD_PA (TST_PAT, index, ERR_FLG) : novalue =
5228 ;          3394      begin
5229 ;          3395
5230 ;          3396  !++
5231 ;          3397  ! FUNCTIONAL DESCRIPTION:
5232 ;          3398  !
5233 ;          3399  !       COMPARES THE CONTENTS OF THE
5234 ;          3400  !       PROM ADDRESS REGISTER
5235 ;          3401  !       WITH THE MASKED DATA PATTERN
5236 ;          3402  !       GENERATED BY THE MACRO 'WRT_MASK'.
5237 ;          3403  !
5238 ;          3404  !       IF THE COMPARE IS NOT EQUAL THEN
5239 ;          3405  !       THE FORMAL PARAMETER 'ERR_FLG' IS
5240 ;          3406  !       ASSIGNED A ONE TO INDICATE THE
5241 ;          3407  !       ERROR.
5242 ;          3408  !
5243 ;          3409  ! FORMAL PARAMETERS:
5244 ;          3410  !       TST_PAT
5245 ;          3411  !       DATA PATTERN TO BE MASKED AND
5246 ;          3412  !       COMPARED AGAINST THE CONTENTS
5247 ;          3413  !       OF THE REGISTER UNDER TEST.
5248 ;          3414  !
5249 ;          3415  !       INDEX
5250 ;          3416  !       USED BY THE MACRO WRT_MASK TO
5251 ;          3417  !       SELECT THE CURRENT REGISTERS ADDRESS,
5252 ;          3418  !       FORCED HI, FORCED LO AND DON'T CARE
5253 ;          3419  !       MASK INFORMATION.
5254 ;          3420  !
5255 ;          3421  !       ERR_FLG
5256 ;          3422  !       CONTAINS THE ADDRESS (PASSED BY REF)
5257 ;          3423  !       OF THE CALLERS ERROR FLG TO ENABLE THE
5258 ;          3424  !       CALLER TO EXAMINE THE ERROR STATUS
5259 ;          3425  !       OF THE ROUTINE CALL.
5260 ;          3426  !
5261 ;          3427  ! IMPLICIT INPUTS:
5262 ;          3428  !       WT_DATA
5263 ;          3429  !         GETS LOADED WITH THE GENERATED
5264 ;          3430  !         WRT_MASK DATA PATTERN THUS ALLOWING
5265 ;          3431  !         CALLER TO PRINT FAILING GOOD DATA.
5266 ;          3432  !
5267 ;          3433  !       RD_DATA
5268 ;          3434  !         GETS LOADED WITH DATA READ FROM THE
5269 ;          3435  !         REGISTER THUS ALLOWING CALLER
5270 ;          3436  !         TO PRINT FAILING BAD DATA.
5271 ;          3437  !
5272 ;          3438  ! IMPLICIT OUTPUTS:
5273 ;          3439  !       GLOBAL LOCATION WR_DATA
5274 ;          3440  !       AND RD_DATA LOADED WITH GOOD
5275 ;          3441  !       AND BAD REGISTER DATA
5276 ;          3442  !
5277 ;          3443  !--
5278 ;          3444
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (27)
;
;          3445      .ERR_FLG = ZERO;                   !CLEAR THE ERROR FLAG
;          3446      PROM_DIS = ONE;                    !SET THE PROM DISABLE BIT
;          3447      WT_DATA = WRT_MASK;                !SAVE THE DATA WRITTEN TO THE REGISTER
;          3448      RD_DATA = .MLPA or .IGNORE;        !READ AND SAVE THE REGISTER
;          3449
;          3450      if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
;          3451
;          3452      PROM_DIS = ZERO;                   !SET ERROR IF NEQ
;          3453      end;                               !CLEAR THE PROM DISABLE BIT

                                    .SBTTL  RD.PA ROUTINE DECLARATION SECTION
022666  004167  161646        RD.PA:  JSR     R1,$SAVE2                       ;                                3393
022672  005076  000010                CLR     @10(SP)                         ; ERR.FLG                        3445
022676  152777  000040  172620        BISB    #40,@ML.REG+120                 ;                                3446
022704  016600  000012                MOV     12(SP),R0                       ; INDEX,*                        3447
022710  006300                        ASL     R0
022712  006300                        ASL     R0
022714  006300                        ASL     R0
022716  010001                        MOV     R0,R1
022720  016100  015406                MOV     ML.REG+2(R1),R0
022724  056600  000014                BIS     14(SP),R0                       ; TST.PAT,*
022730  046100  015410                BIC     ML.REG+4(R1),R0
022734  016102  015412                MOV     ML.REG+6(R1),R2
022740  050002                        BIS     R0,R2
022742  010267  172402                MOV     R2,WT.DATA
022746  017702  172532                MOV     @ML.REG+100,R2                  ;                                3448
022752  056102  015412                BIS     ML.REG+6(R1),R2
022756  010267  172370                MOV     R2,RD.DATA
022762  026767  172362  172362        CMP     WT.DATA,RD.DATA                 ;                                3450
022770  001403                        BEQ     1$
022772  012776  000001  000010        MOV     #1,@10(SP)                      ; *,ERR.FLG
023000  142777  000040  172516  1$:   BICB    #40,@ML.REG+120                 ;                                3452
023006  000207                        RTS     PC                              ;                                3393

                                    ; Routine Size:  41 words
                                    ; Maximum stack depth per invocation:  3 words
```

```
5332 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5333 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (28)
5334 ;
5335 ;          3454  routine WRT_E1 (TST_PAT, index) : novalue =
5336 ;          3455      begin
5337 ;          3456
5338 ;          3457  !++
5339 ;          3458  ! FUNCTIONAL DESCRIPTION:
5340 ;          3459  !       LOADS THE ECC CRC WORD REG 1 WITH A DATA PATTERN GENERATED BY THE MACRO WRT_MASK
5341 ;          3460  ! FORMAL PARAMETERS:
5342 ;          3461  !       TST_PAT
5343 ;          3462  !       CURRENT DATA PATTERN TO BE LOADED IN THE REGISTER.
5344 ;          3463  !       INDEX
5345 ;          3464  !       USED BY THE MACRO WRT_MASK TO SELECT THE CURRENT REGISTERS ADDRESS,
5346 ;          3465  !       FORCED HI, FORCED LO AND DON'T CARE MASK INFORMATION.
5347 ;          3466  !--
5348 ;          3467
5349 ;          3468      ECC_DM = ONE;                        !SET ECC DIAG MODE
5350 ;          3469      MLE1 = WRT_MASK;                     !LOAD MLE1 WITH GENERATED WRT_MASK PATTERN
5351 ;          3470      ECC_DM = ZERO;                       !CLEAR ECC DIAG MODE
5352 ;          3471      end;
5356
5357                                        .SBTTL  WRT.E1 ROUTINE DECLARATION SECTION
5361 023010  004167  161524          WRT.E1: JSR     R1,$SAVE2                       ;                       3454
5362 023014  152777  000001  172502          BISB    #1,@ML.REG+120                  ;                       3468
5363 023022  016600  000010                  MOV     10(SP),R0                       ; INDEX,*               3469
5364 023026  006300                          ASL     R0
5365 023030  006300                          ASL     R0
5366 023032  006300                          ASL     R0
5367 023034  010001                          MOV     R0,R1
5368 023036  016100  015406                  MOV     ML.REG+2(R1),R0
5369 023042  056600  000012                  BIS     12(SP),R0                       ; TST.PAT,*
5370 023046  046100  015410                  BIC     ML.REG+4(R1),R0
5371 023052  016102  015412                  MOV     ML.REG+6(R1),R2
5372 023056  050002                          BIS     R0,R2
5373 023060  010277  172470                  MOV     R2,@ML.REG+150
5374 023064  142777  000001  172432          BICB    #1,@ML.REG+120                  ;                       3470
5375 023072  000207                          RTS     PC                              ;                       3454
5376
5377                                ; Routine Size:  26 words
5378                                ; Maximum stack depth per invocation:  3 words
5383
5384
```

```
5386 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5387 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (29)
5388
5389 ;          3472  routine RD_E1 (TST_PAT, index, ERR_FLG) : novalue =
5390 ;          3473      begin
5391 ;          3474
5392 ;          3475  !++
5393 ;          3476  ! FUNCTIONAL DESCRIPTION:
5394 ;          3477  !
5395 ;          3478  !       COMPARES THE CONTENTS OF THE
5396 ;          3479  !       ECC CRC WORD REGISTER 1
5397 ;          3480  !       WITH THE MASKED DATA PATTERN
5398 ;          3481  !       GENERATED BY THE MACRO 'WRT_MASK'
5399 ;          3482  !
5400 ;          3483  !       IF THE COMPARE IS NOT EQUAL THEN
5401 ;          3484  !        THE FORMAL PARAMETER 'ERR_FLG' IS
5402 ;          3485  !       ASSIGNED A ONE TO INDICATE THE ERROR.
5403 ;          3486  !
5404 ;          3487  ! FORMAL PARAMETERS:
5405 ;          3488  !       TST_PAT
5406 ;          3489  !       DATA PATTERN TO BE MASKED AND
5407 ;          3490  !       COMPARED AGAINST THE CONTENTS
5408 ;          3491  !       OF THE REGISTER UNDER TEST.
5409 ;          3492  !
5410 ;          3493  !       INDEX
5411 ;          3494  !       USED BY THE MACRO WRT_MASK TO
5412 ;          3495  !       SELECT THE CURRENT REGISTERS ADDRESS,
5413 ;          3496  !       FORCED HI, FORCED LO AND DON'T CARE
5414 ;          3497  !       MASK INFORMATION.
5415 ;          3498  !
5416 ;          3499  !       ERR_FLG
5417 ;          3500  !       CONTAINS THE ADDRESS (PASSED BY REF)
5418 ;          3501  !       OF THE CALLERS ERROR FLG TO ENABLE THE
5419 ;          3502  !       CALLER TO EXAMINE THE ERROR STATUS
5420 ;          3503  !       OF THE ROUTINE CALL.
5421 ;          3504  !
5422 ;          3505  ! IMPLICIT INPUTS:
5423 ;          3506  !       WT_DATA
5424 ;          3507  !         GETS LOADED WITH THE GENERATED
5425 ;          3508  !         WRT_MASK DATA PATTERN THUS ALLOWING
5426 ;          3509  !         CALLER TO PRINT FAILING GOOD DATA.
5427 ;          3510  !
5428 ;          3511  !       RD_DATA
5429 ;          3512  !         GETS LOADED WITH DATA READ FROM THE
5430 ;          3513  !         REGISTER THUS ALLOWING CALLER
5431 ;          3514  !         TO PRINT FAILING BAD DATA.
5432 ;          3515  !
5433 ;          3516  ! IMPLICIT OUTPUTS:
5434 ;          3517  !       GLOBAL LOCATION WR_DATA
5435 ;          3518  !       AND RD_DATA LOADED WITH GOOD
5436 ;          3519  !       AND BAD REGISTER DATA
5437 ;          3520  !
5438 ;          3521  !--
5439 ;          3522
5440 ;          3523      .ERR_FLG = ZERO;                     !CLEAR THE ERROR FLAG
```

```
                                                                29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                                29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (29)
;ML4AD
;                ROUTINE DECLARATION SECTION

;          3524      ECC_DM = ONE;                              !SET ECC DIAG MODE
;          3525      WT_DATA = WRT_MASK;                        !SAVE THE DATA WRITTEN TO THE REGISTER
;          3526      RD_DATA = .MLE1 or .IGNORE;                !READ AND SAVE THE REGISTER
;          3527
;          3528      if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
           3529
;          3530      ECC_DM = ZERO;                             !SET ERROR FLAG IF NEQ
;          3531                                                 !CLEAR ECC DIAG MODE
;          3532      end;

                                        .SBTTL  RD.E1 ROUTINE DECLARATION SECTION
023074  004167  161440          RD.E1:  JSR     R1,$SAVE2                       ;                                3472
023100  005076  000010                  CLR     @10(SP)                         ; ERR.FLG                        3523
023104  152777  000001  172412          BISB    #1,@ML.REG+120                  ;                                3524
023112  016600  000012                  MOV     12(SP),R0                       ; INDEX,*                        3525
023116  006300                          ASL     R0
023120  006300                          ASL     R0
023122  006300                          ASL     R0
023124  010001                          MOV     R0,R1
023126  016100  015406                  MOV     ML.REG+2(R1),R0
023132  056600  000014                  BIS     14(SP),R0                       ; TST.PAT,*
023136  046100  015410                  BIC     ML.REG+4(R1),R0
023142  016102  015412                  MOV     ML.REG+6(R1),R2
023146  050002                          BIS     R0,R2
023150  010267  172174                  MOV     R2,WT.DATA
023154  017702  172374                  MOV     @ML.REG+150,R2                  ;                                3526
023160  056102  015412                  BIS     ML.REG+6(R1),R2
023164  010267  172162                  MOV     R2,RD.DATA
023170  026767  172154  172154          CMP     WT.DATA,RD.DATA                 ;                                3528
023176  001403                          BEQ     1$
023200  012776  000001  000010          MOV     #1,@10(SP)                      ; *,ERR.FLG
023206  142777  000001  172310  1$:     BICB    #1,@ML.REG+120                  ;                                3530
023214  000207                          RTS     PC                              ;                                3472

                                ; Routine Size:  41 words
                                ; Maximum stack depth per invocation:  3 words
```

```
5494 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5495 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (30)
5496 ;
5497 ;          3533  routine WRT_E2 (TST_PAT, index) : novalue =
5498 ;          3534      begin
5499 ;          3535
5500 ;          3536  !++
5501 ;          3537  ! FUNCTIONAL DESCRIPTION:
5502 ;          3538  !
5503 ;          3539  !       LOADS THE ECC CRC WORD
5504 ;          3540  !       REGISTER 2 WITH A DATA PATTERN
5505 ;          3541  !       GENERATED BY THE MACRO
5506 ;          3542  !       WRT_MASK
5507 ;          3543  !
5508 ;          3544  ! FORMAL PARAMETERS:
5509 ;          3545  !
5510 ;          3546  !       TST_PAT
5511 ;          3547  !       CURRENT DATA PATTERN TO BE LOADED IN THE REGISTER.
5512 ;          3548  !
5513 ;          3549  !       INDEX
5514 ;          3550  !       USED BY THE MACRO WRT_MASK
5515 ;          3551  !       TO SELECT THE CURRENT REGISTERS
5516 ;          3552  !       ADDRESS, FORCED HI, FORCED
5517 ;          3553  !       LO AND DON'T CARE MASK
5518 ;          3554  !       INFORMATION.
5519 ;          3555  !
5520 ;          3556  !--
5521 ;          3557
5522 ;          3558      ECC_DM = ONE;                        !SET ECC DIAG MODE
5523 ;          3559      MLE2_MASK = %o'177700';              !MASK OUT DATA DIAG BITS
5524 ;          3560      MLE2 = WRT_MASK;                     !LOAD MLE2 WITH GENERATED WRT_MASK PATTERN
5525 ;          3561      MLE2_MASK = %o'000000';              !RESTORE MLE2_MASK
5526 ;          3562      ECC_DM = ZERO;                       !CLEAR ECC DIAG MODE
5527 ;          3563      end;
5531
5532                                        .SBTTL  WRT.E2 ROUTINE DECLARATION SECTION
5536 023216  004167  161316          WRT.E2: JSR     R1,$SAVE2                       ;                              3533
5537 023222  152777  000001  172274          BISB    #1,@#ML.REG+120                 ;                              3558
5538 023230  012767  177700  172334          MOV     #-100,ML.REG+166                ;                              3559
5539 023236  016600  000010                  MOV     10(SP),R0                       ; INDEX,*                      3560
5540 023242  006300                          ASL     R0
5541 023244  006300                          ASL     R0
5542 023246  006300                          ASL     R0
5543 023250  010001                          MOV     R0,R1
5544 023252  016100  015406                  MOV     ML.REG+2(R1),R0
5545 023256  056600  000012                  BIS     12(SP),R0                       ; TST.PAT,*
5546 023262  046100  015410                  BIC     ML.REG+4(R1),R0
5547 023266  016102  015412                  MOV     ML.REG+6(R1),R2
5548 023272  050002                          BIS     R0,R2
```

```
                                        ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION     29-Mar-1982 16:21:03    PA:<
                                        ;
023274  010277  172264                          MOV     R2,@ML.REG+160
023300  005067  172266                          CLR     ML.REG+166                      ;                       3561
023304  142777  000001  172212                  BICB    #1,@ML.REG+120                  ;                       3562
023312  000207                                  RTS     PC                              ;                       3533

                                        ; Routine Size:  31 words
                                        ; Maximum stack depth per invocation:  3 words
```

```
5567 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5568 ;                  ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (31)
5569
5570 ;          3564   routine RD_E2 (TST_PAT, index, ERR_FLG) : novalue =
5571 ;          3565       begin
5572 ;          3566
5573 ;          3567   !++
5574 ;          3568   ! FUNCTIONAL DESCRIPTION:
5575 ;          3569   !
5576 ;          3570   !       COMPARES THE CONTENTS OF THE
5577 ;          3571   !       ECC CRC WORD REGISTER 2
5578 ;          3572   !       WITH THE MASKED DATA PATTERN
5579 ;          3573   !       GENERATED BY THE MACRO 'WRT_MASK'
5580 ;          3574   !
5581 ;          3575   !       IF THE COMPARE IS NOT EQUAL THEN
5582 ;          3576   !       THE FORMAL PARAMETER 'ERR_FLG' IS
5583 ;          3577   !       ASSIGNED A ONE TO INDICATE THE
5584 ;          3578   !       ERROR.
5585 ;          3579   !
5586 ;          3580   ! FORMAL PARAMETERS:
5587 ;          3581   !
5588 ;          3582   !       TST_PAT
5589 ;          3583   !       DATA PATTERN TO BE MASKED AND
5590 ;          3584   !       COMPARED AGAINST THE CONTENTS
5591 ;          3585   !       OF THE REGISTER UNDER TEST.
5592 ;          3586   !
5593 ;          3587   !       INDEX
5594 ;          3588   !       USED BY THE MACRO WRT_MASK TO
5595 ;          3589   !       SELECT THE CURRENT REGISTERS ADDRESS,
5596 ;          3590   !       FORCED HI, FORCED LO AND DON'T CARE
5597 ;          3591   !       MASK INFORMATION.
5598 ;          3592   !
5599 ;          3593   !       ERR_FLG
5600 ;          3594   !       CONTAINS THE ADDRESS (PASSED BY REF)
5601 ;          3595   !       OF THE CALLERS ERROR FLG TO ENABLE THE
5602 ;          3596   !       CALLER TO EXAMINE THE ERROR STATUS
5603 ;          3597   !       OF THE ROUTINE CALL.
5604 ;          3598   !
5605 ;          3599   ! IMPLICIT INPUTS:
5606 ;          3600   !       WT_DATA
5607 ;          3601   !         GETS LOADED WITH THE GENERATED
5608 ;          3602   !         WRT_MASK DATA PATTERN THUS ALLOWING
5609 ;          3603   !         CALLER TO PRINT FAILING GOOD DATA.
5610 ;          3604   !
5611 ;          3605   !       RD_DATA
5612 ;          3606   !         GETS LOADED WITH DATA READ FROM THE
5613 ;          3607   !         REGISTER THUS ALLOWING CALLER
5614 ;          3608   !         TO PRINT FAILING BAD DATA.
5615 ;          3609   !
5616 ;          3610   ! IMPLICIT OUTPUTS:
5617 ;          3611   !       GLOBAL LOCATION WR_DATA
5618 ;          3612   !       AND RD_DATA LOADED WITH GOOD
5619 ;          3613   !       AND BAD REGISTER DATA
5620 ;          3614   !
5621 ;          3615   !-
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (31)

;          3616
;          3617      .ERR_FLG = ZERO;                  !CLEAR ERROR FLAG
;          3618      ECC_DM = ONE;                     !SET ECC DIAG MODE
;          3619      MLE2_MASK = %o'177700';           !MASK OUT DATA DIAG BITS
;          3620      WT_DATA = WRT_MASK;               !SAVE THE DATA WRITTEN TO THE REGISTER
;          3621      RD_DATA = .MLE2 or .IGNORE;       !READ AND SAVE THE REGISTER
;          3622
;          3623      if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
;          3624
;          3625                                        !SET ERROR FLG IF NEQ
;          3626      MLE2_MASK = %o'000000';           !RESTORE MLE2 MASK
;          3627      ECC_DM = ZERO;                    !CLEAR ECC DIAG MODE
;          3628      end;
5642
5643                                        .SBTTL  RD.E2 ROUTINE DECLARATION SECTION
5647 023314  004167  161220          RD.E2: JSR     R1,$SAVE2                        ;                          3564
5648 023320  005076  000010                 CLR     @10(SP)                          ; ERR.FLG                  3617
5649 023324  152777  000001  172172        BISB    #1,@ML.REG+120                   ;                          3618
5650 023332  012767  177700  172232        MOV     #-100,ML.REG+166                 ;                          3619
5651 023340  016600  000012                 MOV     12(SP),R0                        ; INDEX,*                  3620
5652 023344  006300                         ASL     R0
5653 023346  006300                         ASL     R0
5654 023350  006300                         ASL     R0
5655 023352  010001                         MOV     R0,R1
5656 023354  016100  015406                 MOV     ML.REG+2(R1),R0
5657 023360  056600  000014                 BIS     14(SP),R0                        ; TST.PAT,*
5658 023364  046100  015410                 BIC     ML.REG+4(R1),R0
5659 023370  016102  015412                 MOV     ML.REG+6(R1),R2
5660 023374  050002                         BIS     R0,R2
5661 023376  010267  171746                 MOV     R2,WT.DATA
5662 023402  017702  172156                 MOV     @ML.REG+160,R2                   ;                          3621
5663 023406  056102  015412                 BIS     ML.REG+6(R1),R2
5664 023412  010267  171734                 MOV     R2,RD.DATA
5665 023416  026767  171726  171726        CMP     WT.DATA,RD.DATA                  ;                          3623
5666 023424  001403                         BEQ     1$
5667 023426  012776  000001  000010        MOV     #1,@10(SP)                       ; *,ERR.FLG
5668 023434  005067  172132          1$:    CLR     ML.REG+166                       ;                          3626
5669 023440  142777  000001  172056        BICB    #1,@ML.REG+120                   ;                          3627
5670 023446  000207                         RTS     PC                               ;                          3564
5671
5672                                    ; Routine Size:  46 words
5673                                    ; Maximum stack depth per invocation:  3 words
```

```
5679 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5680 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (32)
5681
5682 ;          3629  routine WRT_PD (TST_PAT, index) : novalue =
5683 ;          3630      begin
5684 ;          3631
5685 ;          3632  !++
5686 ;          3633  ! FUNCTIONAL DESCRIPTION:
5687 ;          3634  !
5688 ;          3635  !       LOADS THE PROM DATA
5689 ;          3636  !       REGISTER WITH A DATA PATTERN
5690 ;          3637  !       GENERATED BY THE MACRO
5691 ;          3638  !       WRT_MASK
5692 ;          3639  !
5693 ;          3640  ! FORMAL PARAMETERS:
5694 ;          3641  !
5695 ;          3642  !       TST_PAT
5696 ;          3643  !       CURRENT DATA PATTERN TO BE
5697 ;          3644  !       LOADED IN THE REGISTER.
5698 ;          3645  !
5699 ;          3646  !       INDEX
5700 ;          3647  !       USED BY THE MACRO WRT_MASK
5701 ;          3648  !       TO SELECT THE CURRENT REGISTERS
5702 ;          3649  !       ADDRESS, FORCED HI, FORCED
5703 ;          3650  !       LO AND DON'T CARE MASK
5704 ;          3651  !       INFORMATION
5705 ;          3652  !
5706 ;          3653  !--
5707 ;          3654
5708 ;          3655      PROM_RW = ONE;                       !SET PROM READ WRITE
5709 ;          3656      DAT_DM = ONE;                        !SET DATA DIAG MODE
5710 ;          3657      MLPD = WRT_MASK;                     !LOAD MLPD WITH GENERATED WRT_MASK PATTERN
5711 ;          3658      DAT_CLK = ONE;                       !DO A DATA CLK
5712 ;          3659      PROM_RW = ZERO;                      !CLEAR PROM READ WRITE
5713 ;          3660      DAT_DM = ZERO;                       !CLEAR DATA DIAG MODE
5714 ;          3661      end;
5718
5719                                        .SBTTL  WRT.PD ROUTINE DECLARATION SECTION
5723 023450  004167  161064          WRT.PD: JSR     R1,$SAVE2                       ;                    3629
5724 023454  152777  000100  172042          BISB    #100,@ML.REG+120                ;                    3655
5725 023462  152777  000010  172034          BISB    #10,@ML.REG+120                 ;                    3656
5726 023470  016600  000010                  MOV     10(SP),R0                       ; INDEX,*            3657
5727 023474  006300                          ASL     R0
5728 023476  006300                          ASL     R0
5729 023500  006300                          ASL     R0
5730 023502  010001                          MOV     R0,R1
5731 023504  016100  015406                  MOV     ML.REG+2(R1),R0
5732 023510  056600  000012                  BIS     12(SP),R0                       ; TST.PAT,*
5733 023514  046100  015410                  BIC     ML.REG+4(R1),R0
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;                ROUTINE DECLARATION SECTION                    29-Mar-1982 16:21:03    PA:<

023520  016102  015412                        MOV     ML.REG+6(R1),R2
023524  050002                                BIS     R0,R2
023526  010277  172102                        MOV     R2,@ML.REG+230
023532  152777  000020  171764                BISB    #20,@ML.REG+120       ;                         3658
023540  142777  000100  171756                BICB    #100,@ML.REG+120      ;                         3659
023546  142777  000010  171750                BICB    #10,@ML.REG+120       ;                         3660
023554  000207                                RTS     PC                    ;                         3629

                                        ; Routine Size:  35 words
                                        ; Maximum stack depth per invocation:  3 words
```

```
5755 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5756 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (33)
5757 ;
5758 ;          3662 routine RD_PD (TST_PAT, index, ERR_FLG) : novalue =
5759 ;          3663     begin
5760 ;          3664
5761 ;          3665 !++
5762 ;          3666 ! FUNCTIONAL DESCRIPTION:
5763 ;          3667 !
5764 ;          3668 !       COMPARES THE CONTENTS OF THE
5765 ;          3669 !       PROM DATA REGISTER
5766 ;          3670 !       WITH THE MASKED DATA PATTERN
5767 ;          3671 !       GENERATED BY THE MACRO 'WRT_MASK'
5768 ;          3672 !
5769 ;          3673 !       IF THE COMPARE IS NOT EQUAL THEN
5770 ;          3674 !       THE FORMAL PARAMETER 'ERR FLG' IS
5771 ;          3675 !       ASSIGNED A ONE TO INDICATE THE
5772 ;          3676 !       ERROR
5773 ;          3677 !
5774 ;          3678 ! FORMAL PARAMETERS:
5775 ;          3679 !
5776 ;          3680 !       TST_PAT
5777 ;          3681 !       DATA PATTERN TO BE MASKED AND
5778 ;          3682 !       COMPARED AGAINST THE CONTENTS
5779 ;          3683 !       OF THE REGISTER UNDER TEST
5780 ;          3684 !
5781 ;          3685 !       INDEX
5782 ;          3686 !       USED BY THE MACRO WRT_MASK TO
5783 ;          3687 !       SELECT THE CURRENT REGISTERS ADDRESS,
5784 ;          3688 !       FORCED HI, FORCED LO AND DON'T CARE
5785 ;          3689 !       MASK INFORMATION.
5786 ;          3690 !
5787 ;          3691 !       ERR_FLG
5788 ;          3692 !       CONTAINS THE ADDRESS (PASSED BY REF)
5789 ;          3693 !       OF THE CALLERS ERROR FLG TO ENABLE THE
5790 ;          3694 !       CALLER TO EXAMINE THE ERROR STATUS
5791 ;          3695 !       OF THE ROUTINE CALL.
5792 ;          3696 !
5793 ;          3697 ! IMPLICIT INPUTS:
5794 ;          3698 !       WT_DATA
5795 ;          3699 !         GETS LOADED WITH THE GENERATED
5796 ;          3700 !         WRT_MASK DATA PATTERN THUS ALLOWING
5797 ;          3701 !         CALLER TO PRINT FAILING GOOD DATA.
5798 ;          3702 !
5799 ;          3703 !       RD_DATA
5800 ;          3704 !         GETS LOADED WITH DATA READ FROM THE
5801 ;          3705 !         REGISTER THUS ALLOWING CALLER
5802 ;          3706 !         TO PRINT FAILING BAD DATA.
5803 ;          3707 !
5804 ;          3708 ! IMPLICIT OUTPUTS:
5805 ;          3709 !       GLOBAL LOCATION WR_DATA
5806 ;          3710 !       AND RD_DATA LOADED WITH GOOD
5807 ;          3711 !       AND BAD REGISTER DATA
5808 ;          3712 !
5809 ;          3713 !--
```

```
5811 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5812 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (33)
5813
5814 ;          3714
5815 ;          3715      .ERR_FLG = ZERO;                     !CLEAR ERROR FLG
5816 ;          3716      PROM_RW = ONE;                       !SET PROM READ WRITE
5817 ;          3717      DAT_DM = ONE;                        !SET DATA DIAG MODE
5818 ;          3718      WT_DATA = WRT_MASK;                  !SAVE THE DATA WRITTEN TO THE REGISTER
5819 ;          3719      RD_DATA = .MLPD or .IGNORE;          !READ AND SAVE THE REGISTER
5820 ;          3720
5821 ;          3721      if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
5822 ;          3722
5823 ;          3723                                           !SET ERROR FLAG IF NEQ
5824 ;          3724      PROM_RW = ZERO;                      !CLEAR PROM READ WRTE
5825 ;          3725      DAT_DM = ZERO;                       !CLEAR DATA DIAG MODE
5826 ;          3726      end;
5830
5831                                        .SBTTL  RD.PD ROUTINE DECLARATION SECTION
5835 023556  004167  160756          RD.PD:  JSR     R1,$SAVE2                       ;                       3662
5836 023562  005076  000010                  CLR     @10(SP)                         ; ERR.FLG               3715
5837 023566  152777  000100  171730          BISB    #100,@ML.REG+120                ;                       3716
5838 023574  152777  000010  171722          BISB    #10,@ML.REG+120                 ;                       3717
5839 023602  016600  000012                  MOV     12(SP),R0                       ; INDEX,*               3718
5840 023606  006300                          ASL     R0
5841 023610  006300                          ASL     R0
5842 023612  006300                          ASL     R0
5843 023614  010001                          MOV     R0,R1
5844 023616  016100  015406                  MOV     ML.REG+2(R1),R0
5845 023622  056600  000014                  BIS     14(SP),R0                       ; TST.PAT,*
5846 023626  046100  015410                  BIC     ML.REG+4(R1),R0
5847 023632  016102  015412                  MOV     ML.REG+6(R1),R2
5848 023636  050002                          BIS     R0,R2
5849 023640  010267  171504                  MOV     R2,WT.DATA
5850 023644  017702  171764                  MOV     @ML.REG+230,R2                  ;                       3719
5851 023650  056102  015412                  BIS     ML.REG+6(R1),R2
5852 023654  010267  171472                  MOV     R2,RD.DATA
5853 023660  026767  171464  171464          CMP     WT.DATA,RD.DATA                 ;                       3721
5854 023666  001403                          BEQ     1$
5855 023670  012776  000001  000010          MOV     #1,@10(SP)                      ; *,ERR.FLG
5856 023676  142777  000100  171620  1$:     BICB    #100,@ML.REG+120                ;                       3724
5857 023704  142777  000010  171612          BICB    #10,@ML.REG+120                 ;                       3725
5858 023712  000207                          RTS     PC                              ;                       3662
5859
5860                                ; Routine Size:  47 words
5861                                ; Maximum stack depth per invocation:  3 words
```

```
5867 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5868 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (34)
5869 ;
5870 ;          3727  routine WRT_EL (TST_PAT, index) : novalue =
5871 ;          3728      begin
5872 ;          3729
5873 ;          3730  !++
5874 ;          3731  ! FUNCTIONAL DESCRIPTION:
5875 ;          3732  !       DUMMY ROUTINE CALL TO ASSIST IN THE READ
5876 ;          3733  !       WRITE REGISTER ALGORITHEM
5877 ;          3734  !
5878 ;          3735  ! FORMAL PARAMETERS:
5879 ;          3736  !       TST_PAT
5880 ;          3737  !       DATA PATTERN TO BE MASKED AND
5881 ;          3738  !       COMPARED AGAINST THE CONTENTS
5882 ;          3739  !       OF THE REGISTER UNDER TEST
5883 ;          3740  !
5884 ;          3741  !       INDEX
5885 ;          3742  !       USED BY THE MACRO WRT_MASK TO
5886 ;          3743  !       SELECT THE CURRENT REGISTERS ADDRESS,
5887 ;          3744  !       FORCED HI, FORCED LO AND DON'T CARE
5888 ;          3745  !       MASK INFORMATION.
5889 ;          3746  !
5890 ;          3747  !--
5891 ;          3748
5892 ;          3749  !
5893 ;          3750  !  ERROR LOCATION REG IS READ ONLY
5894 ;          3751      return;
5895 ;          3752      end;
5899
5900                                  .SBTTL  WRT.EL ROUTINE DECLARATION SECTION
5904 023714  000207              WRT.EL: RTS     PC                                      ;                    3727
5905
5906                                  ; Routine Size:  1 word
5907                                  ; Maximum stack depth per invocation:  0 words
5912
5913
```

```
5915 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
5916 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (35)
5917
5918 ;          3753  routine RD_EL (TST_PAT, index, ERR_FLG) : novalue =
5919 ;          3754      begin
5920 ;          3755
5921 ;          3756  !++
5922 ;          3757  ! FUNCTIONAL DESCRIPTION:
5923 ;          3758  !
5924 ;          3759  !       COMPARES THE CONTENTS OF THE
5925 ;          3760  !       ERROR LOCATION REGISTER
5926 ;          3761  !       WITH THE CONTENTS OF TST_PAT.
5927 ;          3762  !
5928 ;          3763  !       IF THE COMPARE IS NOT EQUAL THEN
5929 ;          3764  !       THE FORMAL PARAMETER 'ERR FLG' IS
5930 ;          3765  !       ASSIGNED A ONE TO INDICATE THE
5931 ;          3766  !       ERROR
5932 ;          3767  !
5933 ;          3768  ! FORMAL PARAMETERS:
5934 ;          3769  !       TST_PAT
5935 ;          3770  !       DATA PATTERN TO BE MASKED AND
5936 ;          3771  !       COMPARED AGAINST THE CONTENTS
5937 ;          3772  !       OF THE REGISTER UNDER TEST
5938 ;          3773  !
5939 ;          3774  !       INDEX
5940 ;          3775  !       USED BY THE MACRO WRT_MASK TO
5941 ;          3776  !       SELECT THE CURRENT REGISTERS ADDRESS,
5942 ;          3777  !       FORCED HI, FORCED LO AND DON'T CARE
5943 ;          3778  !       MASK INFORMATION.
5944 ;          3779  !
5945 ;          3780  !       ERR_FLG
5946 ;          3781  !       CONTAINS THE ADDRESS (PASSED BY REF)
5947 ;          3782  !       OF THE CALLERS ERROR FLG TO ENABLE THE
5948 ;          3783  !       CALLER TO EXAMINE THE ERROR STATUS
5949 ;          3784  !       OF THE ROUTINE CALL.
5950 ;          3785  !
5951 ;          3786  ! IMPLICIT INPUTS:
5952 ;          3787  !       WT_DATA
5953 ;          3788  !         GETS LOADED WITH THE GENERATED
5954 ;          3789  !         WRT_MASK DATA PATTERN THUS ALLOWING
5955 ;          3790  !         CALLER TO PRINT FAILING GOOD DATA.
5956 ;          3791  !
5957 ;          3792  !       RD_DATA
5958 ;          3793  !         GETS LOADED WITH DATA READ FROM THE
5959 ;          3794  !         REGISTER THUS ALLOWING CALLER
5960 ;          3795  !         TO PRINT FAILING BAD DATA.
5961 ;          3796  !
5962 ;          3797  ! IMPLICIT OUTPUTS:
5963 ;          3798  !       GLOBAL LOCATION WR_DATA
5964 ;          3799  !       AND RD_DATA LOADED WITH GOOD
5965 ;          3800  !       AND BAD REGISTER DATA
5966 ;          3801  !
5967 ;          3802  !--
5968 ;          3803
5969 .          3804      .ERR_FLG = ZERO;
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (35)
;
;          3805      WT_DATA = .TST_PAT;                !SAVE THE DATA WRITTEN TO THE REGISTER
;          3806      RD_DATA = .MLEC;                   !READ AND SAVE THE REGISTER
;          3807
;          3808      if .RD_DATA neq .WT_DATA then .ERR_FLG = ONE;       !READ REGISTER FOR WT_DATA
;          3809
;          3810      end;
```

```
                                .SBTTL  RD.EL ROUTINE DECLARATION SECTION
023716  005076  000002          RD.EL:  CLR     @2(SP)                  ; ERR.FLG                       3804
023722  016667  000006  171420          MOV     6(SP),WT.DATA           ; TST.PAT,*                     3805
023730  017767  171670  171414          MOV     @ML.REG+220,RD.DATA     ;                               3806
023736  026767  171410  171404          CMP     RD.DATA,WT.DATA         ;                               3808
023744  001403                          BEQ     1$
023746  012776  000001  000002          MOV     #1,@2(SP)               ; *,ERR.FLG
023754  000207                  1$:     RTS     PC                      ;                               3753

                                ; Routine Size:  16 words
                                ; Maximum stack depth per invocation:  0 words
```

```
6005 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6006 ;                  ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (36)
6007 ;
6008 ;          3811    routine WRT_EE (TST_PAT, index) : novalue =
6009 ;          3812        begin
6010 ;          3813
6011 ;          3814    !++
6012 ;          3815    ! FUNCTIONAL DESCRIPTION:
6013 ;          3816    !       DUMMY ROUTINE CALL TO ASSIST IN THE READ
6014 ;          3817    !       WRITE REGISTER ALGORITHEM
6015 ;          3818    !
6016 ;          3819    ! FORMAL PARAMETERS:
6017 ;          3820    !       TST_PAT
6018 ;          3821    !       DATA PATTERN TO BE MASKED AND
6019 ;          3822    !       COMPARED AGAINST THE CONTENTS
6020 ;          3823    !       OF THE REGISTER UNDER TEST
6021 ;          3824    !
6022 ;          3825    !       INDEX
6023 ;          3826    !       USED BY THE MACRO WRT_MASK TO
6024 ;          3827    !       SELECT THE CURRENT REGISTERS ADDRESS,
6025 ;          3828    !       FORCED HI, FORCED LO AND DON'T CARE
6026 ;          3829    !       MASK INFORMATION.
6027 ;          3830    !
6028 ;          3831    !--
6029 ;          3832
6030 ;          3833    ! ECC ERROR REGISTER IS READ ONLY
6031 ;          3834        return;
6032 ;          3835        end;
6036
6037                                    .SBTTL  WRT.EE ROUTINE DECLARATION SECTION
6041 023756  000207                WRT.EE: RTS     PC                                      ;                       3811
6042
6043                                    ; Routine Size:  1 word
6044                                    ; Maximum stack depth per invocation:  0 words
6049
6050
```

```
6052 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6053 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (37)
6054 ;
6055 ;          3836  routine RD_EE (TST_PAT, index, ERR_FLG) : novalue =
6056 ;          3837      begin
6057 ;          3838
6058 ;          3839  !++
6059 ;          3840  ! FUNCTIONAL DESCRIPTION:
6060 ;          3841  !
6061 ;          3842  !       COMPARES THE CONTENTS OF THE
6062 ;          3843  !       ECC ERROR REGISTER WITH TST_PAT.
6063 ;          3844  !
6064 ;          3845  !       IF THE COMPARE IS NOT EQUAL THEN
6065 ;          3846  !       THE FORMAL PARAMETER 'ERR_FLG" IS
6066 ;          3847  !       ASSIGNED A ONE TO INDICATE THE
6067 ;          3848  !       ERROR.
6068 ;          3849  !
6069 ;          3850  ! FORMAL PARAMETERS:
6070 ;          3851  !       TST_PAT
6071 ;          3852  !       DATA PATTERN TO BE
6072 ;          3853  !       COMPARED AGAINST THE CONTENTS
6073 ;          3854  !       OF THE REGISTER UNDER TEST.
6074 ;          3855  !
6075 ;          3856  !       INDEX
6076 ;          3857  !       USED BY THE MACRO MLEE TO
6077 ;          3858  !       SELECT THE CURRENT REGISTERS ADDRESS.
6078 ;          3859  !
6079 ;          3860  !       ERR_FLG
6080 ;          3861  !       CONTAINS THE ADDRESS (PASSED
6081 ;          3862  !       BY REF) OF THE CALLERS ERROR FLG TO ENABLE
6082 ;          3863  !       THE CALLER TO EXAMINE THE ERROR STATUS
6083 ;          3864  !       OF THE ROUTINE CALL.
6084 ;          3865  !
6085 ;          3866  ! IMPLICIT INPUTS:
6086 ;          3867  !       WT_DATA
6087 ;          3868  !         GETS LOADED WITH THE TST_PAT
6088 ;          3869  !         THUS ALLOWING CALLER TO PRINT
6089 ;          3870  !         THE FAILING DATA.
6090 ;          3871  !
6091 ;          3872  !       RD_DATA
6092 ;          3873  !         GETS LOADED WITH DATA READ FROM THE
6093 ;          3874  !         REGISTER THUS ALLOWING CALLER
6094 ;          3875  !         TO PRINT FAILING BAD DATA.
6095 ;          3876  !
6096 ;          3877  ! IMPLICIT OUTPUTS:
6097 ;          3878  !       GLOBAL LOCATION WR_DATA
6098 ;          3879  !       AND RD_DATA LOADED WITH GOOD
6099 ;          3880  !       AND BAD REGISTER DATA
6100 ;          3881  !
6101 ;          3882  !--
6102 ;          3883
6103 ;          3884      .ERR_FLG = ZERO;                     !CLEAR THE ERROR FLAG
6104 ;          3885      WT_DATA = .TST_PAT;                  !SAVE DATA WRITTEN TO THE REGISTER
6105 ;          3886      RD_DATA = .MLEE;                     !READ AND SAVE THE REGISTER
6106 ;          3887
```

```
6108 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6109 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (37)
6110
6111 ;          3888      if .RD_DATA neq .WT_DATA then .ERR_FLG = ONE;       !READ MLEE FOR TST_PAT
6112 ;          3889
6113 ;          3890                                                          !SET THE ERROR FLAG IF NEQ
6114 ;          3891      end;
6118
6119                                    .SBTTL  RD.EE ROUTINE DECLARATION SECTION
6123 023760  005076  000002          RD.EE:  CLR     a2(SP)                          ; ERR.FLG                    3884
6124 023764  016667  000006  171356          MOV     6(SP),WT.DATA                   ; TST.PAT,*                  3885
6125 023772  017767  171616  171352          MOV     @ML.REG+210,RD.DATA             ;                            3886
6126 024000  026767  171346  171342          CMP     RD.DATA,WT.DATA                 ;                            3888
6127 024006  001403                          BEQ     1$
6128 024010  012776  000001  000002          MOV     #1,a2(SP)                       ; *,ERR.FLG
6129 024016  000207                  1$:     RTS     PC                              ;                            3836
6130
6131                                    ; Routine Size:  16 words
6132                                    ; Maximum stack depth per invocation:  0 words
6137
6138
```

```
                                                                29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                                29-Mar-1982 16:21:03    PA:<NEALF>ML4AD.BLI.4 (38)
;ML4AD
;                       ROUTINE DECLARATION SECTION

;               3892    routine WRT_D1 (TST_PAT, index) : novalue =
;               3893        begin
;               3894
;               3895    !++
;               3896    ! FUNCTIONAL DESCRIPTION:
;               3897    !       LOADS THE DATA DIAG REG 1 WITH A DATA PATTERN GENERATED BY THE MACRO WRT_MASK
;               3898    ! FORMAL PARAMETERS:
;               3899    !       TST_PAT
;               3900    !       CURRENT DATA PATTERN TO BE LOADED IN THE REGISTER.
;               3901    !       INDEX
;               3902    !       USED BY THE MACRO WRT_MASK TO SELECT THE CURRENT REGISTERS ADDRESS,
;               3903    !       FORCED HI, FORCED LO AND DON'T CARE MASK INFORMATION.
;               3904    !--
;               3905
;               3906        DAT_DM = ONE;                           !SET DATA DIAG MODE
;               3907        MLDT = WRT_MASK;                        !LOAD MLD1 WITH GENERATED WRT_MASK PATTERN
;               3908        DAT_DM = ZERO;                          !CLEAR DATA DIAG MODE
;               3909        end;
;
                                        .SBTTL  WRT.D1 ROUTINE DECLARATION SECTION
;024020  004167  160514          WRT.D1: JSR     R1,$SAVE2                       ;                               3892
;024024  152777  000010  171472          BISB    #10,@ML.REG+120                 ;                               3906
;024032  016600  000010                  MOV     10(SP),R0                       ; INDEX,*                       3907
;024036  006300                          ASL     R0
;024040  006300                          ASL     R0
;024042  006300                          ASL     R0
;024044  010001                          MOV     R0,R1
;024046  016100  015406                  MOV     ML.REG+2(R1),R0
;024052  056600  000012                  BIS     12(SP),R0                       ; TST.PAT,*
;024056  046100  015410                  BIC     ML.REG+4(R1),R0
;024062  016102  015412                  MOV     ML.REG+6(R1),R2
;024066  050002                          BIS     R0,R2
;024070  010277  171500                  MOV     R2,@ML.REG+170
;024074  142777  000010  171422          BICB    #10,@ML.REG+120                 ;                               3908
;024102  000207                          RTS     PC                              ;                               3892
;
;                                       ; Routine Size:  26 words
;                                       ; Maximum stack depth per invocation:  3 words
;
;
```

```
6194 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6195 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (39)
6196 ;
6197 ;          3910  routine RD_D1 (TST_PAT, index, ERR_FLG) : novalue =
6198 ;          3911      begin
6199 ;          3912
6200 ;          3913  !++
6201 ;          3914  ! FUNCTIONAL DESCRIPTION:
6202 ;          3915  !
6203 ;          3916  !       COMPARES THE CONTENTS OF THE
6204 ;          3917  !       DATA DIAG REGISTER 1
6205 ;          3918  !       WITH THE MASKED DATA PATTERN
6206 ;          3919  !       GENERATED BY THE MACRO 'WRT_MASK''.
6207 ;          3920  !
6208 ;          3921  !       IF THE COMPARE IS NOT EQUAL THEN
6209 ;          3922  !       THE FORMAL PARAMETER 'ERR_FLG'' IS
6210 ;          3923  !       ASSIGNED A ONE TO INDICATE THE
6211 ;          3924  !       ERROR.
6212 ;          3925  !
6213 ;          3926  ! FORMAL PARAMETERS:
6214 ;          3927  !
6215 ;          3928  !       TST_PAT
6216 ;          3929  !       DATA PATTERN TO BE MASKED AND
6217 ;          3930  !       COMPARED AGAINST THE CONTENTS
6218 ;          3931  !       OF THE REGISTER UNDER TEST.
6219 ;          3932  !
6220 ;          3933  !       INDEX
6221 ;          3934  !       USED BY THE MACRO WRT_MASK TO
6222 ;          3935  !       SELECT THE CURRENT REGISTERS ADDRESS,
6223 ;          3936  !       FORCED HI, FORCED LO AND DON'T CARE
6224 ;          3937  !       MASK INFORMATION.
6225 ;          3938  !
6226 ;          3939  !       ERR_FLG
6227 ;          3940  !       CONTAINS THE ADDRESS (PASSED BY REF)
6228 ;          3941  !       OF THE CALLERS ERROR FLG TO ENABLE THE
6229 ;          3942  !       CALLER TO EXAMINE THE ERROR STATUS
6230 ;          3943  !       OF THE ROUTINE CALL.
6231 ;          3944  !
6232 ;          3945  ! IMPLICIT INPUTS:
6233 ;          3946  !       WT_DATA
6234 ;          3947  !         GETS LOADED WITH THE GENERATED
6235 ;          3948  !         WRT_MASK DATA PATTERN THUS ALLOWING
6236 ;          3949  !         CALLER TO PRINT FAILING GOOD DATA.
6237 ;          3950  !
6238 ;          3951  !       RD_DATA
6239 ;          3952  !         GETS LOADED WITH DATA READ FROM THE
6240 ;          3953  !         REGISTER THUS ALLOWING CALLER
6241 ;          3954  !         TO PRINT FAILING BAD DATA.
6242 ;          3955  !
6243 ;          3956  ! IMPLICIT OUTPUTS:
6244 ;          3957  !       GLOBAL LOCATION WR_DATA
6245 ;          3958  !       AND RD_DATA LOADED WITH GOOD
6246 ;          3959  !       AND BAD REGISTER DATA
6247 ;          3960  !
6248 ;          3961  !--
```

```
6250 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6251 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (39)
6252 ;
6253 ;          3962
6254 ;          3963      .ERR_FLG = ZERO;                     !CLEAR THE ERROR FLG
6255 ;          3964      DAT_DM = ONE;                        !SET DATA DIAG MODE
6256 ;          3965      ML_FUNC = write;                     !LOAD MLCS1 WITH WRITE FUNCTION
6257 ;          3966      DAT_CLK = ONE;                       !DO A DATA CLK
6258 ;          3967
6259 ;          3968      if .REG_INIT_FLG IS_SET              !SEE IF CALLER IS REG INIT TEST
6260 ;          3969                                           !SET ERROR FLAG IF NEQ
6261 ;          3970      then
6262 ;          3971          begin
6263 ;          3972          CLR_MBUS;                        !CLEAR MBUS TO GENERATE INIT DATA
6264 ;          3973          DAT_DM = ONE;
6265 ;          3974          end;
6266 ;          3975
6267 ;          3976      WT_DATA = WRT_MASK;                  !SAVE THE DATA WRITTEN TO THE REGISTER
6268 ;          3977      RD_DATA = .MLD1;                     !READ AND SAVE THE REGISTER
6269 ;          3978
6270 ;          3979      if .RD_DATA neq .WT_DATA then .ERR_FLG = ONE;       !READ MLD1 FOR WRT_MASK
6271 ;          3980
6272 ;          3981                                           !SET ERR_FLG IF NEQ
6273 ;          3982      CLR_MBUS;                            !CLEAR THE MBUS
6274 ;          3983      end;
6278
6279                                          .SBTTL  RD.D1 ROUTINE DECLARATION SECTION
6283 024104  004167  160430          RD.D1:  JSR     R1,$SAVE2                       ;                                3910
6284 024110  005076  000010                  CLR     @10(SP)                         ; ERR.FLG                        3963
6285 024114  152777  000010  171402          BISB    #10,@ML.REG+120                 ;                                3964
6286 024122  142777  000077  171254          BICB    #77,@ML.REG                     ;                                3965
6287 024130  152777  000061  171246          BISB    #61,@ML.REG
6288 024136  152777  000020  171360          BISB    #20,@ML.REG+120                 ;                                3966
6289 024144  026727  171210  000001          CMP     REG.INIT.FLG,#1                 ;                                3968
6290 024152  001017                          BNE     1$
6291 024154  152777  000040  171262          BISB    #40,@ML.REG+40                  ;                                3971
6292 024162  016701  171644                  MOV     ML.OUT,R1
6293 024166  042701  177770                  BIC     #177770,R1
6294 024172  142777  000007  171244          BICB    #7,@ML.REG+40
6295 024200  150177  171240                  BISB    R1,@ML.REG+40
6296 024204  152777  000010  171312          BISB    #10,@ML.REG+120                 ;                                3973
6297 024212  016600  000012          1$:     MOV     12(SP),R0                       ; INDEX,*                        3976
6298 024216  006300                          ASL     R0
6299 024220  006300                          ASL     R0
6300 024222  006300                          ASL     R0
6301 024224  010001                          MOV     R0,R1
6302 024226  016100  015406                  MOV     ML.REG+2(R1),R0
6303 024232  056600  000014                  BIS     14(SP),R0                       ; TST.PAT,*
6304 024236  046100  015410                  BIC     ML.REG+4(R1),R0
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION                     29-Mar-1982 16:21:03    PA:<
                                                        MOV     ML.REG+6(R1),R2
                                                        BIS     R0,R2
                                                        MOV     R2,WT.DATA
                                                        MOV     @ML.REG+170,RD.DATA             ;                       3977
                                                        CMP     RD.DATA,WT.DATA                 ;                       3979
                                                        BEQ     2$
                                                        MOV     #1,@10(SP)                      ; *,ERR.FLG
                                        2$:             BISB    #40,@ML.REG+40
                                                        MOV     ML.DUT,R2
                                                        BIC     #177770,R2
                                                        BICB    #7,@ML.REG+40
                                                        BISB    R2,@ML.REG+40
                                                        RTS     PC                              ;                       3910

                                        ; Routine Size:  75 words
                                        ; Maximum stack depth per invocation:  3 words
```

```
                                                                29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                                29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (40)
;ML4AD
;                       ROUTINE DECLARATION SECTION

;               3984    routine WRT_D2 (TST_PAT, index) : novalue =
;               3985        begin
;               3986
;               3987    !++
;               3988    ! FUNCTIONAL DESCRIPTION:
;               3989    !       LOADS THE DATA DIAG REG 2 WITH A DATA PATTERN GENERATED BY THE MACRO WRT_MASK
;               3990    ! FORMAL PARAMETERS:
;               3991    !       TST_PAT
;               3992    !       CURRENT DATA PATTERN TO BE LOADED IN THE REGISTER.
;               3993    !       INDEX
;               3994    !       USED BY THE MACRO WRT_MASK TO SELECT THE CURRENT REGISTERS ADDRESS,
;               3995    !       FORCED HI, FORCED LO AND DON'T CARE MASK INFORMATION.
;               3996    !--
;               3997
;               3998        DAT_DM = ONE;                           !SET DATA DIAG MODE
;               3999        MLD2 = WRT_MASK;                        !LOAD MLD2 WITH GENERATED WRT_MASK PATTERN
;               4000        DAT_DM = ZERO;                          !CLEAR DATA DIAG MODE
;               4001        end;

                                        .SBTTL  WRT.D2 ROUTINE DECLARATION SECTION
024332  004167  160202          WRT.D2: JSR     R1,$SAVE2                       ;                               3984
024336  152777  000010  171160          BISB    #10,@ML.REG+120                 ;                               3998
024344  016600  000010                  MOV     10(SP),R0                       ; INDEX,*                       3999
024350  006300                          ASL     R0
024352  006300                          ASL     R0
024354  006300                          ASL     R0
024356  010001                          MOV     R0,R1
024360  016100  015406                  MOV     ML.REG+2(R1),R0
024364  056600  000012                  BIS     12(SP),R0                       ; TST.PAT,*
024370  046100  015410                  BIC     ML.REG+4(R1),R0
024374  016102  015412                  MOV     ML.REG+6(R1),R2
024400  050002                          BIS     R0,R2
024402  010277  171176                  MOV     R2,@ML.REG+200
024406  142777  000010  171110          BICB    #10,@ML.REG+120                 ;                               4000
024414  000207                          RTS     PC                              ;                               3984

                                ; Routine Size:  26 words
                                ; Maximum stack depth per invocation:  3 words
```

```
6386 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6387 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (41)
6388 ;
6389 ;          4002  routine RD_D2 (TST_PAT, index, ERR_FLG) : novalue =
6390 ;          4003      begin
6391 ;          4004
6392 ;          4005  !++
6393 ;          4006  ! FUNCTIONAL DESCRIPTION:
6394 ;          4007  !
6395 ;          4008  !       COMPARE THE CONTENTS OF THE
6396 ;          4009  !       DATA DIAG REGISTER 2
6397 ;          4010  !       WITH THE MASKED DATA PATTERN
6398 ;          4011  !       GENERATED BY THE MACRO 'WRT_MASK".
6399 ;          4012  !       IF THE COMPARE IS NOT EQUAL THEN THE
6400 ;          4013  !       FORMAL PARAMETER 'ERR_FLG" IS
6401 ;          4014  !       ASSIGNED A ONE TO INDICATE THE
6402 ;          4015  !       ERROR.
6403 ;          4016  !
6404 ;          4017  ! FORMAL PARAMETERS:
6405 ;          4018  !
6406 ;          4019  !       TST_PAT
6407 ;          4020  !       DATA PATTERN TO BE MASKED AND
6408 ;          4021  !       COMPARED AGAINST THE CONTENTS
6409 ;          4022  !       OF THE REGISTER UNDER TEST.
6410 ;          4023  !
6411 ;          4024  !       INDEX
6412 ;          4025  !       USED BY THE MACRO WRT_MASK TO
6413 ;          4026  !       SELECT THE CURRENT REGISTERS ADDRESS,
6414 ;          4027  !       FORCED HI, FORCED LO AND DON'T CARE
6415 ;          4028  !       MASK INFOMATION.
6416 ;          4029  !
6417 ;          4030  !       ERR_FLG
6418 ;          4031  !       CONTAINS THE ADDRESS (PASSED BY REF)
6419 ;          4032  !       OF THE CALLERS ERROR FLG TO ENABLE THE
6420 ;          4033  !       CALLER TO EXAMINE THE ERROR STATUS
6421 ;          4034  !       OF THE ROUTINE CALL.
6422 ;          4035  !
6423 ;          4036  ! IMPLICIT INPUTS:
6424 ;          4037  !       WT_DATA
6425 ;          4038  !         GETS LOADED WITH THE GENERATED
6426 ;          4039  !         WRT_MASK DATA PATTERN THUS ALLOWING
6427 ;          4040  !         CALLER TO PRINT FAILING GOOD DATA.
6428 ;          4041  !
6429 ;          4042  !       RD_DATA
6430 ;          4043  !         GETS LOADED WITH DATA READ FROM THE
6431 ;          4044  !         REGISTER THUS ALLOWING CALLER
6432 ;          4045  !         TO PRINT FAILING BAD DATA.
6433 ;          4046  !
6434 ;          4047  ! IMPLICIT OUTPUTS:
6435 ;          4048  !       GLOBAL LOCATION WR_DATA
6436 ;          4049  !       AND RD_DATA LOADED WITH GOOD
6437 ;          4050  !       AND BAD REGISTER DATA
6438 ;          4051  !
6439 ;          4052  !--
6440 ;          4053
```

```
6442 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6443 ;                  ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (41)
6444
6445 ;          4054        .ERR_FLG = ZERO;                   !CLEAR ERROR FLAG
6446 ;          4055        DAT_DM = ONE;                      !SET DATA DIAG MODE
6447 ;          4056        ML_FUNC = write;                   !LOAD WRITE FUNC TO CS1
6448 ;          4057        DAT_CLK = ONE;                     !DO A DATA CLOCK
6449 ;          4058
6450 ;          4059        if .REG_INIT_FLG IS_SET            !SEE IF CALLER IS REG INIT TEST
6451 ;          4060        then                               !CLEAR MBUS TO GENERATE INIT DATA
6452 ;          4061            begin
6453 ;          4062            CLR_MBUS;
6454 ;          4063            DAT_DM = ONE;
6455 ;          4064            end;
6456 ;          4065
6457 ;          4066        WT_DATA = WRT_MASK;                !SAVE THE DATA WRITTEN TO THE REGISTER
6458 ;          4067        RD_DATA = .MLD2;                   !READ AND SAVE THE REGISTER
6459 ;          4068
6460 ;          4069        if .RD_DATA neq .WT_DATA then .ERR_FLG = ONE;       !READ MLD2 FR WRT_MASK PATTERN
6461 ;          4070
6462 ;          4071                                           !SET ERROR FLAG IF NEQ
6463 ;          4072        CLR_MBUS;                          !CLR MASS BUSS
6464 ;          4073        end;
6468
6469                                        .SBTTL  RD.D2 ROUTINE DECLARATION SECTION
6473 024416  004167  160116          RD.D2:  JSR     R1,$SAVE2                       ;                       4002
6474 024422  005076  000010                  CLR     @10(SP)                         ; ERR.FLG               4054
6475 024426  152777  000010  171070          BISB    #10,@ML.REG+120                 ;                       4055
6476 024434  142777  000077  170742          BICB    #77,@ML.REG                     ;                       4056
6477 024442  152777  000061  170734          BISB    #61,@ML.REG
6478 024450  152777  000020  171046          BISB    #20,@ML.REG+120                 ;                       4057
6479 024456  026727  170676  000001          CMP     REG.INIT.FLG,#1                 ;                       4059
6480 024464  001017                          BNE     1$
6481 024466  152777  000040  170750          BISB    #40,@ML.REG+40                  ;                       4061
6482 024474  016701  171332                  MOV     ML.DUT,R1
6483 024500  042701  177770                  BIC     #177770,R1
6484 024504  142777  000007  170732          BICB    #7,@ML.REG+40
6485 024512  150177  170726                  BISB    R1,@ML.REG+40
6486 024516  152777  000010  171000          BISB    #10,@ML.REG+120                 ;                       4063
6487 024524  016600  000012          1$:     MOV     12(SP),R0                       ; INDEX,*               4066
6488 024530  006300                          ASL     R0
6489 024532  006300                          ASL     R0
6490 024534  006300                          ASL     R0
6491 024536  010001                          MOV     R0,R1
6492 024540  016100  015406                  MOV     ML.REG+2(R1),R0
6493 024544  056600  000014                  BIS     14(SP),R0                       ; TST.PAT,*
6494 024550  046100  015410                  BIC     ML.REG+4(R1),R0
6495 024554  016102  015412                  MOV     ML.REG+6(R1),R2
6496 024560  050002                          BIS     R0,R2
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION                     29-Mar-1982 16:21:03    PA:<

024562  010267  170562                          MOV     R2,WT.DATA
024566  017767  171012  170556                  MOV     @ML.REG+200,RD.DATA             ;                               4067
024574  026767  170552  170546                  CMP     RD.DATA,WT.DATA                 ;                               4069
024602  001403                                  BEQ     2$
024604  012776  000001  000010                  MOV     #1,@10(SP)                      ; *,ERR.FLG
024612  152777  000040  170624  2$:             BISB    #40,@ML.REG+40
024620  016702  171206                          MOV     ML.DUT,R2
024624  042702  177770                          BIC     #177770,R2
024630  142777  000007  170606                  BICB    #7,@ML.REG+40
024636  150277  170602                          BISB    R2,@ML.REG+40
024642  000207                                  RTS     PC                              ;                               4002

                                        ; Routine Size:  75 words
                                        ; Maximum stack depth per invocation:  3 words
```

```
                                                                                29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                                                29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (42)
;ML4AD
;                       ROUTINE DECLARATION SECTION

;               4074    routine WRT_D3 (TST_PAT, index) : novalue =
;               4075        begin
;               4076
;               4077    !++
;               4078    ! FUNCTIONAL DESCRIPTION:
;               4079    !
;               4080    !       LOADS THE DATA DIAG
;               4081    !       REGISTER 3 WITH A DATA PATTERN
;               4082    !       GENERATED BY THE MACRO
;               4083    !       WRT_MASK.
;               4084    !
;               4085    ! FORMAL PARAMETERS:
;               4086    !
;               4087    !       TST_PAT
;               4088    !       CURRENT DATA PATTERN TO BE
;               4089    !       LOADED IN THE REGISTER.
;               4090    !
;               4091    !       INDEX
;               4092    !       USE BY THE MACRO WRT_MASK
;               4093    !       TO SELECT THE CURRENT REGISTERS
;               4094    !       ADDRESS, FORCED HI, FORCED
;               4095    !       LO AND DON'T CARE MASK
;               4096    !       INFORMATION.
;               4097    !
;               4098    !--
;               4099
;               4100        DAT_DM = ONE;                       !SET DATA DIAG MODE
;               4101        MLE2_MASK = %o'000377';             !MASK OUT ECC CRC WORD BITS
;               4102        MLE2 = WRT_MASK;                    !LOAD MLE2 WITH GENERATED WRT_MASK PATTERN
;               4103        MLE2_MASK = %o'100300';             !RESTORE MASK
;               4104        DAT_DM = ZERO;                      !CLEAR DATA DIAG MODE.
;               4105        end;
6560
6561                                            .SBTTL  WRT.D3 ROUTINE DECLARATION SECTION
6565 024644  004167  157670            WRT.D3: JSR     R1,$SAVE2                       ;                                       4074
6566 024650  152777  000010  170646           BISB    #10,@ML.REG+120                 ;                                       4100
6567 024656  012767  000377  170706           MOV     #377,ML.REG+166                 ;                                       4101
6568 024664  016600  000010                   MOV     10(SP),R0                       ; INDEX,*                               4102
6569 024670  006300                           ASL     R0
6570 024672  006300                           ASL     R0
6571 024674  006300                           ASL     R0
6572 024676  010001                           MOV     R0,R1
6573 024700  016100  015406                   MOV     ML.REG+2(R1),R0
6574 024704  056600  000012                   BIS     12(SP),R0                       ; TST.PAT,*
6575 024710  046100  015410                   BIC     ML.REG+4(R1),R0
6576 024714  016102  015412                   MOV     ML.REG+6(R1),R2
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION             29-Mar-1982 16:21:03    PA:<
                                        ;
024720  050002                                BIS     R0,R2
024722  010277  170636                        MOV     R2,@ML.REG+160
024726  012767  100300  170636                MOV     #-77500,ML.REG+166      ;                       4103
024734  142777  000010  170562                BICB    #10,@ML.REG+120         ;                       4104
024742  000207                                RTS     PC                      ;                       4074
                                        ; Routine Size:  32 words
                                        ; Maximum stack depth per invocation:  3 words
```

```
6596 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6597 ;                  ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (43)
6598
6599 ;          4106   routine RD_D3 (TST_PAT, index, FRR_FLG) : novalue =
6600 ;          4107       begin
6601 ;          4108
6602 ;          4109   !++
6603 ;          4110   ! FUNCTIONAL DESCRIPTION:
6604 ;          4111   !
6605 ;          4112   !       COMPARES THE CONTENTS OF THE
6606 ;          4113   !       DATA DIAG REGISTER 3
6607 ;          4114   !       WITH THE MASKED DATA PATTERN
6608 ;          4115   !       GENERATED BY THE MACRO 'WRT_MASK".
6609 ;          4116   !
6610 ;          4117   !       IF THE COMPARE IS NOT EQUAL THE
6611 ;          4118   !       FORMAL PARAMETER 'ERR_FLG" IS
6612 ;          4119   !       ASSIGNED A ONE TO INDICATE THE
6613 ;          4120   !       ERROR.
6614 ;          4121   !
6615 ;          4122   ! FORMAL PARAMETERS:
6616 ;          4123   !
6617 ;          4124   !       TST_PAT
6618 ;          4125   !       DATA PATTERN TO BE MASKED AND
6619 ;          4126   !       COMPARED AGAINST THE CONTENTS
6620 ;          4127   !       OF THE REGISTER UNDER TEST.
6621 ;          4128   !
6622 ;          4129   !       INDEX
6623 ;          4130   !       USED BY THE MACRO WRT MASK TO
6624 ;          4131   !       SELECT THE CURRENT REGISTERS ADDRESS,
6625 ;          4132   !       FORCED HI, FORCED LO AND DON'T CARE
6626 ;          4133   !       MASK INFORMATION
6627 ;          4134   !
6628 ;          4135   !       ERR_FLG
6629 ;          4136   !       CONTAINS THE ADDRESS (PASSED BY REF)
6630 ;          4137   !       OF THE CALLERS ERROR FLG TO ENABLE THE
6631 ;          4138   !       CALLER TO EXAMINE THE ERROR STATUS
6632 ;          4139   !       OF THE ROUTINE CALL.
6633 ;          4140   !
6634 ;          4141   ! IMPLICIT INPUTS:
6635 ;          4142   !       WT_DATA
6636 ;          4143   !         GETS LOADED WITH THE GENERATED
6637 ;          4144   !         WRT_MASK DATA PATTERN THUS ALLOWING
6638 ;          4145   !         CALLER TO PRINT FAILING GOOD DATA.
6639 ;          4146   !
6640 ;          4147   !       RD_DATA
6641 ;          4148   !         GETS LOADED WITH DATA READ FROM THE
6642 ;          4149   !         REGISTER THUS ALLOWING CALLER
6643 ;          4150   !         TO PRINT FAILING BAD DATA.
6644 ;          4151   !
6645 ;          4152   ! IMPLICIT OUTPUTS:
6646 ;          4153   !       GLOBAL LOCATION WR_DATA
6647 ;          4154   !       AND RD_DATA LOADED WITH GOOD
6648 ;          4155   !       AND BAD REGISTER DATA
6649 ;          4156   !
6650 ;          4157   !--
```

```
6652 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6653 ;                  ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (43)
6654 ;
6655 ;          4158
6656 ;          4159       .ERR_FLG = ZERO;                    !CLEAR ERROR FLAG
6657 ;          4160       MLE2_MASK = %o'000377';             !SET DATA DIAG MODE
6658 ;          4161       DAT_DM = ONE;
6659 ;          4162       ML_FUNC = write;                    !LOAD WRITE FUNCTION TO MLCS1
6660 ;          4163       DAT_CLK = ONE;                      !DO A DATA CLOCK
6661 ;          4164
6662 ;          4165       if .REG_INIT_FLG IS_SET             !SEE IF CALLER IS  REG INIT TEST
6663 ;          4166       then                                !CLEAR  MBUS TO GENERATE INIT DATA
6664 ;          4167           begin
6665 ;          4168           CLR_MBUS;
6666 ;          4169           DAT_DM = ONE;
6667 ;          4170           end;
6668 ;          4171
6669 ;          4172       WT_DATA = WRT_MASK;                 !SAVE THE DATA WRITTEN TO THE REGISTER
6670 ;          4173       RD_DATA = .MLE2 or .IGNORE;         !READ AND SAVE THE REGISTER
6671 ;          4174
6672 ;          4175       if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
6673 ;          4176
6674 ;          4177       MLE2_MASK = %o'100300';
6675 ;          4178       CLR_MBUS;                           !CLEAR THE MASS BUS
6676 ;          4179       end;
6680
6681                                        .SBTTL  RD.D3 ROUTINE DECLARATION SECTION
6685 024744  004167  157570          RD.D3:  JSR     R1,$SAVE2                       ;                                4106
6686 024750  005076  000010                  CLR     @10(SP)                         ; ERR.FLG                        4159
6687 024754  012767  000377  170610          MOV     #377,ML.REG+166                 ;                                4160
6688 024762  152777  000010  170534          BISB    #10,@ML.REG+120                 ;                                4161
6689 024770  142777  000077  170406          BICB    #77,@ML.REG                     ;                                4162
6690 024776  152777  000061  170400          BISB    #61,@ML.REG
6691 025004  152777  000020  170512          BISB    #20,@ML.REG+120                 ;                                4163
6692 025012  026727  170342  000001          CMP     REG.INIT.FLG,#1                 ;                                4165
6693 025020  001017                          BNE     1$
6694 025022  152777  000040  170414          BISB    #40,@ML.REG+40                  ;                                4167
6695 025030  016701  170776                  MOV     ML.OUT,R1
6696 025034  042701  177770                  BIC     #177770,R1
6697 025040  142777  000007  170376          BICB    #7,@ML.REG+40
6698 025046  150177  170372                  BISB    R1,@ML.REG+40
6699 025052  152777  000010  170444          BISB    #10,@ML.REG+120                 ;                                4169
6700 025060  016600  000012          1$:     MOV     12(SP),R0                       ; INDEX.*                        4172
6701 025064  006300                          ASL     R0
6702 025066  006300                          ASL     R0
6703 025070  006300                          ASL     R0
6704 025072  010001                          MOV     R0,R1
6705 025074  016100  015406                  MOV     ML.REG+2(R1),R0
6706 025100  056600  000014                  BIS     14(SP),R0                       ; TST.PAT,*
```

```
 6708                                   ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS
 6709                                   ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<
 6710
 6711 025104  046100  015410                    BIC     ML.REG+4(R1),R0
 6712 025110  016102  015412                    MOV     ML.REG+6(R1),R2
 6713 025114  050002                            BIS     R0,R2
 6714 025116  010267  170226                    MOV     R2,WT.DATA
 6715 025122  017702  170436                    MOV     @ML.REG+160,R2          ;                 4173
 6716 025126  056102  015412                    BIS     ML.REG+6(R1),R2
 6717 025132  010267  170214                    MOV     R2,RD.DATA
 6718 025136  026767  170206  170206            CMP     WT.DATA,RD.DATA         ;                 4175
 6719 025144  001403                            BEQ     2$
 6720 025146  012776  000001  000010            MOV     #1,@10(SP)              ; *,ERR.FLG
 6721 025154  012767  100300  170410  2$:       MOV     #-77500,ML.REG+166      ;                 4177
 6722 025162  152777  000040  170254            BISB    #40,@ML.REG+40
 6723 025170  016702  170636                    MOV     ML.DUT,R2
 6724 025174  042702  177770                    BIC     #177770,R2
 6725 025200  142777  000007  170236            BICB    #7,@ML.REG+40
 6726 025206  150277  170232                    BISB    R2,@ML.REG+40
 6727 025212  000207                            RTS     PC                      ;                 4106
 6728
 6729                                   ; Routine Size:  84 words
 6730                                   ; Maximum stack depth per invocation:  3 words
 6735
 6736
```

```
                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                    29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (44)
;ML4AD
;                   ROUTINE DECLARATION SECTION

;          4180     routine WRT_DS (TST_PAT, index) : novalue =
;          4181         begin
;          4182
;          4183     !++
;          4184     ! FUNCTIONAL DESCRIPTION:
;          4185     !       DUMMY ROUTINE CALL TO ASSIST IN THE READ
;          4186     !       WRITE REGISTER ALGORITHEM
;          4187     !
;          4188     ! FORMAL PARAMETERS:
;          4189     !       TST_PAT
;          4190     !       DATA PATTERN TO BE MASKED AND
;          4191     !       COMPARED AGAINST THE CONTENTS
;          4192     !       OF THE REGISTER UNDER TEST
;          4193     !
;          4194     !       INDEX
;          4195     !       USED BY THE MACRO WRT_MASK TO
;          4196     !       SELECT THE CURRENT REGISTERS ADDRESS,
;          4197     !       FORCED HI, FORCED LO AND DON'T CARE
;          4198     !       MASK INFORMATION.
;          4199     !
;          4200     !--
;          4201
;          4202     ;
;          4203     !  DRIVE STATUS REG IS READ ONLY
;          4204         return;
;          4205         end;
6770
6771                                    .SBTTL  WRT.DS ROUTINE DECLARATION SECTION
6775 025214  000207            WRT.DS: RTS     PC                                      ;  4180
6776
6777                                    ; Routine Size:  1 word
6778                                    ; Maximum stack depth per invocation:  0 words
6783
6784
```

```
6786 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6787 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (45)
6788 ;
6789 ;          4206  routine RD_DS (TST_PAT, index, ERR_FLG) : novalue =
6790 ;          4207      begin
6791 ;          4208
6792 ;          4209  !++
6793 ;          4210  ! FUNCTIONAL DESCRIPTION:
6794 ;          4211  !
6795 ;          4212  !       COMPARES THE CONTENTS OF THE
6796 ;          4213  !       DRIVE STATUS REGISTER WITH THE
6797 ;          4214  !       MASKED DATA PATTERN
6798 ;          4215  !       GENERATED BY THE MACRO 'WRT_MASK'.
6799 ;          4216  !
6800 ;          4217  !       IF THE COMPARE IS NOT EQUAL THEN
6801 ;          4218  !       THE FORMAL PARAMETER 'ERR_FLG' IS
6802 ;          4219  !       ASSIGNED A ONE TO INDICATE THE
6803 ;          4220  !       ERROR.
6804 ;          4221  !
6805 ;          4222  ! FORMAL PARAMETERS:
6806 ;          4223  !
6807 ;          4224  !       TST_PAT
6808 ;          4225  !       DATA PATTERN TO BE MASKED AND
6809 ;          4226  !       COMPARED AGAINST THE CONTENTS
6810 ;          4227  !       OF THE REGISTER UNDER TEST.
6811 ;          4228  !
6812 ;          4229  !       INDEX
6813 ;          4230  !       USED BY THE MACRO WRT_MASK TO
6814 ;          4231  !       SELECT THE CURRENT REGISTERS ADDRESS.
6815 ;          4232  !       FORCED HI, FORCED LO AND DON'T CARE
6816 ;          4233  !       MASK INFORMATION.
6817 ;          4234  !
6818 ;          4235  !       ERR_FLG
6819 ;          4236  !       CONTAINS THE ADDRESS (PASSED BY REF)
6820 ;          4237  !       OF THE CALLERS ERROR FLG TO ENABLE THE
6821 ;          4238  !       CALLER TO EXAMINE THE ERROR STATUS
6822 ;          4239  !       OF THE ROUTINE CALL.
6823 ;          4240  !
6824 ;          4241  ! IMPLICIT INPUTS:
6825 ;          4242  !       WT_DATA
6826 ;          4243  !         GETS LOADED WITH THE GENERATED
6827 ;          4244  !         WRT_MASK DATA PATTERN THUS ALLOWING
6828 ;          4245  !         CALLER TO PRINT FAILING GOOD DATA.
6829 ;          4246  !
6830 ;          4247  !       RD_DATA
6831 ;          4248  !         GETS LOADED WITH DATA READ FROM THE
6832 ;          4249  !         REGISTER THUS ALLOWING CALLER
6833 ;          4250  !         TO PRINT FAILING BAD DATA.
6834 ;          4251  !
6835 ;          4252  ! IMPLICIT OUTPUTS:
6836 ;          4253  !       GLOBAL LOCATION WR_DATA
6837 ;          4254  !       AND RD_DATA LOADED WITH GOOD
6838 ;          4255  !       AND BAD REGISTER DATA
6839 ;          4256  !
6840 ;          4257  !--
```

```
6842 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
6843 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (45)
6844
6845 ;          4258
6846 ;          4259      .ERR_FLG = ZERO;                     !CLEAR THE ERROR FLAG
6847 ;          4260      WT_DATA = WRT_MASK;                  !SAVE THE DATA WRITTEN TO THE REGISTER
6848 ;          4261      RD_DATA = .MLDS or .IGNORE;          !READ AND SAVE THE REGISTER
6849 ;          4262
6850 ;          4263      if .WT_DATA neq .RD_DATA then .ERR_FLG = ONE;       !READ THE REG FOR WRT_MASK
6851 ;          4264
6852 ;          4265                                           !SET ERROR FLAG IF NEQ
6853 ;          4266      end;
6857
6858                                        .SBTTL  RD.DS ROUTINE DECLARATION SECTION
6862 025216  004167  157316          RD.DS:  JSR     R1,$SAVE2                       ;                              4206
6863 025222  005076  000010                  CLR     @10(SP)                         ; ERR.FLG                      4259
6864 025226  016600  000012                  MOV     12(SP),R0                       ; INDEX,*                      4260
6865 025232  006300                          ASL     R0
6866 025234  006300                          ASL     R0
6867 025236  006300                          ASL     R0
6868 025240  010001                          MOV     R0,R1
6869 025242  016100  015406                  MOV     ML.REG+2(R1),R0
6870 025246  056600  000014                  BIS     14(SP),R0                       ; TST.PAT,*
6871 025252  046100  015410                  BIC     ML.REG+4(R1),R0
6872 025256  016102  015412                  MOV     ML.REG+6(R1),R2
6873 025262  050002                          BIS     R0,R2
6874 025264  010267  170060                  MOV     R2,WT.DATA
6875 025270  017702  170160                  MOV     @ML.REG+50,R2                   ;                              4261
6876 025274  056102  015412                  BIS     ML.REG+6(R1),R2
6877 025300  010267  170046                  MOV     R2,RD.DATA
6878 025304  026767  170040  170040          CMP     WT.DATA,RD.DATA                 ;                              4263
6879 025312  001403                          BEQ     1$
6880 025314  012776  000001  000010          MOV     #1,@10(SP)                      ; *,ERR.FLG
6881 025322  000207                  1$:     RTS     PC                              ;                              4206
6882
6883                                        ; Routine Size:  35 words
6884                                        ; Maximum stack depth per invocation:  3 words
6889
6890
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    ROUTINE DECLARATION SECTION        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (46)

;          4267  routine WRT_REG (TST_PAT, REG_SEL, index) : novalue =
;          4268      begin
;          4269
;          4270  !++
;          4271  ! FUNCTIONAL DESCRIPTION:
;          4272  !       A ROUTINE TO SELECTIVELY
;          4273  !       CALLED ROUTINES WHICH
;          4274  !       WRITE TO INDIVIDUAL ML11
;          4275  !       REGISTERS
;          4276  !
;          4277  ! FORMAL PARAMETERS:
;          4278  !       REG_SEL
;          4279  !       CASE SELECT EXPRESSION TO
;          4280  !       SELECT THE WRITE REGISTER
;          4281  !       ROUTINE TO CALLED
;          4282  !
;          4283  !       TST_PAT
;          4284  !       DATA PATTERN WHICH THE SELECTED
;          4285  !       REGISTER WILL BE TESTED AGAINST
;          4286  !
;          4287  !       INDEX
;          4288  !       LOADED WITH THE ML_REG INDEX
;          4289  !       SELECT NUMBER OF THE REGISTER
;          4290  !       BEING TESTED
;          4291  !
;          4292  ! SIDE EFFECTS:
;          4293  !       WHEN A WRITE REGISTER ROUTINE IS CALLED
;          4294  !       THE VARIABLE 'INDEX' FROM THE CALLING
;          4295  !       TEST IS LOADED WITH THE REGISTERS
;          4296  !       ML_REG INDEX NUMBER.
;          4297  !
;          4298  !       THIS ENABLES THE CALLING TEST TO FIND
;          4299  !       THE FAILING REGISTER ADDRESS.
;          4300  !
;          4301  !--
;          4302
;          4303      case .REG_SEL from 0 to 13 of                !SELECT THE WRITE REGISTER ROUTINE CALL
;          4304          set
;          4305
;          4306          [0] :
;          4307              WRT_CS1 (.TST_PAT, .index = 0);      !CALL ROUTINE TO LOAD MLCS1
;          4308
;          4309          [1] :
;          4310              WRT_ER (.TST_PAT, .index = 6);       !CALL ROUTINE TO LOAD MLER
;          4311
;          4312          [2] :
;          4313              WRT_DA (.TST_PAT, .index = 3);       !CALL ROUTINE TO LOAD MLDA
;          4314
;          4315          [3] :
;          4316              WRT_MR (.TST_PAT, .index = 10);      !CALL ROUTINE TO LOAD MLMR
;          4317
;          4318          [4] :
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (46)

;          4319              WRT_E1 (.TST_PAT, .index = 13);     !CALL ROUTINE TO LOAD MLE1
;          4320
;          4321          [5] :
;          4322              WRT_E2 (.TST_PAT, .index = 14);     !CALL ROUTINE TO LOAD MLE2
;          4323
;          4324          [6] :
;          4325              WRT_PA (.TST_PAT, .index = 8);      !CALL ROUTINE TO LOAD MLPA
;          4326
;          4327          [7] :
;          4328              WRT_PD (.TST_PAT, .index = 19);     !CALL ROUTINE TO LOAD MLPD
;          4329
;          4330          [8] :
;          4331              WRT_EE (.TST_PAT, .index = 17);     !CALL ROUTINE TO LOAD MLEE
;          4332
;          4333          [9] :
;          4334              WRT_EL (.TST_PAT, .index = 18);     !CALL ROUTINE TO LOAD MLEL
;          4335
;          4336          [10] :
;          4337              WRT_DS (.TST_PAT, .index = 5);      !CALL ROUTINE TO LOAD MLDS
;          4338
;          4339          [11] :
;          4340              WRT_D1 (.TST_PAT, .index = 15);     !CALL ROUTINE TO LOAD MLD1
;          4341
;          4342          [12] :
;          4343              WRT_D2 (.TST_PAT, .index = 16);     !CALL ROUTINE TO LOAD MLD2
;          4344
;          4345          [13] :
;          4346              WRT_D3 (.TST_PAT, .index = 14);     !CALL ROUTINE TO LOAD MLE2
;          4347          tes;
;          4348
;          4349      end;
6985
6986                                    .SBTTL  WRT.REG ROUTINE DECLARATION SECTION
6990 025324  004167  157210      WRT.REG:JSR     R1,$SAVE2                       ;                                4267
6991 025330  016600  000010              MOV     10(SP),R0                       ; INDEX,*                        4307
6992 025334  016601  000014              MOV     14(SP),R1                       ; TST.PAT,*
6993 025340  016602  000012              MOV     12(SP),R2                       ; REG.SEL,*                      4303
6994 025344  006302                      ASL     R2
6995 025346  066207  025352              ADD     1$(R2),PC
6996 025352  000034                1$:   .WORD   2$-1$
6997 025354  000050                      .WORD   3$-1$
6998 025356  000066                      .WORD   4$-1$
6999 025360  000104                      .WORD   5$-1$
7000 025362  000122                      .WORD   6$-1$
7001 025364  000140                      .WORD   7$-1$
7002 025366  000156                      .WORD   8$-1$
```

```
                                        ;ML4AD
                                        ;               ROUTINE DECLARATION SECTION
                                                .WORD   9$-1$
                                                .WORD   10$-1$
                                                .WORD   11$-1$
                                                .WORD   12$-1$
                                                .WORD   13$-1$
                                                .WORD   14$-1$
                                                .WORD   15$-1$
                                        2$:     MOV     R1,-(SP)        ;                       4307
                                                CLR     (R0)
                                                CLR     -(SP)
                                                JSR     PC,WRT.CS1
                                                BR      16$             ;                       4303
                                        3$:     MOV     R1,-(SP)        ;                       4310
                                                MOV     #6,(R0)
                                                MOV     (R0),-(SP)
                                                JSR     PC,WRT.ER
                                                BR      16$             ;                       4303
                                        4$:     MOV     R1,-(SP)        ;                       4313
                                                MOV     #3,(R0)
                                                MOV     (R0),-(SP)
                                                JSR     PC,WRT.DA
                                                BR      16$             ;                       4303
                                        5$:     MOV     R1,-(SP)        ;                       4316
                                                MOV     #12,(R0)
                                                MOV     (R0),-(SP)
                                                JSR     PC,WRT.MR
                                                BR      16$             ;                       4303
                                        6$:     MOV     R1,-(SP)        ;                       4319
                                                MOV     #15,(R0)
                                                MOV     (R0),-(SP)
                                                JSR     PC,WRT.E1
                                                BR      16$             ;                       4303
                                        7$:     MOV     R1,-(SP)        ;                       4322
                                                MOV     #16,(R0)
                                                MOV     (R0),-(SP)
                                                JSR     PC,WRT.E2
                                                BR      16$             ;                       4303
                                        8$:     MOV     R1,-(SP)        ;                       4325
                                                MOV     #10,(R0)
                                                MOV     (R0),-(SP)
                                                JSR     PC,WRT.PA
                                                BR      16$             ;                       4303
                                        9$:     MOV     R1,-(SP)        ;                       4328
                                                MOV     #23,(R0)
                                                MOV     (R0),-(SP)
                                                JSR     PC,WRT.PD
                                                BR      16$             ;                       4303
                                        10$:    MOV     R1,-(SP)        ;                       4331
                                                MOV     #21,(R0)
                                                MOV     (R0),-(SP)
                                                JSR     PC,WRT.EE
                                                BR      16$             ;                       4303
```

```
                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                    29-Mar-1982 16:21:03    PA:<
 7060                                ;ML4AD
 7061                                ;                   ROUTINE DECLARATION SECTION                      4334
 7062
 7063 025602  010146                11$:    MOV     R1,-(SP)                    ;
 7064 025604  012710  000022                 MOV     #22,(R0)
 7065 025610  011046                         MOV     (R0),-(SP)
 7066 025612  004767  176076                 JSR     PC,WRT.EL
 7067 025616  000433                         BR      16$                         ;                        4303
 7068 025620  010146                12$:    MOV     R1,-(SP)                    ;                        4337
 7069 025622  012710  000005                 MOV     #5,(R0)
 7070 025626  011046                         MOV     (R0),-(SP)
 7071 025630  004767  177360                 JSR     PC,WRT.DS
 7072 025634  000424                         BR      16$                         ;                        4303
 7073 025636  010146                13$:    MOV     R1,-(SP)                    ;                        4340
 7074 025640  012710  000017                 MOV     #17,(R0)
 7075 025644  011046                         MOV     (R0),-(SP)
 7076 025646  004767  176146                 JSR     PC,WRT.D1
 7077 025652  000415                         BR      16$                         ;                        4303
 7078 025654  010146                14$:    MOV     R1,-(SP)                    ;                        4343
 7079 025656  012710  000020                 MOV     #20,(R0)
 7080 025662  011046                         MOV     (R0),-(SP)
 7081 025664  004767  176442                 JSR     PC,WRT.D2
 7082 025670  000406                         BR      16$                         ;                        4303
 7083 025672  010146                15$:    MOV     R1,-(SP)                    ;                        4346
 7084 025674  012710  000016                 MOV     #16,(R0)
 7085 025700  011046                         MOV     (R0),-(SP)
 7086 025702  004767  176736                 JSR     PC,WRT.D3
 7087 025706  022626                16$:    CMP     (SP)+,(SP)+                 ;                        4268
 7088 025710  000207                         RTS     PC                          ;                        4267
 7089
 7090                                ; Routine Size:  123 words
 7091                                ; Maximum stack depth per invocation:  5 words
 7096
 7097
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (47)

;          4350  routine RD_REG (TST_PAT, REG_SEL, ERR_FLG) : novalue =
;          4351      begin
;          4352
;          4353  !++
;          4354  ! FUNCTIONAL DESCRIPTION:
;          4355  !       A ROUTINE TO SELECTIVELY
;          4356  !       CALLED ROUTINES WHICH
;          4357  !       READ TO INDIVIDUAL ML11
;          4358  !       REGISTERS.
;          4359  !
;          4360  ! FORMAL PARAMETERS:
;          4361  !       ERR_FLG
;          4362  !       CONTAINS THE ADDRESS (PASSED BY REF)
;          4363  !       OF THE CALLERS ERROR FLG TO ENABLE THE
;          4364  !       CALLER TO EXAMINE THE ERROR STATUS
;          4365  !       OF THE ROUTINE CALL.
;          4366  !
;          4367  !       REG_SEL
;          4368  !       CASE SELECT EXPRESSION TO
;          4369  !       SELECT THE WRITE REGISTER
;          4370  !       ROUTINE TO CALLED
;          4371  !
;          4372  !       TST_PAT
;          4373  !       DATA PATTERN WHICH THE SELECTED
;          4374  !       REGISTER WILL BE TESTED AGAINST
;          4375  !
;          4376  !--
;          4377
;          4378      case .REG_SEL from 0 to 13 of              !SELECT THE READ REGISTER ROUTINE CALL
;          4379          set
;          4380
;          4381          [0] :
;          4382              RD_CS1 (.TST_PAT, 0, .ERR_FLG);    !CALL ROOUTINE TO READ MLCS1
;          4383
;          4384          [1] :
;          4385              RD_ER (.TST_PAT, 6, .ERR_FLG);     !CALL ROUTINE TO READ MLER
;          4386
;          4387          [2] :
;          4388              RD_DA (.TST_PAT, 3, .ERR_FLG);     !CALL ROUTINE TO READ MLDA
;          4389
;          4390          [3] :
;          4391              RD_MR (.TST_PAT, 10, .ERR_FLG);    !CALL ROUTINE TO READ MLMR
;          4392
;          4393          [4] :
;          4394              RD_E1 (.TST_PAT, 13, .ERR_FLG);    !CALL ROUTINE TO READ MLE1
;          4395
;          4396          [5] :
;          4397              RD_E2 (.TST_PAT, 14, .ERR_FLG);    !CALL ROUTINE TO READ MLE2
;          4398
;          4399          [6] :
;          4400              RD_PA (.TST_PAT, 8, .ERR_FLG);     !CALL ROUTINE TO READ MLPA
;          4401
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (47)

;          4402          [7] :
;          4403              RD_PD (.TST_PAT, 19, .ERR_FLG);     !CALL ROUTINE TO READ MLPD
;          4404
;          4405          [8] :
;          4406              RD_EE (.TST_PAT, 17, .ERR_FLG);     !CALL ROUTINE TO READ MLEE
;          4407
;          4408          [9] :
;          4409              RD_EL (.TST_PAT, 18, .ERR_FLG);     !CALL ROUTINE TO READ MLEL
;          4410
;          4411          [10] :
;          4412              RD_DS (.TST_PAT, 5, .ERR_FLG);      !CALL ROUTINE TO READ MLDS
;          4413
;          4414          [11] :
;          4415              RD_D1 (.TST_PAT, 15, .ERR_FLG);     !CALL ROUTINE TO READ MLD1
;          4416
;          4417          [12] :
;          4418              RD_D2 (.TST_PAT, 16, .ERR_FLG);     !CALL ROUTINE TO READ MLD2
;          4419
;          4420          [13] :
;          4421              RD_D3 (.TST_PAT, 14, .ERR_FLG);     !CALL ROUTINE TO READ MLE2
;          4422          tes;
;          4423
;          4424      end;
;
;                                    .SBTTL  RD.REG ROUTINE DECLARATION SECTION
;025712  004167  156622       RD.REG: JSR     R1,$SAVE2                       ;                                  4350
;025716  016600  000010               MOV     10(SP),R0                       ; ERR.FLG,*                        4382
;025722  016601  000014               MOV     14(SP),R1                       ; TST.PAT,*
;025726  016602  000012               MOV     12(SP),R2                       ; REG.SEL,*                        4378
;025732  006302                       ASL     R2
;025734  066207  025740               ADD     1$(R2),PC
;025740  000034               1$:     .WORD   2$-1$
;025742  000050                       .WORD   3$-1$
;025744  000066                       .WORD   4$-1$
;025746  000104                       .WORD   5$-1$
;025750  000122                       .WORD   6$-1$
;025752  000140                       .WORD   7$-1$
;025754  000156                       .WORD   8$-1$
;025756  000174                       .WORD   9$-1$
;025760  000212                       .WORD   10$-1$
;025762  000230                       .WORD   11$-1$
;025764  000246                       .WORD   12$-1$
;025766  000264                       .WORD   13$-1$
;025770  000302                       .WORD   14$-1$
;025772  000320                       .WORD   15$-1$
;025774  010146               2$:     MOV     R1,-(SP)                        ;                                  4382
```

```
                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                    29-Mar-1982 16:21:03    PA:<
7211                                    ;ML4AD
7212                                    ;                   ROUTINE DECLARATION SECTION
7213
7214 025776  005046                            CLR     -(SP)
7215 026000  010046                            MOV     R0,-(SP)
7216 026002  004767  173754                    JSR     PC,RD.CS1
7217 026006  000532                            BR      16$                 ;                   4378
7218 026010  010146                    3$:     MOV     R1,-(SP)            ;                   4385
7219 026012  012746  000006                    MOV     #6,-(SP)
7220 026016  010046                            MOV     R0,-(SP)
7221 026020  004767  174114                    JSR     PC,RD.ER
7222 026024  000523                            BR      16$                 ;                   4378
7223 026026  010146                    4$:     MOV     R1,-(SP)            ;                   4388
7224 026030  012746  000003                    MOV     #3,-(SP)
7225 026034  010046                            MOV     R0,-(SP)
7226 026036  004767  174254                    JSR     PC,RD.DA
7227 026042  000514                            BR      16$                 ;                   4378
7228 026044  010146                    5$:     MOV     R1,-(SP)            ;                   4391
7229 026046  012746  000012                    MOV     #12,-(SP)
7230 026052  010046                            MOV     R0,-(SP)
7231 026054  004767  174414                    JSR     PC,RD.MR
7232 026060  000505                            BR      16$                 ;                   4378
7233 026062  010146                    6$:     MOV     R1,-(SP)            ;                   4394
7234 026064  012746  000015                    MOV     #15,-(SP)
7235 026070  010046                            MOV     R0,-(SP)
7236 026072  004767  174776                    JSR     PC,RD.E1
7237 026076  000476                            BR      16$                 ;                   4378
7238 026100  010146                    7$:     MOV     R1,-(SP)            ;                   4397
7239 026102  012746  000016                    MOV     #16,-(SP)
7240 026106  010046                            MOV     R0,-(SP)
7241 026110  004767  175200                    JSR     PC,RD.E2
7242 026114  000467                            BR      16$                 ;                   4378
7243 026116  010146                    8$:     MOV     R1,-(SP)            ;                   4400
7244 026120  012746  000010                    MOV     #10,-(SP)
7245 026124  010046                            MOV     R0,-(SP)
7246 026126  004767  174534                    JSR     PC,RD.PA
7247 026132  000460                            BR      16$                 ;                   4378
7248 026134  010146                    9$:     MOV     R1,-(SP)            ;                   4403
7249 026136  012746  000023                    MOV     #23,-(SP)
7250 026142  010046                            MOV     R0,-(SP)
7251 026144  004767  175406                    JSR     PC,RD.PD
7252 026150  000451                            BR      16$                 ;                   4378
7253 026152  010146                    10$:    MOV     R1,-(SP)            ;                   4406
7254 026154  012746  000021                    MOV     #21,-(SP)
7255 026160  010046                            MOV     R0,-(SP)
7256 026162  004767  175572                    JSR     PC,RD.EE
7257 026166  000442                            BR      16$                 ;                   4378
7258 026170  010146                    11$:    MOV     R1,-(SP)            ;                   4409
7259 026172  012746  000022                    MOV     #22,-(SP)
7260 026176  010046                            MOV     R0,-(SP)
7261 026200  004767  175512                    JSR     PC,RD.EL
7262 026204  000433                            BR      16$                 ;                   4378
7263 026206  010146                    12$:    MOV     R1,-(SP)            ;                   4412
7264 026210  012746  000005                    MOV     #5,-(SP)
7265 026214  010046                            MOV     R0,-(SP)
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               ROUTINE DECLARATION SECTION             29-Mar-1982 16:21:03    PA:<
                                        ;
026216  004767  176774                          JSR     PC,RD.DS
026222  000424                                  BR      16$                             ;               4378
026224  010146                          13$:    MOV     R1,-(SP)                        ;               4415
026226  012746  000017                          MOV     #17,-(SP)
026232  010046                                  MOV     R0,-(SP)
026234  004767  175644                          JSR     PC,RD.D1
026240  000415                                  BR      16$                             ;               4378
026242  010146                          14$:    MOV     R1,-(SP)                        ;               4418
026244  012746  000020                          MOV     #20,-(SP)
026250  010046                                  MOV     R0,-(SP)
026252  004767  176140                          JSR     PC,RD.D2
026256  000406                                  BR      16$                             ;               4378
026260  010146                          15$:    MOV     R1,-(SP)                        ;               4421
026262  012746  000016                          MOV     #16,-(SP)
026266  010046                                  MOV     R0,-(SP)
026270  004767  176450                          JSR     PC,RD.D3
026274  062706  000006                  16$:    ADD     #6,SP                           ;               4351
026300  000207                                  RTS     PC                              ;               4350

                                        ; Routine Size:  124 words
                                        ; Maximum stack depth per invocation:  6 words

;               4425  !<BLF/PAGE>
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;               ROUTINE DECLARATION SECTION             29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (48)

;          4426                                         !
;          4427  !
;          4428  BGNMSG (DUMPER);

                                        .SBTTL  DUMPER ROUTINE DECLARATION SECTION
  302  004767  000004          DUMPER::JSR     PC,@$DUMPER                     ;                       4428
026306  104423                  TRAP    23
026310  000207                  RTS     PC

                                ; Routine Size:  4 words
                                ; Maximum stack depth per invocation:  0 words

;          4429
;          4430  !++
;          4431  !       FUNCTIONAL DESCRIPTION
;          4432  !               UPON COMPLETION OF ERROR MESSAGES
;          4433  !               DUMP OUT ALL PERTINENT DRIVE AND
;          4434  !               RH REGISTERS
;          4435  !--
;          4436
;          4437  if .REGDMP
;          4438  then
;          4439      begin
;          4440      PRINTB (ONE_FMT, PHR_14);                 !PRINT REGISTER DUMP MESSAGE
;          4441      PRINTB (FMT_23);                          !PRINT DUMPER COLUMN HEADINGS
;          4442      PRINTB (FMT_24, REG_1, MLCS1, .MLCS1);    !PRINT OUT THE RH & ML11 REGISTER CONTENTS
;          4443      PRINTB (FMT_24, REG_18, MLWC, .MLWC);
;          4444      PRINTB (FMT_24, REG_19, MLBA, .MLBA);
;          4445      PRINTB (FMT_24, REG_6, MLDA, .MLDA);
;          4446      PRINTB (FMT_24, REG_17, MLCS2, .MLCS2);
;          4447      PRINTB (FMT_24, REG_2, MLDS, .MLDS);
;          4448      PRINTB (FMT_24, REG_3, MLER, .MLER);
;          4449      PRINTB (FMT_24, REG_5, MLAS, .MLAS);
;          4450      PRINTB (FMT_24, REG_4, MLMR, .MLMR);
;          4451      PRINTB (FMT_24, REG_7, MLDT, .MLDT);
;          4452      PRINTB (FMT_24, REG_9, MLSN, .MLSN);
;          4453      PRINTB (FMT_24, REG_14, MLEE, .MLEE);
;          4454      PRINTB (FMT_24, REG_15, MLEL, .MLEL);
;          4455
;          4456      if .LST_DUT_REG eql 21                    !SEE IF THIS IS A RH70
;          4457      then                                      !IF YES THEN PRINT RH70 REGISTERS
```

```
7355 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
7356 ;                  ROUTINE DECLARATION SECTION  29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (48)
7357
7358 ;          4458           begin
7359 ;          4459           PRINTB (FMT_24, REG_20, MLBAE, .MLBAE);
7360 ;          4460           PRINTB (FMT_24, REG_21, MLCS3, .MLCS3);
7361 ;          4461           end;
7362 ;          4462
7363 ;          4463       end;
7364 ;          4464
7365 ;          4465   ENDMSG;
7369
7370                                          .SBTTL  MSDUMPER ROUTINE DECLARATION SECTION
7374 026312                          MSDUMPER:
7375 026312  032767  000001  154064          BIT     #1,REGDMP                       ;                       4437
7376 026320  001001                          BNE     1$
7377 026322  000207                          RTS     PC
7378 026324  012746  012104          1$:     MOV     #PHR.14,-(SP)                   ;                       4440
7379 026330  012746  010240                  MOV     #ONE.FMT,-(SP)
7380 026334  012746  000002                  MOV     #2,-(SP)
7381 026340  010600                          MOV     SP,R0                           ; SP,*
7382 026342  104414                          TRAP    14
7383 026344  012716  010072                  MOV     #FMT.23,(SP)                    ;                       4441
7384 026350  012746  000C01                  MOV     #1,-(SP)
7385 026354  010600                          MOV     SP,R0                           ; SP,*
7386 026356  104414                          TRAP    14
7387 026360  017716  167020                  MOV     @ML.REG,(SP)                    ;                       4442
7388 026364  016746  167014                  MOV     ML.REG,-(SP)
7389 026370  012746  012500                  MOV     #REG.1,-(SP)
7390 026374  012746  010142                  MOV     #FMT.24,-(SP)
7391 026400  012746  000004                  MOV     #4,-(SP)
7392 026404  010600                          MOV     SP,R0                           ; SP,*
7393 026406  104414                          TRAP    14
7394 026410  017716  167000                  MOV     @ML.REG+10,(SP)                 ;                       4443
7395 026414  016746  166774                  MOV     ML.REG+10,-(SP)
7396 026420  012746  012652                  MOV     #REG.18,-(SP)
7397 026424  012746  010142                  MOV     #FMT.24,-(SP)
7398 026430  012746  000004                  MOV     #4,-(SP)
7399 026434  010600                          MOV     SP,R0                           ; SP,*
7400 026436  104414                          TRAP    14
7401 026440  017716  166760                  MOV     @ML.REG+20,(SP)                 ;                       4444
7402 026444  016746  166754                  MOV     ML.REG+20,-(SP)
7403 026450  012746  012660                  MOV     #REG.19,-(SP)
7404 026454  012746  010142                  MOV     #FMT.24,-(SP)
7405 026460  012746  000004                  MOV     #4,-(SP)
7406 026464  010600                          MOV     SP,R0                           ; SP,*
7407 026466  104414                          TRAP    14
7408 026470  017716  166740                  MOV     @ML.REG+30,(SP)                 ;                       4445
7409 026474  016746  166734                  MOV     ML.REG+30,-(SP)
```

```
                                                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                                                    29-Mar-1982 16:21:03    PA:<
7411                                    ;ML4AD
7412                                    ;                ROUTINE DECLARATION SECTION
7413
7414 026500 012746 012540                       MOV     #REG.6,-(SP)
7415 026504 012746 010142                       MOV     #FMT.24,-(SP)
7416 026510 012746 000004                       MOV     #4,-(SP)
7417 026514 010600                              MOV     SP,R0                   ; SP,*
7418 026516 104414                              TRAP    14
7419 026520 017716 166720                       MOV     @ML.REG+40,(SP)         ;                                                       4446
7420 026524 016746 166714                       MOV     ML.REG+40,-(SP)
7421 026530 012746 012642                       MOV     #REG.17,-(SP)
7422 026534 012746 010142                       MOV     #FMT.24,-(SP)
7423 026540 012746 000004                       MOV     #4,-(SP)
7424 026544 010600                              MOV     SP,R0                   ; SP,*
7425 026546 104414                              TRAP    14
7426 026550 017716 166700                       MOV     @ML.REG+50,(SP)         ;                                                       4447
7427 026554 016746 166674                       MOV     ML.REG+50,-(SP)
7428 026560 012746 012510                       MOV     #REG.2,-(SP)
7429 026564 012746 010142                       MOV     #FMT.24,-(SP)
7430 026570 012746 000004                       MOV     #4,-(SP)
7431 026574 010600                              MOV     SP,R0                   ; SP,*
7432 026576 104414                              TRAP    14
7433 026600 017716 166660                       MOV     @ML.REG+60,(SP)         ;                                                       4448
7434 026604 016746 166654                       MOV     ML.REG+60,-(SP)
7435 026610 012746 012516                       MOV     #REG.3,-(SP)
7436 026614 012746 010142                       MOV     #FMT.24,-(SP)
7437 026620 012746 000004                       MOV     #4,-(SP)
7438 026624 010600                              MOV     SP,R0                   ; SP,*
7439 026626 104414                              TRAP    14
7440 026630 017716 166640                       MOV     @ML.REG+70,(SP)         ;                                                       4449
7441 026634 016746 166634                       MOV     ML.REG+70,-(SP)
7442 026640 012746 012532                       MOV     #REG.5,-(SP)
7443 026644 012746 010142                       MOV     #FMT.24,-(SP)
7444 026650 012746 000004                       MOV     #4,-(SP)
7445 026654 010600                              MOV     SP,R0                   ; SP,*
7446 026656 104414                              TRAP    14
7447 026660 017716 166640                       MOV     @ML.REG+120,(SP)        ;                                                       4450
7448 026664 016746 166634                       MOV     ML.REG+120,-(SP)
7449 026670 012746 012524                       MOV     #REG.4,-(SP)
7450 026674 012746 010142                       MOV     #FMT.24,-(SP)
7451 026700 012746 000004                       MOV     #4,-(SP)
7452 026704 010600                              MOV     SP,R0                   ; SP,*
7453 026706 104414                              TRAP    14
7454 026710 017716 166620                       MOV     @ML.REG+130,(SP)        ;                                                       4451
7455 026714 016746 166614                       MOV     ML.REG+130,-(SP)
7456 026720 012746 012546                       MOV     #REG.7,-(SP)
7457 026724 012746 010142                       MOV     #FMT.24,-(SP)
7458 026730 012746 000004                       MOV     #4,-(SP)
7459 026734 010600                              MOV     SP,R0                   ; SP,*
7460 026736 104414                              TRAP    14
7461 026740 017716 166600                       MOV     @ML.REG+140,(SP)        ;                                                       4452
7462 026744 016746 166574                       MOV     ML.REG+140,-(SP)
7463 026750 012746 012562                       MOV     #REG.9,-(SP)
7464 026754 012746 010142                       MOV     #FMT.24,-(SP)
7465 026760 012746 000004                       MOV     #4,-(SP)
```

```
                                                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                                                    29-Mar-1982 16:21:03    PA:<
                                        ;ML4AD
                                        ;                       ROUTINE DECLARATION SECTION
7467
7468
7469
7470 026764  010600                             MOV     SP,R0                           ; SP,*
7471 026766  104414                             TRAP    14
7472 026770  017716  166620                     MOV     @ML.REG+210,(SP)                ;                                                       4453
7473 026774  016746  166614                     MOV     ML.REG+210,-(SP)
7474 027000  012746  012620                     MOV     #REG.14,-(SP)
7475 027004  012746  010142                     MOV     #FMT.24,-(SP)
7476 027010  012746  000004                     MOV     #4,-(SP)
7477 027014  010600                             MOV     SP,R0                           ; SP,*
7478 027016  104414                             TRAP    14
7479 027020  062706  000146                     ADD     #146,SP
7480 027024  017716  166574                     MOV     @ML.REG+220,(SP)                ;                                                       4454
7481 027030  016746  166570                     MOV     ML.REG+220,-(SP)
7482 027034  012746  012626                     MOV     #REG.15,-(SP)
7483 027040  012746  010142                     MOV     #FMT.24,-(SP)
7484 027044  012746  000004                     MOV     #4,-(SP)
7485 027050  010600                             MOV     SP,R0                           ; SP,*
7486 027052  104414                             TRAP    14
7487 027054  026727  166276  000025             CMP     LST.DUT.REG,#25                 ;                                                       4456
7488 027062  001032                             BNE     2$                                                                                      4459
7489 027064  017746  166554                     MOV     @ML.REG+240,-(SP)               ;
7490 027070  016746  166550                     MOV     ML.REG+240,-(SP)
7491 027074  012746  012666                     MOV     #REG.20,-(SP)
7492 027100  012746  010142                     MOV     #FMT.24,-(SP)
7493 027104  012746  000004                     MOV     #4,-(SP)
7494 027110  010600                             MOV     SP,R0                           ; SP,*
7495 027112  104414                             TRAP    14
7496 027114  017716  166534                     MOV     @ML.REG+250,(SP)                ;                                                       4460
7497 027120  016746  166530                     MOV     ML.REG+250,-(SP)
7498 027124  012746  012676                     MOV     #REG.21,-(SP)
7499 027130  012746  010142                     MOV     #FMT.24,-(SP)
7500 027134  012746  000004                     MOV     #4,-(SP)
7501 027140  010600                             MOV     SP,R0                           ; SP,*
7502 027142  104414                             TRAP    14
7503 027144  062706  000022                     ADD     #22,SP                          ;                                                       4458
7504 027150  062706  000012             2$:     ADD     #12,SP                          ;                                                       4439
7505 027154  000207                             RTS     PC                              ;                                                       4428
7506
7507                                    ; Routine Size:  210 words
7508                                    ; Maximum stack depth per invocation:  52 words
7513
7514
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (49)

;          4466  routine WRT_CHK_TRANSFER (SIZE, DST, SRC) : novalue =
;          4467      begin
;          4468
;          4469  !++
;          4470  !  FUNCTIONAL DESCRIPTION:
;          4471  !       THIS ROUTINE WHEN CALLED WILL PERFORM
;          4472  !       A MASS BUS WRITE CHECK TRANSFER TO THE REQUESTED
;          4473  !       DESTINATION AND SOURCE ADDRESS OF LENGTH
;          4474  !       'SIZE'.
;          4475  !
;          4476  !  FORMAL PARAMETERS:
;          4477  !       SIZE:   DETERMINES THE NUMBER OF WORDS TO
;          4478  !               TRANSFER TO THE DESTINATION ADRS.
;          4479  !
;          4480  !       DST:    DETERMINES THE DESTINATION ADRS OF
;          4481  !               TRANSFER.
;          4482  !
;          4483  !       SRC:    DETERMINES THE SOURCE ADRS OF THE
;          4484  !               TRANSFER.
;          4485  !
;          4486  !--
;          4487
;          4488      CLR_MBUS;                             !CLEAR THE MASS BUS BEFORE WE START
;          4489      ECC_DIS = ONE;                        !DISABLE ERROR CORRECTION
;          4490      BAI = ONE;                            !MAKE THE TRANSFER STAY ON ONE BUS ADRS
;          4491      MLWC = .SIZE;                         !LOAD THE SIZE OF THE TRANSFER
;          4492      MLDA = .DST;                          !LOAD THE DESTINATION ADRS OF THE TRANSFER
;          4493      MLBA = .SRC;                          !LOAD THE SOURCE ADRS OF THE TRANSFER
;          4494      MLCS1 = WRT_CHK;                      !LOAD THE WRITE CHECK FUNCTION INTO CS1
;          4495
;          4496      if (.SC) and ( not .WCE)              !DID LOADING THE FUNCTION CAUSE A SC ERROR
;          4497      then
;          4498          begin
;          4499          ERRDF (148, INTER, DUMPER);       !REPORT THE ERROR TO OPERATOR
;          4500          PRINTB (ONE_FMT, WC_ERR);         !TELL WHAT THE ERROR IS
;          4501          DODU (.ML_LUN);                   !DROP THE UNIT
;          4502          DOCLN;                            !EXIT THE PROG
;          4503          end;
;          4504
;          4505      do                                    !DO NOTHING
;          4506          0
;          4507      until .DRY;                           !UNTIL THE DRIVE IS READY
;          4508
;          4509      if (.SC) and ( not .WCE)              !DID THE SC BIT SET DURING THE XFER
;          4510      then
;          4511          begin
;          4512          ERRDF (148, INTER, DUMPER);       !REPORT THE ERROR TO OPERATOR
;          4513          PRINTB (ONE_FMT, WC_ERR);         !TELL WHAT THE ERROR IS
;          4514          DODU (.ML_LUN);                   !DROP THE UNIT
;          4515          DOCLN;                            !EXIT THE PROGRAM
;          4516          end;
;          4517
```

```
7572 ;ML4AD
7573 ;                  ROUTINE DECLARATION SECTION
7574
7575 ;          4518       end;
7579
7580                                                .SBTTL  WRT.CHK.TRANSFE ROUTINE DECLARATION SECTION
7584 027156                                 WRT.CHK.TRANSFE:                                                4467
7585 027156  152777  000040  166260                BISB    #40,aML.REG+40                  ;
7586 027164  016700  166642                         MOV     ML.DUT,R0
7587 027170  042700  177770                         BIC     #177770,R0
7588 027174  142777  000007  166242                BICB    #7,aML.REG+40
7589 027202  150077  166236                         BISB    R0,aML.REG+40
7590 027206  152777  000002  166310                BISB    #2,aML.REG+120                  ;                4489
7591 027214  152777  000010  166222                BISB    #10,aML.REG+40                  ;                4490
7592 027222  016677  000006  166164                MOV     6(SP),aML.REG+10                ; SIZE,*         4491
7593 027230  016677  000004  166176                MOV     4(SP),aML.REG+30                ; DST,*          4492
7594 027236  016677  000002  166160                MOV     2(SP),aML.REG+20                ; SRC,*          4493
7595 027244  012777  000051  166132                MOV     #51,aML.REG                     ;                4494
7596 027252  005777  166126                         TST     aML.REG                         ;                4496
7597 027256  100026                                 BPL     1$
7598 027260  032777  040000  166156                BIT     #40000,aML.REG+40
7599 027266  001022                                 BNE     1$
7600 027270  104455                                 TRAP    55                              ;                4499
7601 027272  000224                                 .WORD   224
7602 027274  013114                                 .WORD   INTER
7603 027276  026302                                 .WORD   DUMPER
7604 027300  012746  005652                         MOV     #WC.ERR,-(SP)                   ;                4500
7605 027304  012746  010240                         MOV     #ONE.FMT,-(SP)
7606 027310  012746  000002                         MOV     #2,-(SP)
7607 027314  010600                                 MOV     SP,R0                           ; SP,*
7608 027316  104414                                 TRAP    14
7609 027320  016700  166504                         MOV     ML.LUN,R0                       ;                4501
7610 027324  104451                                 TRAP    51
7611 027326  104444                                 TRAP    44
7612 027330  062706  000006                         ADD     #6,SP                           ;                4498
7613 027334  105777  166114                1$:      TSTB    aML.REG+50                      ;                4507
7614 027340  100375                                 BPL     1$
7615 027342  005777  166036                         TST     aML.REG                         ;                4509
7616 027346  100026                                 BPL     2$
7617 027350  032777  040000  166066                BIT     #40000,aML.REG+40
7618 027356  001022                                 BNE     2$
7619 027360  104455                                 TRAP    55                              ;                4512
7620 027362  000224                                 .WORD   224
7621 027364  013114                                 .WORD   INTER
7622 027366  026302                                 .WORD   DUMPER
7623 027370  012746  005652                         MOV     #WC.ERR,-(SP)                   ;                4513
7624 027374  012746  010240                         MOV     #ONE.FMT,-(SP)
7625 027400  012746  000002                         MOV     #2,-(SP)
7626 027404  010600                                 MOV     SP,R0                           ; SP,*
```

```
                                        ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
                                        ;                ROUTINE DECLARATION SECTION    29-Mar-1982 16:21:03    PA:<
                                                 TRAP    14
027406  104414                                   MOV     ML.LUN,R0                      ;                       4514
027410  016700  166414                           TRAP    51
027414  104451                                   TRAP    44
027416  104444                                   ADD     #6,SP                          ;                       4511
027420  062706  000006                           RTS     PC                             ;                       4466
027424  000207                          2$:
                                        ; Routine Size:  84 words
                                        ; Maximum stack depth per invocation:  3 words
```

```
7647 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
7648 ;                ROUTINE DECLARATION SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (50)
7649 ;
7650 ;          4519  routine WRT_TRANSFER (SIZE, DST, SRC) : novalue =
7651 ;          4520      begin
7652 ;          4521
7653 ;          4522  !++
7654 ;          4523  !   FUNCTIONAL DESCRIPTION
7655 ;          4524  !        THIS ROUTINE WHEN CALLED WILL PERFORM
7656 ;          4525  !        A WRITE TRANSFER TO THE REQUESTED
7657 ;          4526  !        DESTINATION AND SOURCE ADDRESSES OF
7658 ;          4527  !        LENGTH 'SIZE'.
7659 ;          4528  !
7660 ;          4529  !   FORMAL PARAMETERS:
7661 ;          4530  !        SIZE:   DETERMINES THE NUMBER OF WORDS
7662 ;          4531  !                TO TRANSFER.
7663 ;          4532  !        DST:    DETERMINES THE DESTINATION ADRS
7664 ;          4533  !                OF THE TRANSFER.
7665 ;          4534  !        SRC:    DETERMINES THE SOURCE ADRS OF THE
7666 ;          4535  !                TRANSFER.
7667 ;          4536  !--
7668 ;          4537
7669 ;          4538      CLR_MBUS;                            !CLEAR THE MASS BUS BEFORE WE START
7670 ;          4539      BAI = ONE;                           !FORCE THE TRANSFER TO STAY ON ONE BUS ADRS
7671 ;          4540      MLWC = .SIZE;                        !LOAD THE WORD COUNT SIZE
7672 ;          4541      MLDA = .DST;                         !LOAD THE DESTINATION ADRS
7673 ;          4542      MLBA = .SRC;                         !LOAD THE SOURCE ADRS
7674 ;          4543      MLCS1 = write;                       !LOAD THE FUNCTION INTO CS1
7675 ;          4544
7676 ;          4545      if .SC                               !DID LOADING THE FUNCTION CAUSE AN SC ERROR
7677 ;          4546      then
7678 ;          4547          begin
7679 ;          4548          ERRDF (148, INTER, DUMPER);      !REPORT THE ERROR
7680 ;          4549          PRINTB (ONE_FMT, W_ERR);         !TELL WHAT THE ERROR IS
7681 ;          4550          DODU (.ML_LUN);                  !DROP THE UNIT
7682 ;          4551          DOCLN;                           !EXIT THE PROGRAM
7683 ;          4552          end;
7684 ;          4553
7685 ;          4554      do                                   !DO NOTHING
7686 ;          4555          0                                !
7687 ;          4556      until .DRY;                          !UNTIL THE DRIVE IS READY
7688 ;          4557
7689 ;          4558      if .SC                               !DID SC ERROR SET DURING THE TRANSFER
7690 ;          4559      then
7691 ;          4560          begin
7692 ;          4561          ERRDF (148, INTER, DUMPER);      !REPORT THE ERORR
7693 ;          4562          PRINTB (ONE_FMT, W_ERR);         !TELL WHAT THE ERROR IS
7694 ;          4563          DODU (.ML_LUN);                  !DROP THE UNIT
7695 ;          4564          DOCLN;                           !EXIT THE PROGRAM
7696 ;          4565          end;
7697 ;          4566
7698 ;          4567      end;
```

29-Mar-1982 16:23:04 TOPS
29-Mar-1982 16:21:03 PA:<

```
7703                                    ;ML4AD
7704                                    ;               ROUTINE DECLARATION SECTION
7705
7706
7707                                            .SBTTL  WRT.TRANSFER ROUTINE DECLARATION SECTION
7711 027426                             WRT.TRANSFER:
7712 027426  152777  000040  166010              BISB    #40,aML.REG+40                  ;                       4520
7713 027434  016700  166372                      MOV     ML.DUT,R0
7714 027440  042700  177770                      BIC     #177770,R0
7715 027444  142777  000007  165772              BICB    #7,aML.REG+40
7716 027452  150077  165766                      BISB    R0,aML.REG+40
7717 027456  152777  000010  165760              BISB    #10,aML.REG+40                  ;                       4539
7718 027464  016677  000006  165722              MOV     6(SP),aML.REG+10                ; SIZE,*                4540
7719 027472  016677  000004  165734              MOV     4(SP),aML.REG+30                ; DST,*                 4541
7720 027500  016677  000002  165716              MOV     2(SP),aML.REG+20                ; SRC,*                 4542
7721 027506  012777  000061  165670              MOV     #61,aML.REG                     ;                       4543
7722 027514  005777  165664                      TST     aML.REG                         ;                       4545
7723 027520  100022                              BPL     1$
7724 027522  104455                              TRAP    55                              ;                       4548
7725 027524  000224                              .WORD   224
7726 027526  013114                              .WORD   INTER
7727 027530  026302                              .WORD   DUMPER
7728 027532  012746  005722                      MOV     #W.ERR,-(SP)                    ;                       4549
7729 027536  012746  010240                      MOV     #ONE.FMT,-(SP)
7730 027542  012746  000002                      MOV     #2,-(SP)
7731 027546  010600                              MOV     SP,R0                           ; SP,*
7732 027550  104414                              TRAP    14
7733 027552  016700  166252                      MOV     ML.LUN,R0                       ;                       4550
7734 027556  104451                              TRAP    51
7735 027560  104444                              TRAP    44
7736 027562  062706  000006                      ADD     #6,SP                           ;                       4547
7737 027566  105777  165662              1$:     TSTB    aML.REG+50                      ;                       4556
7738 027572  100375                              BPL     1$
7739 027574  005777  165604                      TST     aML.REG                         ;                       4558
7740 027600  100022                              BPL     2$
7741 027602  104455                              TRAP    55                              ;                       4561
7742 027604  000224                              .WORD   224
7743 027606  013114                              .WORD   INTER
7744 027610  026302                              .WORD   DUMPER
7745 027612  012746  005722                      MOV     #W.ERR,-(SP)                    ;                       4562
7746 027616  012746  010240                      MOV     #ONE.FMT,-(SP)
7747 027622  012746  000002                      MOV     #2,-(SP)
7748 027626  010600                              MOV     SP,R0                           ; SP,*
7749 027630  104414                              TRAP    14
7750 027632  016700  166172                      MOV     ML.LUN,R0                       ;                       4563
7751 027636  104451                              TRAP    51
7752 027640  104444                              TRAP    44
7753 027642  062706  000006                      ADD     #6,SP                           ;                       4560
7754 027646  000207                      2$:     RTS     PC                              ;                       4519
7755
7756                                    ; Routine Size:  73 words
7757                                    ; Maximum stack depth per invocation:  3 words
```

```
                                ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                ;               ROUTINE DECLARATION SECTION  29-Mar-1982 16:21:03    PA:<
```

```
;          4568  !<BLF/PAGE>
```

```
7770 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
7771 ;                  INITIALIZATION CODE SECTION            29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (52)
7772 ;
7773 ;          4569  %sbttl 'INITIALIZATION CODE SECTION'
7774 ;          4570  !
7775 ;          4571  !
7776 ;          4572  BGNINIT;
7777 ;          4573  !       INITIALIZATION CODE IS EXECUTED AT THE BEGINNING OF EACH
7778 ;          4574  !       PASS, WHEN POWER DOWN/POWER UP HAS OCCURRED, OR WHEN THE
7779 ;          4575  !       OPERATOR HAS ISSUED A START, RESTART OR CONTINUE COMMAND.
7780 ;          4576  !       DURING INITIALIZATION, THE 'GPHARD' MACRO IS USED TO GET
7781 ;          4577  !       P-TABLE INFORMATION FOR THE LOGICAL UNIT UNDER TEST. THE
7782 ;          4578  !       NUMBER OF UNITS  AVAILABLE FOR TESTING IS CONTAINED IN A
7783 ;          4579  !       HEADER LOCATION ('L$UNIT').
7784 ;          4580
7785 ;          4581  local
7786 ;          4582      OFFSET;
7787 ;          4583
7788 ;          4584  external
7789 ;          4585      L$UNIT;
7790 ;          4586
7791 ;          4587  if not READEF (EF_CONTINUE)                    !SKIP INIT CODE IF CONTINUE
7792 ;          4588  then
7793 ;          4589      begin                                      !START GPHARDS AT LUN 0 AND LOAD 'ML_REG'
7794 ;          4590
7795 ;          4591      if READEF (EF_START)                       !SEE IF THIS IS THE VERY FIRST PASS
7796 ;          4592      then
7797 ;          4593          begin                                  !THIS IS CATEGORY 1 CODE
7798 ;          4594          ML_LUN = -1;
7799 ;          4595          DROP_CNT = ZERO;                       !CLEAR THE PASS COUNTER
7800 ;          4596
7801 ;          4597          do
7802 ;          4598              begin
7803 ;          4599              ML_LUN = .ML_LUN + 1;              !INCREMENT LOGICAL UNIT NUMBER
7804 ;          4600
7805 ;          4601              if .ML_LUN geq .L$UNIT then DOCLN; !START OVER IF ALL UNITS HAVE BEEN TESTED
7806 ;          4602
7807 ;          4603              end
7808 ;          4604          until (GPHARD (.ML_LUN, PTBL_PTR)) neq 0;       !REPEAT THE GPHARD UNTIL A 0 IS RETURNED
7809 ;          4605
7810 ;          4606          RH_ADD = .((.PTBL_PTR) + 0);           !GET BASE RH ADDRESS FOR THIS UNIT
7811 ;          4607          RH_TYP = .((.PTBL_PTR) + 2);           !GET RH TYPE FOR THIS UNIT
7812 ;          4608          RH_VEC = .((.PTBL_PTR) + 4);           !GET RH VECTOR FOR THIS UNIT
7813 ;          4609          OFFSET = 0;                            !INIT OFF SET COUNT
7814 ;          4610
7815 ;          4611          incr COUNT from 0 to 21 do             !LOAD THE REGISTER ADDRESS FOR THIS UNIT INTO ML_REG
7816 ;          4612              begin
7817 ;          4613              ML_REG [.COUNT, REGISTER_ADD] = .RH_ADD + .OFFSET;
7818 ;          4614              OFFSET = .OFFSET + 2;
7819 ;          4615              end;
7820 ;          4616
7821 ;          4617          end
7822 ;          4618      else                                       !IS THIS A NEW PASS
7823 ;          4619          begin
7824 ;          4620
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                INITIALIZATION CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (52)
;
;          4621          if READEF (EF_RESTART) then DROP_CNT = -1;      !RESET THE PASS COUNTER
;          4622
;          4623          if READEF (EF_NEW)                              !IS THIS A NEW PASS
;          4624          then
;          4625              begin                                       !THIS IS A NEW PASS
;          4626              DROP_CNT = .DROP_CNT + 1;                   !INCREMENT THE PASS COUNT
;          4627
;          4628              if (.ONEPAS) and (.DROP_CNT eql 1)          !HAVE WE DONE ONE PASS YET
;          4629              then
;          4630                  begin                                   !DROP THE UNIT ON THE SECOND PASS
;          4631                  DODU (.ML_LUN);                         !DROP THE UNIT
;          4632                  DOCLN;                                  !JUMP TO THE CLEAN UP CODE
;          4633                  end
;          4634              else                                        !THE FIRST PASS IS NOT COMPLETED YET
;          4635                  ML_LUN = -1;                            !RESET THE LUN POINTER
;          4636
;          4637              end;
;          4638
;          4639          do
;          4640              begin
;          4641              ML_LUN = .ML_LUN + 1;                       !IF NOT GET NEXT LUN PTABLE
;          4642
;          4643              if .ML_LUN geq .LSUNIT then DOCLN;          !START OVER IF ALL UNITS ARE TESTED
;          4644
;          4645              end
;          4646          until (GPHARD (.ML_LUN, PTBL_PTR)) neq 0;       !REPEAT UNTIL A 0 IS RETURNED
;          4647
;          4648          end;
;          4649
;          4650      PAR_DIS = .((.PTBL_PTR) + 12);                      !GET PARITY DISABLE FLAG
;          4651      ML_DUT = .((.PTBL_PTR) + 10);                       !GET DRIVE NUMBER
;          4652      OP_NUM_ARR = .((.PTBL_PTR) + 6) - 1;                !GET OPERATOR NUMBER OF ARRAYS
;          4653      GOOD_BLK = ZEROES;                                  !INIT GOOD BLOCK TO BLOCK ZERO
;          4654      ARR_T6 = ZEROES;                                    !INIT ARRAY 16 TO ZERO
;          4655      LST_ARR = ZEROES;                                   !INIT LAST ARRAY TO ZERO
;          4656      LST_BLK = ZEROES;                                   !INIT LAST BLOCK TO ZERO
;          4657  !
;          4658  ! DEFINE ERROR PRINTING THRESHOLD LIMIT
;          4659  !
;          4660
;          4661      if .ERRTHR then LIMIT = 10 else LIMIT = %o'077777';
;          4662
;          4663  !
;          4664  ! CALCULATE THE MOS RAM SIZE RUN TIME
;          4665  ! PARAMETERS. 'EITHER 16K OR 64K''
;          4666  !
;          4667
;          4668      if .((.PTBL_PTR) + 8) IS_SET                        !CALCULATE ML11 16K MOS RAM PARAMETERS
;          4669      then
;          4670          begin
;          4671          DRIVE_TYPE = %o'000110';                        !EXPECTED DRIVE TYPE VALUE
;          4672          W_C_SIZE = %o'140000';                          !WORD COUNT SIZE FOR 16K WORD XFER
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                INITIALIZATION CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (52)
;
;          4673          RAS_INC = %o'200';                !RAS INCREMENT FOR 16K RAMS
;          4674          CHIP_SIZ = 16;                    !CHIP SIZE
;          4675          ARR_INC = %o'1000';               !ARRAY INCREMENT
;          4676          ARR_16<9, 4> = %o'17';            !ARRAY 16
;          4677          LST_ARR<9, 4> = .OP_NUM_ARR;      !LAST ARRAY
;          4678          LST_BLK<9, 4> = .OP_NUM_ARR;      !LAST BLOCK
;          4679          LST_BLK = .LST_BLK or %o'777';
;          4680          end
;          4681      else                                  !CALCULATE ML11 64K MOS RAM PARAMETERS
;          4682          begin
;          4683          DRIVE_TYPE = %o'000111';          !EXPECTED DRIVE TYPE VALUE
;          4684          W_C_SIZE = %o'000000';            !WORD COUNT SIZE FOR 64K WORD XFER
;          4685          RAS_INC = %o'1000';               !RAS INCREMENT FOR 64K RAMS
;          4686          CHIP_SIZ = 64;                    !CHIP SIZE
;          4687          ARR_INC = %o'4000';               !ARRAY INCREMENT
;          4688      !
;          4689      ! VERSION CZMLAD CHANGED %O'37' TO %O'17'
;          4690      !
;          4691          ARR_16<11, 4> = %o'17';           !ARRAY 16
;          4692          LST_ARR<11, 4> = .OP_NUM_ARR;     !LAST ARRAY
;          4693          LST_BLK<11, 4> = .OP_NUM_ARR;     !LAST BLOCK
;          4694          LST_BLK = .LST_BLK or %o'3777';
;          4695          end;
;          4696
;          4697      if .((.PTBL_PTR) + 2) eql %o'70' then LST_DUT_REG = 21 else LST_DUT_REG = 19;
;          4698
;          4699      PRINTB (FMT_17, .ML_LUN);             !TELL OPERATOR WHICH UNIT IS BEING TESTED
;          4700      CLR_MBUS;                             !CLEAR MASS BUS
;          4701      end;
;          4702
;          4703  ENDINIT;
;
                                       .GLOBL  L$UNIT
;
;
                                       .SBTTL  LINIT INITIALIZATION CODE SECTION
027650  004167  154700          LINIT: JSR     R1,$SAVE3                    ;                    4567
027654  012700  000036                 MOV     #36,R0                       ;                    4587
027660  104447                         TRAP    47
027662  103001                         BHIS    1$
027664  000207                         RTS     PC
027666  012700  000040           1$:   MOV     #40,R0                       ;                    4591
027672  104447                         TRAP    47
027674  103063                         BHIS    5$
027676  012767  177777  166124        MOV     #-1,ML.LUN                   ;                    4594
027704  005067  165472                 CLR     DROP.CNT                     ;                    4595
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;       INITIALIZATION CODE SECTION                             29-Mar-1982 16:21:03    PA:<
                                        2$:     INC     ML.LUN                  ;                                               4599
027710  005267  166114                  CMP     ML.LUN,L$UNIT           ;                                               4601
027714  026767  166110  152070          BLT     3$
027722  002401                          TRAP    44
027724  104444                  3$:     MOV     ML.LUN,R0               ;                                               4604
027726  016700  166076                  TRAP    42
027732  104442                          MOV     R0,PTBL.PTR
027734  010067  164040                  TST     PTBL.PTR
027740  005767  164034                  BEQ     2$
027744  001761                          MOV     @PTBL.PTR,RH.ADD        ;                                               4606
027746  017767  164026  166046          MOV     PTBL.PTR,R1             ;                                               4607
027754  016701  164020                  MOV     2(R1),RH.TYP
027760  016167  000002  166036          MOV     PTBL.PTR,R1             ;                                               4608
027766  016701  164006                  MOV     4(R1),RH.VEC
027772  016167  000004  166026          CLR     R2                      ; OFFSET                                        4609
030000  005002                          CLR     R1                      ; COUNT                                         4611
030002  005001                  4$:     MOV     R1,R0                   ; COUNT,*                                       4613
030004  010100                          ASL     R0
030006  006300                          ASL     R0
030010  006300                          ASL     R0
030012  006300                          MOV     RH.ADD,R3
030014  016703  166002                  ADD     R2,R3                   ; OFFSET,*
030020  060203                          MOV     R3,ML.REG(R0)
030022  010360  015404                  ADD     #2,R2                   ; *,OFFSET                                      4614
030026  062702  000002                  INC     R1                      ; COUNT                                         4611
030032  005201                          CMP     R1,#25                  ; COUNT,*
030034  020127  000025                  BLE     4$
030040  003761                          BR      10$                     ;                                               4591
030042  000454                  5$:     MOV     #37,R0                  ;                                               4621
030044  012700  000037                  TRAP    47
030050  104447                          BHIS    6$
030052  103003                          MOV     #-1,DROP.CNT
030054  012767  177777  165320          MOV     #35,R0                  ;                                               4623
030062  012700  000035          6$:     TRAP    47
030066  104447                          BHIS    8$
030070  103022                          INC     DROP.CNT                ;                                               4626
030072  005267  165304                  BIT     #1,ONEPAS               ;                                               4628
030076  032767  000001  152302          BEQ     7$
030104  001411                          CMP     DROP.CNT,#1
030106  026727  165270  000001          BNE     7$
030114  001005                          MOV     ML.LUN,R0               ;                                               4631
030116  016700  165706                  TRAP    51
030122  104451                          TRAP    44
030124  104444                          BR      8$                      ;                                               4628
030126  000403                  7$:     MOV     #-1,ML.LUN              ;                                               4635
030130  012767  177777  165672  8$:     INC     ML.LUN                  ;                                               4641
030136  005267  165666                  CMP     ML.LUN,L$UNIT           ;                                               4643
030142  026767  165662  151642          BLT     9$
030150  002401                          TRAP    44
030152  104444                  9$:     MOV     ML.LUN,R0               ;                                               4646
030154  016700  165650                  TRAP    42
030160  104442                          MOV     R0,PTBL.PTR
030162  010067  163612
```

```
                                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                                29-Mar-1982 16:21:03    PA:<
 7994                                    ;ML4AD
 7995                                    ;               INITIALIZATION CODE SECTION
 7996
 7997 030166 005767 163606                       TST     PTBL.PTR
 7998 030172 001761                              BEQ     8$
 7999 030174 016701 163600              10$:     MOV     PTBL.PTR,R1             ;                                       4650
 8000 030200 016167 000014 163602               MOV     14(R1),PAR.DIS
 8001 030206 016701 163566                      MOV     PTBL.PTR,R1             ;                                       4651
 8002 030212 016167 000012 165612               MOV     12(R1),ML.DUT
 8003 030220 016701 163554                      MOV     PTBL.PTR,R1             ;                                       4652
 8004 030224 016103 000006                      MOV     6(R1),R3
 8005 030230 005303                             DEC     R3
 8006 030232 010367 163544                      MOV     R3,OP.NUM.ARR
 8007 030236 005067 163544                      CLR     GOOD.BLK                ;                                       4653
 8008 030242 005067 163550                      CLR     ARR.16                  ;                                       4654
 8009 030246 005067 163546                      CLR     LST.ARR                 ;                                       4655
 8010 030252 005067 163536                      CLR     LST.BLK                 ;                                       4656
 8011 030256 032767 000001 152116               BIT     #1,ERRTHR               ;                                       4661
 8012 030264 001404                             BEQ     11$
 8013 030266 012767 000012 165104               MOV     #12,LIMIT
 8014 030274 000403                             BR      12$
 8015 030276 012767 077777 165074       11$:    MOV     #77777,LIMIT
 8016 030304 016701 163470              12$:    MOV     PTBL.PTR,R1             ;                                       4668
 8017 030310 026127 000010 000001               CMP     10(R1),#1
 8018 030316 001054                             BNE     13$
 8019 030320 012767 000110 165026               MOV     #110,DRIVE.TYPE         ;                                       4671
 8020 030326 012767 140000 165010               MOV     #-40000,W.C.SIZE        ;                                       4672
 8021 030334 012767 000200 165004               MOV     #200,RAS.INC            ;                                       4673
 8022 030342 012767 000020 163442               MOV     #20,CHIP.SIZ            ;                                       4674
 8023 030350 012767 001000 163426               MOV     #1000,ARR.INC           ;                                       4675
 8024 030356 052767 017000 163432               BIS     #17000,ARR.16           ;                                       4676
 8025 030364 016703 163412                      MOV     OP.NUM.ARR,R3           ;                                       4677
 8026 030370 000303                             SWAB    R3
 8027 030372 006303                             ASL     R3
 8028 030374 042703 160777                      BIC     #160777,R3
 8029 030400 042767 017000 163412               BIC     #17000,LST.ARR
 8030 030406 050367 163406                      BIS     R3,LST.ARR
 8031 030412 016703 163364                      MOV     OP.NUM.ARR,R3           ;                                       4678
 8032 030416 000303                             SWAB    R3
 8033 030420 006303                             ASL     R3
 8034 030422 042703 160777                      BIC     #160777,R3
 8035 030426 042767 017000 163360               BIC     #17000,LST.BLK
 8036 030434 050367 163354                      BIS     R3,LST.BLK
 8037 030440 052767 000777 163346               BIS     #777,LST.BLK            ;                                       4679
 8038 030446 000456                             BR      14$                     ;                                       4668
 8039 030450 012767 000111 164676       13$:    MOV     #111,DRIVE.TYPE         ;                                       4683
 8040 030456 005067 164662                      CLR     W.C.SIZE                ;                                       4684
 8041 030462 012767 001000 164656               MOV     #1000,RAS.INC           ;                                       4685
 8042 030470 012767 000100 163314               MOV     #100,CHIP.SIZ           ;                                       4686
 8043 030476 012767 004000 163300               MOV     #4000,ARR.INC           ;                                       4687
 8044 030504 052767 074000 163304               BIS     #74000,ARR.16           ;                                       4691
 8045 030512 016703 163264                      MOV     OP.NUM.ARR,R3           ;                                       4692
 8046 030516 000303                             SWAB    R3
 8047 030520 006303                             ASL     R3
 8048 030522 006303                             ASL     R3
```

```
                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                    29-Mar-1982 16:21:03    PA:<
 8050                                ;ML4AD
 8051                                ;                  INITIALIZATION CODE SECTION
 8052
 8053 030524  006303                          ASL     R3
 8054 030526  042703  103777                 BIC     #103777,R3
 8055 030532  042767  074000  163260         BIC     #74000,LST.ARR
 8056 030540  050367  163254                 BIS     R3,LST.ARR
 8057 030544  016703  163232                 MOV     OP.NUM.ARR,R3                ;                    4693
 8058 030550  000303                         SWAB    R3
 8059 030552  006303                         ASL     R3
 8060 030554  006303                         ASL     R3
 8061 030556  006303                         ASL     R3
 8062 030560  042703  103777                 BIC     #103777,R3
 8063 030564  042767  074000  163222         BIC     #74000,LST.BLK
 8064 030572  050367  163216                 BIS     R3,LST.BLK
 8065 030576  052767  003777  163210         BIS     #3777,LST.BLK                ;                    4694
 8066 030604  016701  163170          14$:   MOV     PTBL.PTR,R1                  ;                    4697
 8067 030610  026127  000002  000070         CMP     2(R1),#70
 8068 030616  001004                         BNE     15$
 8069 030620  012767  000025  164530         MOV     #25,LST.DUT.REG
 8070 030626  000403                         BR      16$
 8071 030630  012767  000023  164520  15$:   MOV     #23,LST.DUT.REG
 8072 030636  016746  165166          16$:   MOV     ML.LUN,-(SP)                 ;                    4699
 8073 030642  012746  007526                 MOV     #FMT.17,-(SP)
 8074 030646  012746  000002                 MOV     #2,-(SP)
 8075 030652  010600                         MOV     SP,R0                        ; SP,*
 8076 030654  104414                         TRAP    14
 8077 030656  152777  000040  164560         BISB    #40,@ML.REG+40
 8078 030664  016703  165142                 MOV     ML.DUT,R3
 8079 030670  042703  177770                 BIC     #177770,R3
 8080 030674  142777  000007  164542         BICB    #7,@ML.REG+40
 8081 030702  150377  164536                 BISB    R3,@ML.REG+40
 8082 030706  062706  000006                 ADD     #6,SP                        ;                    4589
 8083 030712  000207                         RTS     PC                           ;                    4567
 8084
 8085                                ; Routine Size:  274 words
 8086                                ; Maximum stack depth per invocation:  7 words
 8091
 8092
 8096
 8097                                        .SBTTL  L$INIT INITIALIZATION CODE SECTION
 8101 030714  004767  176730  L$INIT::JSR     PC,LINIT                     ;                    4701
 8102 030720  104411                         TRAP    11
 8103 030722  000207                         RTS     PC
 8104
```

```
                                ;ML4AD
                                ;               INITIALIZATION CODE SECTION
                                ;
                                ; Routine Size:  4 words
                                ; Maximum stack depth per invocation:  0 words
                                ;
                                ;
                                ;
;       4704    !<BLF/PAGE>
```

29-Mar-1982 16:23:04 TOPS
29-Mar-1982 16:21:03 PA:<

```
8119 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
8120 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (53)
8121
8122 ;          4705  %SBTTL 'TEST CODE SECTION'
8123 ;          4706
8124 ;          4707  !
8125 ;          4708  BGNTST;
8126 ;          4709
8127 ;          4710  !++
8128 ;          4711  ! TEST NUMBER:  TST 1
8129 ;          4712  !
8130 ;          4713  ! TEST NAME:            MASS BUS READY TEST
8131 ;          4714  !
8132 ;          4715  ! TEST DESCRIPTION:
8133 ;          4716  !       TEST THE RH CONTROLLER FOR EXISTANCE
8134 ;          4717  !       BY:
8135 ;          4718  !
8136 ;          4719  !       1.  WRITTING ONES TO THE RH CS2 REGISTER
8137 ;          4720  !           RESULTING IN A MASS BUS CLEAR
8138 ;          4721  !
8139 ;          4722  !       2.  THEN READ THE CS2 REGISTER FOR CLEAR DATA
8140 ;          4723  !
8141 ;          4724  !--
8142 ;          4725
8143 ;          4726  local
8144 ;          4727      DODU_FLG;                            !DROP UNIT FLAG
8145 ;          4728
8146 ;          4729  DODU_FLG = ZERO;                         !CLEAR THE DROP UNIT FLAG
8147 ;          4730  BGNSUB;
8148 ;          4731  CLR_MBUS;
8149 ;          4732  MLCS1 = ZEROES;                          !CLEAR OUT CS1
8150 ;          4733  MLCS2 = %o'177770';                      !LOAD CS2 WITH ONES  AND FORCE A MBUS CLEAR
8151 ;          4734  DELAY (ONE_US);
8152 ;          4735
8153 ;          4736  if ((.MLCS2) and (%o'177670')) neq ZERO  !SEE IF CS2 GOT CLEARED
8154 ;          4737  then
8155 ;          4738      begin                                !REPORT ERROR IF NOT CLEARED
8156 ;          4739      ERRDF (119, RH_ERROR, DUMPER);
8157 ;          4740      PRINTB (THR_FMT, REG_17, FNC_23, PHR_4);
8158 ;          4741      DODU_FLG = ONE;
8159 ;          4742      end;
8160 ;          4743
8161 ;          4744  ENDSUB;
8162 ;          4745
8163 ;          4746  if .DODU_FLG IS_SET                      !DROP THE UNIT IF DODU_FLG IS SET
8164 ;          4747  then
8165 ;          4748      begin
8166 ;          4749      DODU (.ML_LUN);
8167 ;          4750      DOCLN;
8168 ;          4751      end;
8169 ;          4752
8170 ;          4753  ENDTST;
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                                .SBTTL  $T1 TEST CODE SECTION
030724  004167  153610            $T1:  JSR     R1,$SAVE2         ;                                                     4703
030730  005746                          TST     -(SP)
030732  005002                          CLR     R2                ; DODU.FLG                                          4729
030734  104402                    1$:   TRAP    2
030736  152777  000040  164500          BISB    #40,@ML.REG+40    ;                                                   4730
030744  016701  165062                  MOV     ML.DUT,R1
030750  042701  177770                  BIC     #177770,R1
030754  142777  000007  164462          BICB    #7,@ML.REG+40
030762  150177  164456                  BISB    R1,@ML.REG+40
030766  005077  164412                  CLR     @ML.REG           ;                                                   4732
030772  012777  177770  164444          MOV     #-10,@ML.REG+40   ;                                                   4733
031000  012700  000001                  MOV     #1,R0             ; *,$$TMP2                                          4734
031004  001410                    2$:   BEQ     5$
031006  016701  151104                  MOV     L$DLY,R1          ; *,$$TMP1
031012  001403                          BEQ     4$
031014  005016                    3$:   CLR     (SP)              ; $$TMP
031016  005301                          DEC     R1                ; $$TMP1
031020  001375                          BNE     3$
031022  005300                    4$:   DEC     R0                ; $$TMP2
031024  000767                          BR      2$
031026  032777  177670  164410    5$:   BIT     #-110,@ML.REG+40  ;                                                   4736
031034  001424                          BEQ     6$
031036  104455                          TRAP    55                ;                                                   4739
031040  000167                          .WORD   167
031042  013302                          .WORD   RH.ERROR
031044  026302                          .WORD   DUMPER
031046  012746  011676                  MOV     #PHR.4,-(SP)      ;                                                   4740
031052  012746  012464                  MOV     #FNC.23,-(SP)
031056  012746  012642                  MOV     #REG.17,-(SP)
031062  012746  010256                  MOV     #THR.FMT,-(SP)
031066  012746  000004                  MOV     #4,-(SP)
031072  010600                          MOV     SP,R0             ; SP,*
031074  104414                          TRAP    14
031076  012702  000001                  MOV     #1,R2             ; *,DODU.FLG                                        4741
031102  062706  000012                  ADD     #12,SP            ;                                                   4738
031106  104467                    6$:   TRAP    67                ;                                                   4742
031110  006000                          ROR     R0
031112  103710                          BLO     1$
031114  005302                          DEC     R2                ; DODU.FLG                                          4746
031116  001004                          BNE     7$
031120  016700  164704                  MOV     ML.LUN,R0         ;                                                   4749
031124  104451                          TRAP    51
031126  104444                          TRAP    44
031130  005726                    7$:   TST     (SP)+             ;                                                   4703
031132  000207                          RTS     PC

                                        ; Routine Size:  68 words
```

```
                                ;ML4AD
                                ;               TEST CODE SECTION

                                ; Maximum stack depth per invocation:  9 words


                                        .SBTTL  T1 TEST CODE SECTION
031134                          T1::
031134  004767  177564          1$:     JSR     PC,$T1                  ;       4751
031140  104466                          TRAP    66
031142  006000                          ROR     R0
031144  103773                          BLO     1$
031146  000207                          RTS     PC

                                ; Routine Size:  6 words
                                ; Maximum stack depth per invocation:  0 words


;       4754  !<BLF/PAGE>
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (54)

;          4755  !
;          4756  BGNTST;
;          4757
;          4758  !++
;          4759  ! TEST NUMBER:  TST 2
;          4760  !
;          4761  ! TEST NAME:    MASS BUS HANDSHAKE TEST
;          4762  !
;          4763  ! TEST DESCRIPTION:
;          4764  !       TEST MASS BUS TO UNIBUS COMMUMICATIONS
;          4765  !       VIA THE CONTROL BUS BY:
;          4766  !
;          4767  !       1.  READING RH AND DRIVE REGISTERS AND
;          4768  !           TEST THE NON EXISTANT DRIVE 'NED'
;          4769  !           BIT
;          4770  !
;          4771  !--
;          4772
;          4773  local
;          4774      SAVE,                                     !TEMPORARY SAVE LOCATION
;          4775      DODU_FLG;                                 !DROP UNIT FLAG
;          4776
;          4777  CLR_THRESHOLD;                               !CLEAR ERROR PRINT THRESHOLD
;          4778  DODU_FLG = ZERO;
;          4779
;          4780  incr REG_SEL from 0 to .LST_DUT_REG do       !TEST ALL PRESENT RH REGISTERS
;          4781      begin
;          4782      BGNSUB;                                   !START OF SCOPE LOOP
;          4783      CLR_MBUS;
;          4784      SAVE = ..ML_REG [.REG_SEL, REGISTER_ADD]; !READ THE REGISTER
;          4785      DELAY (ONE_US);                           !DELAY ONE MICRO SECOND
;          4786
;          4787      if .NED IS_SET                            !DID READ CAUSE THE NED BIT TO SET
;          4788      then
;          4789          begin                                 !REPORT AN ERROR IF SET
;          4790          CMP_THRESHOLD;                        !COMPARE ERROR PRINT THRESHOLD
;          4791          ERRDF (120, RH_ERROR, DUMPER);
;          4792          PRINTB (FIV_FMT, WRD_62, PHR_5, WRD_12, WRD_52, FNC_6);
;          4793          PRINTB (FMT_11, .ML_REG [.REG_SEL, REGISTER_ADD]);
;          4794          DODU_FLG = ONE;
;          4795          end;
;          4796
;          4797      ENDSUB;                                   !END OF SCOPE LOOP
;          4798      end;
;          4799
;          4800  if .DODU_FLG IS_SET
;          4801  then
;          4802      begin
;          4803      DODU (.ML_LUN);
;          4804      DOCLN;
;          4805      end;
;          4806
```

```
                                                        29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (54)
8322 ;ML4AD
8323 ;                  TEST CODE SECTION
8324
8325 ;          4807   ENDTST;
8329
8330                                                    .SBTTL  $T2 TEST CODE SECTION
8334 031150  004167  153436          $T2:    JSR     R1,$SAVE5                       ;                       4753
8335 031154  024646                          CMP     -(SP),-(SP)
8336 031156  005067  164214                  CLR     P.CNT                           ;                       4775
8337 031162  005001                          CLR     R1                              ; DODU.FLG              4778
8338 031164  016746  164166                  MOV     LST.DUT.REG,-(SP)               ;                       4780
8339 031170  005002                          CLR     R2                              ; REG.SEL
8340 031172  000517                          BR      9$
8341 031174  010200                  1$:     MOV     R2,R0                           ; REG.SEL,*             4784
8342 031176  006300                          ASL     R0
8343 031200  006300                          ASL     R0
8344 031202  006300                          ASL     R0
8345 031204  010003                          MOV     R0,R3
8346 031206  104402                  2$:     TRAP    2                               ;                       4781
8347 031210  152777  000040  164226          BISB    #40,@ML.REG+40                  ;                       4782
8348 031216  016705  164610                  MOV     ML.DUT,R5
8349 031222  042705  177770                  BIC     #177770,R5
8350 031226  142777  000007  164210          BICB    #7,@ML.REG+40
8351 031234  150577  164204                  BISB    R5,@ML.REG+40
8352 031240  017366  015404  000002          MOV     @ML.REG(R3),2(SP)               ; *,SAVE                4784
8353 031246  012704  000001                  MOV     #1,R4                           ; *,$$TMP2              4785
8354 031252  001411                  3$:     BEQ     6$
8355 031254  016705  150636                  MOV     L$DLY,R5                        ; *,$$TMP1
8356 031260  001404                          BEQ     5$
8357 031262  005066  000004          4$:     CLR     4(SP)                           ; $$TMP
8358 031266  005305                          DEC     R5                              ; $$TMP1
8359 031270  001374                          BNE     4$
8360 031272  005304                  5$:     DEC     R4                              ; $$TMP2
8361 031274  000766                          BR      3$
8362 031276  032777  010000  164140  6$:     BIT     #10000,@ML.REG+40               ;                       4787
8363 031304  001446                          BEQ     7$
8364 031306  005267  164064                  INC     P.CNT                           ;                       4789
8365 031312  026767  164060  164060          CMP     P.CNT,LIMIT
8366 031320  003043                          BGT     8$
8367 031322  104455                          TRAP    55                              ;                       4791
8368 031324  000170                          .WORD   170
8369 031326  013302                          .WORD   RH.ERROR
8370 031330  026302                          .WORD   DUMPER
8371 031332  012746  012226                  MOV     #FNC.6,-(SP)                    ;                       4792
8372 031336  012746  011310                  MOV     #WRD.52,-(SP)
8373 031342  012746  010650                  MOV     #WRD.12,-(SP)
8374 031346  012746  011714                  MOV     #PHR.5,-(SP)
8375 031352  012746  011432                  MOV     #WRD.62,-(SP)
8376 031356  012746  010304                  MOV     #FIV.FMT,-(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        
031362  012746  000006                          MOV     #6,-(SP)
031366  010600                                  MOV     SP,R0                   ; SP,*
031370  104414                                  TRAP    14
031372  016316  015404                          MOV     ML.REG(R3),(SP)         ;                                               4793
031376  012746  007170                          MOV     #FMT.11,-(SP)
031402  012746  000002                          MOV     #2,-(SP)
031406  010600                                  MOV     SP,R0                   ; SP,*
031410  104414                                  TRAP    14
031412  012701  000001                          MOV     #1,R1                   ; *,DODU.FLG                                    4794
031416  062706  000022                          ADD     #22,SP                  ;                                               4789
031422  104467                          7$:     TRAP    67                      ;                                               4795
031424  006000                                  ROR     R0
031426  103667                                  BLO     2$
031430  005202                          8$:     INC     R2                      ; REG.SEL                                       4780
031432  020216                          9$:     CMP     R2,(SP)                 ; REG.SEL,*
031434  003657                                  BLE     1$
031436  005301                                  DEC     R1                      ; DODU.FLG                                      4800
031440  001004                                  BNE     10$
031442  016700  164362                          MOV     ML.LUN,R0               ;                                               4803
031446  104451                                  TRAP    51
031450  104444                                  TRAP    44
031452  062706  000006                  10$:    ADD     #6,SP                   ;                                               4753
031456  000207                                  RTS     PC

                                        ; Routine Size:  100 words
                                        ; Maximum stack depth per invocation:  18 words


                                                .SBTTL  T2 TEST CODE SECTION
031460                                  T2::
031460  004767  177464                  1$:     JSR     PC,$T2                  ;                                               4805
031464  104466                                  TRAP    66
031466  006000                                  ROR     R0
031470  103773                                  BLO     1$
031472  000207                                  RTS     PC

                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
```

```
8438
8439
8440 ;          4808  !<BLF/PAGE>
```

```
8442 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
8443 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (55)
8444 ;
8445 ;          4809                                           !
8446 ;          4810  BGNTST;
8447 ;          4811
8448 ;          4812  !++
8449 ;          4813  ! TEST NUMBER:  TST 3
8450 ;          4814  !
8451 ;          4815  ! TEST NAME:    DRIVE PRESENT TEST
8452 ;          4816  !
8453 ;          4817  ! TEST DESCRIPTION:
8454 ;          4818  !       THIS TEST READS THE DESIRED SECTOR
8455 ;          4819  !       ADDRESS REGISTER OF THE DRIVE UNDER
8456 ;          4820  !       TEST, DELAYS 100 US, THEN
8457 ;          4821  !       READS THE  NED BIT OF MLCS2
8458 ;          4822  !
8459 ;          4823  !       IF SET, AN ERROR MESSAGE IS
8460 ;          4824  !       PRINTED AND THE UNIT IS DROPPED
8461 ;          4825  !
8462 ;          4826  !--
8463 ;          4827
8464 ;          4828  local
8465 ;          4829      DODU_FLG,                            !DROP UNIT FLAG
8466 ;          4830      SAVE;                                !TEMP STORAGE LOCATION
8467 ;          4831
8468 ;          4832  DODU_FLG = ZERO;
8469 ;          4833  BGNSUB;
8470 ;          4834  CLR_MBUS;
8471 ;          4835  SAVE = .MLDA;                            !READ A DRIVE REGISTER
8472 ;          4836  DELAY (ONE_US);                          !DELAY 1 US
8473 ;          4837
8474 ;          4838  if .NED IS_SET                           !TEST THE NED BIT
8475 ;          4839  then
8476 ;          4840      begin
8477 ;          4841      ERRDF (1, ASYNC, DUMPER);            !IF SET THEN REPORT ERROR AND SET DODU_FLG
8478 ;          4842      PRINTB (ONE_FMT, PHR_3);
8479 ;          4843      DODU_FLG = ONE;
8480 ;          4844      end;
8481 ;          4845
8482 ;          4846  ENDSUB;
8483 ;          4847
8484 ;          4848  if .DODU_FLG IS_SET                       !DROP THIS UNIT IF DODU IS_SET
8485 ;          4849  then
8486 ;          4850      begin
8487 ;          4851      DODU (.ML_LUN);
8488 ;          4852      DOCLN;
8489 ;          4853      end;
8490 ;          4854
8491 ;          4855  ENDTST;
8495
8496                                  .SBTTL  $T3 TEST CODE SECTION
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        $T3:    JSR     R1,$SAVE4               ;                                       4807
                                                TST     -(SP)
                                                CLR     R3                      ; DODU.FLG                              4832
                                        1$:     TRAP    2
                                                BISB    #40,@ML.REG+40          ;                                       4833
                                                MOV     ML.DUT,R2
                                                BIC     #177770,R2
                                                BICB    #7,@ML.REG+40
                                                BISB    R2,@ML.REG+40
                                                MOV     @ML.REG+30,R4           ; *,SAVE                                4835
                                                MOV     #1,R1                   ; *,$$TMP2                              4836
                                        2$:     BEQ     5$
                                                MOV     L$DLY,R2                ; *,$$TMP1
                                                BEQ     4$
                                        3$:     CLR     (SP)                    ; $$TMP
                                                DEC     R2                      ; $$TMP1
                                                BNE     3$
                                        4$:     DEC     R1                      ; $$TMP2
                                                BR      2$
                                        5$:     BIT     #10000,@ML.REG+40       ;                                       4838
                                                BEQ     6$
                                                TRAP    55                      ;                                       4841
                                                .WORD   1
                                                .WORD   ASYNC
                                                .WORD   DUMPER
                                                MOV     #PHR.3,-(SP)            ;                                       4842
                                                MOV     #ONE.FMT,-(SP)
                                                MOV     #2,-(SP)
                                                MOV     SP,R0                   ; SP,*
                                                TRAP    14
                                                MOV     #1,R3                   ; *,DODU.FLG                            4843
                                                ADD     #6,SP                   ;                                       4840
                                        6$:     TRAP    67                      ;                                       4844
                                                ROR     R0
                                                BLO     1$
                                                DEC     R3                      ; DODU.FLG                              4848
                                                BNE     7$
                                                MOV     ML.LUN,R0               ;                                       4851
                                                TRAP    51
                                                TRAP    44
                                        7$:     TST     (SP)+                   ;                                       4807
                                                RTS     PC

                                        ; Routine Size:  61 words
                                        ; Maximum stack depth per invocation:  9 words
```

```
 8554 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bl..s-16 V2(212)
 8555 ;              TEST CODE SECTION                29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (55)
 8556
 8560
 8561                                        .SBTTL  T3 TEST CODE SECTION
 8565 031666                          T3::
 8566 031666  004767  177602          1$:    JSR     PC,$T3                  ;                        4853
 8567 031672  104466                         TRAP    66
 8568 031674  006000                         ROR     R0
 8569 031676  103773                         BLO     1$
 8570 031700  000207                         RTS     PC
 8571
 8572                                 ; Routine Size:  6 words
 8573                                 ; Maximum stack depth per invocation:  0 words
 8578
 8579
 8580 ;         4856  !<BLF/PAGE>
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (56)

;          4857  !
;          4858  BGNTST;
;          4859
;          4860  !++
;          4861  ! TEST NUMBER:  TST 4
;          4862  !
;          4863  ! TEST NAME:    DRIVE SELECTION TEST
;          4864  !
;          4865  ! TEST DESCRIPTION:
;          4866  !       THIS TEST TESTS FOR UNIQUE DRIVE SELECTION BY WRITING THE DRIVE
;          4867  !       UNDER TEST (DUT) DRIVE NUMBER INTO ITS DSA REG.  THEN WRITING THE DRIVE
;          4868  !       NUMBERS OF OTHER DRIVES INTO THEIR RESPECTIVE DSA REGISTERS
;          4869  !       AND READING THE DUT DSA FOR ITS DRIVE NUMBER.
;          4870  !
;          4871  ! IMPLICIT INPUTS:
;          4872  !       ML_DUT
;          4873  !       LOADED DURING THE INITIALIZATION CODE AND CONTAINS THE DRIVE
;          4874  !       NUMBER OF THE DRIVE PRESENTLY BEING TESTED.
;          4875  !--
;          4876
;          4877  local
;          4878      SAVE;                                 !TEMPORARY SAVE LOCATION
;          4879
;          4880  BGNSUB;
;          4881  CLR_MBUS;
;          4882  MLDA = .ML_DUT;                           !LOAD THIS DRIVES DRIVE NO. INTO ITS DSA REG
;          4883  SAVE = .MLDA;                             !READ THE REGISTER BACK
;          4884
;          4885  if .SAVE neq .ML_DUT                      !SEE IF DSA HAS DRIVE NUMBER
;          4886  then
;          4887      begin
;          4888      ERRDF (2, INTER, DUMPER);             !ERROR AND EXIT TEST IF DSA NEQ DRIVE NUM
;          4889      PRINTB (SIX_FMT, PHR_4, WRD_12, FNC_3, WRD_37, WRD_13, REG_6);
;          4890      PRINTB (FMT_2, .ML_DUT, .SAVE, (.ML_DUT xor .SAVE));
;          4891      EXIT_TST;
;          4892      end;
;          4893
;          4894  incr DRV_SEL from 0 to 7 do               !WRITE DRV NO OF OTHER DRIVES INTO THEIR RESPECTIVE DSA REG.
;          4895
;          4896      if .DRV_SEL neq .ML_DUT               !SKIP IF .DRV_SEL EQL TO THE DRIVE UNDER TEST (DUT)
;          4897      then
;          4898          begin
;          4899          DRV_NUM = .DRV_SEL;               !SELECT DRIVE TO BE WRITTEN TO
;          4900          MLDA = .DRV_SEL;                  !WRITE DRIVE SEL NO. INTO ITS DSA REG
;          4901          DELAY (ONE_US);                   !DELAY 1 US
;          4902          end;
;          4903
;          4904  DRV_NUM = .ML_DUT;                       !SELECT THE DUT
;          4905  SAVE = .MLDA;                             !READ ITS DSA REG
;          4906
;          4907  if .SAVE neq .ML_DUT                      !SEE IF WRITTING TO OTHER DRIVES CHANGE ITS VALUE
;          4908  then
```

```
8638 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
8639 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (56)
8640
8641 ;          4909      begin
8642 ;          4910      ERRDF (3, ASYNC, DUMPER);                    !ERROR AND SET DODU_FLG IF CHANGED
8643 ;          4911      PRINTB (THR_FMT, FNC_3, WRD_37, WRD_14);
8644 ;          4912      PRINTB (FMT_1, .ML_DUT, .SAVE);
8645 ;          4913      end;
8646 ;          4914
8647 ;          4915  ENDSUB;
8648 ;          4916  ENDTST;
8652
8653                                          .SBTTL  $T4 TEST CODE SECTION
8657 031702  004167  152646          $T4:    JSR     R1,$SAVE3                ;                          4855
8658 031706  005746                          TST     -(SP)
8659 031710  104402                  1$:     TRAP    2                        ;                          4878
8660 031712  152777  000040  163524          BISB    #40,@ML.REG+40           ;                          4880
8661 031720  016702  164106                  MOV     ML.DUT,R2
8662 031724  042702  177770                  BIC     #177770,R2
8663 031730  142777  000007  163506          BICB    #7,@ML.REG+40
8664 031736  150277  163502                  BISB    R2,@ML.REG+40
8665 031742  016777  164064  163464          MOV     ML.DUT,@ML.REG+30        ;                          4882
8666 031750  017703  163460                  MOV     @ML.REG+30,R3            ; *,SAVE                   4883
8667 031754  020367  164052                  CMP     R3,ML.DUT                ; SAVE,*                   4885
8668 031760  001451                          BEQ     2$
8669 031762  104455                          TRAP    55                       ;                          4888
8670 031764  000002                          .WORD   2
8671 031766  013114                          .WORD   INTER
8672 031770  026302                          .WORD   DUMPER
8673 031772  012746  012540                  MOV     #REG.6,-(SP)             ;                          4889
8674 031776  012746  010660                  MOV     #WRD.13,-(SP)
8675 032002  012746  011122                  MOV     #WRD.37,-(SP)
8676 032006  012746  012172                  MOV     #FNC.3,-(SP)
8677 032012  012746  010650                  MOV     #WRD.12,-(SP)
8678 032016  012746  011676                  MOV     #PHR.4,-(SP)
8679 032022  012746  010322                  MOV     #SIX.FMT,-(SP)
8680 032026  012746  000007                  MOV     #7,-(SP)
8681 032032  010600                          MOV     SP,R0                    ; SP,*
8682 032034  104414                          TRAP    14
8683 032036  016716  163770                  MOV     ML.DUT,(SP)              ;                          4890
8684 032042  010302                          MOV     R3,R2                    ; SAVE,*
8685 032044  041602                          BIC     (SP),R2
8686 032046  040316                          BIC     R3,(SP)                  ; SAVE,*
8687 032050  050216                          BIS     R2,(SP)
8688 032052  010346                          MOV     R3,-(SP)                 ; SAVE,*
8689 032054  016746  163752                  MOV     ML.DUT,-(SP)
8690 032060  012746  006506                  MOV     #FMT.2,-(SP)
8691 032064  012746  000004                  MOV     #4,-(SP)
8692 032070  010600                          MOV     SP,R0                    ; SP,*
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        ;
032072  104414                                  TRAP    14
032074  104463                                  TRAP    63
032076  062706  000030                          ADD     #30,SP          ;                               4885
032102  000513                                  BR      9$              ;                               4887
032104  005002                          2$:     CLR     R2              ; DRV.SEL                       4894
032106  020267  163720                  3$:     CMP     R2,ML.DUT       ; DRV.SEL,*                     4896
032112  001425                                  BEQ     7$
032114  010201                                  MOV     R2,R1           ; DRV.SEL,*                     4899
032116  042701  177770                          BIC     #177770,R1
032122  142777  000007  163314                  BICB    #7,@ML.REG+40
032130  150177  163310                          BISB    R1,@ML.REG+40
032134  010277  163274                          MOV     R2,@ML.REG+30   ; DRV.SEL,*                     4900
032140  012700  000001                          MOV     #1,R0           ; *,$$TMP2                      4901
032144  001410                          4$:     BEQ     7$
032146  016701  147744                          MOV     L$DLY,R1        ; *,$$TMP1
032152  001403                                  BEQ     6$
032154  005016                          5$:     CLR     (SP)            ; $$TMP
032156  005301                                  DEC     R1              ; $$TMP1
032160  001375                                  BNE     5$
032162  005300                          6$:     DEC     R0              ; $$TMP2
032164  000767                                  BR      4$
032166  005202                          7$:     INC     R2              ; DRV.SEL                       4894
032170  020227  000007                          CMP     R2,#7           ; DRV.SEL,*
032174  003744                                  BLE     3$
032176  016702  163630                          MOV     ML.DUT,R2       ;                               4904
032202  042702  177770                          BIC     #177770,R2
032206  142777  000007  163230                  BICB    #7,@ML.REG+40
032214  150277  163224                          BISB    R2,@ML.REG+40
032220  017703  163210                          MOV     @ML.REG+30,R3   ; *,SAVE                        4905
032224  020367  163602                          CMP     R3,ML.DUT       ; SAVE,*                        4907
032230  001433                                  BEQ     8$
032232  104455                                  TRAP    55              ;                               4910
032234  000003                                  .WORD   3
032236  012706                                  .WORD   ASYNC
032240  026302                                  .WORD   DUMPER
032242  012746  010664                          MOV     #WRD.14,-(SP)   ;                               4911
032246  012746  011122                          MOV     #WRD.37,-(SP)
032252  012746  012172                          MOV     #FNC.3,-(SP)
032256  012746  010256                          MOV     #THR.FMT,-(SP)
032262  012746  000004                          MOV     #4,-(SP)
032266  010600                                  MOV     SP,R0           ; SP,*
032270  104414                                  TRAP    14
032272  010316                                  MOV     R3,(SP)         ; SAVE,*                        4912
032274  016746  163532                          MOV     ML.DUT,-(SP)
032300  012746  006442                          MOV     #FMT.1,-(SP)
032304  012746  000003                          MOV     #3,-(SP)
032310  010600                                  MOV     SP,R0           ; SP,*
032312  104414                                  TRAP    14
032314  062706  000020                          ADD     #20,SP          ;                               4909
032320  104467                          8$:     TRAP    67              ;                               4913
032322  006000                                  ROR     R0
032324  103002                                  BHIS    9$
```

```
                                ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
                                ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<

032326  000167  177356                JMP     1$
032332  005726        9$:     TST     (SP)+                   ;                                       4855
032334  000207                RTS     PC

                                ; Routine Size:  142 words
                                ; Maximum stack depth per invocation:  17 words


                                        .SBTTL  T4 TEST CODE SECTION
032336                          T4::
032336  004767  177340    1$:     JSR     PC,$T4                  ;                                       4915
032342  104466                TRAP    66
032344  006000                ROR     R0
032346  103773                BLO     1$
032350  000207                RTS     PC

                                ; Routine Size:  6 words
                                ; Maximum stack depth per invocation:  0 words


;       4917    !<BLF/PAGE>
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    TEST CODE SECTION                  29-Mar-1982 16.21:03    PA:<NEALE>ML4AD.BLI.4 (57)

;          4918  !
;          4919  BGNTST;
;          4920
;          4921  !++
;          4922  ! TEST NUMBER:  TST 5
;          4923  !
;          4924  ! TEST NAME:    READ WRITE REG ONES/ZEROES TEST
;          4925  !
;          4926  ! TEST DESCRIPTION:
;          4927  !       THIS TEST WRITES AND READS A DATA PATTERN OF ALL ONES AND ZEROES TO ALL
;          4928  !       OF THE ML11'S READ / WRITE REGISTERS.
;          4929  !
;          4930  !       ROUTINES WRT_REG AND RD_REG ACCEPT ARGUMENTS TO FURTHER SELECT ROUTINES
;          4931  !       WHICH ACTUALLY PERFORMS THE READING AND WRITING OF THE REGISTERS.
;          4932  !
;          4933  !       THE UNIT IS DROPPED ON DETECTED ERRORS.
;          4934  !
;          4935  ! IMPLICIT INPUTS:
;          4936  !       WT_DATA
;          4937  !       LOADED BY READ REGISTER ROUTINES AND CONTAINS THE DATA PATTERN WRITTEN
;          4938  !       TO THE REGISTERS (REPRESENTS GOOD DATA).
;          4939  !
;          4940  !       RD_DATA
;          4941  !       LOADED BY THE READ REGISTER ROUTINES AND CONTAINS THE DATA PATTERN
;          4942  !       READ FROM THE REGISTER (REPRESENTS BAD DATA).
;          4943  !--
;          4944
;          4945  local
;          4946      ERR_FLG,                              !ERROR FLAG PASSED TO ROUTINES
;          4947      TST_PAT,                              !TEST PATTERN
;          4948      index,                                !POINTS TO REGISTER PRESENTLY BEING TESTED
;          4949      DODU_FLG;                             !DROP UNIT FLAG
;          4950
;          4951  CLR_THRESHOLD;                           !CLEAR ERROR PRINT THRESHOLD
;          4952  DODU_FLG = ZERO;
;          4953  TST_PAT = ONES;                           !LOAD TEST PAT WITH ONES
;          4954
;          4955  incr TWICE from 0 to 1 do                !REPEAT LOOP TWICE
;          4956      begin
;          4957
;          4958      incr REG_SEL from 0 to 7 do           !TEST ELEVEN WRITE/READ REGISTERS
;          4959          begin
;          4960          BGNSUB;
;          4961          CLR_MBUS;
;          4962          WRT_REG (.TST_PAT, .REG_SEL, index);  !WRITE TO THE REGISTER
;          4963          RD_REG (.TST_PAT, .REG_SEL, ERR_FLG); !READ THE REGISTER
;          4964
;          4965          if .ERR_FLG IS_SET                !SEE IF READ FOUND AN ERROR
;          4966          then
;          4967              begin                         !IF ERROR FLAG IS_SET THEN ERROR AND SET DODU_FLG
;          4968              CMP_THRESHOLD;                !COMPARE ERROR PRINT THRESHOLD
;          4969
```

```
                                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                                    29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (57)
;ML4AD
;                TEST CODE SECTION
;
;          4970              selectone .REG_SEL of                  !SELECT WHICH MODULE FAILED
;          4971                  set
;          4972
;          4973                  [0 to 3] :
;          4974                      ERRDF (4, ASYNC, DUMPER);      !ASYNC MODULE FAILURE
;          4975
;          4976                  [4 to 5] :
;          4977                      ERRDF (4, SYNC, DUMPER);       !SYNC MODULE FAILURE
;          4978
;          4979                  [6 to 7] :
;          4980                      ERRDF (4, ARR_DAT, DUMPER);    !ARRAY DATA MODULE FAILURE
;          4981                  tes;
;          4982
;          4983              PRINTB (SIX_FMT, PHR_4, WRD_12, FNC_5, FNC_6, WRD_52, WRD_56);
;          4984              PRINTB (FMT_16, .ML_REG [.index, REGISTER_ADD], .WT_DATA, .RD_DATA);
;          4985              DODU_FLG = ONE;
;          4986              end;
;          4987
;          4988          ENDSUB;
;          4989          end;
;          4990
;          4991      TST_PAT = not .TST_PAT;                        !REPEAT AGAIN WITH COMPLIMENT DATA
;          4992      end;
;          4993
;          4994  if .DODU_FLG IS_SET                               !DROP THIS UNIT IF THE DODU_FLG IS_SET
;          4995  then
;          4996      begin
;          4997      DODU (.ML_LUN);
;          4998      DOCLN;
;          4999      end;
;          5000
;          5001  ENDTST;
;
                                    .SBTTL  $T5 TEST CODE SECTION
032352  004167  152214        $T5:  JSR     R1,$SAVE4                 ;                                    4916
032356  024646                      CMP     -(SP),-(SP)
032360  005067  163012              CLR     P.CNT                     ;                                    4949
032364  005004                      CLR     R4                        ; DODU.FLG                           4952
032366  012702  177777              MOV     #-1,R2                    ; *,TST.PAT                          4953
032372  005001                      CLR     R1                        ; TWICE                              4955
032374  005003              1$:     CLR     R3                        ; REG.SEL                            4958
032376  104402              2$:     TRAP    2                         ;                                    4959
032400  152777  000040  163036      BISB    #40,@ML.REG+40            ;                                    4960
032406  016700  163420              MOV     ML.DUT,R0
032412  042700  177770              BIC     #177770,R0
032416  142777  000007  163020      BICB    #7,@ML.REG+40
```

```
                                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                                    29-Mar-1982 16:21:03    PA:<
8902                                    ;ML4AD
8903                                    ;               TEST CODE SECTION
8904
8905 032424  150077  163014                    BISB    R0,@ML.REG+40
8906 032430  010246                            MOV     R2,-(SP)        ; TST.PAT,*                     4962
8907 032432  010346                            MOV     R3,-(SP)        ; REG.SEL,*
8908 032434  012746  000010                    MOV     #10,-(SP)
8909 032440  060616                            ADD     SP,(SP)         ; INDEX,*
8910 032442  004767  172656                    JSR     PC,WRT.REG
8911 032446  010216                            MOV     R2,(SP)         ; TST.PAT,*                     4963
8912 032450  010346                            MOV     R3,-(SP)        ; REG.SEL,*
8913 032452  012746  000012                    MOV     #12,-(SP)
8914 032456  060616                            ADD     SP,(SP)         ; ERR.FLG,*
8915 032460  004767  173226                    JSR     PC,RD.REG
8916 032464  026627  000012  000001            CMP     12(SP),#1       ; ERR.FLG,*                     4965
8917 032472  001117                            BNE     7$
8918 032474  005267  162676                    INC     P.CNT           ;                               4967
8919 032500  026767  162672  162672            CMP     P.CNT,LIMIT
8920 032506  003403                            BLE     3$
8921 032510  062706  000012                    ADD     #12,SP
8922 032514  000513                            BR      8$
8923 032516  005703                    3$:     TST     R3              ; REG.SEL                       4970
8924 032520  002410                            BLT     4$
8925 032522  020327  000003                    CMP     R3,#3           ; REG.SEL,*
8926 032526  003005                            BGT     4$
8927 032530  104455                            TRAP    55              ;                               4974
8928 032532  000004                            .WORD   4
8929 032534  012706                            .WORD   ASYNC
8930 032536  026302                            .WORD   DUMPER
8931 032540  000425                            BR      6$              ;                               4970
8932 032542  020327  000004            4$:     CMP     R3,#4           ; REG.SEL,*
8933 032546  002410                            BLT     5$
8934 032550  020327  000005                    CMP     R3,#5           ; REG.SEL,*
8935 032554  003005                            BGT     5$
8936 032556  104455                            TRAP    55              ;                               4977
8937 032560  000004                            .WORD   4
8938 032562  012750                            .WORD   SYNC
8939 032564  026302                            .WORD   DUMPER
8940 032566  000412                            BR      6$              ;                               4970
8941 032570  020327  000006            5$:     CMP     R3,#6           ; REG.SEL,*
8942 032574  002407                            BLT     6$
8943 032576  020327  000007                    CMP     R3,#7           ; REG.SEL,*
8944 032602  003004                            BGT     6$
8945 032604  104455                            TRAP    55              ;                               4980
8946 032606  000004                            .WORD   4
8947 032610  013012                            .WORD   ARR.DAT
8948 032612  026302                            .WORD   DUMPER
8949 032614  012746  011344            6$:     MOV     #WRD.56,-(SP)   ;                               4983
8950 032620  012746  011310                    MOV     #WRD.52,-(SP)
8951 032624  012746  012226                    MOV     #FNC.6,-(SP)
8952 032630  012746  012216                    MOV     #FNC.5,-(SP)
8953 032634  012746  010650                    MOV     #WRD.12,-(SP)
8954 032640  012746  011676                    MOV     #PHR.4,-(SP)
8955 032644  012746  010322                    MOV     #SIX.FMT,-(SP)
8956 032650  012746  000007                    MOV     #7,-(SP)
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 15:21:03    PA:<
 8958                                ;ML4AD
 8959                                ;               TEST CODE SECTION
 8960
 8961 032654  010600                        MOV     SP,R0                   ; SP,*
 8962 032656  104414                        TRAP    14
 8963 032660  016716  162466                MOV     RD.DATA,(SP)            ;                               4984
 8964 032664  016746  162460                MOV     WT.DATA,-(SP)
 8965 032670  016600  000036                MOV     36(SP),R0               ; INDEX,*
 8966 032674  006300                        ASL     R0
 8967 032676  006300                        ASL     R0
 8968 032700  006300                        ASL     R0
 8969 032702  016046  015404                MOV     ML.REG(R0),-(SP)
 8970 032706  012746  007436                MOV     #FMT.16,-(SP)
 8971 032712  012746  000004                MOV     #4,-(SP)
 8972 032716  010600                        MOV     SP,R0                   ; SP,*
 8973 032720  104414                        TRAP    14
 8974 032722  012704  000001                MOV     #1,R4                   ; *,DODU.FLG                    4985
 8975 032726  062706  000030                ADD     #30,SP                  ;                               4967
 8976 032732  062706  000012        7$:     ADD     #12,SP                  ;                               4959
 8977 032736  104467                        TRAP    67                      ;                               4986
 8978 032740  006000                        ROR     R0
 8979 032742  103615                        BLO     2$
 8980 032744  005203                8$:     INC     R3                      ; REG.SEL                       4958
 8981 032746  020327  000007                CMP     R3,#7                   ; REG.SEL,*
 8982 032752  003611                        BLE     2$
 8983 032754  005102                        COM     R2                      ; TST.PAT                       4991
 8984 032756  005201                        INC     R1                      ; TWICE                         4955
 8985 032760  020127  000001                CMP     R1,#1                   ; TWICE,*
 8986 032764  003603                        BLE     1$
 8987 032766  005304                        DEC     R4                      ; DODU.FLG                      4994
 8988 032770  001004                        BNE     9$
 8989 032772  016700  163032                MOV     ML.LUN,R0               ;                               4997
 8990 032776  104451                        TRAP    51
 8991 033000  104444                        TRAP    44
 8992 033002  022626                9$:     CMP     (SP)+,(SP)+             ;                               4916
 8993 033004  000207                        RTS     PC
 8994
 8995                                ; Routine Size:  142 words
 8996                                ; Maximum stack depth per invocation:  24 words
 9001
 9002
 9006
 9007                                        .SBTTL  T5 TEST CODE SECTION
 9011 033006                        T5::
 9012 033006  004767  177340        1$:     JSR     PC,$T5                  ;                               4999
```

```
                                ;ML4AD
                                ;                TEST CODE SECTION

033012  104466                          TRAP    66
033014  006000                          ROR     R0
033016  103773                          BLO     1$
033020  000207                          RTS     PC

                                ; Routine Size:  6 words
                                ; Maximum stack depth per invocation:  0 words


;          5002  !<BLF/PAGE>
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                    TEST CODE SECTION                    29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (58)

;          5003  !
;          5004  BGNTST;
;          5005
;          5006  !++
;          5007  ! TEST NUMBER:  TST 6
;          5008  !
;          5009  ! TEST NAME:    READ WRITE REG SHIFTING ONES/ZEROES TEST
;          5010  !
;          5011  ! TEST DESCRIPTION:
;          5012  !       THIS TEST WRITES AND READS A
;          5013  !       SHIFTING ONE'S AND SHIFTING ZEROE'S
;          5014  !       PATTERN TO ALL THE ML11'S
;          5015  !       READ/WRITE REGISTERS
;          5016  !
;          5017  !       ROUTINES WRT_REG AND RD_REG
;          5018  !       ACCEPT ARGUMENTS TO FURTHER
;          5019  !       SELECT ROUTINES WHICH ACTUALLY
;          5020  !       PERFORMS THE READING AND
;          5021  !       WRITING OF THE REGISTERS.
;          5022  !
;          5023  !       THE DRIVE IS DROPPED ON DETECTED
;          5024  !       ERRORS.
;          5025  !
;          5026  ! IMPLICIT INPUTS:
;          5027  !       WT_DATA
;          5028  !         LOADED BY READ REGISTER ROUTINES AND
;          5029  !         CONTAINS THE DATA PATTERN WRITTEN TO THE
;          5030  !         REGISTERS (REPRESENTS GOOD DATA).
;          5031  !
;          5032  !       RD_DATA
;          5033  !         LOADED BY THE READ REGISTER ROUTINES AND
;          5034  !         CONTAINS THE DATA PATTERN READ FROM THE
;          5035  !         REGISTER (REPRESENTS BAD DATA).
;          5036  !
;          5037  !
;          5038  !--
;          5039
;          5040  local
;          5041      ERR_FLG,                          !ERROR FLAG PASSED TO ROUTINE
;          5042      TST_PAT,                          !TEST PATTERN
;          5043      index,                            !POINTS TO REG PRESENTLY BEING TESTED
;          5044      DODU_FLG;                         !DROP UNIT FLAG
;          5045
;          5046  CLR_THRESHOLD;                       !CLEAR ERROR PRINT THRESHOLD
;          5047  DODU_FLG = ZERO;
;          5048  TST_PAT = ONE;                        !LOAD TST_PAT WITH A 1 IN A FILED OF 0'S
;          5049
;          5050  incr SHIFT from 0 to 15 do           !DO SHIFT 16 TIMES
;          5051      begin
;          5052
;          5053      incr TWICE from 0 to 1 do         !REPEAT LOOP TWICE
;          5054          begin
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                      29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (58)

;          5055
;          5056          incr REG_SEL from 0 to 7 do             !TEST ELEVEN READ/WRITE REGISTERS
;          5057              begin
;          5058              BGNSUB;
;          5059              CLR_MBUS;
;          5060              WRT_REG (.TST_PAT, .REG_SEL, index);        !WRITE TO THE REGISTER
;          5061              RD_REG (.TST_PAT, .REG_SEL, ERR_FLG);       !READ THE REGISTER
;          5062
;          5063              if .ERR_FLG IS_SET                      !SEE IF THE READ FOUND AN ERROR
;          5064              then
;          5065                  begin                               !IF THE ERROR FLAG IS SET THEN ERROR
;          5066                  CMP_THRESHOLD;                      !COMPARE ERROR PRINT THRESHOLD
;          5067
;          5068                  selectone .REG_SEL of               !FIND WHICH MODULE FAILED
;          5069                      set
;          5070
;          5071                      [0 to 3] :
;          5072                          ERRDF (5, ASYNC, DUMPER);       !ASYNC MODULE FAILURE
;          5073
;          5074                      [4 to 5] :
;          5075                          ERRDF (5, SYNC, DUMPER);        !SYNC MODULE FAILURE
;          5076
;          5077                      [6 to 7] :
;          5078                          ERRDF (5, ARR_DAT, DUMPER);     !ARRAY DATA MODULE FAILURE
;          5079                      tes;
;          5080
;          5081                  PRINTB (SIX_FMT, PHR_4, WRD_12, FNC_5, FNC_6, WRD_52, WRD_56);
;          5082                  PRINTB (FMT_16, .ML_REG [.index, REGISTER_ADD], .WT_DATA, .RD_DATA);
;          5083                  DODU_FLG = ONE;
;          5084                  end;
;          5085
;          5086              ENDSUB;
;          5087              end;
;          5088
;          5089          TST_PAT = not .TST_PAT;                 !REPEAT WITH A 0 IN A FIELD OF 1'S
;          5090          end;
;          5091
;          5092      TST_PAT = .TST_PAT^ONE;                     !SHIFT THE 1 IN THE FIELD OF 0'S
;          5093      end;
;          5094
;          5095  if .DODU_FLG IS_SET                             !DROP THIS UNIT IF DODU_FLG IS SET
;          5096  then
;          5097      begin
;          5098      DODU (.ML_LUN);
;          5099      DOCLN;
;          5100      end;
;          5101
;          5102  ENDTST;
;
```

```
                                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                                    29-Mar-1982 16:21:03    PA:<
                                        ;ML4AD
                                        ;                TEST CODE SECTION
                                                .SBTTL   $T6 TEST CODE SECTION
 9151 033022  004167  151564            $T6:    JSR      R1,$SAVE5              ;                                        5001
 9152 033026  024646                             CMP      -(SP),-(SP)
 9153 033030  005067  162342                     CLR      P.CNT                  ;                                        5044
 9154 033034  005005                             CLR      R5                     ; DODU.FLG                               5047
 9155 033036  012703  000001                     MOV      #1,R3                  ; *,TST.PAT                              5048
 9156 033042  005001                             CLR      R1                     ; SHIFT                                  5050
 9157 033044  005002                     1$:     CLR      R2                     ; TWICE                                  5053
 9158 033046  005004                     2$:     CLR      R4                     ; REG.SEL                                5056
 9159 033050  104402                     3$:     TRAP     2                      ;                                        5057
 9160 033052  152777  000040  162364            BISB     #40,@ML.REG+40         ;                                        5058
 9161 033060  016700  162746                     MOV      ML.DUT,R0
 9162 033064  042700  177770                     BIC      #177770,R0
 9163 033070  142777  000007  162346            BICB     #7,@ML.REG+40
 9164 033076  150077  162342                     BISB     R0,@ML.REG+40
 9165 033102  010346                             MOV      R3,-(SP)               ; TST.PAT,*                              5060
 9166 033104  010446                             MOV      R4,-(SP)               ; REG.SEL,*
 9167 033106  012746  000010                     MOV      #10,-(SP)
 9168 033112  060616                             ADD      SP,(SP)                ; INDEX,*
 9169 033114  004767  172204                     JSR      PC,WRT.REG
 9170 033120  010316                             MOV      R3,(SP)                ; TST.PAT,*                              5061
 9171 033122  010446                             MOV      R4,-(SP)               ; REG.SEL,*
 9172 033124  012746  000012                     MOV      #12,-(SP)
 9173 033130  060616                             ADD      SP,(SP)                ; ERR.FLG,*
 9174 033132  004767  172554                     JSR      PC,RD.REG
 9175 033136  026627  000012  000001            CMP      12(SP),#1              ; ERR.FLG,*                              5063
 9176 033144  001117                             BNE      8$
 9177 033146  005267  162224                     INC      P.CNT                  ;                                        5065
 9178 033152  026767  162220  162220            CMP      P.CNT,LIMIT
 9179 033160  003403                             BLE      4$
 9180 033162  062706  000012                     ADD      #12,SP
 9181 033166  000513                             BR       9$
 9182 033170  005704                     4$:     TST      R4                     ; REG.SEL                                5068
 9183 033172  002410                             BLT      5$
 9184 033174  020427  000003                     CMP      R4,#3                  ; REG.SEL,*
 9185 033200  003005                             BGT      5$
 9186 033202  104455                             TRAP     55                     ;                                        5072
 9187 033204  000005                             .WORD    5
 9188 033206  012706                             .WORD    ASYNC
 9189 033210  026302                             .WORD    DUMPER
 9190 033212  000425                             BR       7$                     ;                                        5068
 9191 033214  020427  000004            5$:     CMP      R4,#4                  ; REG.SEL,*
 9192 033220  002410                             BLT      6$
 9193 033222  020427  000005                     CMP      R4,#5                  ; REG.SEL,*
 9194 033226  003005                             BGT      6$
 9195 033230  104455                             TRAP     55                     ;                                        5075
 9196 033232  000005                             .WORD    5
 9197 033234  012750                             .WORD    SYNC
 9198 033236  026302                             .WORD    DUMPER
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        BR      7$                      ;                                               5068
                                6$:     CMP     R4,#6                   ; REG.SEL,*
                                        BLT     7$
                                        CMP     R4,#7                   ; REG.SEL,*
                                        BGT     7$
                                        TRAP    55                      ;                                               5078
                                        .WORD   5
                                        .WORD   ARR.DAT
                                        .WORD   DUMPER
                                7$:     MOV     #WRD.56,-(SP)           ;                                               5081
                                        MOV     #WRD.52,-(SP)
                                        MOV     #FNC.6,-(SP)
                                        MOV     #FNC.5,-(SP)
                                        MOV     #WRD.12,-(SP)
                                        MOV     #PHR.4,-(SP)
                                        MOV     #SIX.FMT,-(SP)
                                        MOV     #7,-(SP)
                                        MOV     SP,R0                   ; SP,*
                                        TRAP    14
                                        MOV     RD.DATA,(SP)            ;                                               5082
                                        MOV     WT.DATA,-(SP)
                                        MOV     36(SP),R0               ; INDEX,*
                                        ASL     R0
                                        ASL     R0
                                        ASL     R0
                                        MOV     ML.REG(R0),-(SP)
                                        MOV     #FMT.16,-(SP)
                                        MOV     #4,-(SP)
                                        MOV     SP,R0                   ; SP,*
                                        TRAP    14
                                        MOV     #1,R5                   ; *,DODU.FLG                                    5083
                                        ADD     #30,SP                  ;                                               5065
                                8$:     ADD     #12,SP                  ;                                               5057
                                        TRAP    67                      ;                                               5084
                                        ROR     R0
                                        BLO     3$
                                9$:     INC     R4                      ; REG.SEL                                       5056
                                        CMP     R4,#7                   ; REG.SEL,*
                                        BLE     3$
                                        COM     R3                      ; TST.PAT                                       5089
                                        INC     R2                      ; TWICE                                         5053
                                        CMP     R2,#1                   ; TWICE,*
                                        BLE     2$
                                        ASL     R3                      ; TST.PAT                                       5092
                                        INC     R1                      ; SHIFT                                         5050
                                        CMP     R1,#17                  ; SHIFT,*
                                        BGT     10$
                                        JMP     1$
                                10$:    DEC     R5                      ; DODU.FLG                                      5095
                                        BNE     11$
                                        MOV     ML.LUN,R0               ;                                               5098
                                        TRAP    51
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
 9256                                ;ML4AD
 9257                                ;                  TEST CODE SECTION
 9258
 9259 033470  104444                          TRAP    44
 9260 033472  022626                 11$:     CMP     (SP)+,(SP)+                 ;                  5001
 9261 033474  000207                          RTS     PC
 9262
 9263                                ; Routine Size:  150 words
 9264                                ; Maximum stack depth per invocation:  25 words
 9269
 9270
 9274
 9275                                         .SBTTL  T6 TEST CODE SECTION
 9279 033476                         T6::
 9280 033476  004767  177320         1$:      JSR     PC,$T6                      ;                  5100
 9281 033502  104466                          TRAP    66
 9282 033504  006000                          ROR     R0
 9283 033506  103773                          BLO     1$
 9284 033510  000207                          RTS     PC
 9285
 9286                                ; Routine Size:  6 words
 9287                                ; Maximum stack depth per invocation:  0 words
 9292
 9293
 9294 ;         5103  !
 9295 ;         5104  !<BLF/PAGE>
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (59)

;          5105  !
;          5106  BGNTST;
;          5107
;          5108  !++
;          5109  ! TEST NUMBER:  TST 7
;          5110  !
;          5111  ! TEST NAME:    REGISTER INITIALIZATION TEST
;          5112  !
;          5113  ! TEST DESCRIPTION:
;          5114  !       THIS TEST TESTS THE ABILITY OF
;          5115  !       ALL ACCESSIBLE ML11 REGISTERS
;          5116  !       TO CLEAR OUT REGISTER DATA OF
;          5117  !       ONE'S AND ZEROES PATTERN.
;          5118  !
;          5119  !       ROUTINE WRT_REG WRITES A
;          5120  !       PATTERN TO THE SELECTED REGISTER.
;          5121  !
;          5122  !       A MASS BUS CLEAR IS DONE.
;          5123  !
;          5124  !       THEN ROUTINE RD_REG READS THE
;          5125  !       SELECTED REGISTER FOR CLEARED DATA
;          5126  !       THE DRIVE IS DROPPED ON DETECTED ERRORS.
;          5127  !
;          5128  !       THIS TEST WILL ALSO READ THE
;          5129  !       DRIVE TYPE REGISTER FOR ITS
;          5130  !       INITIAL REGISTER VALUE.
;          5131  !
;          5132  ! IMPLICIT INPUTS:
;          5133  !       THIS FLAG IS NEEDED DUE TO THE UNIQUE
;          5134  !       MANNER IN WHICH THESE REGISTERS
;          5135  !       MUST BE READ.
;          5136  !
;          5137  !       RD_DATA
;          5138  !       LOADED BY THE READ REGISTER ROUTINE
;          5139  !       AND CONTAINS THE DATA PATTERN READ FROM
;          5140  !       THE REGISTER (REPRESENTS BAD DATA).
;          5141  !
;          5142  !       DRIVE TYPE
;          5143  !       LOADED DURING THE INITIALIZATION CODE AND
;          5144  !       STORES THE EXPECTED CONTENTS OF THE DRIVE
;          5145  !       TYPE REGISTER.
;          5146  !--
;          5147
;          5148  local
;          5149      TST_PAT,                          !TEST PATTERN
;          5150      ERR_FLG,                          !ERROR FLAG PASSED TO ROUTINE
;          5151      index,                            !POINTS TO REG PRESENTLY BEING TESTED
;          5152      CLR_DATA,                         !STORES CALCULATED REGISTER CLEAR DATA
;          5153      SAVE,                             !TEMPORARY STORAGE LOCATION
;          5154      DODU_FLG;                         !DROP UNIT FLAG
;          5155
;          5156  CLR_THRESHOLD;                       !CLEAR ERROR PRINT THRESHOLD
```

```
;ML4AD                                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                       TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (59)
;
;               5157  ML_REG [19, FORCE_HI] = %o'177777';          !CLR DATA FOR MLPD IS ONES
;               5158  DODU_FLG = ZERO;
;               5159  TST_PAT = ONES;                             !BACKGROUND PATTERN
;               5160
;               5161  incr TWICE from 0 to 1 do                   !REPEAT LOOP TWICE
;               5162      begin
;               5163
;               5164      incr REG_SEL from 0 to 10 do            !TEST THIRTEEN REGISTERS
;               5165          begin
;               5166          BGNSUB;
;               5167          CLR_MBUS;
;               5168          WRT_REG (.TST_PAT, .REG_SEL, index);  !WRITE REGISTER WITH BACKGROUND
;               5169          CLR_DATA = (.AI) or (.IGNORE);        !CALCULATE THE CLEARED DATA PATTERN
;               5170          CLR_MBUS;                             !CLEAR THE REGISTER
;               5171          RD_REG (.CLR_DATA, .REG_SEL, ERR_FLG);!READ THE REGISTER FOR THE CLEARED DATA PAT
;               5172
;               5173          if .ERR_FLG IS_SET                    !SEE IF READ FOUND AN ERROR
;               5174          then
;               5175              begin                             !IF ERROR FLAG IS SET THEN ERROR AND SET DODU_FLG
;               5176              CMP_THRESHOLD;                    !COMPARE ERROR PRINT THRESHOLD
;               5177
;               5178              selectone .REG_SEL of             !FIND WHICH MODULE FAILED
;               5179                  set
;               5180
;               5181                  [0, 1, 2, 3, 9, 10] :
;               5182                      ERRDF (6, ASYNC, DUMPER);   !ASYNC MODULE FAILURE
;               5183
;               5184                  [4, 5, 8] :
;               5185                      ERRDF (6, SYNC, DUMPER);    !SYNC MODULE FAILURE
;               5186
;               5187                  [6 to 7] :
;               5188                      ERRDF (6, ARR_DAT, DUMPER); !ARRAY DATA MODULE
;               5189                  tes;
;               5190
;               5191              PRINTB (FIV_FMT, PHR_4, WRD_12, WRD_52, FNC_23, WRD_56);
;               5192              PRINTB (FMT_16, .ML_REG [.index, REGISTER_ADD], .CLR_DATA, .RD_DATA);
;               5193              DODU_FLG = ONE;
;               5194              end;
;               5195
;               5196          ENDSUB;
;               5197          end;
;               5198
;               5199      TST_PAT = not .TST_PAT;                 !REPEAT WITH COMPLIMENT BACKGROUND PAT
;               5200      end;
;               5201
;               5202  ML_REG [19, FORCE_HI] = ZEROES;             !RESTORE MLPD FORCED_HI
;               5203  !
;               5204  !
;               5205  !  NOW TEST THE DRIVE TYPE REGISTER
;               5206  !
;               5207  !
;               5208
```

```
9409 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
9410 ;                  TEST CODE SECTION                      29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (59)
9411
9412 ;          5209    if .MLDT neq .DRIVE_TYPE               !COMPARE REG CONTENTS TO CALCULATED VALUE
9413 ;          5210    then
9414 ;          5211        begin
9415 ;          5212        ERRDF (113, ASYNC, DUMPER);
9416 ;          5213        PRINTB (TWO_FMT, REG_7, PHR_4);
9417 ;          5214        PRINTB (FMT_2, .DRIVE_TYPE, .SAVE);
9418 ;          5215        end;
9419 ;          5216
9420 ;          5217    if .DODU_FLG IS_SET                    !DROP THIS UNIT IF DODU_FLG IS_SET
9421 ;          5218    then
9422 ;          5219        begin
9423 ;          5220        DODU (.ML_LUN);
9424 ;          5221        DOCLN;
9425 ;          5222        end;
9426 ;          5223
9427 ;          5224    ENDTST;
9431
9432                                        .SBTTL  $T7 TEST CODE SECTION
9436 033512  004167  151074          $T7:  JSR     R1,$SAVE5                ;                              5102
9437 033516  162706  000006                SUB     #6,SP
9438 033522  005067  161650                CLR     P.CNT                    ;                              5154
9439 033526  012767  177777  162102        MOV     #-1,ML.REG+232           ;                              5157
9440 033534  005005                        CLR     R5                       ; DODU.FLG                     5158
9441 033536  012702  177777                MOV     #-1,R2                   ; *,TST.PAT                    5159
9442 033542  005001                        CLR     R1                       ; TWICE                        5161
9443 033544  005004                  1$:   CLR     R4                       ; REG.SEL                      5164
9444 033546  104402                  2$:   TRAP    2                        ;                              5165
9445 033550  152777  000040  161666        BISB    #40,@ML.REG+40           ;                              5166
9446 033556  016703  162250                MOV     ML.DUT,R3
9447 033562  042703  177770                BIC     #177770,R3
9448 033566  142777  000007  161650        BICB    #7,@ML.REG+40
9449 033574  150377  161644                BISB    R3,@ML.REG+40
9450 033600  010246                        MOV     R2,-(SP)                 ; TST.PAT,*                    5168
9451 033602  010446                        MOV     R4,-(SP)                 ; REG.SEL,*
9452 033604  012746  000012                MOV     #12,-(SP)
9453 033610  060616                        ADD     SP,(SP)                  ; INDEX,*
9454 033612  004767  171506                JSR     PC,WRT.REG
9455 033616  016600  000012                MOV     12(SP),R0                ; INDEX,*                      5169
9456 033622  006300                        ASL     R0
9457 033624  006300                        ASL     R0
9458 033626  006300                        ASL     R0
9459 033630  010003                        MOV     R0,R3
9460 033632  016300  015406                MOV     ML.REG+2(R3),R0
9461 033636  056300  015412                BIS     ML.REG+6(R3),R0
9462 033642  010066  000006                MOV     R0,6(SP)                 ; *,CLR.DATA
9463 033646  152777  000040  161570        BISB    #40,@ML.REG+40
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
 9465                                   ;ML4AD
 9466                                   ;                TEST CODE SECTION
 9467
 9468 033654  016700  162152                    MOV     ML.DUT,R0
 9469 033660  042700  177770                    BIC     #177770,R0
 9470 033664  142777  000007  161552            BICB    #7,@ML.REG+40
 9471 033672  150077  161546                    BISB    R0,@ML.REG+40
 9472 033676  016616  000006                    MOV     6(SP),(SP)      ; CLR.DATA,*                    5171
 9473 033702  010446                            MOV     R4,-(SP)        ; REG.SEL,*
 9474 033704  012746  000014                    MOV     #14,-(SP)
 9475 033710  060616                            ADD     SP,(SP)         ; ERR.FLG,*
 9476 033712  004767  171774                    JSR     PC,RD.REG
 9477 033716  026627  000014  000001            CMP     14(SP),#1       ; ERR.FLG,*                     5173
 9478 033724  001121                            BNE     11$
 9479 033726  005267  161444                    INC     P.CNT           ;                               5175
 9480 033732  026767  161440  161440            CMP     P.CNT,LIMIT
 9481 033740  003403                            BLE     3$
 9482 033742  062706  000012                    ADD     #12,SP
 9483 033746  000517                            BR      13$
 9484 033750  005704                    3$:     TST     R4              ; REG.SEL                       5178
 9485 033752  002403                            BLT     4$
 9486 033754  020427  000003                    CMP     R4,#3           ; REG.SEL,*
 9487 033760  003406                            BLE     5$
 9488 033762  020427  000011            4$:     CMP     R4,#11          ; REG.SEL,*
 9489 033766  002410                            BLT     6$
 9490 033770  020427  000012                    CMP     R4,#12          ; REG.SEL,*
 9491 033774  003005                            BGT     6$
 9492 033776  104455                    5$:     TRAP    55              ;                               5182
 9493 034000  000006                            .WORD   6
 9494 034002  012706                            .WORD   ASYNC
 9495 034004  026302                            .WORD   DUMPER
 9496 034006  000430                            BR      10$             ;                               5178
 9497 034010  020427  000004            6$:     CMP     R4,#4           ; REG.SEL,*
 9498 034014  002403                            BLT     7$
 9499 034016  020427  000005                    CMP     R4,#5           ; REG.SEL,*
 9500 034022  003403                            BLE     8$
 9501 034024  020427  000010            7$:     CMP     R4,#10          ; REG.SEL,*
 9502 034030  001005                            BNE     9$
 9503 034032  104455                    8$:     TRAP    55              ;                               5185
 9504 034034  000006                            .WORD   6
 9505 034036  012750                            .WORD   SYNC
 9506 034040  026302                            .WORD   DUMPER
 9507 034042  000412                            BR      10$             ;                               5178
 9508 034044  020427  000006            9$:     CMP     R4,#6           ; REG.SEL,*
 9509 034050  002407                            BLT     10$
 9510 034052  020427  000007                    CMP     R4,#7           ; REG.SEL,*
 9511 034056  003004                            BGT     10$
 9512 034060  104455                            TRAP    55              ;                               5188
 9513 034062  000006                            .WORD   6
 9514 034064  013012                            .WORD   ARR.DAT
 9515 034066  026302                            .WORD   DUMPER
 9516 034070  012746  011344            10$:    MOV     #WRD.56,-(SP)   ;                               5191
 9517 034074  012746  012464                    MOV     #FNC.23,-(SP)
 9518 034100  012746  011310                    MOV     #WRD.52,-(SP)
 9519 034104  012746  010650                    MOV     #WRD.12,-(SP)
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
 9521                                   ;ML4AD
 9522                                   ;               TEST CODE SECTION
 9523
 9524 034110  012746  011676                    MOV     #PHR.4,-(SP)
 9525 034114  012746  010304                    MOV     #FIV.FMT,-(SP)
 9526 034120  012746  000006                    MOV     #6,-(SP)
 9527 034124  010600                            MOV     SP,R0           ; SP,*
 9528 034126  104414                            TRAP    14                                              5192
 9529 034130  016716  161216                    MOV     RD.DATA,(SP)    ;
 9530 034134  016646  000030                    MOV     30(SP),-(SP)    ; CLR.DATA,*
 9531 034140  016346  015404                    MOV     ML.REG(R3),-(SP)
 9532 034144  012746  007436                    MOV     #FMT.16,-(SP)
 9533 034150  012746  000004                    MOV     #4,-(SP)
 9534 034154  010600                            MOV     SP,R0           ; SP,*
 9535 034156  104414                            TRAP    14
 9536 034160  012705  000001                    MOV     #1,R5           ; *,DODU.FLG                    5193
 9537 034164  062706  000026                    ADD     #26,SP          ;                               5175
 9538 034170  062706  000012            11$:    ADD     #12,SP          ;                               5165
 9539 034174  104467                            TRAP    67              ;                               5194
 9540 034176  006000                            ROR     R0
 9541 034200  103002                            BHIS    13$
 9542 034202  000167  177340            12$:    JMP     2$                                              5164
 9543 034206  005204                    13$:    INC     R4              ; REG.SEL
 9544 034210  020427  000012                    CMP     R4,#12          ; REG.SEL,*
 9545 034214  003772                            BLE     12$                                             5199
 9546 034216  005102                            COM     R2              ; TST.PAT                       5161
 9547 034220  005201                            INC     R1              ; TWICE
 9548 034222  020127  000001                    CMP     R1,#1           ; TWICE,*
 9549 034226  003002                            BGT     14$
 9550 034230  000167  177310                    JMP     1$                                              5202
 9551 034234  005067  161376            14$:    CLR     ML.REG+232      ;                               5209
 9552 034240  027767  161270  161106            CMP     @ML.REG+130,DRIVE.TYPE  ;
 9553 034246  001431                            BEQ     15$                                             5212
 9554 034250  104455                            TRAP    55              ;
 9555 034252  000161                            .WORD   161
 9556 034254  012706                            .WORD   ASYNC
 9557 034256  026302                            .WORD   DUMPER
 9558 034260  012746  011676                    MOV     #PHR.4,-(SP)    ;                               5213
 9559 034264  012746  012546                    MOV     #REG.7,-(SP)
 9560 034270  012746  010246                    MOV     #TWO.FMT,-(SP)
 9561 034274  012746  000003                    MOV     #3,-(SP)
 9562 034300  010600                            MOV     SP,R0           ; SP,*
 9563 034302  104414                            TRAP    14
 9564 034304  010416                            MOV     R4,(SP)         ; SAVE,*                        5214
 9565 034306  016746  161042                    MOV     DRIVE.TYPE,-(SP)
 9566 034312  012746  006506                    MOV     #FMT.2,-(SP)
 9567 034316  012746  000003                    MOV     #3,-(SP)
 9568 034322  010600                            MOV     SP,R0           ; SP,*
 9569 034324  104414                            TRAP    14
 9570 034326  062706  000016                    ADD     #16,SP          ;                               5211
 9571 034332  005305                    15$:    DEC     R5              ; DODU.FLG                      5217
 9572 034334  001004                            BNE     16$
 9573 034336  016700  161466                    MOV     ML.LUN,R0       ;                               5220
 9574 034342  104451                            TRAP    51
 9575 034344  104444                            TRAP    44
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        ;
034346  062706  000006                  16$:    ADD     #6,SP                           ;                               5102
034352  000207                                  RTS     PC
                                        ; Routine Size:  209 words
                                        ; Maximum stack depth per invocation:  25 words
                                        ;
                                        ;
                                        ;
                                                .SBTTL  T7 TEST CODE SECTION
034354                                  T7::
034354  004767  177132                  1$:     JSR     PC,$T7                          ;                               5222
034360  104466                                  TRAP    66
034362  006000                                  ROR     R0
034364  103773                                  BLO     1$
034366  000207                                  RTS     PC
                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
                                        ;
                                        ;
;       5225  !<BLF/PAGE>
```

```
9616 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
9617 ;                  TEST CODE SECTION                      29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (60)
9618
9619 ;          5226  !
9620 ;          5227  !
9621 ;          5228  !
9622 ;          5229  BGNTST;
9623 ;          5230
9624 ;          5231  !++
9625 ;          5232  ! TEST NUMBER:  TST 8
9626 ;          5233  !
9627 ;          5234  ! TEST NAME:    REGISTER SELECTION TEST
9628 ;          5235  !
9629 ;          5236  ! TEST DESCRIPTION:
9630 ;          5237  !       THIS TEST TESTS FOR UNIQUE REGISTER
9631 ;          5238  !       SELECTION BY FIRST WRITING A BACKGROUND
9632 ;          5239  !       PATTERN INTO ALL READ/WRITE REGISTERS
9633 ;          5240  !
9634 ;          5241  !       IT THEN WRITES A COMPLIMENT
9635 ;          5242  !       BACKGROUND PATTERN INTO ONE REGISTER
9636 ;          5243  !       AND READS THE REMAINING UNWRITTEN
9637 ;          5244  !       REGISTERS FOR AN UNCHANGED BACKGROUND
9638 ;          5245  !       PAT
9639 ;          5246  !
9640 ;          5247  !       THIS PROCEDURE IS REPEATED UNTIL ALL
9641 ;          5248  !       REGISTERS HAVE BEEN WRITTEN WITH A
9642 ;          5249  !       COMPLIMENT BACKGROUND PATTERN.
9643 ;          5250  !
9644 ;          5251  !--
9645 ;          5252
9646 ;          5253  local
9647 ;          5254      DODU_FLG,                          !DROP UNIT FLAG
9648 ;          5255      TST_PAT,                           !TEST PATTERN
9649 ;          5256      ERR_FLG,                           !ERROR FLAG PASSED TO ROUTINE;
9650 ;          5257      index;                             !POINTS TO REGISTER PRESENTLY BEING TESTED.
9651 ;          5258
9652 ;          5259  CLR_THRESHOLD;                         !CLEAR ERROR PRINT THRESHOLD
9653 ;          5260  BGNSUB;
9654 ;          5261  CLR_MBUS;
9655 ;          5262  DODU_FLG = ZERO;
9656 ;          5263  TST_PAT = %o'125252';                  !LOAD TST_PAT WITH ALTERNATE 1'S & 0'S
9657 ;          5264  WRT_CS1 (.TST_PAT, 0);                 !WRITE A BACKGROUND INTO ALL THE DIRECTLY
9658 ;          5265  WRT_ER (.TST_PAT, 6);                  !ACCESSABLE READ WRITE REGISTERS
9659 ;          5266  WRT_DA (.TST_PAT, 3);
9660 ;          5267  WRT_PA (.TST_PAT, 8);
9661 ;          5268  WRT_E1 (.TST_PAT, 13);
9662 ;          5269  WRT_E2 (.TST_PAT, 14);
9663 ;          5270
9664 ;          5271  incr CNT_1 from 0 to 4 do             !WRITE A COMPLIMENT PATTERN INTO ONE REGISTER
9665 ;          5272      begin
9666 ;          5273      TST_PAT = not .TST_PAT;            !GENERATE THE COMPLIMENT PAT
9667 ;          5274
9668 ;          5275      case .CNT_1 from 0 to 4 of         !SELECT THE REGISTER TO WRITE INTO
9669 ;          5276          set
9670 ;          5277
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (60)
;
;          5278          [0] :
;          5279              WRT_CS1 (.TST_PAT, 0);              !FIRST PASS WRITE COMP PAT TO MLCS1
;          5280
;          5281          [1] :
;          5282              WRT_ER (.TST_PAT, 6);               !SECOND PASS WRITE COMP PAT TO MLER
;          5283
;          5284          [2] :
;          5285              WRT_DA (.TST_PAT, 3);               !THIRD PASS WRITE COMP PAT TO MLDA
;          5286
;          5287          [3] :
;          5288              WRT_PA (.TST_PAT, 8);               !FORTH PASS WRITE COMP PAT TO MLPA
;          5289
;          5290          [4] :
;          5291              WRT_E1 (.TST_PAT, 13);              !FIFTH PASS WRITE COMP PAT TO MLE1
;          5292          tes;
;          5293
;          5294      TST_PAT = not .TST_PAT;                     !COMPLIMENT TST_PAT BACK TO BACKGROUND
;          5295
;          5296      incr CNT_2 from .CNT_1 + 1 to 5 do          !NOW READ THE REMAINING UNWRITTEN REGISTERS FOR AN
;          5297          begin                                   !UNCHANGED BACKGROUND
;          5298
;          5299          case .CNT_2 from 0 to 5 of              !SELECT THE REGISTER TO READ
;          5300              set
;          5301
;          5302              [0] :
;          5303                  RD_CS1 (.TST_PAT, index = 0, ERR_FLG);  !READ MLCS1
;          5304
;          5305              [1] :
;          5306                  RD_ER (.TST_PAT, index = 6, ERR_FLG);   !READ MLER
;          5307
;          5308              [2] :
;          5309                  RD_DA (.TST_PAT, index = 3, ERR_FLG);   !READ MLDA
;          5310
;          5311              [3] :
;          5312                  RD_PA (.TST_PAT, index = 8, ERR_FLG);   !READ MLPA
;          5313
;          5314              [4] :
;          5315                  RD_E1 (.TST_PAT, index = 13, ERR_FLG);  !READ MLE1
;          5316
;          5317              [5] :
;          5318                  RD_E2 (.TST_PAT, index = 14, ERR_FLG);  !READ MLE2
;          5319              tes;
;          5320
;          5321          if .ERR_FLG IS_SET                      !SEE IF READ FOUND AN ERROR
;          5322          then
;          5323              begin
;          5324              CMP_THRESHOLD;                      !COMPARE ERROR PRINT THRESHOLD
;          5325
;          5326              selectone .CNT_2 of
;          5327                  set
;          5328
;          5329                  [0 to 2] :
```

```
                                                                29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;ML4AD                                                          29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (60)
;                TEST CODE SECTION
;
;          5330                      ERRDF (110, ASYNC, DUMPER); !ASYNC MODULE FAILURE
;          5331
;          5332                  [3 to 5] .
;          5333                      ERRDF (110, ARR_DAT, DUMPER);       !ARRAY DATA MODULE FAILURE
;          5334                  tes;
;          5335
;          5336              PRINTB (THR_FMT, WRD_38, WRD_37, WRD_10);
;          5337              PRINTB (FMT_16, .ML_REG [.index, REGISTER_ADD], .WT_DATA, .RD_DATA);
;          5338              DODU_FLG = ONE;
;          5339              end;
;          5340
;          5341          end;
;          5342
;          5343      end;
;          5344
;          5345  ENDSUB;
;          534)
;          5347  if .DODU_FLG IS_SET                          !DROP THIS UNIT IF DODU_FLG IS_SET
;          5348  then
;          5349      begin
;          5350      DODU (.ML_LUN);
;          5351      DOCLN;
;          5352      end;
;          5353
;          5354  ENDTST;
;
                                        .SBTTL  $T8 TEST CODE SECTION
034370  004167  150216          $T8:    JSR     R1,$SAVE5                   ;                       5224
034374  005746                          TST     -(SP)
034376  005067  160774                  CLR     P.CNT                       ;                       5257
034402  104402                  1$:     TRAP    2                           ;                       5259
034404  152777  000040  161032          BISB    #40,@ML.REG+40              ;                       5260
034412  016703  161414                  MOV     ML.DUT,R3
034416  042703  177770                  BIC     #177770,R3
034422  142777  000007  161014          BICB    #7,@ML.REG+40
034430  150377  161010                  BISB    R3,@ML.REG+40
034434  005005                          CLR     R5                          ; DODU.FLG              5262
034436  012704  125252                  MOV     #-52526,R4                  ; *,TST.PAT             5263
034442  010446                          MOV     R4,-(SP)                    ; TST.PAT,*             5264
034444  005046                          CLR     -(SP)
034446  004767  165240                  JSR     PC,WRT.CS1
034452  010416                          MOV     R4,(SP)                     ; TST.PAT,*             5265
034454  012746  000006                  MOV     #6,-(SP)
034460  004767  165404                  JSR     PC,WRT.ER
034464  010416                          MOV     R4,(SP)                     ; TST.PAT,*             5266
034466  012746  000003                  MOV     #3,-(SP)
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<

 034472  004767  165550                         JSR     PC,WRT.DA
 034476  010416                                 MOV     R4,(SP)         ; TST.PAT,*                             5267
 034500  012746  000010                         MOV     #10,-(SP)
 034504  004767  166072                         JSR     PC,WRT.PA
 034510  010416                                 MOV     R4,(SP)         ;   T.PAT,*                             5268
 034512  012746  000015                         MOV     #15,-(SP)
 034516  004767  166266                         JSR     PC,WRT.E1
 034522  010416                                 MOV     R4,(SP)         ; TST.PAT,*                             5269
 034524  012746  000016                         MOV     #16,-(SP)
 034530  004767  166462                         JSR     PC,WRT.E2
 034534  005001                                 CLR     R1              ; CNT.1                                 5271
                                2$:             COM     R4              ; TST.PAT                               5273
 034540  010103                                 MOV     R1,R3           ; CNT.1,*                               5275
 034542  006303                                 ASL     R3
 034544  066307  034550                         ADD     3$(R3),PC
                                3$:             .WORD   4$-3$
 034552  000024                                 .WORD   5$-3$
 034554  000040                                 .WORD   6$-3$
 034556  000054                                 .WORD   7$-3$
 034560  000070                                 .WORD   8$-3$
                                4$:             MOV     R4,-(SP)        ; TST.PAT,*                             5279
 034564  005046                                 CLR     -(SP)
 034566  004767  165120                         JSR     PC,WRT.CS1
 034572  000427                                 BR      9$              ;                                       5275
                                5$:             MOV     R4,-(SP)        ; TST.PAT,*                             5282
 034576  012746  000006                         MOV     #6,-(SP)
 034602  004767  165262                         JSR     PC,WRT.ER
 034606  000421                                 BR      9$              ;                                       5275
                                6$:             MOV     R4,-(SP)        ; TST.PAT,*                             5285
 034612  012746  000003                         MOV     #3,-(SP)
 034616  004767  165424                         JSR     PC,WRT.DA
 034622  000413                                 BR      9$              ;                                       5275
                                7$:             MOV     R4,-(SP)        ; TST.PAT,*                             5288
 034626  012746  000010                         MOV     #10,-(SP)
 034632  004767  165744                         JSR     PC,WRT.PA
 034636  000405                                 BR      9$              ;                                       5275
                                8$:             MOV     R4,-(SP)        ; TST.PAT,*                             5291
 034642  012746  000015                         MOV     #15,-(SP)
 034646  004767  166136                         JSR     PC,WRT.E1
                                9$:             COM     R4              ; TST.PAT                               5294
 034654  010103                                 MOV     R1,R3           ; CNT.1,CNT.2                           5296
 034656  000167  000416                         JMP     23$
                                10$:            MOV     R3,R0           ; CNT.2,*                               5299
 034664  006300                                 ASL     R0
 034666  066007  034672                         ADD     11$(R0),PC
                                11$:            .WORD   12$-11$
 034674  000036                                 .WORD   13$-11$
 034676  000062                                 .WORD   14$-11$
 034700  000106                                 .WORD   15$-11$
 034702  000132                                 .WORD   16$-11$
 034704  000156                                 .WORD   17$-11$
 034706  010446                 12$:            MOV     R4,-(SP)        ; TST.PAT,*                             5303
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;                TEST CODE SECTION                              29-Mar-1982 16:21:03    PA:<
                                        ;
 9843 034710  005002                            CLR     R2                      ; INDEX
 9844 034712  005046                            CLR     -(SP)
 9845 034714  012746  000030                    MOV     #30,-(SP)
 9846 034720  060616                            ADD     SP,(SP)                 ; ERR.FLG,*
 9847 034722  004767  165034                    JSR     PC,RD.CS1
 9848 034726  000461                            BR      18$                     ;                                                       5299
 9849 034730  010446                 13$:       MOV     R4,-(SP)                ; TST.PAT,*                                             5306
 9850 034732  012702  000006                    MOV     #6,R2                   ; *,INDEX
 9851 034736  010246                            MOV     R2,-(SP)                ; INDEX,*
 9852 034740  012746  000030                    MOV     #30,-(SP)
 9853 034744  060616                            ADD     SP,(SP)                 ; ERR.FLG,*
 9854 034746  004767  165166                    JSR     PC,RD.ER
 9855 034752  000447                            BR      18$                     ;                                                       5299
 9856 034754  010446                 14$:       MOV     R4,-(SP)                ; TST.PAT,*                                             5309
 9857 034756  012702  000003                    MOV     #3,R2                   ; *,INDEX
 9858 034762  010246                            MOV     R2,-(SP)                ; INDEX,*
 9859 034764  012746  000030                    MOV     #30,-(SP)
 9860 034770  060616                            ADD     SP,(SP)                 ; ERR.FLG,*
 9861 034772  004767  165320                    JSR     PC,RD.DA
 9862 034776  000435                            BR      18$                     ;                                                       5299
 9863 035000  010446                 15$:       MOV     R4,-(SP)                ; TST.PAT,*                                             5312
 9864 035002  012702  000010                    MOV     #10,R2                  ; *,INDEX
 9865 035006  010246                            MOV     R2,-(SP)                ; INDEX,*
 9866 035010  012746  000030                    MOV     #30,-(SP)
 9867 035014  060616                            ADD     SP,(SP)                 ; ERR.FLG,*
 9868 035016  004767  165644                    JSR     PC,RD.PA
 9869 035022  000423                            BR      18$                     ;                                                       5299
 9870 035024  010446                 16$:       MOV     R4,-(SP)                ; TST.PAT,*                                             5315
 9871 035026  012702  000015                    MOV     #15,R2                  ; *,INDEX
 9872 035032  010246                            MOV     R2,-(SP)                ; INDEX,*
 9873 035034  012746  000030                    MOV     #30,-(SP)
 9874 035040  060616                            ADD     SP,(SP)                 ; ERR.FLG,*
 9875 035042  004767  166026                    JSR     PC,RD.E1
 9876 035046  000411                            BR      18$                     ;                                                       5299
 9877 035050  010446                 17$:       MOV     R4,-(SP)                ; TST.PAT,*                                             5318
 9878 035052  012702  000016                    MOV     #16,R2                  ; *,INDEX
 9879 035056  010246                            MOV     R2,-(SP)                ; INDEX,*
 9880 035060  012746  000030                    MOV     #30,-(SP)
 9881 035064  060616                            ADD     SP,(SP)                 ; ERR.FLG,*
 9882 035066  004767  166222                    JSR     PC,RD.E2
 9883 035072  026627  000030  000001   18$:      CMP     30(SP),#1               ; ERR.FLG,*                                             5321
 9884 035100  001075                            BNE     22$
 9885 035102  005267  160270                    INC     P.CNT                   ;                                                       5323
 9886 035106  026767  160264  160264            CMP     P.CNT,LIMIT
 9887 035114  003403                            BLE     19$
 9888 035116  062706  000006                    ADD     #6,SP
 9889 035122  000474                            BR      24$
 9890 035124  005703                 19$:       TST     R3                      ; CNT.2                                                 5326
 9891 035126  002410                            BLT     20$
 9892 035130  020327  000002                    CMP     R3,#2                   ; CNT.2,*
 9893 035134  003005                            BGT     20$
 9894 035136  104455                            TRAP    55                      ;                                                       5330
```

```
                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                    29-Mar-1982 16:21:03    PA:<
                        ;ML4AD
                        ;                       TEST CODE SECTION
                                .WORD   156
                                .WORD   ASYNC
                                .WORD   DUMPER
                                BR      21$                                                                 5326
                        20$:    CMP     R3,#3           ; CNT.2,*
                                BLT     21$
                                CMP     R3,#5           ; CNT.2,*
                                BGT     21$
                                TRAP    55              ;                                                   5333
                                .WORD   156
                                .WORD   ARR.DAT
                                .WORD   DUMPER
                        21$:    MOV     #WRD.10,-(SP)   ;                                                   5336
                                MOV     #WRD.37,-(SP)
                                MOV     #WRD.38,-(SP)
                                MOV     #THR.FMT,-(SP)
                                MOV     #4,-(SP)
                                MOV     SP,R0           ; SP,*
                                TRAP    14
                                MOV     RD.DATA,(SP)    ;                                                   5337
                                MOV     WT.DATA,-(SP)
                                MOV     R2,R0           ; INDEX,*
                                ASL     R0
                                ASL     R0
                                ASL     R0
                                MOV     ML.REG(R0),-(SP)
                                MOV     #FMT.16,-(SP)
                                MOV     #4,-(SP)
                                MOV     SP,R0           ; SP,*
                                TRAP    14
                                MOV     #1,R5           ; *,DODU.FLG                                        5338
                                ADD     #22,SP          ;                                                   5323
                        22$:    ADD     #6,SP           ;                                                   5297
                        23$:    INC     R3              ; CNT.2                                             5296
                                CMP     R3,#5           ; CNT.2,*
                                BGT     24$
                                JMP     10$
                        24$:    CMP     (SP)+,(SP)+     ;                                                   5272
                                INC     R1              ; CNT.1                                             5271
                                CMP     R1,#4           ; CNT.1,*
                                BGT     25$
                                JMP     2$
                        25$:    ADD     #16,SP          ;                                                   5259
                                TRAP    67              ;                                                   5343
                                ROR     R0
                                BHIS    26$
                                JMP     1$
                        26$:    DEC     R5              ; DODU.FLG                                          5347
                                BNE     27$
                                MOV     ML.LUN,R0       ;                                                   5350
                                TRAP    51
                                TRAP    44
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        27$:    TST     (SP)+                           ;                               5224
035366  000207                                RTS     PC
                                        ; Routine Size:  256 words
                                        ; Maximum stack depth per invocation:  28 words
                                                .SBTTL  T8 TEST CODE SECTION
035370                                  T8::
035370  004767  176774                  1$:     JSR     PC,$T8                          ;                               5352
035374  104466                                  TRAP    66
035376  006000                                  ROR     R0
035400  103773                                  BLO     1$
035402  000207                                  RTS     PC
                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
;       5355  !<BLF/PAGE>
```

```
 9991 ;ML4AD
 9992 ;                  TEST CODE SECTION
 9993 ;
 9994 ;          5356  !
 9995 ;          5357  !
 9996 ;          5358  BGNTST;
 9997 ;          5359
 9998 ;          5360  !++
 9999 ;          5361  ! TEST NUMBER:  TST 9
10000 ;          5362  !
10001 ;          5363  ! TEST NAME:    PRINT SERIAL NUMBER
10002 ;          5364  !
10003 ;          5365  ! TEST DESCRIPTION:
10004 ;          5366  !       UPON A YES RESPONSE TO THE
10005 ;          5367  !       SOFTWARE QUESTION 'PRINT SERIAL NO?
10006 ;          5368  !       PRINT OUT THE DRIVE UNDER TEST
10007 ;          5369  !       SERIAL NUMBER.
10008 ;          5370  !
10009 ;          5371  !--
10010 ;          5372
10011 ;          5373  local
10012 ;          5374      D3,                                   !STORES DIGIT 3 OF SERIAL NUMBER
10013 ;          5375      D2,                                   !STORES DIGIT 2 OF SERIAL NUMBER
10014 ;          5376      D1,                                   !STORES DIGIT 1 OF SERIAL NUMBER
10015 ;          5377      D0;                                   !STORES DIGIT 0 OF SERIAL NUMBER
10016 ;          5378
10017 ;          5379  if .PRSN IS_SET                          !SEE IF WE PRINT THE SERIAL NUMBER
10018 ;          5380  then
10019 ;          5381      begin                                 !PRINT THE SERIAL NUMBER IF THE REPLY WAS YES
10020 ;          5382      D3 = .SN3;                            !LOAD DIGIT 3 OF SN INTO D3
10021 ;          5383      D2 = .SN2;                            !LOAD DIGIT 2 OF SN INTO D2
10022 ;          5384      D1 = .SN1;                            !LOAD DIGIT 1 OF SN INTO D1
10023 ;          5385      D0 = .SN0;                            !LOAD DIGIT 0 OF SN INTO D0
10024 ;          5386
10025 ;          5387      if ((.D3 gtr 9) or (.D2 gtr 9) or (.D1 gtr 9) or (.D0 gtr 9))
10026 ;          5388                                            !SEE IF DIGITS ARE TO BIG FOR COVERSION
10027 ;          5389      then
10028 ;          5390          PRINTB (FMT_25, PHR_15, .MLSN)    !PRINT OCTAL SN IF TO BIG
10029 ;          5391      else
10030 ;          5392          PRINTB (FMT_26, PHR_15, .D3, .D2, .D1, .D0);    !ELSE PRINT DECIMAL SERIAL NUMBER
10031 ;          5393
10032 ;          5394      end;
10033 ;          5395
10034 ;          5396  ENDTST;
10038
10039                                  .SBTTL  $T9 TEST CODE SECTION
10043 035404  004167  147144          $T9:    JSR     R1,$SAVE3                ;                    5354
10044 035410  026727  144764  000001          CMP     PRSN,#1                  ;                    5379
10045 035416  001101                          BNE     4$
```

```
                                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                                29-Mar-1982 16:21:03    PA:<
10047                                   ;ML4AD
10048                                   ;                       TEST CODE SECTION
10049
10050 035420  017703  160120                    MOV     @ML.REG+140,R3          ; *,D3                          5382
10051 035424  006203                            ASR     R3                      ; D3
10052 035426  006203                            ASR     R3                      ; D3
10053 035430  006203                            ASR     R3                      ; D3
10054 035432  006203                            ASR     R3                      ; D3
10055 035434  000303                            SWAB    R3                      ; D3
10056 035436  042703  177760                    BIC     #177760,R3              ; *,D3
10057 035442  017700  160076                    MOV     @ML.REG+140,R0          ; *,D2                          5383
10058 035446  000300                            SWAB    R0                      ; D2
10059 035450  042700  177760                    BIC     #177760,R0              ; *,D2
10060 035454  117701  160064                    MOVB    @ML.REG+140,R1          ; *,D1                          5384
10061 035460  006201                            ASR     R1                      ; D1
10062 035462  006201                            ASR     R1                      ; D1
10063 035464  006201                            ASR     R1                      ; D1
10064 035466  006201                            ASR     R1                      ; D1
10065 035470  042701  177760                    BIC     #177760,R1              ; *,D1
10066 035474  117702  160044                    MOVB    @ML.REG+140,R2          ; *,D0                          5385
10067 035500  042702  177760                    BIC     #177760,R2              ; *,D0
10068 035504  020327  000011                    CMP     R3,#11                  ; D3,*                          5387
10069 035510  003011                            BGT     1$
10070 035512  020027  000011                    CMP     R0,#11                  ; D2,*
10071 035516  003006                            BGT     1$
10072 035520  020127  000011                    CMP     R1,#11                  ; D1,*
10073 035524  003003                            BGT     1$
10074 035526  020227  000011                    CMP     R2,#11                  ; D0,*
10075 035532  003413                            BLE     2$
10076 035534  017746  160004            1$:     MOV     @ML.REG+140,-(SP)       ;                               5390
10077 035540  012746  012136                    MOV     #PHR.15,-(SP)
10078 035544  012746  010166                    MOV     #FMT.25,-(SP)
10079 035550  012746  000003                    MOV     #3,-(SP)
10080 035554  010600                            MOV     SP,R0                   ; SP,*
10081 035556  104414                            TRAP    14
10082 035560  000416                            BR      3$                      ;                               5387
10083 035562  010246            2$:             MOV     R2,-(SP)                ; D0,*                          5392
10084 035564  010146                            MOV     R1,-(SP)                ; D1,*
10085 035566  010046                            MOV     R0,-(SP)                ; D2,*
10086 035570  010346                            MOV     R3,-(SP)                ; D3,*
10087 035572  012746  012136                    MOV     #PHR.15,-(SP)
10088 035576  012746  010206                    MOV     #FMT.26,-(SP)
10089 035602  012746  000006                    MOV     #6,-(SP)
10090 035606  010600                            MOV     SP,R0                   ; SP,*
10091 035610  104414                            TRAP    14
10092 035612  062706  000006                    ADD     #6,SP
10093 035616  062706  000010            3$:     ADD     #10,SP                  ;                               5381
10094 035622  000207                    4$:     RTS     PC                      ;                               5354
10095
10096                                   ; Routine Size:  72 words
10097                                   ; Maximum stack depth per invocation:  11 words
```

```
10103 ;ML4AD
10104 ;                 TEST CODE SECTION
10105
10109
10110                                           .SBTTL  T9 TEST CODE SECTION
10114 035624                            T9::
10115 035624  004767  177554            1$:     JSR     PC,$T9                  ;                       5394
10116 035630  104466                            TRAP    66
10117 035632  006000                            ROR     R0
10118 035634  103773                            BLO     1$
10119 035636  000207                            RTS     PC
10120
10121                                   ; Routine Size:  6 words
10122                                   ; Maximum stack depth per invocation:  0 words
10127
10128
10129 ;         5397  !<BLF/PAGE>
```

```
  10131 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
  10132 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (62)
  10133 ;
  10134 ;          5398  !
  10135 ;          5399  !
  10136 ;          5400  BGNTST;
  10137 ;          5401
  10138 ;          5402  !++
  10139 ;          5403  ! TEST NUMBER:  TST 10
  10140 ;          5404  !
  10141 ;          5405  ! TEST NAME:    C-BUS PARITY TEST
  10142 ;          5406  !
  10143 ;          5407  ! TEST DESCRIPTION:
  10144 ;          5408  !       TEST THE CONTROL BUS PARITY
  10145 ;          5409  !       DETECTION AND GENERATING BY:
  10146 ;          5410  !
  10147 ;          5411  !       1.  WRITING BAD PARITY TO DEVICE
  10148 ;          5412  !           AND TEST CPAR SET.
  10149 ;          5413  !
  10150 ;          5414  !       2.  WRITING GOOD PARITY TO DEVICE
  10151 ;          5415  !           AND TEST CPAR CLR.
  10152 ;          5416  !
  10153 ;          5417  !       3.  READING DEVICE AND TEST GOOD
  10154 ;          5418  !           PARITY GENERATION BY READING
  10155 ;          5419  !           MCPE CLR.
  10156 ;          5420  !
  10157 ;          5421  !--
  10158 ;          5422
  10159 ;          5423  local
  10160 ;          5424      SAVE,                                 !TEMPORARY SAVE LOCATION
  10161 ;          5425      TST_PAT;                              !TEST PATTERN
  10162 ;          5426
  10163 ;          5427  if .PAR_DIS IS_NOT_SET                   !SEE IF PARITY IS DISABLED
  10164 ;          5428  then
  10165 ;          5429      begin                                 !BEGIN IF PARITY IS ENABLE
  10166 ;          5430      TST_PAT = %o'125252';                 !ALTERNATING 1, 0 PATTERN
  10167 ;          5431
  10168 ;          5432      incr TWICE from 1 to 2 do             !REPEAT LOOP TWICE
  10169 ;          5433          begin
  10170 ;          5434          CLR_MBUS;
  10171 ;          5435          PAT = ONE;                        !GENERATE EVEN PARITY BY SETTING THE PA: BIT
  10172 ;          5436          MLDA = .TST_PAT;                  !WRITE BAD PARITY ON CONTROL BUS
  10173 ;          5437
  10174 ;          5438          if .CPAR IS_NOT_SET               !READ CPAR BIT SET
  10175 ;          5439          then
  10176 ;          5440              begin
  10177 ;          5441              ERRDF (7, ASYNC, DUMPER);     !ERROR IF NOT SET
  10178 ;          5442              PRINTB (THR_FMT, WRD_5, WRD_7, WRD_9);
  10179 ;          5443              end;
  10180 ;          5444
  10181 ;          5445          CLR_MBUS;                         !CLEAR OUT PAT BIT
  10182 ;          5446          MLDA = .TST_PAT;                  !WRITE ODD PARITY CONTROL BUS
  10183 ;          5447
  10184 ;          5448          if .CPAR IS_SET                   !READ CPAR BIT CLEARED
  10185 ;          5449          then
```

```
10187 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
10188 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (62)
10189
10190 ;          5450           begin
10191 ;          5451           ERRDF (8, ASYNC, DUMPER);               !ERROR IF SET
10192 ;          5452           PRINTB (THR_FMT, WRD_6, WRD_7, WRD_9);
10193 ;          5453           end;
10194 ;          5454
10195 ;          5455       CLR_MBUS;
10196 ;          5456       SAVE = .MLDA;                           !READ A REGISTER FROM DUT
10197 ;          5457
10198 ;          5458       if .MCPE IS_SET                         !SEE IF GENERATED GOOD PARITY
10199 ;          5459       then
10200 ;          5460           begin
10201 ;          5461           ERRDF (9, ASYNC, DUMPER);           !ERROR IF MCPE IS_SET
10202 ;          5462           PRINTB (THR_FMT, WRD_6, WRD_7, WRD_8);
10203 ;          5463           end;
10204 ;          5464
10205 ;          5465       TST_PAT = .TST_PAT^ONE;                 !REPEAT WITH SHIFTED DATA
10206 ;          5466       end;
10207 ;          5467
10208 ;          5468   end
10209 ;          5469   else
10210 ;          5470       PRINTB (TWO_FMT, WRD_7, WRD_53);        !JUST PRINT MESSAGE IF PARITY IS DISABLED
10211 ;          5471
10212 ;          5472   ENDTST;
10216
10217                                          .SBTTL  $T10 TEST CODE SECTION
10221 035640  004167  146710          $T10:   JSR     R1,$SAVE3                ;                              5396
10222 035644  005767  156140                  TST     PAR.DIS                  ;                              5427
10223 035650  001171                          BNE     5$
10224 035652  012701  125252                  MOV     #-52526,R1               ; *,TST.PAT                    5430
10225 035656  012702  000001                  MOV     #1,R2                    ; *,TWICE                      5432
10226 035662  152777  000040  157554  1$:     BISB    #40,@ML.REG+40           ;                              5433
10227 035670  016700  160136                  MOV     ML.DUT,R0
10228 035674  042700  177770                  BIC     #177770,R0
10229 035700  142777  000007  157536          BICB    #7,@ML.REG+40
10230 035706  150077  157532                  BISB    R0,@ML.REG+40
10231 035712  152777  000020  157524          BISB    #20,@ML.REG+40           ;                              5435
10232 035720  010177  157510                  MOV     R1,@ML.REG+30            ; TST.PAT,*                    5436
10233 035724  132777  000010  157532          BITB    #10,@ML.REG+60           ;                              5438
10234 035732  001022                          BNE     2$
10235 035734  104455                          TRAP    55                       ;                              5441
10236 035736  000007                          .WORD   7
10237 035740  012706                          .WORD   ASYNC
10238 035742  026302                          .WORD   DUMPER
10239 035744  012746  010616                  MOV     #WRD.9,-(SP)             ;                              5442
10240 035750  012746  010566                  MOV     #WRD.7,-(SP)
10241 035754  012746  010552                  MOV     #WRD.5,-(SP)
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
10243
10244
10245
10246 035760 012746 010256              MOV     #THR.FMT,-(SP)
10247 035764 012746 000004              MOV     #4,-(SP)
10248 035770 010600                     MOV     SP,R0           ; SP,*
10249 035772 104414                     TRAP    14
10250 035774 062706 000012              ADD     #12,SP          ;                               5440
10251 036000 152777 000040 157436 2$:   BISB    #40,@ML.REG+40  ;                               5443
10252 036006 016700 160020              MOV     ML.DUT,R0
10253 036012 042700 177770              BIC     #177770,R0
10254 036016 142777 000007 157420       BICB    #7,@ML.REG+40
10255 036024 150077 157414              BISB    R0,@ML.REG+40
10256 036030 010177 157400              MOV     R1,@ML.REG+30   ; TST.PAT,*                     5446
10257 036034 132777 000010 157422       BITB    #10,@ML.REG+60  ;                               5448
10258 036042 001422                     BEQ     3$
10259 036044 104455                     TRAP    55              ;                               5451
10260 036046 000010                     .WORD   10
10261 036050 012706                     .WORD   ASYNC
10262 036052 026302                     .WORD   DUMPER
10263 036054 012746 010616              MOV     #WRD.9,-(SP)    ;                               5452
10264 036060 012746 010566              MOV     #WRD.7,-(SP)
10265 036064 012746 010560              MOV     #WRD.6,-(SP)
10266 036070 012746 010256              MOV     #THR.FMT,-(SP)
10267 036074 012746 000004              MOV     #4,-(SP)
10268 036100 010600                     MOV     SP,R0           ; SP,*
10269 036102 104414                     TRAP    14
10270 036104 062706 000012              ADD     #12,SP          ;                               5450
10271 036110 152777 000040 157326 3$:   BISB    #40,@ML.REG+40  ;                               5453
10272 036116 016700 157710              MOV     ML.DUT,R0
10273 036122 042700 177770              BIC     #177770,R0
10274 036126 142777 000007 157310       BICB    #7,@ML.REG+40
10275 036134 150077 157304              BISB    R0,@ML.REG+40
10276 036140 017703 157270              MOV     @ML.REG+30,R3   ; *,SAVE                        5456
10277 036144 032777 020000 157232       BIT     #20000,@ML.REG  ;                               5458
10278 036152 001422                     BEQ     4$
10279 036154 104455                     TRAP    55              ;                               5461
10280 036156 000011                     .WORD   11
10281 036160 012706                     .WORD   ASYNC
10282 036162 026302                     .WORD   DUMPER
10283 036164 012746 010602              MOV     #WRD.8,-(SP)    ;                               5462
10284 036170 012746 010566              MOV     #WRD.7,-(SP)
10285 036174 012746 010560              MOV     #WRD.6,-(SP)
10286 036200 012746 010256              MOV     #THR.FMT,-(SP)
10287 036204 012746 000004              MOV     #4,-(SP)
10288 036210 010600                     MOV     SP,R0           ; SP,*
10289 036212 104414                     TRAP    14
10290 036214 062706 000012              ADD     #12,SP          ;                               5460
10291 036220 006301             4$:     ASL     R1              ; TST.PAT                       5465
10292 036222 005202                     INC     R2              ; TWICE                         5432
10293 036224 020227 000002              CMP     R2,#2           ; TWICE,*
10294 036230 003614                     BLE     1$
10295 036232 000207                     RTS     PC              ;                               5427
10296 036234 012746 011316      5$:     MOV     #WRD.53,-(SP)   ;                               5470
10297 036240 012746 010566              MOV     #WRD.7,-(SP)
```

```
10299                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
10300                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
10301
10302 036244  012746  010246                    MOV     #TWO.FMT,-(SP)
10303 036250  012746  000003                    MOV     #3,-(SP)
10304 036254  010600                            MOV     SP,R0                           ; SP,*
10305 036256  104414                            TRAP    14
10306 036260  062706  000010                    ADD     #10,SP
10307 036264  000207                            RTS     PC                              ;                       5396
10308
10309                                   ; Routine Size:  139 words
10310                                   ; Maximum stack depth per invocation:  9 words
10315
10316
10320
10321                                           .SBTTL  T10 TEST CODE SECTION
10325 036266                            T10::
10326 036266  004767  177346            1$:     JSR     PC,$T10                         ;                       5470
10327 036272  104466                            TRAP    66
10328 036274  006000                            ROR     R0
10329 036276  103773                            BLO     1$
10330 036300  000207                            RTS     PC
10331
10332                                   ; Routine Size:  6 words
10333                                   ; Maximum stack depth per invocation:  0 words
10338
10339
10340 ;         5473  !<BLF/PAGE>
```

```
10342 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
10343 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (63)
10344
10345 ;          5474   !
10346 ;          5475   !
10347 ;          5476   BGNTST;
10348 ;          5477
10349 ;          5478   !++
10350 ;          5479   ! TEST NUMBER:  TST 11
10351 ;          5480   !
10352 ;          5481   ! TEST NAME:    MEMORY SIZING TEST
10353 ;          5482   !
10354 ;          5483   ! TEST DESCRIPTION:
10355 ;          5484   !
10356 ;          5485   !       THIS TESTS THE ML11'S SIZING
10357 ;          5486   !       LOGIC BY COMPARING THE
10358 ;          5487   !       OPERATORS INPUTED NUMBER OF ARRAYS
10359 ;          5488   !       PRESENT TO THE ML11 SIZING
10360 ;          5489   !       NUMBER OF ARRAYS PRESENT
10361 ;          5490   !       THE DRIVE IS DROPPED ON DETECTED ERRORS.
10362 ;          5491   ! IMPLICIT INPUTS:
10363 ;          5492   !
10364 ;          5493   !       OP_NUM_ARR:
10365 ;          5494   !       LOADED DURING INIT CODE AND
10366 ;          5495   !       STORES OPERATORS INPUT TO THE
10367 ;          5496   !       SOFTWARE QUESTION:
10368 ;          5497   !       NUMBER OF ARRAYS PRESENT?
10369 ;          5498   !
10370 ;          5499   !
10371 ;          5500   !--
10372 ;          5501
10373 ;          5502   BGNSUB;
10374 ;          5503   CLR_MBUS;
10375 ;          5504
10376 ;          5505   if (.OP_NUM_ARR + 1) neq .ML_NUM_ARR          !SEE IF DRIVE SIZED SAME NO. OF ARRAYS AS OP INPUTED
10377 ;          5506   then
10378 ;          5507       begin
10379 ;          5508       ERRDF (10, ASYNC, DUMPER);                !IF NOT EQL THEN ERROR AND SET DODU_FLG
10380 ;          5509       PRINTB (TWO_FMT, FNC_1, WRD_14);
10381 ;          5510       PRINTB (FMT_2, (.OP_NUM_ARR + 1), .ML_NUM_ARR);
10382 ;          5511       end;
10383 ;          5512
10384 ;          5513   ENDSUB;
10385 ;          5514   ENDTST;
10389
10390                                       .SBTTL  $T11 TEST CODE SECTION
10394 036302  004167  146232          $T11:   JSR     R1,$SAVE2                       ;                       5472
10395 036306  104402                  1$:     TRAP    2                               ;                       5476
10396 036310  152777  000040  157126          BISB    #40,@ML.REG+40                  ;                       5502
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
10398
10399
10400
10401 036316  016700  157510                MOV     ML.DUT,R0
10402 036322  042700  177770                BIC     #177770,R0
10403 036326  142777  000007  157110        BICB    #7,@ML.REG+40
10404 036334  150077  157104                BISB    R0,@ML.REG+40
10405 036340  016700  155436                MOV     OP.NUM.ARR,R0           ;                       5505
10406 036344  005200                        INC     R0
10407 036346  017702  157152                MOV     @ML.REG+120,R2
10408 036352  006202                        ASR     R2
10409 036354  006202                        ASR     R2
10410 036356  006202                        ASR     R2
10411 036360  000302                        SWAB    R2
10412 036362  042702  177740                BIC     #177740,R2
10413 036366  010001                        MOV     R0,R1
10414 036370  020102                        CMP     R1,R2
10415 036372  001442                        BEQ     2$
10416 036374  104455                        TRAP    55                      ;                       5508
10417 036376  000012                        .WORD   12
10418 036400  012706                        .WORD   ASYNC
10419 036402  026302                        .WORD   DUMPER
10420 036404  012746  010664                MOV     #WRD.14,-(SP)           ;                       5509
10421 036410  012746  012150                MOV     #FNC.1,-(SP)
10422 036414  012746  010246                MOV     #TWO.FMT,-(SP)
10423 036420  012746  000003                MOV     #3,-(SP)
10424 036424  010600                        MOV     SP,R0                   ; SP,*
10425 036426  104414                        TRAP    14
10426 036430  017702  157070                MOV     @ML.REG+120,R2          ;                       5510
10427 036434  006202                        ASR     R2
10428 036436  006202                        ASR     R2
10429 036440  006202                        ASR     R2
10430 036442  000302                        SWAB    R2
10431 036444  042702  177740                BIC     #177740,R2
10432 036450  010216                        MOV     R2,(SP)
10433 036452  016746  155324                MOV     OP.NUM.ARR,-(SP)
10434 036456  005216                        INC     (SP)
10435 036460  012746  006506                MOV     #FMT.2,-(SP)
10436 036464  012746  000003                MOV     #3,-(SP)
10437 036470  010600                        MOV     SP,R0                   ; SP,*
10438 036472  104414                        TRAP    14
10439 036474  062706  000016                ADD     #16,SP                  ;                       5507
10440 036500  104467                2$:     TRAP    67                      ;                       5511
10441 036502  006000                        ROR     R0
10442 036504  103700                        BLO     1$
10443 036506  000207                        RTS     PC                      ;                       5472
10444
10445                                   ; Routine Size:  67 words
10446                                   ; Maximum stack depth per invocation:  10 words
10451
```

```
10459
10460                                   .SBTTL  T11 TEST CODE SECTION
10464 036510                    T11::
10465 036510  004767  177566    1$:     JSR     PC,$T11                 ;       5513
10466 036514  104466                    TRAP    66
10467 036516  006000                    ROR     R0
10468 036520  103773                    BLO     1$
10469 036522  000207                    RTS     PC
10470
10471                           ; Routine Size:  6 words
10472                           ; Maximum stack depth per invocation:  0 words
10477
10478
10479 ;          5515  !<BLF/PAGE>
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                      29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (64)

;          5516  !
;          5517  !
;          5518  BGNTST;
;          5519
;          5520  !++
;          5521  ! TEST NUMBER:  TST 12
;          5522  !
;          5523  ! TEST NAME:    NO-OP FUNCTION TEST
;          5524  !
;          5525  ! TEST DESCRIPTION:
;          5526  !
;          5527  !       TEST IF THE DRIVE CAN PERFORM
;          5528  !       A NO_OP FUNCTION WITH OUT
;          5529  !       HANGING THE DRIVE.
;          5530  !
;          5531  !       A NO_OP FUNCTION IS WRITTEN
;          5532  !       INTO MLCS1.
;          5533  !       THEN GO AND ERROR BITS ARE
;          5534  !       CHECKED FOR CORRECT STATES.
;          5535  !
;          5536  !       THIS UNIT IS DROPPED ON DETECTED
;          5537  !       ERRORS.
;          5538  !
;          5539  ! IMPLICIT INPUTS:      NONE
;          5540  !
;          5541  !
;          5542  !--
;          5543
;          5544  BGNSUB;
;          5545  CLR_MBUS;
;          5546  MLCS1 = NOOP;                          !DO A NOOP FUNCTION
;          5547  DELAY (ONE_US);                        !DELAY 1 US
;          5548
;          5549  if .GO IS_SET                         !SEE IF GO STILL SET
;          5550  then
;          5551      begin
;          5552      ERRDF (11, ASYNC, DUMPER);         !ERROR AND SET DODU_FLG IF STILL SET
;          5553      PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_2, WRD_19);
;          5554      end;
;          5555
;          5556  if .ILF IS_SET                         !SEE ILF SET
;          5557  then
;          5558      begin
;          5559      ERRDF (12, ASYNC, DUMPER);         !ERROR AND SET DODU_FLG IF SET
;          5560      PRINTB (FIV_FMT, WRD_3, PHR_5, WRD_11, FNC_2, WRD_19);
;          5561      end;
;          5562
;          5563  if .OPI IS_SET                         !SEE IF CPI SET
;          5564  then
;          5565      begin
;          5566      ERRDF (13, ASYNC, DUMPER);         !ERROR AND SET DODU_FLG IF SET
;          5567      PRINTB (FIV_FMT, WRD_4, PHR_5, WRD_11, FNC_2, WRD_19);
```

```
10537 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
10538 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (64)
10539
10540 ;          5568      end;
10541 ;          5569
10542 ;          5570  ENDSUB;
10543 ;          5571  ENDTST;
10547
10548                                          .SBTTL  $T12 TEST CODE SECTION
10552 036524  010146                  $T12:   MOV     R1,-(SP)                ;                                5514
10553 036526  005746                          TST     -(SP)
10554 036530  104402                  1$:     TRAP    2                       ;                                5518
10555 036532  152777  C00040  156704          BISB    #40,@ML.REG+40          ;                                5544
10556 036540  016701  157266                  MOV     ML.DUT,R1
10557 036544  042701  177770                  BIC     #177770,R1
10558 036550  142777  000007  156666          BICB    #7,@ML.REG+40
10559 036556  150177  156662                  BISB    R1,@ML.REG+40
10560 036562  012777  000001  156614          MOV     #1,@ML.REG              ;                                5546
10561 036570  012700  000001                  MOV     #1,R0                   ; *,$$TMP2                       5547
10562 036574  001410                  2$:     BEQ     5$
10563 036576  016701  143314                  MOV     L$DLY,R1                ; *,$$TMP1
10564 036602  001403                          BEQ     4$
10565 036604  005016                  3$:     CLR     (SP)                    ; $$TMP
10566 036606  005301                          DEC     R1                      ; $$TMP1
10567 036610  001375                          BNE     3$
10568 036612  005300                  4$:     DEC     R0                      ; $$TMP2
10569 036614  000767                          BR      2$
10570 036616  132777  000001  156560  5$:     BITB    #1,@ML.REG              ;                                5549
10571 036624  001426                          BEQ     6$
10572 036626  104455                          TRAP    55                      ;                                5552
10573 036630  000013                          .WORD   13
10574 036632  012706                          .WORD   ASYNC
10575 036634  026302                          .WORD   DUMPER
10576 036636  012746  010730                  MOV     #WRD.19,-(SP)           ;                                5553
10577 036642  012746  012164                  MOV     #FNC.2,-(SP)
10578 036646  012746  010640                  MOV     #WRD.11,-(SP)
10579 036652  012746  011626                  MOV     #PHR.2,-(SP)
10580 036656  012746  010520                  MOV     #WRD.1,-(SP)
10581 036662  012746  010304                  MOV     #FIV.FMT,-(SP)
10582 036666  012746  000006                  MOV     #6,-(SP)
10583 036672  010600                          MOV     SP,R0                   ; SP,*
10584 036674  104414                          TRAP    14
10585 036676  062706  000016                  ADD     #16,SP                  ;                                5551
10586 036702  132777  000001  156554  6$:     BITB    #1,@ML.REG+60           ;                                5556
10587 036710  001426                          BEQ     7$
10588 036712  104455                          TRAP    55                      ;                                5559
10589 036714  000014                          .WORD   14
10590 036716  012706                          .WORD   ASYNC
10591 036720  026302                          .WORD   DUMPER
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                                                                                                        5560
036722  012746  010730                        MOV     #WRD.19,-(SP)           ;
036726  012746  012164                        MOV     #FNC.2,-(SP)
036732  012746  010640                        MOV     #WRD.11,-(SP)
036736  012746  011714                        MOV     #PHR.5,-(SP)
036742  012746  010536                        MOV     #WRD.3,-(SP)
036746  012746  010304                        MOV     #FIV.FMT,-(SP)
036752  012746  000006                        MOV     #6,-(SP)
036756  010600                                MOV     SP,R0                   ; SP,*
036760  104414                                TRAP    14
036762  062706  000016                        ADD     #16,SP                  ;                       5558
036766  032777  020000  156470        7$:     BIT     #20000,@ML.REG+60       ;                       5563
036774  001426                                BEQ     8$
036776  104455                                TRAP    55                      ;                       5566
037000  000015                                .WORD   15
037002  012706                                .WORD   ASYNC
037004  026302                                .WORD   DUMPER
037006  012746  010730                        MOV     #WRD.19,-(SP)           ;                       5567
037012  012746  012164                        MOV     #FNC.2,-(SP)
037016  012746  010640                        MOV     #WRD.11,-(SP)
037022  012746  011714                        MOV     #PHR.5,-(SP)
037026  012746  010544                        MOV     #WRD.4,-(SP)
037032  012746  010304                        MOV     #FIV.FMT,-(SP)
037036  012746  000006                        MOV     #6,-(SP)
037042  010600                                MOV     SP,R0                   ; SP,*
037044  104414                                TRAP    14
037046  062706  000016                        ADD     #16,SP                  ;                       5565
037052  104467                        8$:     TRAP    67                      ;                       5568
037054  006000                                ROR     R0
037056  103624                                BLO     1$
037060  005726                                TST     (SP)+                   ;                       5514
037062  012601                                MOV     (SP)+,R1
037064  000207                                RTS     PC

                                        ; Routine Size:  113 words
                                        ; Maximum stack depth per invocation:  9 words


                                                .SBTTL  T12 TEST CODE SECTION
037066                                  T12::
037066  004767  177432                1$:     JSR     PC,$T12                 ;                       5570
037072  104466                                TRAP    66
```

```
10649                                   ;ML4AD
10650                                   ;               TEST CODE SECTION
10651
10652 037074  006000                              ROR     R0
10653 037076  103773                              BLO     1$
10654 037100  000207                              RTS     PC
10655
10656                                   ; Routine Size:  6 words
10657                                   ; Maximum stack depth per invocation:  0 words
10662
10663
10664 ;          5572  !<BLF/PAGE>
```

```
10666 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
10667 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (65)
10668 ;
10669 ;          5573  !
10670 ;          5574  !
10671 ;          5575  BGNTST;
10672 ;          5576
10673 ;          5577  !++
10674 ;          5578  ! TEST NUMBER:  TST 13
10675 ;          5579  !
10676 ;          5580  ! TEST NAME:    WRITE CHECK FUNCTION TEST
10677 ;          5581  !
10678 ;          5582  ! TEST DESCRIPTION:
10679 ;          5583  !
10680 ;          5584  !       TEST IF THE DRIVE CAN PERFORM
10681 ;          5585  !       A WRITE CHECK FUNCTION WITHOUT
10682 ;          5586  !       HANGING THE DRIVE.
10683 ;          5587  !
10684 ;          5588  !       A WRITE CHECK FUNCTION IS WRITTEN
10685 ;          5589  !       INTO MLCS1.
10686 ;          5590  !       THEN GO AND ERROR BITS ARE
10687 ;          5591  !       CHECKED FOR CORRECT STATES
10688 ;          5592  !
10689 ;          5593  !--
10690 ;          5594
10691 ;          5595  local
10692 ;          5596      DODU_FLG;                             !DROP UNIT FLAG
10693 ;          5597
10694 ;          5598  BGNSUB;
10695 ;          5599  CLR_MBUS;
10696 ;          5600  DODU_FLG = ZERO;
10697 ;          5601  FIRST_BLK_XFER ();                        !SET UP A FIRST BLK XFERR
10698 ;          5602  MLCS1 = WRT_CHK;                          !DO A WRITE CHECK FUNCTION
10699 ;          5603
10700 ;          5604  if .GO IS_NOT_SET                         !SEE IF THE GO BIT GOT SET
10701 ;          5605  then
10702 ;          5606      begin
10703 ;          5607      ERRDF (14, ASYNC, DUMPER);            !ERROR IF NOT SET
10704 ;          5608      PRINTB (FIV_FMT, WRD_1, PHR_1, WRD_12, FNC_4, WRD_19);
10705 ;          5609
10706 ;          5610      if .DRY IS_NOT_SET                    !SEE IF THE DRY IS SET WHILE GO IS CLEARED
10707 ;          5611      then
10708 ;          5612          begin
10709 ;          5613          ERRDF (15, ASYNC, DUMPER);        !ERROR IF CLEARED
10710 ;          5614          PRINTB (FIV_FMT, WRD_2, PHR_1, WRD_43, WRD_1, PHR_6);
10711 ;          5615          end;
10712 ;          5616
10713 ;          5617      DODU_FLG = ONE;                       !SET DODU_FLG
10714 ;          5618      end
10715 ;          5619  else
10716 ;          5620
10717 ;          5621      if .DRY IS_SET                        !THE GO IS SET SO SEE IF DRY IS CLEARED
10718 ;          5622      then
10719 ;          5623          begin
10720 ;          5624          ERRDF (16, ASYNC, DUMPER);        !ERROR IF DRY IS SET
```

```
10722 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
10723 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (65)
10724 ;
10725 ;          5625          PRINTB (FIV_FMT, WRD_2, PHR_2, WRD_43, WRD_1, PHR_5);
10726 ;          5626          DODU_FLG = ONE;
10727 ;          5627          end;
10728 ;          5628
10729 ;          5629  if .ILF IS_SET                            !SEE IF ILF IS SET
10730 ;          5630  then
10731 ;          5631      begin
10732 ;          5632      ERRDF (17, ASYNC, DUMPER);            !ERROR IF SET
10733 ;          5633      PRINTB (FIV_FMT, WRD_3, PHR_5, WRD_12, FNC_4, WRD_19);
10734 ;          5634      end;
10735 ;          5635
10736 ;          5636  if .OPI IS_SET                            !SEE IF OPI IS SET
10737 ;          5637  then
10738 ;          5638      begin
10739 ;          5639      ERRDF (18, ASYNC, DUMPER);            !ERROR IF SET
10740 ;          5640      PRINTB (FIV_FMT, WRD_4, PHR_5, WRD_12, FNC_4, WRD_19);
10741 ;          5641      end;
10742 ;          5642
10743 ;          5643  DELAY (FRTY_US);                          !WAIT FO XFERR TO COMPLTE
10744 ;          5644
10745 ;          5645  if .DRY IS_NOT_SET                        !SEE IF DRY IS SETS AFTER XFERR
10746 ;          5646  then
10747 ;          5647      begin
10748 ;          5648
10749 ;          5649      if .GO IS_SET                         !IF DRY IS NOT SET THEN SEE IF GO IS SET
10750 ;          5650      then
10751 ;          5651          begin
10752 ;          5652          CLR_MBUS;                         !IF THE GO IS SET THEN TRY TO CLR GO
10753 ;          5653
10754 ;          5654          if .GO IS_SET then ERRDF (19, ASYNC, DUMPER) else ERRDF (20, SYNC, DUMPER);
10755 ;          5655
10756 ;          5656                                            !IF GO IS STILL SET THEN ASYNC FAILURE
10757 ;          5657          PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_4, WRD_19);  !ELSE SYNC MODLE FAILURE
10758 ;          5658          end
10759 ;          5659      else
10760 ;          5660          begin
10761 ;          5661          ERRDF (21, ASYNC, DUMPER);        !ERROR GO AND DRY BOTH CLEARED
10762 ;          5662          PRINTB (FIV_FMT, WRD_2, PHR_1, WRD_11, FNC_4, WRD_19);
10763 ;          5663          end;
10764 ;          5664
10765 ;          5665      DODU_FLG = ONE;                       !SET THE DODU_FLG
10766 ;          5666      end;
10767 ;          5667
10768 ;          5668  if .GO IS_SET                            !SEE IF THE GO IS STILL SET
10769 ;          5669  then
10770 ;          5670      begin
10771 ;          5671      CLR_MBUS;                             !TRY TO CLR GO IF STILL SET
10772 ;          5672
10773 ;          5673      if .GO IS_SET then ERRDF (22, ASYNC, DUMPER) else ERRDF (23, SYNC, DUMPER);
10774 ;          5674
10775 ;          5675                                            !IF GO IS STILL SET THE ASYNC FAILURE
10776 ;          5676      PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_4, WRD_19);      !ELSE SYNC MODULE FAILURE
```

```
10778 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
10779 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (65)
10780
10781 ;          5677      DODU_FLG = ONE;
10782 ;          5678      end;
10783 ;          5679
10784 ;          5680  ENDSUB;
10785 ;          5681
10786 ;          5682  if .DODU_FLG IS_SET                       !DROP THIS UNIT IF DODU_FLG IS_SET
10787 ;          5683  then
10788 ;          5684      begin
10789 ;          5685      DODU (.ML_LUN);
10790 ;          5686      DOCLN;
10791 ;          5687      end;
10792 ;          5688
10793 ;          5689  ENDTST;
10797
10798                                          .SBTTL  $T13 TEST CODE SECTION
10802 037102  004167  145432          $T13:   JSR     R1,$SAVE2                ;                              5571
10803 037106  005746                          TST     -(SP)
10804 037110  104402                  1$:     TRAP    2                        ;                              5596
10805 037112  152777  000040  156324          BISB    #40,@ML.REG+40           ;                              5598
10806 037120  016701  156706                  MOV     ML.DUT,R1
10807 037124  042701  177770                  BIC     #177770,R1
10808 037130  142777  000007  156306          BICB    #7,@ML.REG+40
10809 037136  150177  156302                  BISB    R1,@ML.REG+40
10810 037142  005002                          CLR     R2                       ; DODU.FLG                     5600
10811 037144  004767  161112                  JSR     PC,FIRST.BLK.XFER        ;                              5601
10812 037150  012777  000051  156226          MOV     #51,@ML.REG              ;                              5602
10813 037156  132777  000001  156220          BITB    #1,@ML.REG               ;                              5604
10814 037164  001057                          BNE     2$
10815 037166  104455                          TRAP    55                       ;                              5607
10816 037170  000016                          .WORD   16
10817 037172  012706                          .WORD   ASYNC
10818 037174  026302                          .WORD   DUMPER
10819 037176  012746  010730                  MOV     #WRD.19,-(SP)            ;                              5608
10820 037202  012746  012200                  MOV     #FNC.4,-(SP)
10821 037206  012746  010650                  MOV     #WRD.12,-(SP)
10822 037212  012746  011610                  MOV     #PHR.1,-(SP)
10823 037216  012746  010520                  MOV     #WRD.1,-(SP)
10824 037222  012746  010304                  MOV     #FIV.FMT,-(SP)
10825 037226  012746  000006                  MOV     #6,-(SP)
10826 037232  010600                          MOV     SP,R0                    ; SP,*
10827 037234  104414                          TRAP    14
10828 037236  132777  000200  156210          BITB    #200,@ML.REG+50          ;                              5610
10829 037244  001056                          BNE     3$
10830 037246  104455                          TRAP    55                       ;                              5613
10831 037250  000017                          .WORD   17
10832 037252  012706                          .WORD   ASYNC
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        .WORD   DUMPER
037254  026302                          MOV     #PHR.6,-(SP)            ;                                               5614
037256  012746  011726                  MOV     #WRD.1,-(SP)
037262  012746  010520                  MOV     #WRD.43,-(SP)
037266  012746  011176                  MOV     #PHR.1,-(SP)
037272  012746  011610                  MOV     #WRD.2,-(SP)
037276  012746  010524                  MOV     #FIV.FMT,-(SP)
037302  012746  010304                  MOV     #6,-(SP)
037306  012746  000006                  MOV     SP,R0                   ; SP,*
037312  010600                          TRAP    14
037314  104414                          ADD     #16,SP                  ;                                               5612
037316  062706  000016                  BR      3$                      ;                                               5617
037322  000427                  2$:     TSTB    @ML.REG+50              ;                                               5621
037324  105777  156124                  BPL     4$
037330  100030                          TRAP    55                      ;                                               5624
037332  104455                          .WORD   20
037334  000020                          .WORD   ASYNC
037336  012706                          .WORD   DUMPER
037340  026302                          MOV     #PHR.5,-(SP)            ;                                               5625
037342  012746  011714                  MOV     #WRD.1,-(SP)
037346  012746  010520                  MOV     #WRD.43,-(SP)
037352  012746  011176                  MOV     #PHR.2,-(SP)
037356  012746  011626                  MOV     #WRD.2,-(SP)
037362  012746  010524                  MOV     #FIV.FMT,-(SP)
037366  012746  010304                  MOV     #6,-(SP)
037372  012746  000006                  MOV     SP,R0                   ; SP,*
037376  010600                          TRAP    14
037400  104414                  3$:     MOV     #1,R2                   ; *,DODU.FLG                                    5626
037402  012702  000001                  ADD     #16,SP                  ;                                               5623
037406  062706  000016          4$:     BITB    #1,@ML.REG+60           ;                                               5629
037412  132777  000C01  156044          BEQ     5$
037420  001426                          TRAP    55                      ;                                               5632
037422  104455                          .WORD   21
037424  000021                          .WORD   ASYNC
037426  012706                          .WORD   DUMPER
037430  026302                          MOV     #WRD.19,-(SP)           ;                                               5633
037432  012746  010730                  MOV     #FNC.4,-(SP)
037436  012746  012200                  MOV     #WRD.12,-(SP)
037442  012746  010650                  MOV     #PHR.5,-(SP)
037446  012746  011714                  MOV     #WRD.3,-(SP)
037452  012746  010536                  MOV     #FIV.FMT,-(SP)
037456  012746  010304                  MOV     #6,-(SP)
037462  012746  000006                  MOV     SP,R0                   ; SP,*
037466  010600                          TRAP    14
037470  104414                          ADD     #16,SP                  ;                                               5631
037472  062706  000016          5$:     BIT     #20000,@ML.REG+60       ;                                               5636
037476  032777  020000  155760          BEQ     6$
037504  001426                          TRAP    55                      ;                                               5639
037506  104455                          .WORD   22
037510  000022                          .WORD   ASYNC
037512  012706                          .WORD   DUMPER
037514  026302                          MOV     #WRD.19,-(SP)           ;                                               5640
037516  012746  010730
```

29-Mar-1982 16:23:04 TOPS
29-Mar-1982 16:21:03 PA:<

```
10890                                   ;ML4AD
10891                                   ;               TEST CODE SECTION
10892
10893 037522  012746  012200                    MOV     #FNC.4,-(SP)
10894 037526  012746  010650                    MOV     #WRD.12,-(SP)
10895 037532  012746  011714                    MOV     #PHR.5,-(SP)
10896 037536  012746  010544                    MOV     #WRD.4,-(SP)
10897 037542  012746  010304                    MOV     #FIV.FMT,-(SP)
10898 037546  012746  000006                    MOV     #6,-(SP)
10899 037552  010600                          MOV     SP,R0           ; SP,*
10900 037554  104414                          TRAP    14                                      5638
10901 037556  062706  000016                    ADD     #16,SP          ;                       5643
10902 037562  012700  000050          6$:       MOV     #50,R0          ; *,$$TMP2
10903 037566  001410                  7$:       BEQ     10$
10904 037570  016701  142322                    MOV     L$DLY,R1        ; *,$$TMP1
10905 037574  001403                          BEQ     9$
10906 037576  005016                  8$:       CLR     (SP)            ; $$TMP
10907 037600  005301                          DEC     R1              ; $$TMP1
10908 037602  001375                          BNE     8$
10909 037604  005300                  9$:       DEC     R0              ; $$TMP2
10910 037606  000767                          BR      7$
10911 037610  132777  000200  155636  10$:     BITB    #200,@ML.REG+50 ;                       5645
10912 037616  001106                          BNE     15$
10913 037620  132777  000001  155556          BITB    #1,@ML.REG      ;                       5649
10914 037626  001452                          BEQ     13$
10915 037630  152777  000040  155606          BISB    #40,@ML.REG+40  ;                       5651
10916 037636  016701  156170                  MOV     ML.DUT,R1
10917 037642  042701  177770                  BIC     #177770,R1
10918 037646  142777  000007  155570          BICB    #7,@ML.REG+40
10919 037654  150177  155564                  BISB    R1,@ML.REG+40
10920 037660  132777  000001  155516          BITB    #1,@ML.REG      ;                       5654
10921 037666  001405                          BEQ     11$
10922 037670  104455                          TRAP    55
10923 037672  000023                          .WORD   23
10924 037674  012706                          .WORD   ASYNC
10925 037676  026302                          .WORD   DUMPER
10926 037700  000404                          BR      12$
10927 037702  104455                  11$:     TRAP    55
10928 037704  000024                          .WORD   24
10929 037706  012750                          .WORD   SYNC
10930 037710  026302                          .WORD   DUMPER
10931 037712  012746  010730          12$:     MOV     #WRD.19,-(SP)   ;                       5657
10932 037716  012746  012200                  MOV     #FNC.4,-(SP)
10933 037722  012746  010640                  MOV     #WRD.11,-(SP)
10934 037726  012746  011626                  MOV     #PHR.2,-(SP)
10935 037732  012746  010520                  MOV     #WRD.1,-(SP)
10936 037736  012746  010304                  MOV     #FIV.FMT,-(SP)
10937 037742  012746  000006                  MOV     #6,-(SP)
10938 037746  010600                          MOV     SP,R0           ; SP,*
10939 037750  104414                          TRAP    14
10940 037752  000424                          BR      14$             ;                       5649
10941 037754  104455                  13$:     TRAP    55              ;                       5661
10942 037756  000025                          .WORD   25
10943 037760  012706                          .WORD   ASYNC
10944 037762  026302                          .WORD   DUMPER
```

```
10946                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
10947                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
10948
10949 037764  012746  010730                    MOV     #WRD.19,-(SP)           ;                       5662
10950 037770  012746  012200                    MOV     #FNC.4,-(SP)
10951 037774  012746  010640                    MOV     #WRD.11,-(SP)
10952 040000  012746  011610                    MOV     #PHR.1,-(SP)
10953 040004  012746  010524                    MOV     #WRD.2,-(SP)
10954 040010  012746  010304                    MOV     #FIV.FMT,-(SP)
10955 040014  012746  000006                    MOV     #6,-(SP)
10956 040020  010600                            MOV     SP,R0                   ; SP,*
10957 040022  104414                            TRAP    14
10958 040024  012702  000001            14$:    MOV     #1,R2                   ; *,DODU.FLG            5665
10959 040030  062706  000016                    ADD     #16,SP                  ;                       5647
10960 040034  132777  000001  155342    15$:    BITB    #1,@ML.REG              ;                       5668
10961 040042  001455                            BEQ     18$
10962 040044  152777  000040  155372            BISB    #40,@ML.REG+40          ;                       5670
10963 040052  016701  155754                    MOV     ML.DUT,R1
10964 040056  042701  177770                    BIC     #177770,R1
10965 040062  142777  000007  155354            BICB    #7,@ML.REG+40
10966 040070  150177  155350                    BISB    R1,@ML.REG+40
10967 040074  132777  000001  155302            BITB    #1,@ML.REG              ;                       5673
10968 040102  001405                            BEQ     16$
10969 040104  104455                            TRAP    55
10970 040106  000026                            .WORD   26
10971 040110  012706                            .WORD   ASYNC
10972 040112  026302                            .WORD   DUMPER
10973 040114  000404                            BR      17$
10974 040116  104455            16$:    TRAP    55
10975 040120  000027                            .WORD   27
10976 040122  012750                            .WORD   SYNC
10977 040124  026302                            .WORD   DUMPER
10978 040126  012746  010730            17$:    MOV     #WRD.19,-(SP)           ;                       5676
10979 040132  012746  012200                    MOV     #FNC.4,-(SP)
10980 040136  012746  010640                    MOV     #WRD.11,-(SP)
10981 040142  012746  011626                    MOV     #PHR.2,-(SP)
10982 040146  012746  010520                    MOV     #WRD.1,-(SP)
10983 040152  012746  010304                    MOV     #FIV.FMT,-(SP)
10984 040156  012746  000006                    MOV     #6,-(SP)
10985 040162  010600                            MOV     SP,R0                   ; SP,*
10986 040164  104414                            TRAP    14
10987 040166  012702  000001                    MOV     #1,R2                   ; *,DODU.FLG            5677
10988 040172  062706  000016                    ADD     #16,SP                  ;                       5670
10989 040176  104467            18$:    TRAP    67                      ;                       5678
10990 040200  006000                            ROR     R0
10991 040202  103002                            BHIS    19$
10992 040204  000167  176700                    JMP     1$
10993 040210  005302            19$:    DEC     R2                      ; DODU.FLG              5682
10994 040212  001004                            BNE     20$
10995 040214  016700  155610                    MOV     ML.LUN,R0               ;                       5685
10996 040220  104451                            TRAP    51
10997 040222  104444                            TRAP    44
10998 040224  005726            20$:    TST     (SP)+                   ;                       5571
10999 040226  000207                            RTS     PC
11000
```

```
11002                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
11003                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
11004
11005                                   ; Routine Size:  299 words
11006                                   ; Maximum stack depth per invocation:  18 words
11011
11012
11016
11017                                           .SBTTL  T13 TEST CODE SECTION
11021 040230                            T13::
11022 040230  004767  176646            1$:     JSR     PC,$T13                 ;                       5687
11023 040234  104466                            TRAP    66
11024 040236  006000                            ROR     R0
11025 040240  103773                            BLO     1$
11026 040242  000207                            RTS     PC
11027
11028                                   ; Routine Size:  6 words
11029                                   ; Maximum stack depth per invocation:  0 words
11034
11035
11036 ;         5690  !<BLF/PAGE>
```

```
11038 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
11039 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (66)
11040
11041 ;          5691  !
11042 ;          5692  BGNTST;
11043 ;          5693
11044 ;          5694  !++
11045 ;          5695  ! TEST NUMBER:  TST 14
11046 ;          5696  !
11047 ;          5697  ! TEST NAME:    WRITE FUNCTION TEST
11048 ;          5698  !
11049 ;          5699  ! TEST DESCRIPTION:
11050 ;          5700  !       TEST IF THE DRIVE CAN PERFORM A WRITE FUNCTION WITHOUT
11051 ;          5701  !       HANGING THE DRIVE.
11052 ;          5702  !
11053 ;          5703  !       A WRITE FUNCTION IS WRITTEN INTO MLCS1.  THEN GO AND ERROR BITS ARE
11054 ;          5704  !       CHECKED FOR CORRECT STATUS.  THIS UNIT IS DROPPED ON DETECTED ERRORS.
11055 ;          5705  !--
11056 ;          5706
11057 ;          5707  local
11058 ;          5708      DODU_FLG;                                   !DROP UNIT FLAG
11059 ;          5709
11060 ;          5710  BGNSUB;
11061 ;          5711  CLR_MBUS;
11062 ;          5712  DODU_FLG = ZERO;
11063 ;          5713  FIRST_BLK_XFER ();                            !SET UP A FIRST BLOCK XFERR
11064 ;          5714  MLCS1 = write;                                !DO A WRITE FUNCTION
11065 ;          5715
11066 ;          5716  if .GO IS_NOT_SET                             !SEE IF THE GO IS SET
11067 ;          5717  then
11068 ;          5718      begin                                     !ERROR IF NOT SET
11069 ;          5719      ERRDF (24, ASYNC, DUMPER);
11070 ;          5720      PRINTB (FIV_FMT, WRD_1, PHR_1, WRD_12, FNC_5, WRD_19);
11071 ;          5721
11072 ;          5722      if .DRY IS_NOT_SET                        !SEE IF DRY SET WITH GO CLEAR
11073 ;          5723      then
11074 ;          5724          begin
11075 ;          5725          ERRDF (25, ASYNC, DUMPER);
11076 ;          5726          PRINTB (FIV_FMT, WRD_2, PHR_1, WRD_43, WRD_1, PHR_6);
11077 ;          5727          end;
11078 ;          5728
11079 ;          5729      DODU_FLG = ONE;                           !SET DODU_FLG
11080 ;          5730      end
11081 ;          5731  else                                          !GO IS SET DURING FUNCTION
11082 ;          5732
11083 ;          5733      if .DRY IS_SET                            !SEE IF DRY CLEAR WITH GO SET
11084 ;          5734      then
11085 ;          5735          begin                                 !ERROR IF SET
11086 ;          5736          ERRDF (26, ASYNC, DUMPER);
11087 ;          5737          PRINTB (FIV_FMT, WRD_2, PHR_2, WRD_43, WRD_1, PHR_5);
11088 ;          5738          DODU_FLG = ONE;
11089 ;          5739          end;
11090 ;          5740
11091 ;          5741  if .ILF IS_SET                               !DID FUNCTION CAUSE ILF
11092 ;          5742  then
```

```
11094 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 BLiss-16 V2(212)
11095 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (66)
11096 ;
11097 ;          5743       begin                                !ERROR IF YES
11098 ;          5744       ERRDF (27, ASYNC, DUMPER);
11099 ;          5745       PRINTB (FIV_FMT, WRD_3, PHR_5, WRD_12, FNC_5, WRD_19);
11100 ;          5746       end;
11101 ;          5747
11102 ;          5748   if .OPI IS_SET                           !DID FUNCTION CAUSE OPI
11103 ;          5749   then
11104 ;          5750       begin                                !ERROR IF YES
11105 ;          5751       ERRDF (28, ASYNC, DUMPER);
11106 ;          5752       PRINTB (FIV_FMT, WRD_4, PHR_5, WRD_12, FNC_5, WRD_19);
11107 ;          5753       end;
11108 ;          5754
11109 ;          5755   DELAY (FRTY_US);                         !WAIT FOR XFERR TO COMPLETE
11110 ;          5756
11111 ;          5757   if .DRY IS_NOT_SET                       !SEE IF DRY CLEARED AFTER XFERR
11112 ;          5758   then
11113 ;          5759       begin
11114 ;          5760
11115 ;          5761       if .GO IS_SET                        !TST GO CLR IF DRY NOT SET
11116 ;          5762       then
11117 ;          5763           begin
11118 ;          5764           CLR_MBUS;                        !CLEAR GO IF STILL SET
11119 ;          5765
11120 ;          5766           if .GO IS_SET then ERRDF (29, ASYNC, DUMPER) else ERRDF (30, SYNC, DUMPER);
11121 ;          5767
11122 ;          5768                                            !TST GO TO DETERMINE FAILING MOD
11123 ;          5769           PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_5, WRD_19);
11124 ;          5770           end
11125 ;          5771       else                                 !DRY NOT SET AND GO CLEARED
11126 ;          5772           begin                            !REPORT ERROR
11127 ;          5773           ERRDF (31, ASYNC, DUMPER);
11128 ;          5774           PRINTB (FIV_FMT, WRD_2, PHR_1, WRD_11, FNC_5, WRD_19);
11129 ;          5775           end;
11130 ;          5776
11131 ;          5777       DODU_FLG = ONE;                      !SET DODU_FLG
11132 ;          5778       end;
11133 ;          5779
11134 ;          5780   if .GO IS_SET                            !SEE IF GO CLEARED AFTER XFERR.
11135 ;          5781   then
11136 ;          5782       begin
11137 ;          5783       CLR_MBUS;                            !CLEAR GO IF STILL SET
11138 ;          5784
11139 ;          5785       if .GO IS_SET then ERRDF (32, ASYNC, DUMPER) else ERRDF (33, SYNC, DUMPER);
11140 ;          5786
11141 ;          5787                                            !TST GO TO DETERMINE FAILING MOD
11142 ;          5788       PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_5, WRD_19);
11143 ;          5789       DODU_FLG = ONE;
11144 ;          5790       end;
11145 ;          5791
11146 ;          5792   ENDSUB;
11147 ;          5793
11148 ;          5794   if .TRE IS_SET                           !SEE IF XFERR CAUSED A TRANSFER ERROR
```

```
  11150 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
  11151 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (66)
  11152 ;
  11153 ;          5795   then
  11154 ;          5796       begin                                !REPORT ERROR IF SET AND CONTINUE TESTING
  11155 ;          5797       ERRDF (115, INTER, DUMPER);
  11156 ;          5798       PRINTB (SIX_FMT, WRD_61, WRD_20, PHR_5, WRD_12, FNC_5, WRD_19);
  11157 ;          5799       end;
  11158 ;          5800
  11159 ;          5801   if .DODU_FLG IS_SET                      !DROP THIS UNIT IF DODU_FLG SET
  11160 ;          5802   then
  11161 ;          5803       begin
  11162 ;          5804       DODU (.ML_LUN);
  11163 ;          5805       DOCLN;
  11164 ;          5806       end;
  11165 ;          5807
  11166 ;          5808   ENDTST;
  11170
  11171                                          .SBTTL  $T14 TEST CODE SECTION
  11175 040244  004167  144270          $T14:   JSR     R1,$SAVE2                ;                          5689
  11176 040250  005746                          TST     -(SP)
  11177 040252  104402                  1$:     TRAP    2                        ;                          5708
  11178 040254  152777  000040  155162          BISB    #40,@ML.REG+40           ;                          5710
  11179 040262  016701  155544                  MOV     ML.DUT,R1
  11180 040266  042701  177770                  BIC     #177770,R1
  11181 040272  142777  000007  155144          BICB    #7,@ML.REG+40
  11182 040300  150177  155140                  BISB    R1,@ML.REG+40
  11183 040304  005002                          CLR     R2                       ; DODU.FLG                 5712
  11184 040306  004767  157750                  JSR     PC,FIRST.BLK.XFER        ;                          5713
  11185 040312  012777  000061  155064          MOV     #61,@ML.REG              ;                          5714
  11186 040320  132777  000001  155056          BITB    #1,@ML.REG               ;                          5716
  11187 040326  001057                          BNE     2$
  11188 040330  104455                          TRAP    55                       ;                          5719
  11189 040332  000030                          .WORD   30
  11190 040334  012706                          .WORD   ASYNC
  11191 040336  026302                          .WORD   DUMPER
  11192 040340  012746  010730                  MOV     #WRD.19,-(SP)            ;                          5720
  11193 040344  012746  012216                  MOV     #FNC.5,-(SP)
  11194 040350  012746  010650                  MOV     #WRD.12,-(SP)
  11195 040354  012746  011610                  MOV     #PHR.1,-(SP)
  11196 040360  012746  010520                  MOV     #WRD.1,-(SP)
  11197 040364  012746  010304                  MOV     #FIV.FMT,-(SP)
  11198 040370  012746  000006                  MOV     #6,-(SP)
  11199 040374  010600                          MOV     SP,R0                    ; SP,*
  11200 040376  104414                          TRAP    14
  11201 040400  132777  000200  155046          BITB    #200,@ML.REG+50          ;                          5722
  11202 040406  001056                          BNE     3$
  11203 040410  104455                          TRAP    55                       ;                          5725
  11204 040412  000031                          .WORD   31
```

```
11206                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
11207                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
11208
11209 040414  012706                            .WORD   ASYNC
11210 040416  026302                            .WORD   DUMPER
11211 040420  012746  011726                    MOV     #PHR.6,-(SP)            ;                       5726
11212 040424  012746  010520                    MOV     #WRD.1,-(SP)
11213 040430  012746  011176                    MOV     #WRD.43,-(SP)
11214 040434  012746  011610                    MOV     #PHR.1,-(SP)
11215 040440  012746  010524                    MOV     #WRD.2,-(SP)
11216 040444  012746  010304                    MOV     #FIV.FMT,-(SP)
11217 040450  012746  000006                    MOV     #6,-(SP)
11218 040454  010600                            MOV     SP,R0                   ; SP,*
11219 040456  104414                            TRAP    14
11220 040460  062706  000016                    ADD     #16,SP                  ;                       5724
11221 040464  000427                            BR      3$                      ;                       5729
11222 040466  105777  154762          2$:       TSTB    @ML.REG+50              ;                       5733
11223 040472  100030                            BPL     4$
11224 040474  104455                            TRAP    55                      ;                       5736
11225 040476  000032                            .WORD   32
11226 040500  012706                            .WORD   ASYNC
11227 040502  026302                            .WORD   DUMPER
11228 040504  012746  011714                    MOV     #PHR.5,-(SP)            ;                       5737
11229 040510  012746  010520                    MOV     #WRD.1,-(SP)
11230 040514  012746  011176                    MOV     #WRD.43,-(SP)
11231 040520  012746  011626                    MOV     #PHR.2,-(SP)
11232 040524  012746  010524                    MOV     #WRD.2,-(SP)
11233 040530  012746  010304                    MOV     #FIV.FMT,-(SP)
11234 040534  012746  000006                    MOV     #6,-(SP)
11235 040540  010600                            MOV     SP,R0                   ; SP,*
11236 040542  104414                            TRAP    14
11237 040544  012702  000001          3$:       MOV     #1,R2                   ; *,DODU.FLG            5738
11238 040550  062706  000016                    ADD     #16,SP                  ;                       5735
11239 040554  132777  000001  154702  4$:       BITB    #1,@ML.REG+60           ;                       5741
11240 040562  001426                            BEQ     5$
11241 040564  104455                            TRAP    55                      ;                       5744
11242 040566  000033                            .WORD   33
11243 040570  012706                            .WORD   ASYNC
11244 040572  026302                            .WORD   DUMPER
11245 040574  012746  010730                    MOV     #WRD.19,-(SP)           ;                       5745
11246 040600  012746  012216                    MOV     #FNC.5,-(SP)
11247 040604  012746  010650                    MOV     #WRD.12,-(SP)
11248 040610  012746  011714                    MOV     #PHR.5,-(SP)
11249 040614  012746  010536                    MOV     #WRD.3,-(SP)
11250 040620  012746  010304                    MOV     #FIV.FMT,-(SP)
11251 040624  012746  000006                    MOV     #6,-(SP)
11252 040630  010600                            MOV     SP,R0                   ; SP,*
11253 040632  104414                            TRAP    14
11254 040634  062706  000016                    ADD     #16,SP                  ;                       5743
11255 040640  032777  020000  154616  5$:       BIT     #20000,@ML.REG+60       ;                       5748
11256 040646  001426                            BEQ     6$
11257 040650  104455                            TRAP    55                      ;                       5751
11258 040652  000034                            .WORD   34
11259 040654  012706                            .WORD   ASYNC
11260 040656  026302                            .WORD   DUMPER
```

```
11262                                   ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
11263                                   ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
11264
11265 040660  012746  010730                     MOV     #WRD.19,-(SP)           ;                               5752
11266 040664  012746  012216                     MOV     #FNC.5,-(SP)
11267 040670  012746  010650                     MOV     #WRD.12,-(SP)
11268 040674  012746  011714                     MOV     #PHR.5,-(SP)
11269 040700  012746  010544                     MOV     #WRD.4,-(SP)
11270 040704  012746  010304                     MOV     #FIV.FMT,-(SP)
11271 040710  012746  000006                     MOV     #6,-(SP)
11272 040714  010600                           MOV     SP,R0                   ; SP,*
11273 040716  104414                           TRAP    14
11274 040720  062706  000016                     ADD     #16,SP                  ;                               5750
11275 040724  012700  000050           6$:       MOV     #50,R0                  ; *,$$TMP2                      5755
11276 040730  001410                   7$:       BEQ     10$
11277 040732  016701  141160                     MOV     L$DLY,R1                ; *,$$TMP1
11278 040736  001403                           BEQ     9$
11279 040740  005016                   8$:       CLR     (SP)                    ; $$TMP
11280 040742  005301                           DEC     R1                      ; $$TMP1
11281 040744  001375                           BNE     8$
11282 040746  005300                   9$:       DEC     R0                      ; $$TMP2
11283 040750  000767                           BR      7$
11284 040752  132777  000200  154474  10$:      BITB    #200,@ML.REG+50         ;                               5757
11285 040760  001106                           BNE     15$
11286 040762  132777  000001  154414             BITB    #1,@ML.REG              ;                               5761
11287 040770  001452                           BEQ     13$
11288 040772  152777  000040  154444             BISB    #40,@ML.REG+40          ;                               5763
11289 041000  016701  155026                     MOV     ML.DUT,R1
11290 041004  042701  177770                     BIC     #177770,R1
11291 041010  142777  000007  154426             BICB    #7,@ML.REG+40
11292 041016  150177  154422                     BISB    R1,@ML.REG+40
11293 041022  132777  000001  154354             BITB    #1,@ML.REG              ;                               5766
11294 041030  001405                           BEQ     11$
11295 041032  104455                           TRAP    55
11296 041034  000035                           .WORD   35
11297 041036  012706                           .WORD   ASYNC
11298 041040  026302                           .WORD   DUMPER
11299 041042  000404                           BR      12$
11300 041044  104455                   11$:      TRAP    55
11301 041046  000036                           .WORD   36
11302 041050  012750                           .WORD   SYNC
11303 041052  026302                           .WORD   DUMPER
11304 041054  012746  010730           12$:      MOV     #WRD.19,-(SP)           ;                               5769
11305 041060  012746  012216                     MOV     #FNC.5,-(SP)
11306 041064  012746  010640                     MOV     #WRD.11,-(SP)
11307 041070  012746  011626                     MOV     #PHR.2,-(SP)
11308 041074  012746  010520                     MOV     #WRD.1,-(SP)
11309 041100  012746  010304                     MOV     #FIV.FMT,-(SP)
11310 041104  012746  000006                     MOV     #6,-(SP)
11311 041110  010600                           MOV     SP,R0                   ; SP,*
11312 041112  104414                           TRAP    14
11313 041114  000424                           BR      14$                     ;                               5761
11314 041116  104455                   13$:      TRAP    55                      ;                               5773
11315 041120  000037                           .WORD   37
11316 041122  012706                           .WORD   ASYNC
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        .WORD   DUMPER
041124  026302                          MOV     #WRD.19,-(SP)           ;                                               5774
041126  012746  010730                  MOV     #FNC.5,-(SP)
041132  012746  012216                  MOV     #WRD.11,-(SP)
041136  012746  010640                  MOV     #PHR.1,-(SP)
041142  012746  011610                  MOV     #WRD.2,-(SP)
041146  012746  010524                  MOV     #FIV.FMT,-(SP)
041152  012746  010304                  MOV     #6,-(SP)
041156  012746  000006                  MOV     SP,R0                   ; SP,*
041162  010600                          TRAP    14
041164  104414                  14$:    MOV     #1,R2                   ; *,DODU.FLG                                    5777
041166  012702  000001                  ADD     #16,SP                  ;                                               5759
041172  062706  000016          15$:    BITB    #1,@ML.REG              ;                                               5780
041176  132777  000001  154200          BEQ     18$
041204  001455                          BISB    #40,@ML.REG+40          ;                                               5782
041206  152777  000040  154230          MOV     ML.DUT,R1
041214  016701  154612                  BIC     #177770,R1
041220  042701  177770                  BICB    #7,@ML.REG+40
041224  142777  000007  154212          BISB    R1,@ML.REG+40
041232  150177  154206                  BITB    #1,@ML.REG              ;                                               5785
041236  132777  000001  154140          BEQ     16$
041244  001405                          TRAP    55
041246  104455                          .WORD   40
041250  000040                          .WORD   ASYNC
041252  012706                          .WORD   DUMPER
041254  026302                          BR      17$
041256  000404                  16$:    TRAP    55
041260  104455                          .WORD   41
041262  000041                          .WORD   SYNC
041264  012750                          .WORD   DUMPER
041266  026302                  17$:    MOV     #WRD.19,-(SP)           ;                                               5788
041270  012746  010730                  MOV     #FNC.5,-(SP)
041274  012746  012216                  MOV     #WRD.11,-(SP)
041300  012746  010640                  MOV     #PHR.2,-(SP)
041304  012746  011626                  MOV     #WRD.1,-(SP)
041310  012746  010520                  MOV     #FIV.FMT,-(SP)
041314  012746  010304                  MOV     #6,-(SP)
041320  012746  000006                  MOV     SP,R0                   ; SP,*
041324  010600                          TRAP    14
041326  104414                          MOV     #1,R2                   ; *,DODU.FLG                                    5789
041330  012702  000001                  ADD     #16,SP                  ;                                               5782
041334  062706  000016          18$:    TRAP    67                      ;                                               5790
041340  104467                          ROR     R0
041342  006000                          BHIS    19$
041344  103002                          JMP     1$
041346  000167  176700                  BIT     #40000,@ML.REG          ;                                               5794
041352  032777  040000  154024  19$:    BEQ     20$
041360  001430                          TRAP    55                      ;                                               5797
041362  104455                          .WORD   163
041364  000163                          .WORD   INTER
041366  013114                          .WORD   DUMPER
041370  026302                          MOV     #WRD.19,-(SP)           ;                                               5798
041372  012746  010730
```

```
                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                    29-Mar-1982 16:21:03    PA.<
11374                                   ;ML4AD
11375                                   ;               TEST CODE SECTION
11376
11377 041376  012746  012216                      MOV     #FNC.5,-(SP)
11378 041402  012746  010650                      MOV     #WRD.12,-(SP)
11379 041406  012746  011714                      MOV     #PHR.5,-(SP)
11380 041412  012746  010736                      MOV     #WRD.20,-(SP)
11381 041416  012746  011416                      MOV     #WRD.61,-(SP)
11382 041422  012746  010322                      MOV     #SIX.FMT,-(SP)
11383 041426  012746  000007                      MOV     #7,-(SP)
11384 041432  010600                              MOV     SP,R0                   ; SP,*
11385 041434  104414                              TRAP    14                                              5796
11386 041436  062706  000020                      ADD     #20,SP                  ;                       5801
11387 041442  005302                      20$:    DEC     R2                      ; DODU.FLG              5804
11388 041444  001004                              BNE     21$                                             5689
11389 041446  016700  154356                      MOV     ML.LUN,R0               ;
11390 041452  104451                              TRAP    51
11391 041454  104444                              TRAP    44
11392 041456  005726                      21$:    TST     (SP)+                   ;
11393 041460  000207                              RTS     PC
11394
11395                                   ; Routine Size:  327 words
11396                                   ; Maximum stack depth per invocation:  18 words
11401
11402
11406
11407                                           .SBTTL  T14 TEST CODE SECTION
11411 041462                            T14::
11412 041462  004767  176556            1$:     JSR     PC,$T14                 ;                       5806
11413 041466  104466                              TRAP    66                                              |
11414 041470  006000                              ROR     R0
11415 041472  103773                              BLO     1$
11416 041474  000207                              RTS     PC
11417
11418                                   ; Routine Size:  6 words
11419                                   ; Maximum stack depth per invocation:  0 words
11424
11425
11426 ;          5809  !<BLF/PAGE>
```

```
11428 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
11429 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (67)
11430 
11431 ;          5810  !
11432 ;          5811  !
11433 ;          5812  BGNTST;
11434 ;          5813
11435 ;          5814  !++
11436 ;          5815  ! TEST NUMBER:  TST 15
11437 ;          5816  !
11438 ;          5817  ! TEST NAME:    READ FUNCTION TEST
11439 ;          5818  !
11440 ;          5819  ! TEST DESCRIPTION:
11441 ;          5820  !
11442 ;          5821  !       TEST IF THE DRIVE CAN PERFORM
11443 ;          5822  !       A READ FUNCTION WITHOUT
11444 ;          5823  !       HANGING THE DRIVE.
11445 ;          5824  !
11446 ;          5825  !       A READ FUNCTION IS WRITTEN
11447 ;          5826  !       INTO MLCS1
11448 ;          5827  !
11449 ;          5828  !       THEN GO AND ERROR BITS ARE
11450 ;          5829  !       CHECKED FOR CORRECT STATES.
11451 ;          5830  !
11452 ;          5831  !--
11453 ;          5832
11454 ;          5833  local
11455 ;          5834      DODU_FLG;                                  !DROP UNIT FLAG
11456 ;          5835
11457 ;          5836  BGNSUB;
11458 ;          5837  CLR_MBUS;
11459 ;          5838  DODU_FLG = ZERO;
11460 ;          5839  FIRST_BLK_XFER ();                           !SET UP A FIRST BLK XFERR
11461 ;          5840  MLCS1 = read;                                !DO A READ FUNCTION
11462 ;          5841
11463 ;          5842  if .GO IS_NOT_SET                            !SEE IF GO GOT SET
11464 ;          5843  then
11465 ;          5844      begin                                    !ERROR IF CLEAR
11466 ;          5845      ERRDF (34, ASYNC, DUMPER);
11467 ;          5846      PRINTB (FIV_FMT, WRD_1, PHR_1, WRD_12, FNC_6, WRD_19);
11468 ;          5847
11469 ;          5848      if .DRY IS_NOT_SET                       !TST DRY SET WITH GO CLEAR
11470 ;          5849      then
11471 ;          5850          begin                                !ERROR IF NOT SET
11472 ;          5851          ERRDF (35, ASYNC, DUMPER);
11473 ;          5852          PRINTB (FIV_FMT, WRD_2, PHR_1, WRD_43, WRD_1, PHR_6);
11474 ;          5853          end;
11475 ;          5854
11476 ;          5855      DODU_FLG = ONE;                          !SET DODU_FLG
11477 ;          5856      end
11478 ;          5857  else                                         !GO BIT GOT SET
11479 ;          5858
11480 ;          5859      if .DRY IS_SET                           !SEE IF DRY IS CLEAR
11481 ;          5860      then
11482 ;          5861          begin                                !ERROR IF SET
```

```
11484 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
11485 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (67)
11486 ;
11487 ;          5862          ERRDF (36, ASYNC, DUMPER);
11488 ;          5863          PRINTB (FIV_FMT, WRD_2, PHR_2, WRD_43, WRD_1, PHR_6);
11489 ;          5864          DODU_FLG = ONE;
11490 ;          5865          end;
11491 ;          5866
11492 ;          5867  if .ILF IS_SET                            !DID FUNCTION CAUSE ILF
11493 ;          5868  then
11494 ;          5869      begin                                 !ERROR IF YES
11495 ;          5870      ERRDF (37, ASYNC, DUMPER);
11496 ;          5871      PRINTB (FIV_FMT, WRD_3, PHR_5, WRD_12, FNC_6, WRD_19);
11497 ;          5872      end;
11498 ;          5873
11499 ;          5874  if .OPI IS_SET                            !DID FUNCTION CAUSE OPI
11500 ;          5875  then
11501 ;          5876      begin                                 !ERROR IF YES
11502 ;          5877      ERRDF (38, ASYNC, DUMPER);
11503 ;          5878      PRINTB (FIV_FMT, WRD_4, PHR_5, WRD_12, FNC_6, WRD_19);
11504 ;          5879      end;
11505 ;          5880
11506 ;          5881  DELAY (FRTY_US);                          !WAIT FOR XFERR TO COMPLETE
11507 ;          5882
11508 ;          5883  if .DRY IS_NOT_SET                        !IS DRY SET AFTER XFERR
11509 ;          5884  then
11510 ;          5885      begin
11511 ;          5886
11512 ;          5887      if .GO IS_SET                         !TEST GO CLEAR WITH DRY NOT SET
11513 ;          5888      then
11514 ;          5889          begin
11515 ;          5890          CLR_MBUS;                         !CLEAR GO
11516 ;          5891
11517 ;          5892          if .GO IS_SET then ERRDF (39, ASYNC, DUMPER) else ERRDF (40, SYNC, DUMPER);
11518 ;          5893
11519 ;          5894                                            !TST GO TO DETERMINE FAILING MOD
11520 ;          5895          PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_6, WRD_19);
11521 ;          5896          end
11522 ;          5897      else                                  !GO BIT CLEAR WITH DRY NOT SET
11523 ;          5898          begin                             !REPORT ERROR
11524 ;          5899          ERRDF (41, ASYNC, DUMPER);
11525 ;          5900          PRINTB (FIV_FMT, WRD_2, PHR_1, WRD_11, FNC_6, WRD_19);
11526 ;          5901          end;
11527 ;          5902
11528 ;          5903      DODU_FLG = ONE;                       !SET DODU_FLG
11529 ;          5904      end;
11530 ;          5905
11531 ;          5906  if .GO IS_SET                            !SEE IF GO CLEAR AFTER XFERR
11532 ;          5907  then
11533 ;          5908      begin
11534 ;          5909      CLR_MBUS;                             !CLEAR GO IF STILL SET
11535 ;          5910
11536 ;          5911      if .GO IS_SET then ERRDF (42, ASYNC, DUMPER) else ERRDF (43, SYNC, DUMPER);
11537 ;          5912
11538 ;          5913                                            !TST GO TO DETERMINE FAILING MOD
```

```
11540 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
11541 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (67)
11542 ;
11543 ;          5914      PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_6, WRD_19);
11544 ;          5915      DODU_FLG = ONE;
11545 ;          5916      end;
11546 ;          5917
11547 ;          5918  ENDSUB;
11548 ;          5919
11549 ;          5920  if .TRE IS_SET                            !SEE IF XFERR CAUSED A TRANSFER ERROR
11550 ;          5921  then
11551 ;          5922      begin                                 !REPORT ERROR IF SET AND CONTINUE TESTING
11552 ;          5923      ERRDF (116, INTER, DUMPER);
11553 ;          5924      PRINTB (SIX_FMT, WRD_61, WRD_20, PHR_5, WRD_12, FNC_6, WRD_19);
11554 ;          5925      end;
11555 ;          5926
11556 ;          5927  if .DODU_FLG IS_SET                       !DROP THIS UNIT IF DODU_FLG SET
11557 ;          5928  then
11558 ;          5929      begin
11559 ;          5930      DODU (.ML_LUN);
11560 ;          5931      DOCLN;
11561 ;          5932      end;
11562 ;          5933
11563 ;          5934  ENDTST;
11567
11568                                          .SBTTL  $T15 TEST CODE SECTION
11572 041476  004167  143036          $T15:   JSR     R1,$SAVE2                 ;                          5808
11573 041502  005746                  1$:     TST     -(SP)
11574 041504  104402                          TRAP    2                         ;                          5834
11575 041506  152777  000040  153730          BISB    #40,@ML.REG+40            ;                          5836
11576 041514  016701  154312                  MOV     ML.DUT,R1
11577 041520  042701  177770                  BIC     #177770,R1
11578 041524  142777  000007  153712          BICB    #7,@ML.REG+40
11579 041532  150177  153706                  BISB    R1,@ML.REG+40
11580 041536  005002                          CLR     R2                        ; DODU.FLG                 5838
11581 041540  004767  156516                  JSR     PC,FIRST.BLK.XFER         ;                          5839
11582 041544  012777  000071  153632          MOV     #71,@ML.REG               ;                          5840
11583 041552  132777  000001  153624          BITB    #1,@ML.REG                ;                          5842
11584 041560  001057                          BNE     2$
11585 041562  104455                          TRAP    55                        ;                          5845
11586 041564  000042                          .WORD   42
11587 041566  012706                          .WORD   ASYNC
11588 041570  026302                          .WORD   DUMPER
11589 041572  012746  010730                  MOV     #WRD.19,-(SP)             ;                          5846
11590 041576  012746  012226                  MOV     #FNC.6,-(SP)
11591 041602  012746  010650                  MOV     #WRD.12,-(SP)
11592 041606  012746  011610                  MOV     #PHR.1,-(SP)
11593 041612  012746  010520                  MOV     #WRD.1,-(SP)
11594 041616  012746  010304                  MOV     #FIV.FMT,-(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        ;
11599 041622  012746  000006           MOV     #6,-(SP)
11600 041626  010600                   MOV     SP,R0           ; SP,*
11601 041630  104414                   TRAP    14
11602 041632  132777  000200  153614   BITB    #200,@ML.REG+50 ;                                                               5848
11603 041640  001056                   BNE     3$
11604 041642  104455                   TRAP    55              ;                                                               5851
11605 041644  000043                   .WORD   43
11606 041646  012706                   .WORD   ASYNC
11607 041650  026302                   .WORD   DUMPER
11608 041652  012746  011726           MOV     #PHR.6,-(SP)    ;                                                               5852
11609 041656  012746  010520           MOV     #WRD.1,-(SP)
11610 041662  012746  011176           MOV     #WRD.43,-(SP)
11611 041666  012746  011610           MOV     #PHR.1,-(SP)
11612 041672  012746  010524           MOV     #WRD.2,-(SP)
11613 041676  012746  010304           MOV     #FIV.FMT,-(SP)
11614 041702  012746  000006           MOV     #6,-(SP)
11615 041706  010600                   MOV     SP,R0           ; SP,*
11616 041710  104414                   TRAP    14
11617 041712  062706  000016           ADD     #16,SP          ;                                                               5850
11618 041716  000427                   BR      3$              ;                                                               5855
11619 041720  105777  153530   2$:     TSTB    @ML.REG+50      ;                                                               5859
11620 041724  100030                   BPL     4$
11621 041726  104455                   TRAP    55              ;                                                               5862
11622 041730  000044                   .WORD   44
11623 041732  012706                   .WORD   ASYNC
11624 041734  026302                   .WORD   DUMPER
11625 041736  012746  011726           MOV     #PHR.6,-(SP)    ;                                                               5863
11626 041742  012746  010520           MOV     #WRD.1,-(SP)
11627 041746  012746  011176           MOV     #WRD.43,-(SP)
11628 041752  012746  011626           MOV     #PHR.2,-(SP)
11629 041756  012746  010524           MOV     #WRD.2,-(SP)
11630 041762  012746  010304           MOV     #FIV.FMT,-(SP)
11631 041766  012746  000006           MOV     #6,-(SP)
11632 041772  010600                   MOV     SP,R0           ; SP,*
11633 041774  104414                   TRAP    14
11634 041776  012702  000001   3$:     MOV     #1,R2           ; *,DODU.FLG                                                    5864
11635 042002  062706  000016           ADD     #16,SP          ;                                                               5861
11636 042006  132777  000001  153450   4$:     BITB    #1,@ML.REG+60   ;                                                       5867
11637 042014  001426                   BEQ     5$
11638 042016  104455                   TRAP    55              ;                                                               5870
11639 042020  000045                   .WORD   45
11640 042022  012706                   .WORD   ASYNC
11641 042024  026302                   .WORD   DUMPER
11642 042026  012746  010730           MOV     #WRD.19,-(SP)   ;                                                               5871
11643 042032  012746  012226           MOV     #FNC.6,-(SP)
11644 042036  012746  010650           MOV     #WRD.12,-(SP)
11645 042042  012746  011714           MOV     #PHR.5,-(SP)
11646 042046  012746  010536           MOV     #WRD.3,-(SP)
11647 042052  012746  010304           MOV     #FIV.FMT,-(SP)
11648 042056  012746  000006           MOV     #6,-(SP)
11649 042062  010600                   MOV     SP,R0           ; SP,*
11650 042064  104414                   TRAP    14
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                                                                                                        5869
042066  062706  000016                        ADD     #16,SP                  ;                                       5874
042072  032777  020000  153364        5$:     BIT     #20000,@ML.REG+60       ;
042100  001426                                BEQ     6$
042102  104455                                TRAP    55                      ;                                       5877
042104  000046                                .WORD   46
042106  012706                                .WORD   ASYNC
042110  026302                                .WORD   DUMPER
042112  012746  010730                        MOV     #WRD.19,-(SP)           ;                                       5878
042116  012746  012226                        MOV     #FNC.6,-(SP)
042122  012746  010650                        MOV     #WRD.12,-(SP)
042126  012746  011714                        MOV     #PHR.5,-(SP)
042132  012746  010544                        MOV     #WRD.4,-(SP)
042136  012746  010304                        MOV     #FIV.FMT,-(SP)
042142  012746  000006                        MOV     #6,-(SP)
042146  010600                                MOV     SP,R0                   ; SP,*
042150  104414                                TRAP    14
042152  062706  000016                        ADD     #16,SP                  ;                                       5876
042156  012700  000050                6$:     MOV     #50,R0                  ; *,$$TMP2                              5881
042162  001410                        7$:     BEQ     10$
042164  016701  137726                        MOV     L$DLY,R1                ; *,$$TMP1
042170  001403                                BEQ     9$
042172  005016                        8$:     CLR     (SP)                    ; $$TMP
042174  005301                                DEC     R1                      ; $$TMP1
042176  001375                                BNE     8$
042200  005300                        9$:     DEC     R0                      ; $$TMP2
042202  000767                                BR      7$
042204  132777  000200  153242        10$:    BITB    #200,@ML.REG+50         ;                                       5883
042212  001106                                BNE     15$
042214  132777  000001  153162                BITB    #1,@ML.REG              ;                                       5887
042222  001452                                BEQ     13$
042224  152777  000040  153212                BISB    #40,@ML.REG+40          ;                                       5889
042232  016701  153574                        MOV     ML.DUT,R1
042236  042701  177770                        BIC     #177770,R1
042242  142777  000007  153174                BICB    #7,@ML.REG+40
042250  150177  153170                        BISB    R1,@ML.REG+40
042254  132777  000001  153122                BITB    #1,@ML.REG              ;                                       5892
042262  001405                                BEQ     11$
042264  104455                                TRAP    55
042266  000047                                .WORD   47
042270  012706                                .WORD   ASYNC
042272  026302                                .WORD   DUMPER
042274  000404                                BR      12$
042276  104455                        11$:    TRAP    55
042300  000050                                .WORD   50
042302  012750                                .WORD   SYNC
042304  026302                                .WORD   DUMPER
042306  012746  010730                12$:    MOV     #WRD.19,-(SP)           ;                                       5895
042312  012746  012226                        MOV     #FNC.6,-(SP)
042316  012746  010640                        MOV     #WRD.11,-(SP)
042322  012746  011626                        MOV     #PHR.2,-(SP)
042326  012746  010520                        MOV     #WRD.1,-(SP)
042332  012746  010304                        MOV     #FIV.FMT,-(SP)
```

```
11708                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
11709                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
11710
11711 042336  012746  000006                    MOV     #6,-(SP)
11712 042342  010600                            MOV     SP,R0           ; SP,*
11713 042344  104414                            TRAP    14
11714 042346  000424                            BR      14$             ;                               5887
11715 042350  104455                    13$:    TRAP    55              ;                               5899
11716 042352  000051                            .WORD   51
11717 042354  012706                            .WORD   ASYNC
11718 042356  026302                            .WORD   DUMPER
11719 042360  012746  010730                    MOV     #WRD.19,-(SP)   ;                               5900
11720 042364  012746  012226                    MOV     #FNC.6,-(SP)
11721 042370  012746  010640                    MOV     #WRD.11,-(SP)
11722 042374  012746  011610                    MOV     #PHR.1,-(SP)
11723 042400  012746  010524                    MOV     #WRD.2,-(SP)
11724 042404  012746  010304                    MOV     #FIV.FMT,-(SP)
11725 042410  012746  000006                    MOV     #6,-(SP)
11726 042414  010600                            MOV     SP,R0           ; SP,*
11727 042416  104414                            TRAP    14
11728 042420  012702  000001            14$:    MOV     #1,R2           ; *,DODU.FLG                    5903
11729 042424  062706  000016                    ADD     #16,SP          ;                               5885
11730 042430  132777  000001  152746    15$:    BITB    #1,@ML.REG      ;                               5906
11731 042436  001455                            BEQ     18$
11732 042440  152777  000040  152776            BISB    #40,@ML.REG+40  ;                               5908
11733 042446  016701  153360                    MOV     ML.DUT,R1
11734 042452  042701  177770                    BIC     #177770,R1
11735 042456  142777  000007  152760            BICB    #7,@ML.REG+40
11736 042464  150177  152754                    BISB    R1,@ML.REG+40
11737 042470  132777  000001  152706            BITB    #1,@ML.REG      ;                               5911
11738 042476  001405                            BEQ     16$
11739 042500  104455                            TRAP    55
11740 042502  000052                            .WORD   52
11741 042504  012706                            .WORD   ASYNC
11742 042506  026302                            .WORD   DUMPER
11743 042510  000404                            BR      17$
11744 042512  104455                    16$:    TRAP    55
11745 042514  000053                            .WORD   53
11746 042516  012750                            .WORD   SYNC
11747 042520  026302                            .WORD   DUMPER
11748 042522  012746  010730            17$:    MOV     #WRD.19,-(SP)   ;                               5914
11749 042526  012746  012226                    MOV     #FNC.6,-(SP)
11750 042532  012746  010640                    MOV     #WRD.11,-(SP)
11751 042536  012746  011626                    MOV     #PHR.2,-(SP)
11752 042542  012746  010520                    MOV     #WRD.1,-(SP)
11753 042546  012746  010304                    MOV     #FIV.FMT,-(SP)
11754 042552  012746  000006                    MOV     #6,-(SP)
11755 042556  010600                            MOV     SP,R0           ; SP,*
11756 042560  104414                            TRAP    14
11757 042562  012702  000001                    MOV     #1,R2           ; *,DODU.FLG                    5915
11758 042566  062706  000016                    ADD     #16,SP          ;                               5908
11759 042572  104467                    18$:    TRAP    67              ;                               5916
11760 042574  006000                            ROR     R0
11761 042576  103002                            BHIS    19$
11762 042600  000167  176700                    JMP     1$
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        ;
                                        19$:    BIT     #40000,@ML.REG                  ;                               5920
                                                BEQ     20$
                                                TRAP    55                              ;                               5923
                                                .WORD   164
                                                .WORD   INTER
                                                .WORD   DUMPER
                                                MOV     #WRD.19,-(SP)                   ;                               5924
                                                MOV     #FNC.6,-(SP)
                                                MOV     #WRD.12,-(SP)
                                                MOV     #PHR.5,-(SP)
                                                MOV     #WRD.20,-(SP)
                                                MOV     #WRD.61,-(SP)
                                                MOV     #SIX.FMT,-(SP)
                                                MOV     #7,-(SP)
                                                MOV     SP,R0                           ; SP,*
                                                TRAP    14
                                                ADD     #20,SP                          ;                               5922
                                        20$:    DEC     R2                              ; DODU.FLG                      5927
                                                BNE     21$
                                                MOV     ML.LUN,R0                       ;                               5930
                                                TRAP    51
                                                TRAP    44
                                        21$:    TST     (SP)+                           ;                               5808
                                                RTS     PC

                                        ; Routine Size:  327 words
                                        ; Maximum stack depth per invocation:  18 words


                                                .SBTTL  T15 TEST CODE SECTION
                                        T15::
                                        1$:     JSR     PC,$T15                         ;                               5932
                                                TRAP    66
                                                ROR     R0
                                                BLO     1$
                                                RTS     PC

                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
```

```
11825
11826
11827 ;        5935  !<BLF/PAGE>
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (68)

;          5936  !
;          5937  BGNTS ;
;          5938
;          5939  !++
;          5940  ! TEST NUMBER:  TST 16
;          5941  !
;          5942  ! TEST NAME:    CLEAR FUNCTION TEST
;          5943  !
;          5944  ! TEST DESCRIPTION:
;          5945  !       TEST IF THE DRIVE CAN PERFORM A CLEAR FUNCTION WITHOUT HANGING THE DRIVE.
;          5946  !
;          5947  !       A CLEAR FUNCTION IS WRITTEN INTO MLCS1.
;          5948  !
;          5949  !       THEN GO AND ERROR BITS ARE CHECKED FOR CORRECT STATUS.
;          5950  !       THIS DRIVE IS DROPPED ON DETECTED ERRORS.
;          5951  !
;          5952  !--
;          5953
;          5954  BGNSUB;
;          5955  CLR_MBUS;
;          5956  MLER = ONES;                                    !SET BITS IN ERROR REGISTER
;          5957  MLCS1 = DRV_CLR;                                !DO A CLEAR FUNCTION
;          5958  DELAY (ONE_US);                                 !DELAY
;          5959
;          5960  if .GO IS_SET                                  !SEE IF GO CLEARED AFTER FUNCTION
;          5961  then
;          5962      begin                                       !ERROR IF SET
;          5963      ERRDF (44, ASYNC, DUMPER);
;          5964      PRINTB (FIV_FMT, WRD_1, PHR_5, WRD_11, FNC_3, FNC_7, WRD_19);
;          5965
;          5966      if .DRY IS_SET                              !TST DRY CLEAR WITH GO SET
;          5967      then
;          5968          begin                                   !ERROR IF SET
;          5969          ERRDF (45, ASYNC, DUMPER);
;          5970          PRINTB (FIV_FMT, WRD_2, PHR_5, WRD_43, WRD_1, PHR_5);
;          5971          end;
;          5972
;          5973      end
;          5974  else                                            !GO CLEARED AFTER FUNCTION
;          5975
;          5976      if .DRY IS_NOT_SET                          !TST DRY SET WITH GO CLEAR
;          5977      then
;          5978          begin                                   !ERROR IF NOT SET
;          5979          ERRDF (46, ASYNC, DUMPER);
;          5980          PRINTB (FIV_FMT, WRD_2, PHR_1, WRD_43, WRD_1, PHR_6);
;          5981          end;
;          5982
;          5983  if .ILF IS_SET                                 !DID FUNCTION CAUSE ILF
;          5984  then
;          5985      begin                                       !ERROR IF YES
;          5986      ERRDF (47, ASYNC, DUMPER);
;          5987      PRINTB (FIV_FMT, WRD_3, PHR_5, WRD_12, FNC_3, FNC_7, WRD_19);
```

```
                                                                29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                        TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (68)

                    5988        end;
                    5989
                    5990    if .OPI IS_SET                      !DID FUNCTION CAUSE OPI
                    5991    then
                    5992        begin                           !ERROR IF YES
                    5993        ERRDF (48, ASYNC, DUMPER);
                    5994        PRINTB (FIV_FMT, WRD_4, PHR_5, WRD_12, FNC_3, FNC_7, WRD_19);
                    5995        end;
                    5996
                    5997    if .MLER neq ZERO                   !TEST ERROR REGISTER FOR CLEAR
                    5998    then
                    5999        begin                           !ERROR IF NOT CLEAR
                    6000        ERRDF (49, ASYNC, DUMPER);
                    6001        PRINTB (SIX_FMT, FNC_3, FNC_7, WRD_19, WRD_14, WRD_13, REG_3);
                    6002        end;
                    6003
                    6004    ENDSUB;
                    6005    ENDTST;

                                        .SBTTL  $T16 TEST CODE SECTION
042730 010146               $T16:   MOV     R1,-(SP)            ;                       5934
042732 005746                       TST     -(SP)
042734 104402               1$:     TRAP    2                   ;                       5937
042736 152777 000040 152500         BISB    #40,@ML.REG+40      ;                       5954
042744 016701 153062                MOV     ML.DUT,R1
042750 042701 177770                BIC     #177770,R1
042754 142777 000007 152462         BICB    #7,@ML.REG+40
042762 150177 152456                BISB    R1,@ML.REG+40
042766 012777 177777 152470         MOV     #-1,@ML.REG+60      ;                       5956
042774 012777 000011 152402         MOV     #11,@ML.REG         ;                       5957
043002 012700 000001                MOV     #1,R0               ; *,$$TMP2              5958
043006 001410               2$:     BEQ     5$
043010 016701 137102                MOV     L$DLY,R1            ; *,$$TMP1
043014 001403                       BEQ     4$
043016 005016               3$:     CLR     (SP)                ; $$TMP
043020 005301                       DEC     R1                  ; $$TMP1
043022 001375                       BNE     3$
043024 005300               4$:     DEC     R0                  ; $$TMP2
043026 000767                       BR      2$
043030 132777 000001 152346 5$:     BITB    #1,@ML.REG          ;                       5960
043036 001462                       BEQ     7$
043040 104455                       TRAP    55                  ;                       5963
043042 000054                       .WORD   54
043044 012706                       .WORD   ASYNC
043046 026302                       .WORD   DUMPER
043050 012746 010730                MOV     #WRD.19,-(SP)       ;                       5964
```

```
11941                                   ;ML4AD
11942                                   ;               TEST CODE SECTION
11943
11944 043054  012746  012234                    MOV     #FNC.7,-(SP)
11945 043060  012746  012172                    MOV     #FNC.3,-(SP)
11946 043064  012746  010640                    MOV     #WRD.11,-(SP)
11947 043070  012746  011714                    MOV     #PHR.5,-(SP)
11948 043074  012746  010520                    MOV     #WRD.1,-(SP)
11949 043100  012746  010304                    MOV     #FIV.FMT,-(SP)
11950 043104  012746  000007                    MOV     #7,-(SP)
11951 043110  010600                            MOV     SP,R0                   ; SP,*
11952 043112  104414                            TRAP    14
11953 043114  105777  152334                    TSTB    @ML.REG+50              ;                               5966
11954 043120  100026                            BPL     6$
11955 043122  104455                            TRAP    55                      ;                               5969
11956 043124  000055                            .WORD   55
11957 043126  012706                            .WORD   ASYNC
11958 043130  026302                            .WORD   DUMPER
11959 043132  012746  011714                    MOV     #PHR.5,-(SP)            ;                               5970
11960 043136  012746  010520                    MOV     #WRD.1,-(SP)
11961 043142  012746  011176                    MOV     #WRD.43,-(SP)
11962 043146  012746  011714                    MOV     #PHR.5,-(SP)
11963 043152  012746  010524                    MOV     #WRD.2,-(SP)
11964 043156  012746  010304                    MOV     #FIV.FMT,-(SP)
11965 043162  012746  000006                    MOV     #6,-(SP)
11966 043166  010600                            MOV     SP,R0                   ; SP,*
11967 043170  104414                            TRAP    14
11968 043172  062706  000016                    ADD     #16,SP                  ;                               5968
11969 043176  062706  000020            6$:     ADD     #20,SP                  ;                               5962
11970 043202  000432                            BR      8$                      ;                               5960
11971 043204  132777  000200  152242    7$:     BITB    #200,@ML.REG+50         ;                               5976
11972 043212  001026                            BNE     8$
11973 043214  104455                            TRAP    55                      ;                               5979
11974 043216  000056                            .WORD   56
11975 043220  012706                            .WORD   ASYNC
11976 043222  026302                            .WORD   DUMPER
11977 043224  012746  011726                    MOV     #PHR.6,-(SP)            ;                               5980
11978 043230  012746  010520                    MOV     #WRD.1,-(SP)
11979 043234  012746  011176                    MOV     #WRD.43,-(SP)
11980 043240  012746  011610                    MOV     #PHR.1,-(SP)
11981 043244  012746  010524                    MOV     #WRD.2,-(SP)
11982 043250  012746  010304                    MOV     #FIV.FMT,-(SP)
11983 043254  012746  000006                    MOV     #6,-(SP)
11984 043260  010600                            MOV     SP,R0                   ; SP,*
11985 043262  104414                            TRAP    14
11986 043264  062706  000016                    ADD     #16,SP                  ;                               5978
11987 043270  132777  000001  152166    8$:     BITB    #1,@ML.REG+60           ;                               5983
11988 043276  001430                            BEQ     9$
11989 043300  104455                            TRAP    55                      ;                               5986
11990 043302  000057                            .WORD   57
11991 043304  012706                            .WORD   ASYNC
11992 043306  026302                            .WORD   DUMPER
11993 043310  012746  010730                    MOV     #WRD.19,-(SP)           ;                               5987
11994 043314  012746  012234                    MOV     #FNC.7,-(SP)
11995 043320  012746  012172                    MOV     #FNC.3,-(SP)
```

```
11997                                   ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
11998                                   ;       TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
11999
12000 043324  012746  010650                    MOV     #WRD.12,-(SP)
12001 043330  012746  011714                    MOV     #PHR.5,-(SP)
12002 043334  012746  010536                    MOV     #WRD.3,-(SP)
12003 043340  012746  010304                    MOV     #FIV.FMT,-(SP)
12004 043344  012746  000007                    MOV     #7,-(SP)
12005 043350  010600                            MOV     SP,R0                   ; SP,*
12006 043352  104414                            TRAP    14
12007 043354  062706  000020                    ADD     #20,SP                  ;                               5985
12008 043360  032777  020000  152076  9$:       BIT     #20000,@ML.REG+60       ;                               5990
12009 043366  001430                            BEQ     10$
12010 043370  104455                            TRAP    55                      ;                               5993
12011 043372  000060                            .WORD   60
12012 043374  012706                            .WORD   ASYNC
12013 043376  026302                            .WORD   DUMPER
12014 043400  012746  010730                    MOV     #WRD.19,-(SP)           ;                               5994
12015 043404  012746  012234                    MOV     #FNC.7,-(SP)
12016 043410  012746  012172                    MOV     #FNC.3,-(SP)
12017 043414  012746  010650                    MOV     #WRD.12,-(SP)
12018 043420  012746  011714                    MOV     #PHR.5,-(SP)
12019 043424  012746  010544                    MOV     #WRD.4,-(SP)
12020 043430  012746  010304                    MOV     #FIV.FMT,-(SP)
12021 043434  012746  000007                    MOV     #7,-(SP)
12022 043440  010600                            MOV     SP,R0                   ; SP,*
12023 043442  104414                            TRAP    14
12024 043444  062706  000020                    ADD     #20,SP                  ;                               5992
12025 043450  005777  152010          10$:      TST     @ML.REG+60              ;                               5997
12026 043454  001430                            BEQ     11$
12027 043456  104455                            TRAP    55                      ;                               6000
12028 043460  000061                            .WORD   61
12029 043462  012706                            .WORD   ASYNC
12030 043464  026302                            .WORD   DUMPER
12031 043466  012746  012516                    MOV     #REG.3,-(SP)            ;                               6001
12032 043472  012746  010660                    MOV     #WRD.13,-(SP)
12033 043476  012746  010664                    MOV     #WRD.14,-(SP)
12034 043502  012746  010730                    MOV     #WRD.19,-(SP)
12035 043506  012746  012234                    MOV     #FNC.7,-(SP)
12036 043512  012746  012172                    MOV     #FNC.3,-(SP)
12037 043516  012746  010322                    MOV     #SIX.FMT,-(SP)
12038 043522  012746  000007                    MOV     #7,-(SP)
12039 043526  010600                            MOV     SP,R0                   ; SP,*
12040 043530  104414                            TRAP    14
12041 043532  062706  000020                    ADD     #20,SP                  ;                               5999
12042 043536  104467                  11$:      TRAP    67                      ;                               6002
12043 043540  006000                            ROR     R0
12044 043542  103002                            BHIS    12$
12045 043544  000167  177164                    JMP     1$
12046 043550  005726                  12$:      TST     (SP)+                   ;                               5934
12047 043552  012601                            MOV     (SP)+,R1
12048 043554  000207                            RTS     PC
12049
12050                                   ; Routine Size:  203 words
12051                                   ; Maximum stack depth per invocation:  17 words
```

```
12053                                   ;ML4AD
12054                                   ;               TEST CODE SECTION
12055
12060
12061
12065
12066                                           .SBTTL  T16 TEST CODE SECTION
12070 043556                            T16::
12071 043556  004767  177146            1$:     JSR     PC,$T16                 ;                       6004
12072 043562  104466                            TRAP    66
12073 043564  006000                            ROR     R0
12074 043566  103773                            BLO     1$
12075 043570  000207                            RTS     PC
12076
12077                                   ; Routine Size:  6 words
12078                                   ; Maximum stack depth per invocation:  0 words
12083
12084
12085 ;          6006  !<BLF/PAGE>
```

```
12087 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 v2(212)
12088 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (69)
12089 ;
12090 ;          6007  !
12091 ;          6008  BGNTST;
12092 ;          6009
12093 ;          6010  !++
12094 ;          6011  ! TEST NUMBER:  TST 17
12095 ;          6012  !
12096 ;          6013  ! TEST NAME: DIAGNOSTIC REGISTER TESTS
12097 ;          6014  !
12098 ;          6015  ! TEST DESCRIPTION:
12099 ;          6016  !       TEST THE DATA DIAG REGISTERS MLD1, MLD2, MLE2
12100 ;          6017  !       FOR 1'S/0'S, SHIFTING 1'S/0'S AND INITIALIZATION
12101 ;          6018  !
12102 ;          6019  !--
12103 ;          6020
12104 ;          6021  local
12105 ;          6022      CLR_DATA,                            !CLEAR DATA FOR INIT TEST
12106 ;          6023      SAVE,                                !TEMPORARY SAVE LOCATION
12107 ;          6024      ERR_FLG,                             !ERROR FLAG
12108 ;          6025      TST_PAT,                             !TEST PATTERN
12109 ;          6026      index,                               !POINTS TO REGISTER PRESENTLY BEING TESTED
12110 ;          6027      DODU_FLG;                            !DROP UNIT FLAG
12111 ;          6028
12112 ;          6029  DODU_FLG = ZERO;
12113 ;          6030  !
12114 ;          6031  !
12115 ;          6032  !       FIRST TEST THE REGISTERS FOR ONES AND ZEROES
12116 ;          6033  !
12117 ;          6034  !
12118 ;          6035  TST_PAT = ONES;                          !LOAD TEST PAT WITH ONES
12119 ;          6036  CLR_THRESHOLD;                          !CLEAR ERROR PRINT THRESHOLD
12120 ;          6037
12121 ;          6038  incr TWICE from 0 to 1 do               !REPEAT LOOP TWICE
12122 ;          6039      begin
12123 ;          6040
12124 ;          6041      incr REG_SEL from 11 to 13 do        !TEST ELEVEN WRITE/READ REGISTERS
12125 ;          6042          begin
12126 ;          6043          BGNSUB;
12127 ;          6044          CLR_MBUS;
12128 ;          6045          WRT_REG (.TST_PAT, .REG_SEL, index);   !WRITE TO THE REGISTER
12129 ;          6046          RD_REG (.TST_PAT, .REG_SEL, ERR_FLG);  !READ THE REGISTER
12130 ;          6047
12131 ;          6048          if .ERR_FLG IS_SET                   !SEE IF READ FOUND AN ERROR
12132 ;          6049          then
12133 ;          6050              begin                            !IF ERROR FLAG IS SET THEN ERROR AND SET DODU_FLG
12134 ;          6051              CMP_THRESHOLD;                   !COMPARE ERROR PRINT THRESHOLD
12135 ;          6052              ERRDF (121, ARR_DAT, DUMPER);    !ARRAY DATA MODULE FAILURE
12136 ;          6053              PRINTB (SIX_FMT, PHR_4, WRD_12, FNC_5, FNC_6, WRD_52, WRD_56);
12137 ;          6054              PRINTB (FMT_16, .ML_REG [.index, REGISTER_ADD], .WT_DATA, .RD_DATA);
12138 ;          6055              DODU_FLG = ONE;
12139 ;          6056              end;
12140 ;          6057
12141 ;          6058          ENDSUB;
```

```
  12143 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
  12144 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (69)
  12145 ;
  12146 ;          6059          end;
  12147 ;          6060
  12148 ;          6061      TST_PAT = not .TST_PAT;                    !REPEAT AGAIN WITH COMPLIMENT DATA
  12149 ;          6062      end;
  12150 ;          6063
  12151 ;          6064  !
  12152 ;          6065  !
  12153 ;          6066  !       TEST THE REGISTERS FOR SHIFTING ONES AND ZEROES
  12154 ;          6067  !
  12155 ;          6068  !
  12156 ;          6069  TST_PAT = ONE;                               !LOAD TST_PAT WITH A 1 IN A FILED OF 0'S
  12157 ;          6070
  12158 ;          6071  incr SHIFT from 0 to 15 do                   !DO SHIFT 16 TIMES
  12159 ;          6072      begin
  12160 ;          6073
  12161 ;          6074      incr TWICE from 0 to 1 do                !REPEAT LOOP TWICE
  12162 ;          6075          begin
  12163 ;          6076
  12164 ;          6077          incr REG_SEL from 11 to 13 do        !TEST ELEVEN READ/WRITE REGISTERS
  12165 ;          6078              begin
  12166 ;          6079              BGNSUB;
  12167 ;          6080              CLR_MBUS;
  12168 ;          6081              WRT_REG (.TST_PAT, .REG_SEL, index);      !WRITE TO THE REGISTER
  12169 ;          6082              RD_REG (.TST_PAT, .REG_SEL, ERR_FLG);     !READ THE REGISTER
  12170 ;          6083
  12171 ;          6084              if .ERR_FLG IS_SET                !SEE IF THE READ FOUND AN ERROR
  12172 ;          6085              then
  12173 ;          6086                  begin                         !IF THE ERROR FLAG IS SET THEN ERROR
  12174 ;          6087                  CMP_THRESHOLD;                !COMPARE ERROR PRINT THRESHOLD
  12175 ;          6088                  ERRDF (122, ARR_DAT, DUMPER); !ARRAY DATA MODULE FAILURE
  12176 ;          6089                  PRINTB (SIX_FMT, PHR_4, WRD_12, FNC_5, FNC_6, WRD_52, WRD_56);
  12177 ;          6090                  PRINTB (FMT_16, .ML_REG [.index, REGISTER_ADD], .WT_DATA, .RD_DATA);
  12178 ;          6091                  DODU_FLG = ONE;
  12179 ;          6092                  end;
  12180 ;          6093
  12181 ;          6094              ENDSUB;
  12182 ;          6095              end;
  12183 ;          6096
  12184 ;          6097          TST_PAT = not .TST_PAT;               !REPEAT WITH A 0 IN A FIELD OF 1'S
  12185 ;          6098          end;
  12186 ;          6099
  12187 ;          6100      TST_PAT = .TST_PAT^ONE;                   !SHIFT THE 1 IN THE FIELD OF 0'S
  12188 ;          6101      end;
  12189 ;          6102
  12190 ;          6103  !
  12191 ;          6104  !
  12192 ;          6105  !       NOW TEST THE REGISTERS FOR INITIALIZATION
  12193 ;          6106  !
  12194 ;          6107  !
  12195 ;          6108  REG_INIT_FLG = ONE;
  12196 ;          6109  TST_PAT = ONES;                              !BACKGROUND PATTERN
  12197 ;          6110
```

```
12199 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
12200 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (69)
12201
12202 ;          6111   incr TWICE from 0 to 1 do                       !REPEAT LOOP TWICE
12203 ;          6112       begin
12204 ;          6113
12205 ;          6114       incr REG_SEL from 11 to 13 do               !TEST THIRTEEN REGISTERS
12206 ;          6115           begin
12207 ;          6116           BGNSUB;
12208 ;          6117           CLR_MBUS;
12209 ;          6118           WRT_REG (.TST_PAT, .REG_SEL, index);    !WRITE REGISTER WITH BACKGROUND
12210 ;          6119           CLR_DATA = (.AI) or (.IGNORE);          !CALCULATE THE CLEARED DATA PATTERN
12211 ;          6120           REG_INIT_FLG = ONE;
12212 ;          6121           RD_REG (.CLR_DATA, .REG_SEL, ERR_FLG);  !READ THE REGISTER FOR THE CLEARED DATA PAT
12213 ;          6122
12214 ;          6123           if .ERR_FLG IS_SET                      !SEE IF READ FOUND AN ERROR
12215 ;          6124           then
12216 ;          6125               begin                               !IF ERROR FLAG IS SET THEN ERROR AND SET DODU_FLG
12217 ;          6126               CMP_THRESHOLD;                      !COMPARE ERROR PRINT THRESHOLD
12218 ;          6127               ERRDF (118, ARR_DAT, DUMPER);       !ARRAY DATA MODULE
12219 ;          6128               PRINTB (FIV_FMT, PHR_4, WRD_12, WRD_52, FNC_23, WRD_56);
12220 ;          6129               PRINTB (FMT_16, .ML_REG [.index, REGISTER_ADD], .CLR_DATA, .RD_DATA);
12221 ;          6130               DODU_FLG = ONE;
12222 ;          6131               end;
12223 ;          6132
12224 ;          6133           ENDSUB;
12225 ;          6134           end;
12226 ;          6135
12227 ;          6136       TST_PAT = not .TST_PAT;                     !REPEAT WITH COMPLIMENT BACKGROUND PAT
12228 ;          6137       end;
12229 ;          6138
12230 ;          6139   REG_INIT_FLG = ZERO;                            !CLEAR THE FLAG
12231 ;          6140
12232 ;          6141   if .DODU_FLG IS_SET                             !DROP THIS UNIT IF DODU_FLG SET
12233 ;          6142   then
12234 ;          6143       begin
12235 ;          6144       DODU (.ML_LUN);
12236 ;          6145       DOCLN;
12237 ;          6146       end;
12238 ;          6147
12239 ;          6148   ENDTST;
12243
12244                                       .SBTTL  $T17 TEST CODE SECTION
12248 043572  004167  141014          $T17:  JSR     R1,$SAVE5                ;                              6005
12249 043576  024646                        CMP     -(SP),-(SP)
12250 043600  005046                        CLR     -(SP)                    ; DODU.FLG                     6029
12251 043602  012702  177777                MOV     #-1,R2                   ; *,TST.PAT                    6035
12252 043606  005067  151564                CLR     P.CNT
12253 043612  005004                        CLR     R4                       ; TWICE                        6038
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        1$:     MOV     #13,R1          ; *,REG.SEL                                     6041
                                        2$:     TRAP    2               ;                                               6042
                                                BISB    #40,@ML.REG+40  ;                                               6043
                                                MOV     ML.DUT,R5
                                                BIC     #177770,R5
                                                BICB    #7,@ML.REG+40
                                                BISB    R5,@ML.REG+40
                                                MOV     R2,-(SP)        ; TST.PAT,*                                     6045
                                                MOV     R1,-(SP)        ; REG.SEL,*
                                                MOV     #12,-(SP)
                                                ADD     SP,(SP)         ; INDEX,*
                                                JSR     PC,WRT.REG
                                                MOV     R2,(SP)         ; TST.PAT,*                                     6046
                                                MOV     R1,-(SP)        ; REG.SEL,*
                                                MOV     #14,-(SP)
                                                ADD     SP,(SP)         ; ERR.FLG,*
                                                JSR     PC,RD.REG
                                                CMP     14(SP),#1       ; ERR.FLG,*                                     6048
                                                BNE     4$
                                                INC     P.CNT           ;                                               6050
                                                CMP     P.CNT,LIMIT
                                                BLE     3$
                                                ADD     #12,SP
                                                BR      5$
                                        3$:     TRAP    55              ;                                               6052
                                                .WORD   171
                                                .WORD   ARR.DAT
                                                .WORD   DUMPER
                                                MOV     #WRD.56,-(SP)   ;                                               6053
                                                MOV     #WRD.52,-(SP)
                                                MOV     #FNC.6,-(SP)
                                                MOV     #FNC.5,-(SP)
                                                MOV     #WRD.12,-(SP)
                                                MOV     #PHR.4,-(SP)
                                                MOV     #SIX.FMT,-(SP)
                                                MOV     #7,-(SP)
                                                MOV     SP,R0           ; SP,*
                                                TRAP    14
                                                MOV     RD.DATA,(SP)    ;                                               6054
                                                MOV     WT.DATA,-(SP)
                                                MOV     40(SP),R0       ; INDEX,*
                                                ASL     R0
                                                ASL     R0
                                                ASL     R0
                                                MOV     ML.REG(R0),-(SP)
                                                MOV     #FMT.16,-(SP)
                                                MOV     #4,-(SP)
                                                MOV     SP,R0           ; SP,*
                                                TRAP    14
                                                MOV     #1,42(SP)       ; *,DODU.FLG                                    6055
                                                ADD     #30,SP          ;                                               6050
                                        4$:     ADD     #12,SP          ;                                               6042
```

```
                                        ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        TRAP    67                      ;                                       6056
                                        ROR     R0
                                        BLO     2$
                                5$:     INC     R1                      ; REG.SEL                               6041
                        000015          CMP     R1,#15                  ; REG.SEL,*
                                        BLE     2$
                                        COM     R2                      ; TST.PAT                               6061
                                        INC     R4                      ; TWICE                                 6038
                        000001          CMP     R4,#1                   ; TWICE,*
                                        BLE     1$
                        000001          MOV     #1,R2                   ; *,TST.PAT                             6069
                                        CLR     R3                      ; SHIFT                                 6071
                                6$:     CLR     R4                      ; TWICE                                 6074
                        000013  7$:     MOV     #13,R1                  ; *,REG.SEL                             6077
                                8$:     TRAP    2                       ;                                       6078
                000040  151274          BISB    #40,@ML.REG+40          ;                                       6079
                151656                  MOV     ML.DUT,R5
                177770                  BIC     #177770,R5
                000007  151256          BICB    #7,@ML.REG+40
                151252                  BISB    R5,@ML.REG+40
                                        MOV     R2,-(SP)                ; TST.PAT,*                             6081
                                        MOV     R1,-(SP)                ; REG.SEL,*
                000012                  MOV     #12,-(SP)
                                        ADD     SP,(SP)                 ; INDEX,*
                161114                  JSR     PC,WRT.REG
                                        MOV     R2,(SP)                 ; TST.PAT,*                             6082
                                        MOV     R1,-(SP)                ; REG.SEL,*
                000014                  MOV     #14,-(SP)
                                        ADD     SP,(SP)                 ; ERR.FLG,*
                161464                  JSR     PC,RD.REG
        000014  000001                  CMP     14(SP),#1               ; ERR.FLG,*                             6084
                                        BNE     10$
                151134                  INC     P.CNT                   ;                                       6086
        151130  151130                  CMP     P.CNT,LIMIT
                                        BLE     9$
                000012                  ADD     #12,SP
                                        BR      11$
                                9$:     TRAP    55                      ;                                       6088
                000172                  .WORD   172
                013012                  .WORD   ARR.DAT
                026302                  .WORD   DUMPER
                011344                  MOV     #WRD.56,-(SP)           ;                                       6089
                011310                  MOV     #WRD.52,-(SP)
                012226                  MOV     #FNC.6,-(SP)
                012216                  MOV     #FNC.5,-(SP)
                010650                  MOV     #WRD.12,-(SP)
                011676                  MOV     #PHR.4,-(SP)
                010322                  MOV     #SIX.FMT,-(SP)
                000007                  MOV     #7,-(SP)
                                        MOV     SP,R0                   ; SP,*
                                        TRAP    14
                151012                  MOV     RD.DATA,(SP)            ;                                       6090
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                                       29-Mar-1982 16:21:03    PA:<
                                        ;
12370 044340  016746  151004           MOV     WT.DATA,-(SP)
12371 044344  016600  000040           MOV     40(SP),R0               ; INDEX,*
12372 044350  006300                   ASL     R0
12373 044352  006300                   ASL     R0
12374 044354  006300                   ASL     R0
12375 044356  016046  015404           MOV     ML.REG(R0),-(SP)
12376 044362  012746  007436           MOV     #FMT.16,-(SP)
12377 044366  012746  000004           MOV     #4,-(SP)
12378 044372  010600                   MOV     SP,R0                   ; SP,*
12379 044374  104414                   TRAP    14
12380 044376  012766  000001  000042   MOV     #1,42(SP)               ; *,DODU.FLG                    6091
12381 044404  062706  000030           ADD     #30,SP                  ;                               6086
12382 044410  062706  000012     10$:  ADD     #12,SP                  ;                               6078
12383 044414  104467                   TRAP    67                      ;                               6092
12384 044416  006000                   ROR     R0
12385 044420  103647                   BLO     8$
12386 044422  005201              11$: INC     R1                      ; REG.SEL                       6077
12387 044424  020127  000015           CMP     R1,#15                  ; REG.SEL,*
12388 044430  003643                   BLE     8$
12389 044432  005102                   COM     R2                      ; TST.PAT                       6097
12390 044434  005204                   INC     R4                      ; TWICE                         6074
12391 044436  020427  000001           CMP     R4,#1                   ; TWICE,*
12392 044442  003634                   BLE     7$
12393 044444  006302                   ASL     R2                      ; TST.PAT                       6100
12394 044446  005203                   INC     R3                      ; SHIFT                         6071
12395 044450  020327  000017           CMP     R3,#17                  ; SHIFT,*
12396 044454  003626                   BLE     6$
12397 044456  012767  000001  150674   MOV     #1,REG.INIT.FLG         ;                               6108
12398 044464  012702  177777           MOV     #-1,R2                  ; *,TST.PAT                     6109
12399 044470  005004                   CLR     R4                      ; TWICE                         6111
12400 044472  012703  000013     12$:  MOV     #13,R3                  ; *,REG.SEL                     6114
12401 044476  104402              13$: TRAP    2                       ;                               6115
12402 044500  152777  000040  150736   BISB    #40,@ML.REG+40          ;                               6116
12403 044506  016701  151320           MOV     ML.DUT,R1
12404 044512  042701  177770           BIC     #177770,R1
12405 044516  142777  000007  150720   BICB    #7,@ML.REG+40
12406 044524  150177  150714           BISB    R1,@ML.REG+40
12407 044530  010246                   MOV     R2,-(SP)                ; TST.PAT,*                     6118
12408 044532  010346                   MOV     R3,-(SP)                ; REG.SEL,*
12409 044534  012746  000012           MOV     #12,-(SP)
12410 044540  060616                   ADD     SP,(SP)                 ; INDEX,*
12411 044542  004767  160556           JSR     PC,WRT.REG
12412 044546  016600  000012           MOV     12(SP),R0               ; INDEX,*                       6119
12413 044552  006300                   ASL     R0
12414 044554  006300                   ASL     R0
12415 044556  006300                   ASL     R0
12416 044560  010001                   MOV     R0,R1
12417 044562  016105  015406           MOV     ML.REG+2(R1),R5         ; *,CLR.DATA
12418 044566  056105  015412           BIS     ML.REG+6(R1),R5         ; *,CLR.DATA
12419 044572  012767  000001  150560   MOV     #1,REG.INIT.FLG         ;                               6120
12420 044600  010516                   MOV     R5,(SP)                 ; CLR.DATA,*                    6121
12421 044602  010346                   MOV     R3,-(SP)                ; REG.SEL,*
```

```
12423                                   ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
12424                                   ;       TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
12425
12426 044604  012746  000014                    MOV     #14,-(SP)
12427 044610  060616                            ADD     SP,(SP)                 ; ERR.FLG,*
12428 044612  004767  161074                    JSR     PC,RD.REG
12429 044616  026627  000014  000001            CMP     14(SP),#1               ; ERR.FLG,*                     6123
12430 044624  001055                            BNE     15$
12431 044626  005267  150544                    INC     P.CNT                   ;                               6125
12432 044632  026767  150540  150540            CMP     P.CNT,LIMIT
12433 044640  003403                            BLE     14$
12434 044642  062706  000012                    ADD     #12,SP
12435 044646  000451                            BR      16$
12436 044650  104455                  14$:      TRAP    55                      ;                               6127
12437 044652  000166                            .WORD   166
12438 044654  013012                            .WORD   ARR.DAT
12439 044656  026302                            .WORD   DUMPER
12440 044660  012746  011344                    MOV     #WRD.56,-(SP)           ;                               6128
12441 044664  012746  012464                    MOV     #FNC.23,-(SP)
12442 044670  012746  011310                    MOV     #WRD.52,-(SP)
12443 044674  012746  010650                    MOV     #WRD.12,-(SP)
12444 044700  012746  011676                    MOV     #PHR.4,-(SP)
12445 044704  012746  010304                    MOV     #FIV.FMT,-(SP)
12446 044710  012746  000006                    MOV     #6,-(SP)
12447 044714  010600                            MOV     SP,R0                   ; SP,*
12448 044716  104414                            TRAP    14
12449 044720  016716  150426                    MOV     RD.DATA,(SP)            ;                               6129
12450 044724  010546                            MOV     R5,-(SP)                ; CLR.DATA,*
12451 044726  016146  015404                    MOV     ML.REG(R1),-(SP)
12452 044732  012746  007436                    MOV     #FMT.16,-(SP)
12453 044736  012746  000004                    MOV     #4,-(SP)
12454 044742  010600                            MOV     SP,R0                   ; SP,*
12455 044744  104414                            TRAP    14
12456 044746  012766  000001  000040            MOV     #1,40(SP)               ; *,DODU.FLG                    6130
12457 044754  062706  000026                    ADD     #26,SP                  ;                               6125
12458 044760  062706  000012            15$:    ADD     #12,SP                  ;                               6115
12459 044764  104467                            TRAP    67                      ;                               6131
12460 044766  006000                            ROR     R0
12461 044770  103642                            BLO     13$
12462 044772  005203                  16$:      INC     R3                      ; REG.SEL                       6114
12463 044774  020327  000015                    CMP     R3,#15                  ; REG.SEL,*
12464 045000  003636                            BLE     13$
12465 045002  005102                            COM     R2                      ; TST.PAT                       6136
12466 045004  005204                            INC     R4                      ; TWICE                         6111
12467 045006  020427  000001                    CMP     R4,#1                   ; TWICE,*
12468 045012  003627                            BLE     12$
12469 045014  005067  150340                    CLR     REG.INIT.FLG            ;                               6139
12470 045020  021627  000001                    CMP     (SP),#1                 ; DODU.FLG,*                    6141
12471 045024  001004                            BNE     17$
12472 045026  016700  150776                    MOV     ML.LUN,R0               ;                               6144
12473 045032  104451                            TRAP    51
12474 045034  104444                            TRAP    44
12475 045036  062706  000006            17$:    ADD     #6,SP                   ;                               6005
12476 045042  000207                            RTS     PC
12477
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        ; Routine Size:  341 words
                                        ; Maximum stack depth per invocation:  26 words
                                                .SBTTL  T17 TEST CODE SECTION
                                        T17::
045044                                  1$:     JSR     PC,$T17                 ;               6146
045044  004767  176522                          TRAP    66
045050  104466                                  ROR     R0
045052  006000                                  BLO     1$
045054  103773                                  RTS     PC
045056  000207
                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
;       6149  !<BLF/PAGE>
```

```
12515 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
12516 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (70)
12517 ;
12518 ;          6150  !
12519 ;          6151  !
12520 ;          6152  BGNTST;
12521 ;          6153
12522 ;          6154  !++
12523 ;          6155  ! TEST NUMBER:  TST 18
12524 ;          6156  !
12525 ;          6157  ! TEST NAME:    COMPOSIT ERROR TEST
12526 ;          6158  !
12527 ;          6159  ! TEST DESCRIPTION:
12528 ;          6160  !       TEST TO SEE IF SETTING EACH
12529 ;          6161  !       BIT IN THE ERROR REGISTER
12530 ;          6162  !       CAUSES A COMPOSIT ERROR BY:
12531 ;          6163  !
12532 ;          6164  !       WRITING A SHIFTING ONE THROUGH
12533 ;          6165  !       THE ERROR REGISTER (SKIPPING THE
12534 ;          6166  !       READ ONLY BITS) AND TESTING THE
12535 ;          6167  !       COMPOSIT ERROR BIT IN MLDS
12536 ;          6168  !       FOR BEING SET AFTER EACH
12537 ;          6169  !       WRITE.
12538 ;          6170  !
12539 ;          6171  !--
12540 ;          6172
12541 ;          6173  local
12542 ;          6174      DAT_PAT,                              !DATA PATTERN
12543 ;          6175      SKIP_MASK;                            !POINTS TO MLER READ ONLY BITS
12544 ;          6176
12545 ;          6177  CLR_MBUS;
12546 ;          6178  SKIP_MASK = %o'163157';                   !LOAD SKIP MASK
12547 ;          6179  DAT_PAT = ONE;                            !DATA PATTERN SET BIT 0 IN MLER
12548 ;          6180
12549 ;          6181  incr COUNT from 0 to 15 do                !WRITE AND SHIFT DATA PAT TO MLER 16 TIMES
12550 ;          6182      begin
12551 ;          6183
12552 ;          6184      if (.DAT_PAT and .SKIP_MASK) neq ZERO     !SKIP IF DAT_PAT FALLS ON READ ONLY BIT
12553 ;          6185      then
12554 ;          6186          begin
12555 ;          6187          BGNSUB;
12556 ;          6188          MLER = .DAT_PAT;                  !WRITE DATA_PAT TO MLER
12557 ;          6189
12558 ;          6190          if .COMP_ERR IS_NOT_SET           !SEE IF DAT_PAT CAUSED A COMP ERROR
12559 ;          6191          then
12560 ;          6192              begin
12561 ;          6193              ERRDF (50, ASYNC, DUMPER);    !ERROR IF NO COMP ERROR
12562 ;          6194              PRINTB (FOR_FMT, FNC_8, PHR_1, WRD_12, FNC_8);
12563 ;          6195              PRINTB (FMT_4, .DAT_PAT);
12564 ;          6196              end;
12565 ;          6197
12566 ;          6198          ENDSUB;
12567 ;          6199          end;
12568 ;          6200
12569 ;          6201      DAT_PAT = .DAT_PAT^ONE;               !SHIFT DAT_PAT TO NEXT BIT AND REPEAT
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (70)

```
12571 ;ML4AD
12572 ;                 TEST CODE SECTION
12573
12574 ;         6202        end;
12575 ;         6203
12576 ;         6204    ENDTST;
12580
12581                                       .SBTTL  $T18 TEST CODE SECTION
12585 045060  004167  137470          $T18: JSR     R1,$SAVE3                 ;                                   6148
12586 045064  152777  000040  150352        BISB    #40,@ML.REG+40            ;                                   6175
12587 045072  016703  150734                MOV     ML.DUT,R3
12588 045076  042703  177770                BIC     #177770,R3
12589 045102  142777  000007  150334        BICB    #7,@ML.REG+40
12590 045110  150377  150330                BISB    R3,@ML.REG+40
12591 045114  012703  163157                MOV     #-14621,R3                ; *,SKIP.MASK                       6178
12592 045120  012701  000001                MOV     #1,R1                     ; *,DAT.PAT                         6179
12593 045124  005002                        CLR     R2                        ; COUNT                             6181
12594 045126  030103                  1$:   BIT     R1,R3                     ; DAT.PAT,SKIP.MASK                 6184
12595 045130  001445                        BEQ     4$
12596 045132  104402                  2$:   TRAP    2                         ;                                   6186
12597 045134  010177  150324                MOV     R1,@ML.REG+60             ; DAT.PAT,*                         6188
12598 045140  032777  040000  150306        BIT     #40000,@ML.REG+50         ;                                   6190
12599 045146  001033                        BNE     3$
12600 045150  104455                        TRAP    55                        ;                                   6193
12601 045152  000062                        .WORD   62
12602 045154  012706                        .WORD   ASYNC
12603 045156  026302                        .WORD   DUMPER
12604 045160  012746  012244                MOV     #FNC.8,-(SP)              ;                                   6194
12605 045164  012746  010650                MOV     #WRD.12,-(SP)
12606 045170  012746  011610                MOV     #PHR.1,-(SP)
12607 045174  012746  012244                MOV     #FNC.8,-(SP)
12608 045200  012746  010270                MOV     #FOR.FMT,-(SP)
12609 045204  012746  000005                MOV     #5,-(SP)
12610 045210  010600                        MOV     SP,R0                     ; SP,*
12611 045212  104414                        TRAP    14
12612 045214  010116                        MOV     R1,(SP)                   ; DAT.PAT,*                         6195
12613 045216  012746  006620                MOV     #FMT.4,-(SP)
12614 045222  012746  000002                MOV     #2,-(SP)
12615 045226  010600                        MOV     SP,R0                     ; SP,*
12616 045230  104414                        TRAP    14
12617 045232  062706  000020                ADD     #20,SP                    ;                                   6192
12618 045236  104467                  3$:   TRAP    67                        ;                                   6196
12619 045240  006000                        ROR     R0
12620 045242  103733                        BLO     2$
12621 045244  006301                  4$:   ASL     R1                        ; DAT.PAT                           6201
12622 045246  005202                        INC     R2                        ; COUNT                             6181
12623 045250  020227  000017                CMP     R2,#17                    ; COUNT,*
12624 045254  003724                        BLE     1$
12625 045256  000207                        RTS     PC                        ;                                   6148
```

```
                                        ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<


                                        ; Routine Size:  64 words
                                        ; Maximum stack depth per invocation:  12 words


                                                .SBTTL  T18 TEST CODE SECTION
045260                                  T18::
045260  004767  177574                  1$:     JSR     PC,$T18                 ;                       6202
045264  104466                                  TRAP    66
045266  006000                                  ROR     R0
045270  103773                                  BLO     1$
045272  000207                                  RTS     PC

                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words


;       6205  !<BLF/PAGE>
```

```
12664 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
12665 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (71)
12666 ;
12667 ;          6206  !
12668 ;          6207  !
12669 ;          6208  BGNTST;
12670 ;          6209
12671 ;          6210  !++
12672 ;          6211  ! TEST NUMBER:  TST 19
12673 ;          6212  !
12674 ;          6213  ! TEST NAME:    ATA BIT TEST
12675 ;          6214  !
12676 ;          6215  ! TEST DESCRIPTION:
12677 ;          6216  !
12678 ;          6217  !       TEST THE ATA BIT FOR SETTING
12679 ;          6218  !       BY:
12680 ;          6219  !
12681 ;          6220  !       1.  SETTING A BIT IN THE ERROR
12682 ;          6221  !           REGISTER.
12683 ;          6222  !
12684 ;          6223  !           TEST THE ATA BIT FOR CLEARING
12685 ;          6224  !           AFTER BEING SET BY:
12686 ;          6225  !           1.  WRITING A FUNCTION TO MLCS1.
12687 ;          6226  !           2.  WRITING A ONE INTO THIS
12688 ;          6227  !               UNITS ATA BIT
12689 ;          6228  !
12690 ;          6229  !       TEST THE ATA BIT FOR NOT CLEARING
12691 ;          6230  !       AFTER BEING SET BY:
12692 ;          6231  !
12693 ;          6232  !       1.  WRITING A ONE INTO THE
12694 ;          6233  !           ATA BIT OF THE OTHER
12695 ;          6234  !           UNITS.
12696 ;          6235  !
12697 ;          6236  !--
12698 ;          6237
12699 ;          6238  local
12700 ;          6239      ATA_SAVE : bitvector [8],                 !STORES ALL 8 ATA BITS ON READS AND WRITES
12701 ;          6240      DAT_PAT;                                  !DATA PATTERN
12702 ;          6241
12703 ;          6242  CLR_MBUS;
12704 ;          6243  MLER = ONE;                                   !SET THE ATA BIT
12705 ;          6244  MLER = ZERO;
12706 ;          6245  ATA_SAVE = .MLAS;                             !READ THE ATTN REGISTER
12707 ;          6246
12708 ;          6247  if .ATA_SAVE [.ML_DUT] IS_NOT_SET             !SEE IF THIS DRIVES ATA BIT IS SET
12709 ;          6248  then
12710 ;          6249      begin
12711 ;          6250      ERRDF (51, ASYNC, DUMPER);                !ERROR AND EXIT_TST IF NOT SET
12712 ;          6251      PRINTB (FOR_FMT, WRD_15, PHR_1, WRD_11, FNC_8);
12713 ;          6252      EXIT_TST;
12714 ;          6253      end;
12715 ;          6254
12716 ;          6255  if .ATTN IS_NOT_SET                           !SEE IF THE ATTN BIT IS SET
12717 ;          6256  then
12718 ;          6257      begin
```

```
12720 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
12721 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (71)
12722 ;
12723 ;         6258        ERRDF (52, ASYNC, DUMPER);                  !ERROR AND EXIT_TST IF NOT SET
12724 ;         6259        PRINTB (FIV_FMT, REG_2, WRD_16, PHR_1, WRD_11, FNC_8);
12725 ;         6260        EXIT_TST;
12726 ;         6261        end;
12727 ;         6262
12728 ;         6263    MLCS1 = NOOP;                               !TRY TO CLEAR THE ATA BIT WITH NOOP FUNC
12729 ;         6264
12730 ;         6265    if .ATTN IS_SET                             !SEE IF ATA GOT CLEARED
12731 ;         6266    then
12732 ;         6267        begin
12733 ;         6268        ERRDF (53, ASYNC, DUMPER);              !ERROR AND EXIT_TST IF SET
12734 ;         6269        PRINTB (FOR_FMT, WRD_15, PHR_2, WRD_11, FNC_2, WRD_19);
12735 ;         6270        EXIT_TST;
12736 ;         6271        end;
12737 ;         6272
12738 ;         6273    ATA_SAVE = .MLAS;                           !READ THE ATTENTION REGISTER
12739 ;         6274
12740 ;         6275    if .ATA_SAVE [.ML_DUT] IS_SET               !SEE IF THE ATA REG GOT CLEARED BY NO-OP
12741 ;         6276    then
12742 ;         6277        begin
12743 ;         6278        ERRDF (58, ASYNC, DUMPER);
12744 ;         6279        PRINTB (FIV_FMT, WRD_15, PHR_2, WRD_11, FNC_2, WRD_19);
12745 ;         6280        end;
12746 ;         6281
12747 ;         6282    BGNSUB;
12748 ;         6283    MLER = ONE;                                 !SET THE ATA BIT
12749 ;         6284    MLER = ZERO;
12750 ;         6285    ATA_SAVE = ZEROES;                          !CLEAR ATA_SAVE
12751 ;         6286    ATA_SAVE [.ML_DUT] = ONE;                   !SET ATA_SAVE FOR THIS DRIVE
12752 ;         6287    MLAS = .ATA_SAVE;                           !TRY TO CLEAR THE ATA BY WRITING TO IT.
12753 ;         6288
12754 ;         6289    if .ATTN IS_SET                             !SEE IF THE ATA GOT CLEARED
12755 ;         6290    then
12756 ;         6291        begin
12757 ;         6292        ERRDF (54, ASYNC, DUMPER);              !ERROR IF NOT CLEARED
12758 ;         6293        PRINTB (FIV_FMT, WRD_15, PHR_2, WRD_11, WRD_17, REG_5);
12759 ;         6294        end;
12760 ;         6295
12761 ;         6296    ENDSUB;
12762 ;         6297    BGNSUB;
12763 ;         6298    MLER = ONE;                                 !SET THE ATA BIT
12764 ;         6299    MLER = ZERO;
12765 ;         6300    DAT_PAT = ONE;                              !DATA PATTERN OF ONE IN FIELD OF ZEROES
12766 ;         6301
12767 ;         6302    incr ATA_SEL from 0 to 7 do                 !REPEAT LOOP 8 TIMES
12768 ;         6303        begin
12769 ;         6304
12770 ;         6305        if .ATA_SEL neq .ML_DUT                 !SKIP IF ATA_SEL EQLS THIS DRIVE NO.
12771 ;         6306        then
12772 ;         6307            begin
12773 ;         6308            MLAS = .DAT_PAT;                    !WRITE DAT PAT TO ATA REGISTER
12774 ;         6309            ATA_SAVE = .MLAS;                   !READ ATA REG BACK
```

```
12776 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
12777 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (71)
12778
12779 ;          6310
12780 ;          6311          if .ATA_SAVE [.ML_DUT] IS_NOT_SET       !SEE IF THIS DRIVE ATA IS CLEARED
12781 ;          6312          then
12782 ;          6313              begin
12783 ;          6314              ERRDF (55, ASYNC, DUMPER);          !ERROR AND EXIT LOOP IF CLEARED
12784 ;          6315              PRINTB (SIX_FMT, WRD_15, PHR_6, WRD_11, WRD_17, REG_5, PHR_7);
12785 ;          6316              PRINTB (FMT_7, .DAT_PAT);
12786 ;          6317              exitloop;
12787 ;          6318              end;
12788 ;          6319
12789 ;          6320          end;
12790 ;          6321
12791 ;          6322      DAT_PAT = .DAT_PAT^ONE;                 !SHIFT DAT_PAT AND REPEAT
12792 ;          6323      end;
12793 ;          6324
12794 ;          6325  ENDSUB;
12795 ;          6326  ENDTST;
12799
12800                                          .SBTTL  $T19 TEST CODE SECTION
12804 045274  004167  137254          $T19:   JSR     R1,$SAVE3                       ;                       6204
12805 045300  152777  000040  150136          BISB    #40,@ML.REG+40                  ;                       6240
12806 045306  016703  150520                  MOV     ML.DUT,R3
12807 045312  042703  177770                  BIC     #177770,R3
12808 045316  142777  000007  150120          BICB    #7,@ML.REG+40
12809 045324  150377  150114                  BISB    R3,@ML.REG+40
12810 045330  012777  000001  150126          MOV     #1,@ML.REG+60                   ;                       6243
12811 045336  005077  150122                  CLR     @ML.REG+60                      ;                       6244
12812 045342  017746  150126                  MOV     @ML.REG+70,-(SP)                ; *,ATA.SAVE            6245
12813 045346  016701  150460                  MOV     ML.DUT,R1                       ;                       6247
12814 045352  006201                          ASR     R1
12815 045354  006201                          ASR     R1
12816 045356  006201                          ASR     R1
12817 045360  010600                          MOV     SP,R0                           ; ATA.SAVE,*
12818 045362  060001                          ADD     R0,R1
12819 045364  010146                          MOV     R1,-(SP)
12820 045366  016746  150440                  MOV     ML.DUT,-(SP)
12821 045372  042716  177770                  BIC     #177770,(SP)
12822 045376  012746  000001                  MOV     #1,-(SP)
12823 045402  005046                          CLR     -(SP)
12824 045404  004767  136224                  JSR     PC,BL$GT2
12825 045410  062706  000010                  ADD     #10,SP
12826 045414  005700                          TST     R0
12827 045416  001026                          BNE     1$
12828 045420  104455                          TRAP    55                              ;                       6250
12829 045422  000063                          .WORD   63
12830 045424  012706                          .WORD   ASYNC
```

```
12832                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
12833                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
12834
12835 045426  026302                            .WORD   DUMPER
12836 045430  012746  012244                    MOV     #FNC.8,-(SP)            ;                                       6251
12837 045434  012746  010640                    MOV     #WRD.11,-(SP)
12838 045440  012746  011610                    MOV     #PHR.1,-(SP)
12839 045444  012746  010676                    MOV     #WRD.15,-(SP)
12840 045450  012746  010270                    MOV     #FOR.FMT,-(SP)
12841 045454  012746  000005                    MOV     #5,-(SP)
12842 045460  010600                            MOV     SP,R0                   ; SP,*
12843 045462  104414                            TRAP    14
12844 045464  104463                            TRAP    63
12845 045466  062706  000014                    ADD     #14,SP                  ;                                       6247
12846 045472  000467                            BR      4$                      ;                                       6249
12847 045474  032777  100000  147752  1$:       BIT     #100000,@ML.REG+50      ;                                       6255
12848 045502  001026                            BNE     2$
12849 045504  104455                            TRAP    55                      ;                                       6258
12850 045506  000064                            .WORD   64
12851 045510  012706                            .WORD   ASYNC
12852 045512  026302                            .WORD   DUMPER
12853 045514  012746  012244                    MOV     #FNC.8,-(SP)            ;                                       6259
12854 045520  012746  010640                    MOV     #WRD.11,-(SP)
12855 045524  012746  011610                    MOV     #PHR.1,-(SP)
12856 045530  012746  010704                    MOV     #WRD.16,-(SP)
12857 045534  012746  012510                    MOV     #REG.2,-(SP)
12858 045540  012746  010304                    MOV     #FIV.FMT,-(SP)
12859 045544  012746  000006                    MOV     #6,-(SP)
12860 045550  010600                            MOV     SP,R0                   ; SP,*
12861 045552  104414                            TRAP    14
12862 045554  104463                            TRAP    63
12863 045556  000433                            BR      3$                      ;                                       6255
12864 045560  012777  000001  147616  2$:       MOV     #1,@ML.REG              ;                                       6263
12865 045566  005777  147662                    TST     @ML.REG+50              ;                                       6265
12866 045572  100031                            BPL     5$
12867 045574  104455                            TRAP    55                      ;                                       6268
12868 045576  000065                            .WORD   65
12869 045600  012706                            .WORD   ASYNC
12870 045602  026302                            .WORD   DUMPER
12871 045604  012746  010730                    MOV     #WRD.19,-(SP)           ;                                       6269
12872 045610  012746  012164                    MOV     #FNC.2,-(SP)
12873 045614  012746  010640                    MOV     #WRD.11,-(SP)
12874 045620  012746  011626                    MOV     #PHR.2,-(SP)
12875 045624  012746  010676                    MOV     #WRD.15,-(SP)
12876 045630  012746  010270                    MOV     #FOR.FMT,-(SP)
12877 045634  012746  000006                    MOV     #6,-(SP)
12878 045640  010600                            MOV     SP,R0                   ; SP,*
12879 045642  104414                            TRAP    14
12880 045644  104463                            TRAP    63
12881 045646  062706  000016            3$:     ADD     #16,SP                  ;                                       6265
12882 045652  000167  000546            4$:     JMP     12$                     ;                                       6267
12883 045656  017716  147612            5$:     MOV     @ML.REG+70,(SP)         ; *,ATA.SAVE                            6273
12884 045662  016701  150144                    MOV     ML.DUT,R1               ;                                       6275
12885 045666  006201                            ASR     R1
12886 045672  006201                            ASR     R1
```

```
12888                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
12889                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
12890
12891 045672  006201                             ASR     R1
12892 045674  010600                             MOV     SP,R0                   ; ATA.SAVE,*
12893 045676  060001                             ADD     R0,R1
12894 045700  010146                             MOV     R1,-(SP)
12895 045702  016746  150124                      MOV     ML.DUT,-(SP)
12896 045706  042716  177770                      BIC     #177770,(SP)
12897 045712  012746  000001                      MOV     #1,-(SP)
12898 045716  005046                             CLR     -(SP)
12899 045720  004767  135710                      JSR     PC,BL$GT2
12900 045724  062706  000010                      ADD     #10,SP
12901 045730  005300                             DEC     R0
12902 045732  001026                             BNE     6$
12903 045734  104455                             TRAP    55                      ;                                       6278
12904 045736  000072                             .WORD   72
12905 045740  012706                             .WORD   ASYNC
12906 045742  026302                             .WORD   DUMPER
12907 045744  012746  010730                      MOV     #WRD.19,-(SP)           ;                                       6279
12908 045750  012746  012164                      MOV     #FNC.2,-(SP)
12909 045754  012746  010640                      MOV     #WRD.11,-(SP)
12910 045760  012746  011626                      MOV     #PHR.2,-(SP)
12911 045764  012746  010676                      MOV     #WRD.15,-(SP)
12912 045770  012746  010304                      MOV     #FIV.FMT,-(SP)
12913 045774  012746  000006                      MOV     #6,-(SP)
12914 046000  010600                             MOV     SP,R0                   ; SP,*
12915 046002  104414                             TRAP    14
12916 046004  062706  000016                      ADD     #16,SP                  ;                                       6277
12917 046010  104402                      6$:    TRAP    2                       ;                                       6280
12918 046012  012777  000001  147444              MOV     #1,@ML.REG+60           ;                                       6283
12919 046020  005077  147440                      CLR     @ML.REG+60              ;                                       6284
12920 046024  005016                             CLR     (SP)                    ; ATA.SAVE                              6285
12921 046026  016701  150000                      MOV     ML.DUT,R1               ;                                       6286
12922 046032  006201                             ASR     R1
12923 046034  006201                             ASR     R1
12924 046036  006201                             ASR     R1
12925 046040  010600                             MOV     SP,R0                   ; ATA.SAVE,*
12926 046042  060001                             ADD     R0,R1
12927 046044  010146                             MOV     R1,-(SP)
12928 046046  016746  147760                      MOV     ML.DUT,-(SP)
12929 046052  042716  177770                      BIC     #177770,(SP)
12930 046056  012746  000001                      MOV     #1,-(SP)
12931 046062  011646                             MOV     (SP),-(SP)
12932 046064  004767  136002                      JSR     PC,BL$PU2
12933 046070  016677  000010  147376              MOV     10(SP),@ML.REG+70       ; ATA.SAVE,*                            6287
12934 046076  005777  147352                      TST     @ML.REG+50              ;                                       6289
12935 046102  100026                             BPL     7$
12936 046104  104455                             TRAP    55                      ;                                       6292
12937 046106  000066                             .WORD   66
12938 046110  012706                             .WORD   ASYNC
12939 046112  026302                             .WORD   DUMPER
12940 046114  012746  012532                      MOV     #REG.5,-(SP)            ;                                       6293
12941 046120  012746  010712                      MOV     #WRD.17,-(SP)
12942 046124  012746  010640                      MOV     #WRD.11,-(SP)
```

```
12944                                   ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
12945                                   ;       TEST CODE SECTION                                       29-Mar-1982 16:21:03    PA:<
12946
12947 046130  012746  011626                    MOV     #PHR.2,-(SP)
12948 046134  012746  010676                    MOV     #WRD.15,-(SP)
12949 046140  012746  010304                    MOV     #FIV.FMT,-(SP)
12950 046144  012746  000006                    MOV     #6,-(SP)
12951 046150  010600                            MOV     SP,R0                   ; SP,*
12952 046152  104414                            TRAP    14
12953 046154  062706  000016                    ADD     #16,SP                  ;                                               6291
12954 046160  062706  000010            7$:     ADD     #10,SP                  ;                                               6280
12955 046164  104467                            TRAP    67                      ;                                               6294
12956 046166  006000                            ROR     R0
12957 046170  103707                            BLO     6$
12958 046172  104402                    8$:     TRAP    2                       ;                                               6296
12959 046174  012777  000001  147262            MOV     #1,@ML.REG+60           ;                                               6293
12960 046202  005077  147256                    CLR     @ML.REG+60              ;                                               6299
12961 046206  012703  000001                    MOV     #1,R3                   ; *,DAT.PAT                                     6300
12962 046212  005002                            CLR     R2                      ; ATA.SEL                                       6302
12963 046214  020267  147612            9$:     CMP     R2,ML.DUT               ; ATA.SEL,*                                     6305
12964 046220  001471                            BEQ     10$
12965 046222  010377  147246                    MOV     R3,@ML.REG+70           ; DAT.PAT,*                                     6308
12966 046226  017716  147242                    MOV     @ML.REG+70,(SP)         ; *,ATA.SAVE                                    6309
12967 046232  016701  147574                    MOV     ML.DUT,R1               ;                                               6311
12968 046236  006201                            ASR     R1
12969 046240  006201                            ASR     R1
12970 046242  006201                            ASR     R1
12971 046244  010600                            MOV     SP,R0                   ; ATA.SAVE,*
12972 046246  060001                            ADD     R0,R1
12973 046250  010146                            MOV     R1,-(SP)
12974 046252  016746  147554                    MOV     ML.DUT,-(SP)
12975 046256  042716  177770                    BIC     #177770,(SP)
12976 046262  012746  000001                    MOV     #1,-(SP)
12977 046266  005046                            CLR     -(SP)
12978 046270  004767  135340                    JSR     PC,BL$GT2
12979 046274  062706  000010                    ADD     #10,SP
12980 046300  005700                            TST     R0
12981 046302  001040                            BNE     10$
12982 046304  104455                            TRAP    55                      ;                                               6314
12983 046306  000067                            .WORD   67
12984 046310  012706                            .WORD   ASYNC
12985 046312  026302                            .WORD   DUMPER
12986 046314  012746  011740                    MOV     #PHR.7,-(SP)            ;                                               6315
12987 046320  012746  012532                    MOV     #REG.5,-(SP)
12988 046324  012746  010712                    MOV     #WRD.17,-(SP)
12989 046330  012746  010640                    MOV     #WRD.11,-(SP)
12990 046334  012746  011726                    MOV     #PHR.6,-(SP)
12991 046340  012746  010676                    MOV     #WRD.15,-(SP)
12992 046344  012746  010322                    MOV     #SIX.FMT,-(SP)
12993 046350  012746  000007                    MOV     #7,-(SP)
12994 046354  010600                            MOV     SP,R0                   ; SP,*
12995 046356  104414                            TRAP    14
12996 046360  010316                            MOV     R3,(SP)                 ; DAT.PAT,*                                     6316
12997 046362  012746  007002                    MOV     #FMT.7,-(SP)
12998 046366  012746  000002                    MOV     #2,-(SP)
```

```
                                ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<

046372  010600                          MOV     SP,R0                   ; SP,*
046374  104414                          TRAP    14
046376  062706  000024                  ADD     #24,SP                  ;                                       6317
046402  000405                          BR      11$
046404  006303                  10$:    ASL     R3                      ; DAT.PAT                               6322
046406  005202                          INC     R2                      ; ATA.SEL                               6302
046410  020227  000007                  CMP     R2,#7                   ; ATA.SEL,*
046414  003677                          BLE     9$
046416  104467                  11$:    TRAP    67                      ;                                       6323
046420  006000                          ROR     R0
046422  103663                          BLO     8$
046424  005726                  12$:    TST     (SP)+                   ;                                       6204
046426  000207                          RTS     PC

                                ; Routine Size:  302 words
                                ; Maximum stack depth per invocation:  16 words


                                        .SBTTL  T19 TEST CODE SECTION
046430                          T19::
046430  004767  176640          1$:     JSR     PC,$T19                 ;                                       6325
046434  104466                          TRAP    66
046436  006000                          ROR     R0
046440  103773                          BLO     1$
046442  000207                          RTS     PC

                                ; Routine Size:  6 words
                                ; Maximum stack depth per invocation:  0 words


;       6327    !<BLF/PAGE>
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (72)

```
13050 ;ML4AD
13051 ;                 TEST CODE SECTION
13052 ;
13053 ;          6328   !
13054 ;          6329   !
13055 ;          6330   BGNTST;
13056 ;          6331
13057 ;          6332   !++
13058 ;          6333   ! TEST NUMBER:  TST 20
13059 ;          6334   !
13060 ;          6335   ! TEST NAME:    SEARCH FUNCTION TEST
13061 ;          6336   !
13062 ;          6337   ! TEST DESCRIPTION:
13063 ;          6338   !
13064 ;          6339   !       TEST THE SEARCH FUNCTION BY:
13065 ;          6340   !
13066 ;          6341   !       1.  DOING A SEARCH FUNCTION AT
13067 ;          6342   !           ARRAY ZERO AND TEST GO,
13068 ;          6343   !           ERROR BITS AND ATTN FOR
13069 ;          6344   !           SETTING/NOT SETTING.
13070 ;          6345   !
13071 ;          6346   !       2.  DOING SEARCH FUNCTIONS AT ALL
13072 ;          6347   !           PRESENT ARRAYS' AND TEST ATTN
13073 ;          6348   !           SET
13074 ;          6349   !
13075 ;          6350   !       3.  DOING SEARCH FUNCTIONS AT ALL
13076 ;          6351   !           NOT PRESENT ARRAYS' AND TEST
13077 ;          6352   !           ATTN CLEARED.
13078 ;          6353   !
13079 ;          6354   !--
13080 ;          6355
13081 ;          6356   CLR_MBUS;
13082 ;          6357   MLDA = ZEROES;
13083 ;          6358   MLCS1 = SEARCH;                          !DO A SEARCH FUNCTION
13084 ;          6359
13085 ;          6360   if .GO IS_SET                            !SEE IF GO IS SET
13086 ;          6361   then
13087 ;          6362       begin
13088 ;          6363       ERRDF (56, ASYNC, DUMPER);           !ERROR IF NOT SET
13089 ;          6364       PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_10, WRD_19);
13090 ;          6365       end;
13091 ;          6366
13092 ;          6367   if .ILF IS_SET                           !SEE IF ILF IS SET
13093 ;          6368   then
13094 ;          6369       begin
13095 ;          6370       ERRDF (57, ASYNC, DUMPER);           !ERROR IF SET
13096 ;          6371       PRINTB (FIV_FMT, WRD_3, PHR_5, WRD_11, FNC_11, FNC_10, WRD_19);
13097 ;          6372       end;
13098 ;          6373
13099 ;          6374   if .ATTN IS_NOT_SET                      !SEE IF ATTN IS SET
13100 ;          6375   then
13101 ;          6376       begin
13102 ;          6377       ERRDF (59, ASYNC, DUMPER);           !ERROR IF NOT SET
13103 ;          6378       PRINTB (FIV_FMT, WRD_16, PHR_1, WRD_12, FNC_10, WRD_19);
13104 ;          6379       end
```

```
13106 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
13107 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (72)
13108
13109 ;          6380  else
13110 ;          6381      begin
13111 ;          6382
13112 ;          6383      CLR_THRESHOLD;                                !CLEAR ERROR PRINT THRESHOLD
13113 ;          6384
13114 ;          6385  !
13115 ;          6386  ! VERSION CZMLAD CHANGED INCR TO INCRU
13116 ;          6387  !
13117 ;          6388      incru ARR_SEL from 0 to .LST_ARR by .ARR_INC do     !DO SEARCH AT ALL PRESENT ARRAYS
13118 ;          6389          begin
13119 ;          6390          BGNSUB;
13120 ;          6391          CLR_MBUS;
13121 ;          6392          MLDA = .ARR_SEL;                          !LOAD DSA REG WITH ARR_SEL
13122 ;          6393          MLCS1 = SEARCH;                           !DO A SEARCH FUNCTION
13123 ;          6394
13124 ;          6395          if .OPI IS_SET                            !READ ATTN
13125 ;          6396          then
13126 ;          6397              begin
13127 ;          6398              CMP_THRESHOLD;                        !COMPARE ERROR PRINT THRESHOLD
13128 ;          6399              ERRDF (60, ASYNC, DUMPER);            !ERROR IF NOT SET
13129 ;          6400              PRINTB (FIV_FMT, WRD_4, PHR_5, WRD_12, FNC_10, WRD_19);
13130 ;          6401              PRINTB (FMT_9, .ARR_SEL);
13131 ;          6402              end;
13132 ;          6403
13133 ;          6404          ENDSUB;
13134 ;          6405          end;
13135 ;          6406
13136 ;          6407      CLR_THRESHOLD;                                !CLEAR ERROR PRINT THRESHOLD
13137 ;          6408
13138 ;          6409      if .OP_NUM_ARR lss %o'000017'                 !SEE IF LSS 17 ARRAYS ARE PRESENT
13139 ;          6410      then
13140 ;          6411
13141 ;          6412  !
13142 ;          6413  ! VERSION CZMLAD CHANGED INCR TO INCRU
13143 ;          6414  !
13144 ;          6415          incru ARR_SEL from (.LST_ARR + .ARR_INC) to .ARR_16 by .ARR_INC do
13145 ;          6416                                                    !DO A SEARCH AT ALL NOT PRESENT
13146 ;          6417              begin                                 !ARRAYS IF LSS 17
13147 ;          6418              BGNSUB;
13148 ;          6419              CLR_MBUS;
13149 ;          6420              MLDA = .ARR_SEL;                      !LOAD DSA REG WITH ARR_SEL
13150 ;          6421              MLCS1 = SEARCH;                       !DO A SEARCH FUNCTION
13151 ;          6422
13152 ;          6423              if .OPI IS_NOT_SET                    !SEE IF OPI IS SET
13153 ;          6424              then
13154 ;          6425                  begin
13155 ;          6426                  CMP_THRESHOLD;                    !COMPARE ERROR PRINT THRESHOLD
13156 ;          6427                  ERRDF (61, ASYNC, DUMPER);        !ERROR IF NOT SET
13157 ;          6428                  PRINTB (FIV_FMT, WRD_4, PHR_1, WRD_12, FNC_10, WRD_19);
13158 ;          6429                  PRINTB (FMT_9, .ARR_SEL);
13159 ;          6430                  end;
13160 ;          6431
```

```
13162 ;ML4AD
13163 ;                    TEST CODE SECTION
13164
13165 ;          6432                ENDSUB;
13166 ;          6433                end;
13167 ;          6434
13168 ;          6435          end;
13169 ;          6436
13170 ;          6437      ENDTST;
13174
13175                                          .SBTTL  $T20 TEST CODE SECTION
13179 046444  004167  136104          $T20:   JSR     R1,$SAVE3                       ;                6326
13180 046450  152777  000040  146766          BISB    #40,@ML.REG+40                  ;                6330
13181 046456  016703  147350                  MOV     ML.DUT,R3
13182 046462  042703  177770                  BIC     #177770,R3
13183 046466  142777  000007  146750          BICB    #7,@ML.REG+40
13184 046474  150377  146744                  BISB    R3,@ML.REG+40
13185 046500  005077  146730                  CLR     @ML.REG+30                      ;                6357
13186 046504  012777  000031  146672          MOV     #31,@ML.REG                     ;                6358
13187 046512  132777  000001  146664          BITB    #1,@ML.REG                      ;                6360
13188 046520  001426                          BEQ     1$
13189 046522  104455                          TRAP    55                              ;                6363
13190 046524  000070                          .WORD   70
13191 046526  012706                          .WORD   ASYNC
13192 046530  026302                          .WORD   DUMPER
13193 046532  012746  010730                  MOV     #WRD.19,-(SP)                   ;                6364
13194 046536  012746  012272                  MOV     #FNC.10,-(SP)
13195 046542  012746  010640                  MOV     #WRD.11,-(SP)
13196 046546  012746  011626                  MOV     #PHR.2,-(SP)
13197 046552  012746  010520                  MOV     #WRD.1,-(SP)
13198 046556  012746  010304                  MOV     #FIV.FMT,-(SP)
13199 046562  012746  000006                  MOV     #6,-(SP)
13200 046566  010600                          MOV     SP,R0                           ; SP,*
13201 046570  104414                          TRAP    14
13202 046572  062706  000016                  ADD     #16,SP                          ;                6362
13203 046576  132777  000001  146660  1$:     BITB    #1,@ML.REG+60                   ;                6367
13204 046604  001430                          BEQ     2$
13205 046606  104455                          TRAP    55                              ;                6370
13206 046610  000071                          .WORD   71
13207 046612  012706                          .WORD   ASYNC
13208 046614  026302                          .WORD   DUMPER
13209 046616  012746  010730                  MOV     #WRD.19,-(SP)                   ;                6371
13210 046622  012746  012272                  MOV     #FNC.10,-(SP)
13211 046626  012746  012302                  MOV     #FNC.11,-(SP)
13212 046632  012746  010640                  MOV     #WRD.11,-(SP)
13213 046636  012746  011714                  MOV     #PHR.5,-(SP)
13214 046642  012746  010536                  MOV     #WRD.3,-(SP)
13215 046646  012746  010304                  MOV     #FIV.FMT,-(SP)
13215 046652  012746  000007                  MOV     #7,-(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                                       29-Mar-1982 16:21:03    PA:<
13220
13221 046656 010600                             MOV     SP,R0           ; SP,*
13222 046660 104414                             TRAP    14
13223 046662 062706 000020                      ADD     #20,SP          ;                                                       6369
13224 046666 032777 100000 146560       2$:     BIT     #100000,@ML.REG+50 ;                                                    6374
13225 046674 001027                             BNE     3$
13226 046676 104455                             TRAP    55              ;                                                       6377
13227 046700 000073                             .WORD   73
13228 046702 012706                             .WORD   ASYNC
13229 046704 026302                             .WORD   DUMPER
13230 046706 012746 010730                      MOV     #WRD.19,-(SP)   ;                                                       6378
13231 046712 012746 012272                      MOV     #FNC.10,-(SP)
13232 046716 012746 010650                      MOV     #WRD.12,-(SP)
13233 046722 012746 011610                      MOV     #PHR.1,-(SP)
13234 046726 012746 010704                      MOV     #WRD.16,-(SP)
13235 046732 012746 010304                      MOV     #FIV.FMT,-(SP)
13236 046736 012746 000006                      MOV     #6,-(SP)
13237 046742 010600                             MOV     SP,R0           ; SP,*
13238 046744 104414                             TRAP    14
13239 046746 062706 000016                      ADD     #16,SP          ;                                                       6376
13240 046752 000207                             RTS     PC              ;                                                       6374
13241 046754 005067 146416              3$:     CLR     P.CNT           ;                                                       6381
13242 046760 016702 145034                      MOV     LST.ARR,R2      ;                                                       6388
13243 046764 016703 145014                      MOV     ARR.INC,R3
13244 046770 005001                             CLR     R1              ; ARR.SEL
13245 046772 000475                             BR      7$
13246 046774 104402                     4$:     TRAP    2               ;                                                       6389
13247 046776 152777 000040 146440               BISB    #40,@ML.REG+40  ;                                                       6390
13248 047004 016700 147022                      MOV     ML.DUT,R0
13249 047010 042700 177770                      BIC     #177770,R0
13250 047014 142777 000007 146422               BICB    #7,@ML.REG+40
13251 047022 150077 146416                      BISB    R0,@ML.REG+40
13252 047026 010177 146402                      MOV     R1,@ML.REG+30   ; ARR.SEL,*                                             6392
13253 047032 012777 000031 146344               MOV     #31,@ML.REG     ;                                                       6393
13254 047040 032777 020000 146416               BIT     #20000,@ML.REG+60 ;                                                     6395
13255 047046 001443                             BEQ     5$
13256 047050 005267 146322                      INC     P.CNT           ;                                                       6397
13257 047054 026767 146316 146316               CMP     P.CNT,LIMIT
13258 047062 003040                             BGT     6$
13259 047064 104455                             TRAP    55              ;                                                       6399
13260 047066 000074                             .WORD   74
13261 047070 012706                             .WORD   ASYNC
13262 047072 026302                             .WORD   DUMPER
13263 047074 012746 010730                      MOV     #WRD.19,-(SP)   ;                                                       6400
13264 047100 012746 012272                      MOV     #FNC.10,-(SP)
13265 047104 012746 010650                      MOV     #WRD.12,-(SP)
13266 047110 012746 011714                      MOV     #PHR.5,-(SP)
13267 047114 012746 010544                      MOV     #WRD.4,-(SP)
13268 047120 012746 010304                      MOV     #FIV.FMT,-(SP)
13269 047124 012746 000006                      MOV     #6,-(SP)
13270 047130 010600                             MOV     SP,R0           ; SP,*
13271 047132 104414                             TRAP    14
13272 047134 010116                             MOV     R1,(SP)         ; ARR.SEL,*                                             6401
```

```
13274                                   ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
13275                                   ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
13276
13277 047136  012746  007064                    MOV     #FMT.9,-(SP)
13278 047142  012746  000002                    MOV     #2,-(SP)
13279 047146  010600                            MOV     SP,R0                   ; SP,*
13280 047150  104414                            TRAP    14
13281 047152  062706  000022                    ADD     #22,SP                  ;                               6397
13282 047156  104467                    5$:     TRAP    67                      ;                               6402
13283 047160  006000                            ROR     R0
13284 047162  103704                            BLO     4$
13285 047164  060301                    6$:     ADD     R3,R1                   ; *,ARR.SEL                     6388
13286 047166  020102                    7$:     CMP     R1,R2                   ; ARR.SEL,*
13287 047170  101701                            BLOS    4$
13288 047172  005067  146200                    CLR     P.CNT                   ;                               6405
13289 047176  026727  144600  000017            CMP     OP.NUM.ARR,#17          ;                               6409
13290 047204  002110                            BGE     12$
13291 047206  016701  144606                    MOV     LST.ARR,R1              ;                               6415
13292 047212  066701  144566                    ADD     ARR.INC,R1
13293 047216  016703  144574                    MOV     ARR.16,R3
13294 047222  016702  144556                    MOV     ARR.INC,R2
13295 047226  000475                            BR      11$
13296 047230  104402                    8$:     TRAP    2                       ;                               6417
13297 047232  152777  000040  146204            BISB    #40,@ML.REG+40          ;                               6418
13298 047240  016700  146566                    MOV     ML.DUT,R0
13299 047244  042700  177770                    BIC     #177770,R0
13300 047250  142777  000007  146166            BICB    #7,@ML.REG+40
13301 047256  150077  146162                    BISB    R0,@ML.REG+40
13302 047262  010177  146146                    MOV     R1,@ML.REG+30           ; ARR.SEL,*                     6420
13303 047266  012777  000031  146110            MOV     #31,@ML.REG             ;                               6421
13304 047274  032777  020000  146162            BIT     #20000,@ML.REG+60       ;                               6423
13305 047302  001043                            BNE     9$
13306 047304  005267  146066                    INC     P.CNT                   ;                               6425
13307 047310  026767  146062  146062            CMP     P.CNT,LIMIT
13308 047316  003040                            BGT     10$
13309 047320  104455                            TRAP    55                      ;                               6427
13310 047322  000075                            .WORD   75
13311 047324  012706                            .WORD   ASYNC
13312 047326  026302                            .WORD   DUMPER
13313 047330  012746  010730                    MOV     #WRD.19,-(SP)           ;                               6428
13314 047334  012746  012272                    MOV     #FNC.10,-(SP)
13315 047340  012746  010650                    MOV     #WRD.12,-(SP)
13316 047344  012746  011610                    MOV     #PHR.1,-(SP)
13317 047350  012746  010544                    MOV     #WRD.4,-(SP)
13318 047354  012746  010304                    MOV     #FIV.FMT,-(SP)
13319 047360  012746  000006                    MOV     #6,-(SP)
13320 047364  010600                            MOV     SP,R0                   ; SP,*
13321 047366  104414                            TRAP    14
13322 047370  010116                            MOV     R1,(SP)                 ; ARR.SEL,*                     6429
13323 047372  012746  007064                    MOV     #FMT.9,-(SP)
13324 047376  012746  000002                    MOV     #2,-(SP)
13325 047402  010600                            MOV     SP,R0                   ; SP,*
13326 047404  104414                            TRAP    14
13327 047406  062706  000022                    ADD     #22,SP                  ;                               6425
13328 047412  104467                    9$:     TRAP    67                      ;                               6430
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
13330                                   ;ML4AD
13331                                   ;               TEST CODE SECTION
13332
13333 047414  006000                            ROR     R0
13334 047416  103704                            BLO     8$
13335 047420  060201                    10$:    ADD     R2,R1                   ; *,ARR.SEL                     6415
13336 047422  020103                    11$:    CMP     R1,R3                   ; ARR.SEL,*
13337 047424  101701                            BLOS    8$
13338 047426  000207                    12$:    RTS     PC                      ;                               6326
13339
13340                                   ; Routine Size:  250 words
13341                                   ; Maximum stack depth per invocation:  13 words
13346
13347
13351
13352                                           .SBTTL  T20 TEST CODE SECTION
13356 047430                            T20::
13357 047430  004767  177010            1$:     JSR     PC,$T20                 ;                               6435
13358 047434  104466                            TRAP    66
13359 047436  006000                            ROR     R0
13360 047440  103773                            BLO     1$
13361 047442  000207                            RTS     PC
13362
13363                                   ; Routine Size:  6 words
13364                                   ; Maximum stack depth per invocation:  0 words
13369
13370
13371 ;          6438  !<BLF/PAGE>
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<F[illegible]LE>ML4AD.BLI.4 (73)

```
13373 ;ML4AD
13374 ;                 TEST CODE SECTION
13375 ;
13376 ;          6439   !
13377 ;          6440   BGNTST;
13378 ;          6441
13379 ;          6442   !++
13380 ;          6443   ! TEST NUMBER:  TST 21
13381 ;          6444   !
13382 ;          6445   ! TEST NAME:    POWER FAIL TEST
13383 ;          6446   !
13384 ;          6447   ! TEST DESCRIPTION:
13385 ;          6448   !       THIS TEST IS PART OF THE MANUAL INTERVENTION
13386 ;          6449   !       TEST SECTION.  DRIVE CONDITIONS REVOLVING
13387 ;          6450   !       AROUND POWER FAIL SITUATION ARE TEST FOR.
13388 ;          6451   !       FUNCTION TESTED FOR ARE AS FOLLOWS:
13389 ;          6452   !
13390 ;          6453   !               1.  VV BIT SETTING AND CLEARING
13391 ;          6454   !
13392 ;          6455   !               2.  READ-IN-PRESET FUNCTION SETTING
13393 ;          6456   !                   THE VV BIT.
13394 ;          6457   !
13395 ;          6458   !               3.  ECC INITIALIZE CLEARING OUT MEMORY
13396 ;          6459   !                   WITH BAD BATTERY BACK-UP.
13397 ;          6460   !
13398 ;          6461   !               4.  DRIVE REGISTERS BEING CLEARED BY
13399 ;          6462   !                   DC LO via 'MB_DIS LO'.
13400 ;          6463   !
13401 ;          6464   !               5.  UNSAFE BIT 'UNS' SETTING DURING AC
13402 ;          6465   !                   POWER LOSS.
13403 ;          6466   !--
13404 ;          6467
13405 ;          6468   local
13406 ;          6469       SIZE,                        !STORES THE SIZE OF MASS BUS TRANSFERS
13407 ;          6470       DST,                         !STORES THE DESTINATION ADRS OF MASS BUS TRANSFERS
13408 ;          6471       SRC,                         !STORES THE SOURCE ADRS OF MASS BUS TRANSFERS
13409 ;          6472       DSA_CNT,                     !COUNTS THE NUMBER OF BLOCK TRANSFERS DONE
13410 ;          6473       ERR_FLG,                     !ERROR FLAG
13411 ;          6474       CLR_DATA,                    !STORES THE EXPECTED CLEARED DATA FROM THE REGISTERS
13412 ;          6475       index,                       !INDEX VALUE INTO ML_REG STRUCTURE TO ACCESS THE REGISTERS ADRS
13413 ;          6476       WCE_CNT;                     !COUNT THE NUMBER OF WRITE CHECK ERROR DETECTED
13414 ;          6477
13415 ;          6478   !+
13416 ;          6479   ! PERFORM THIS TEST ONLY IF THE OPERATOR HAS
13417 ;          6480   ! ENABLED MANUAL INTERVENTION TEST VIA THE S/W
13418 ;          6481   ! QUESTIONS.
13419 ;          6482   !-
13420 ;          6483
13421 ;          6484   if .INTERVEN                    !DO THIS TEST IF INTERVEN IS SET
13422 ;          6485   then
13423 ;          6486       begin
13424 ;          6487       !
13425 ;          6488       !
13426 ;          6489       ! PRINT WHICH TEST THIS IS
13427 ;          6490       !
```

```
13429 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
13430 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (73)
13431
13432 ;          6491   !
13433 ;          6492       PRINTB (ONE_FMT, T_21);                      !PRINT T_21 MESSAGE
13434 ;          6493       BGNSUB;                                      !START SCOOP LOOP
13435 ;          6494   !
13436 ;          6495   !
13437 ;          6496   ! FIRST TEST THE VV BIT FOR SETTING.
13438 ;          6497   ! TO DO THIS FIRST SEE IF THE BIT IS
13439 ;          6498   ! ALREADY SET.  IF ALREADY SET THEN
13440 ;          6499   ! SEE IF THE READ-IN-PRESET FUNCTION
13441 ;          6500   ! CLEARS THE BIT.  IF NOT ALREADY SET
13442 ;          6501   ! THEN SEE IF THE READ-IN-PRESET FUNC
13443 ;          6502   ! SETS THE BIT.
13444 ;          6503   !
13445 ;          6504   !
13446 ;          6505       CLR_MBUS;                                    !CLEAR THE MASS BUS
13447 ;          6506
13448 ;          6507       if .VV                                       !IS THE VV BIT INITIALLY SET
13449 ;          6508       then                                         !THE VV BIT IS SET
13450 ;          6509           begin                                    !SEE IF THE READ-IN-PRESET FUNC CLEARS IT
13451 ;          6510           MLCS1 = RD_IN_PRE;                       !DO A READ IN PRESET FUNCTION
13452 ;          6511
13453 ;          6512           if not (.VV)                             !DID THE VV GET CLEARED
13454 ;          6513           then
13455 ;          6514               begin                                !THE VV GOT CLEARED
13456 ;          6515               ERRDF (149, ASYNC, DUMPER);          !REPORT THE ERROR TO THE OPERATOR
13457 ;          6516               PRINTB (ONE_FMT, VV_CLEAR);          !TELL WHAT THE ERROR IS
13458 ;          6517               end
13459 ;          6518
13460 ;          6519           end
13461 ;          6520       else                                         !THE VV BIT IS INITIALLY CLEARED
13462 ;          6521           begin                                    !SEE IF A READ-IN-PRESET FUNC SETS THE VV BIT
13463 ;          6522           MLCS1 = RD_IN_PRE;                       !DO A READ-IN-PRESET FUNCTION
13464 ;          6523
13465 ;          6524           if not (.VV)                             !DID THE VV BIT GET SET
13466 ;          6525           then
13467 ;          6526               begin                                !THE VV BIT DID NOT SET
13468 ;          6527               ERRDF (150, ASYNC, DUMPER);          !REPORT THE ERROR TO OPERATOR
13469 ;          6528               PRINTB (TWO_FMT, VV_NOT_SET, FNC_11);        !TELL WHAT THE ERROR IS
13470 ;          6529               end;
13471 ;          6530
13472 ;          6531           end;
13473 ;          6532
13474 ;          6533   !
13475 ;          6534   !
13476 ;          6535   ! NOW TEST DRIVE ERROR CONDITIONS TO SEE
13477 ;          6536   ! IF DOING A READ-IN-PRESET FUNCTION CAUSED
13478 ;          6537   ! ANY UNEXPECTED DRIVE ERRORS.
13479 ;          6538   !
13480 ;          6539   !
13481 ;          6540
13482 ;          6541       if .GO IS_SET                                !DID THE RD-IN-PRE FUNC HANG THE GO BIT
13483 ;          6542       then
```

```
;ML4AD                                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (73)

;          6543         begin                                  !THE GO BIT IS HUNG
;          6544         ERRDF (62, ASYNC, DUMPER);             !REPORT THE ERROR TO THE OPERATOR
;          6545         PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_11, WRD_19); !TELL WHAT THE ERROR IS
;          6546         end;
;          6547
;          6548     if .ILF IS_SET                             !DID THE RD-IN-PRE FUNC CAUSE A ILLEGAL FUNC ERROR
;          6549     then
;          6550         begin                                  !THE ILF BIT IS SET
;          6551         ERRDF (63, ASYNC, DUMPER);             !REPORT THE ERROR TO THE OPERATOR
;          6552         PRINTB (FIV_FMT, WRD_3, PHR_5, WRD_11, FNC_11, WRD_19); !TELL WHAT THE ERROR IS
;          6553         end;
;          6554
;          6555     if .OPI IS_SET                             !DID THE RD-IN-PRE CAUSE A OPERATION INCOMPLETE ERROR
;          6556     then
;          6557         begin                                  !THE OPI BIT IS SET
;          6558         ERRDF (64, ASYNC, DUMPER);             !REPORT THE ERROR TO THE OPERATOR
;          6559         PRINTB (FIV_FMT, WRD_4, PHR_5, WRD_11, FNC_11, WRD_19); !TELL WHAT THE ERROR
;          6560         end;
;          6561
;          6562     ENDSUB;                                    !END SCOOP LOOP
;          6563 !
;          6564 !
;          6565 ! NOW WE'LL TEST THE VV BIT FOR CLEARING
;          6566 ! AFTER POWER UP WITH BAD BATTERY BACK-UP,
;          6567 ! ECC INITIALIZE CLEARING MEMORY TO ZEROES
;          6568 ! AND DC LO CREATING 'MB_DIS_LO' AND CLEARING
;          6569 ! OUT DRIVE REGISTERS.
;          6570 !
;          6571 !
;          6572     BGNSUB;                                    !START SCOOP LOOP
;          6573     IO_BUF = ONES;                             !LOAD THE FIRST IO_BUF WORD WITH ONES DATA
;          6574     DSA_CNT = -1;                              !RESET THE DSA COUNTER
;          6575 !
;          6576 !
;          6577 ! WRITE A BACK GROUND OF ALL ONES TO
;          6578 ! ALL OF MEMORY.  THIS WILL PROVE IF
;          6579 ! ECC INIT TOOK PLACE AFTER POWER UP
;          6580 ! WITH BAD BATTERY BACK-UP.
;          6581 !
;          6582 !
;          6583
;          6584     do                                         !LOAD ALL OF MEMORY WITH ONES DATA
;          6585         begin
;          6586         BREAK;                                 !LOOK FOR A CONTROL C
;          6587         DSA_CNT = .DSA_CNT + 1;                !UP THE DSA COUNTER
;          6588         WRT_TRANSFER (SIZE = -256, DST = .DSA_CNT, SRC = IO_BUF);       !DO A BLOCK WRITE TRANSFER
;          6589         end
;          6590 !
;          6591 !VER CZMLAD CHANGED TEST TO UNSIGNED TEST
;          6592 !
;          6593     until .DSA_CNT eqlU .LST_BLK;              !REPEAT WRITING UNTIL THE LAST BLOCK IS WRITTEN
;          6594
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (73)
;
;          6595      ERR_FLG = ONE;                       !CLEAR THE ERROR FLAG
;          6596      CLR_MBUS;                            !CLEAR THE MASS BUS
;          6597  !
;          6598  !
;          6599  ! TELL THE OPERATOR THE SHUT OFF BOX
;          6600  ! POWER AND AS THE AC POWER IS GOING
;          6601  ! DOWN TEST 'UNS BIT' FOR SETTING.
;          6602  !
;          6603  !
;          6604      PRINTB (ONE_FMT, PWR_OFF);           !TELL THE OPERATOR TO TURN BOX POWER OFF
;          6605
;          6606      do                                   !SAMPLE THE UNS BIT UNTIL THE DRIVE TIMES OUT
;          6607          begin
;          6608          BREAK;                           !LOOK FOR A CONTROL C
;          6609
;          6610          if .UNS                          !IS THE UNS BIT SET YET
;          6611          then
;          6612              begin                        !IT'S SET
;          6613              ERR_FLG = ZERO;              !THE BIT IS NOT IN ERROR SO CLEAR THE ERROR FLAG
;          6614              exitloop;                    !EXIT THE LOOP
;          6615              end;
;          6616
;          6617          end
;          6618      until .NED;                          !REPEAT SAMPLING UNS UNTIL NED IS SET
;          6619
;          6620      if .ERR_FLG                          !IS THE UNS BIT IN ERROR
;          6621      then
;          6622          begin                            !THE BIT IS IN ERROR
;          6623          ERRDF (151, ASYNC, DUMPER);      !REPORT THE ERROR TO THE OPERATOR
;          6624          PRINTB (ONE_FMT, UNS_ERR);       !TELL WHAT THE ERROR IS
;          6625          end;
;          6626
;          6627  !
;          6628  !
;          6629  ! NOW TELL THE OPERATOR TO TURN
;          6630  ! THE BOX POWER BACK ON.  ONCE THE
;          6631  ! DRIVE IS READY TEST THE VV BIT AND
;          6632  ! SEE IF THE POWER UP WITH BAD BATTERY
;          6633  ! BACK-UP CLEAR THE VV BIT, CLEARED
;          6634  ! MEMORY AND CLEARED THE DRIVE REGISTERS.
;          6635  !
;          6636  !
;          6637      PRINTB (ONE_FMT, PWR_ON);            !TELL THE OPERATOR TO TURN BOX POWER BACK ON
;          6638
;          6639      do                                   !DO NOTHING
;          6640          begin
;          6641          BREAK;                           !LOOK FOR CONTROL C
;          6642          end
;          6643      until .DRY;                          !UNTIL THE DRIVE IS READY
;          6644
;          6645      if .VV                               !DID THE POWER FAIL WITH BAD BAT BACK-UP CLEAR THE VV BIT
;          6646      then
```

```
13597 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
13598 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (73)
13599 ;
13600 ;          6647          begin                            !THE VV BIT DIDN'T GET CLEARED
13601 ;          6648          ERRDF (152, ASYNC, DUMPER);      !REPORT THE ERROR TO THE OPERATOR
13602 ;          6649          PRINTB (ONE_FMT, VV_SET);        !TELL WHAT THE ERROR IS
13603 ;          6650          end;
13604 ;          6651
13605 ;          6652      incr REG_SEL from 0 to 6 do          !SEE IF DC LO ON POWER UP CLEARED THE REGISTERS
13606 ;          6653          begin
13607 ;          6654
13608 ;          6655          selectone .REG_SEL of            !SELECT THIS REGISTERS INDEX VALUE
13609 ;          6656              set
13610 ;          6657
13611 ;          6658              [0] :
13612 ;          6659                  index = 0;               !TEST MLCS1
13613 ;          6660
13614 ;          6661              [1] :
13615 ;          6662                  index = 6;               !TEST MLER
13616 ;          6663
13617 ;          6664              [2] :
13618 ;          6665                  index = 3;               !TEST MLDA
13619 ;          6666
13620 ;          6667              [3] :
13621 ;          6668                  index = 10;              !TEST MLMR
13622 ;          6669
13623 ;          6670              [4] :
13624 ;          6671                  index = 13;              !TEST MLE1
13625 ;          6672
13626 ;          6673              [5] :
13627 ;          6674                  index = 14;              !TEST MLE2
13628 ;          6675
13629 ;          6676              [6] :
13630 ;          6677                  index = 8;               !TEST MLPA
13631 ;          6678              tes;
13632 ;          6679
13633 ;          6680          CLR_DATA = (.HI) or (.IGNORE);   !GENERATE THIS REGISTERS CLEARED DATA
13634 ;          6681          RD_REG (.CLR_DATA, .REG_SEL, ERR_FLG);  !READ THE REG FOR ITS CLEAKD DATA
13635 ;          6682
13636 ;          6683          if .ERR_FLG                      !DID THE REGISTER GET CLEARED ON POWER UP
13637 ;          6684          then
13638 ;          6685              begin                        !THE REGISTER'S NOT CLEARED
13639 ;          6686              ERRDF (153, ASYNC, DUMPER);  !REPORT THE ERROR TO THE OPERATOR
13640 ;          6687              PRINTB (ONE_FMT, MB_DIS_ERR);!TELL WHAT THE ERROR IS
13641 ;          6688              PRINTB (FMT_16, .ML_REG [.index, REGISTER_ADD], .CLR_DATA, .RD_DATA);
13642 ;          6689              exitloop;                    !EXIT THE LOOP
13643 ;          6690              end;
13644 ;          6691
13645 ;          6692          end;
13646 ;          6693
13647 ;          6694      WCE_CNT = ZERO;                      !CLEAR THE WRITE CHECK ERROR COUNTER
13648 ;          6695      DSA_CNT = -1;                        !RESET THE DSA COUNTER
13649 ;          6696      IO_BUF = ZEROES;                     !LOAD THE FIRST IO_BUF WORD WITH ZEROES DATA
13650 ;          6697
13651 ;          6698      do                                   !SEARCH ALL OF MEMORY FOR INIT'ED DATA
```

```
  13653 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
  13654 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (73)
  13655 ;
  13656 ;          6699          begin
  13657 ;          6700          BREAK;                          !LOOK FOR CONTROL C
  13658 ;          6701          DSA_CNT = .DSA_CNT + 1;         !UP THE DSA COUNT
  13659 ;          6702          WRT_CHK_TRANSFER (SIZE = -256, DST = .DSA_CNT, SRC = IO_BUF);   !WRITE CHECK THIS BLOCK
  13660 ;          6703
  13661 ;          6704          if .WCE then WCE_CNT = .WCE_CNT + 1;    !IS THIS BLOCK INIT'ED UP COUNT IF NOT
  13662 ;          6705
  13663 ;          6706          end
  13664 ;          6707 !
  13665 ;          6708 !VER CZMLAD CHANGED TEST TO UNSIGNED TEST
  13666 ;          6709 !
  13667 ;          6710      until .DSA_CNT eqlU .LST_BLK;       !CONTINUE WRITE CHECKING UNTIL THE LAST BLOCK IS DONE
  13668 ;          6711
  13669 ;          6712      if .WCE_CNT gtr 127                 !WAS THERE MORE THAN 127 SECTORS IN ERROR
  13670 ;          6713      then
  13671 ;          6714          begin                           !MORE THAN 127 SECTORS IN ERROR THERE FOR INIT ERROR
  13672 ;          6715          ERRDF (65, ASYNC, DUMPER);      !REPORT THE ERROR TO THE OPERATOR
  13673 ;          6716          PRINTB (ONE_FMT, NO_INIT);      !TELL WHAT THE ERROR IS
  13674 ;          6717          end;
  13675 ;          6718
  13676 ;          6719      ENDSUB;                             !END SCOOP LOOP
  13677 ;          6720      end;
  13678 ;          6721
  13679 ;          6722  ENDTST;                                 !END THE TEST
  13683
  13684                                          .SBTTL  $T21 TEST CODE SECTION
  13688 047444  004167  135142          $T21:   JSR     R1,$SAVE5                       ;                       6437
  13689 047450  162706  000012                  SUB     #12,SP
  13690 047454  032767  000001  132726        BIT     #1,INTERVEN                     ;                       6484
  13691 047462  001002                        BNE     1$
  13692 047464  000167  001500                JMP     30$
  13693 047470  012746  004716          1$:     MOV     #T.21,-(SP)                     ;                       6492
  13694 047474  012746  010240                  MOV     #ONE.FMT,-(SP)
  13695 047500  012746  000002                  MOV     #2,-(SP)
  13696 047504  010600                        MOV     SP,R0                           ; SP,*
  13697 047506  104414                        TRAP    14
  13698 047510  104402                  2$:     TRAP    2
  13699 047512  152777  000040  145724        BISB    #40,@ML.REG+40                  ;                       6493
  13700 047520  016705  146306                MOV     ML.DUT,R5
  13701 047524  042705  177770                BIC     #177770,R5
  13702 047530  142777  000007  145706        BICB    #7,@ML.REG+40
  13703 047536  150577  145702                BISB    R5,@ML.REG+40
  13704 047542  132777  000100  145704        BITB    #100,@ML.REG+50                 ;                       6507
  13705 047550  001426                        BEQ     3$
  13706 047552  012777  000021  145624        MOV     #21,@ML.REG                     ;                       6510
  13707 047560  132777  000100  145666        BITB    #100,@ML.REG+50                 ;                       6512
```

```
13709                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
13710                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
13711
13712 047566  001046                            BNE     4$
13713 047570  104455                            TRAP    55                      ;                       6515
13714 047572  000225                            .WORD   225
13715 047574  012706                            .WORD   ASYNC
13716 047576  026302                            .WORD   DUMPER
13717 047600  012746  005414                    MOV     #VV.CLEAR,-(SP)         ;                       6516
13718 047604  012746  010240                    MOV     #ONE.FMT,-(SP)
13719 047610  012746  000002                    MOV     #2,-(SP)
13720 047614  010600                            MOV     SP,R0                   ; SP,*
13721 047616  104414                            TRAP    14
13722 047620  062706  000006                    ADD     #6,SP                   ;                       6514
13723 047624  000427                            BR      4$                      ;                       6507
13724 047626  012777  000021  145550  3$:       MOV     #21,@ML.REG             ;                       6522
13725 047634  132777  000100  145612            BITB    #100,@ML.REG+50         ;                       6524
13726 047642  001020                            BNE     4$
13727 047644  104455                            TRAP    55                      ;                       6527
13728 047646  000226                            .WORD   226
13729 047650  012706                            .WORD   ASYNC
13730 047652  026302                            .WORD   DUMPER
13731 047654  012746  012302                    MOV     #FNC.11,-(SP)           ;                       6528
13732 047660  012746  005340                    MOV     #VV.NOT.SET,-(SP)
13733 047664  012746  010246                    MOV     #TWO.FMT,-(SP)
13734 047670  012746  000003                    MOV     #3,-(SP)
13735 047674  010600                            MOV     SP,R0                   ; SP,*
13736 047676  104414                            TRAP    14
13737 047700  062706  000010                    ADD     #10,SP                  ;                       6526
13738 047704  132777  000001  145472  4$:       BITB    #1,@ML.REG              ;                       6541
13739 047712  001426                            BEQ     5$
13740 047714  104455                            TRAP    55                      ;                       6544
13741 047716  000076                            .WORD   76
13742 047720  012706                            .WORD   ASYNC
13743 047722  026302                            .WORD   DUMPER
13744 047724  012746  010730                    MOV     #WRD.19,-(SP)           ;                       6545
13745 047730  012746  012302                    MOV     #FNC.11,-(SP)
13746 047734  012746  010640                    MOV     #WRD.11,-(SP)
13747 047740  012746  011626                    MOV     #PHR.2,-(SP)
13748 047744  012746  010520                    MOV     #WRD.1,-(SP)
13749 047750  012746  010304                    MOV     #FIV.FMT,-(SP)
13750 047754  012746  000006                    MOV     #6,-(SP)
13751 047760  010600                            MOV     SP,R0                   ; SP,*
13752 047762  104414                            TRAP    14
13753 047764  062706  000016                    ADD     #16,SP                  ;                       6543
13754 047770  132777  000001  145466  5$:       BITB    #1,@ML.REG+60           ;                       6548
13755 047776  001426                            BEQ     6$
13756 050000  104455                            TRAP    55                      ;                       6551
13757 050002  000077                            .WORD   77
13758 050004  012706                            .WORD   ASYNC
13759 050006  026302                            .WORD   DUMPER
13760 050010  012746  010730                    MOV     #WRD.19,-(SP)           ;                       6552
13761 050014  012746  012302                    MOV     #FNC.11,-(SP)
13762 050020  012746  010640                    MOV     #WRD.11,-(SP)
13763 050024  012746  011714                    MOV     #PHR.5,-(SP)
```

```
13765                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
13766                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
13767
13768 050030  012746  010536                    MOV     #WRD.3,-(SP)
13769 050034  012746  010304                    MOV     #FIV.FMT,-(SP)
13770 050040  012746  000006                    MOV     #6,-(SP)
13771 050044  010600                            MOV     SP,R0           ; SP,*
13772 050046  104414                            TRAP    14
13773 050050  062706  000016                    ADD     #16,SP          ;                               6550
13774 050054  032777  020000  145402  6$:       BIT     #20000,@ML.REG+60 ;                             6555
13775 050062  001426                            BEQ     7$
13776 050064  104455                            TRAP    55              ;                               6558
13777 050066  000100                            .WORD   100
13778 050070  012706                            .WORD   ASYNC
13779 050072  026302                            .WORD   DUMPER
13780 050074  012746  010730                    MOV     #WRD.19,-(SP)   ;                               6559
13781 050100  012746  012302                    MOV     #FNC.11,-(SP)
13782 050104  012746  010640                    MOV     #WRD.11,-(SP)
13783 050110  012746  011714                    MOV     #PHR.5,-(SP)
13784 050114  012746  010544                    MOV     #WRD.4,-(SP)
13785 050120  012746  010304                    MOV     #FIV.FMT,-(SP)
13786 050124  012746  000006                    MOV     #6,-(SP)
13787 050130  010600                            MOV     SP,R0           ; SP,*
13788 050132  104414                            TRAP    14
13789 050134  062706  000016                    ADD     #16,SP          ;                               6557
13790 050140  104467                    7$:     TRAP    67              ;                               6560
13791 050142  006000                            ROR     R0
13792 050144  103002                            BHIS    8$
13793 050146  000167  177336                    JMP     2$
13794 050152  104402                    8$:     TRAP    2               ;                               6562
13795 050154  012767  177777  143640            MOV     #-1,IO.BUF      ;                               6573
13796 050162  012703  177777                    MOV     #-1,R3          ; *,DSA.CNT                     6574
13797 050166  104422                    9$:     TRAP    22              ;                               6585
13798 050170  005203                            INC     R3              ; DSA.CNT                       6587
13799 050172  012766  177400  000006            MOV     #-400,6(SP)     ; *,SIZE                        6588
13800 050200  012746  177400                    MOV     #-400,-(SP)
13801 050204  010366  000016                    MOV     R3,16(SP)       ; DSA.CNT,DST
13802 050210  010346                            MOV     R3,-(SP)        ; DSA.CNT,*
13803 050212  012701  014022                    MOV     #IO.BUF,R1      ; *,SRC
13804 050216  010146                            MOV     R1,-(SP)        ; SRC,*
13805 050220  004767  157202                    JSR     PC,WRT.TRANSFER
13806 050224  062706  000006                    ADD     #6,SP           ;                               6585
13807 050230  020367  143560                    CMP     R3,LST.BLK      ; DSA.CNT,*                     6593
13808 050234  001354                            BNE     9$
13809 050236  012766  000001  000016            MOV     #1,16(SP)       ; *,ERR.FLG                     6595
13810 050244  152777  000040  145172            BISB    #40,@ML.REG+40
13811 050252  016705  145554                    MOV     ML.DUT,R5
13812 050256  042705  177770                    BIC     #177770,R5
13813 050262  142777  000007  145154            BICB    #7,@ML.REG+40
13814 050270  150577  145150                    BISB    R5,@ML.REG+40
13815 050274  012746  005112                    MOV     #PWR.OFF,-(SP)  ;                               6604
13816 050300  012746  010240                    MOV     #ONE.FMT,-(SP)
13817 050304  012746  000002                    MOV     #2,-(SP)
13818 050310  010600                            MOV     SP,R0           ; SP,*
13819 050312  104414                            TRAP    14
```

```
13821                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
13822                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
13823
13824 050314  104422                  10$:    TRAP    22                      ;                               6607
13825 050316  032777  040000  145140          BIT     #40000,@ML.REG+60       ;                               6610
13826 050324  001403                          BEQ     11$
13827 050326  005066  000024                  CLR     24(SP)                  ; ERR.FLG                       6613
13828 050332  000404                          BR      12$                     ;                               6614
13829 050334  032777  010000  145102  11$:    BIT     #10000,@ML.REG+40       ;                               6618
13830 050342  001764                          BEQ     10$
13831 050344  032766  000001  000024  12$:    BIT     #1,24(SP)               ; *,ERR.FLG                     6620
13832 050352  001416                          BEQ     13$
13833 050354  104455                          TRAP    55                      ;                               6623
13834 050356  000227                          .WORD   227
13835 050360  012706                          .WORD   ASYNC
13836 050362  026302                          .WORD   DUMPER
13837 050364  012746  005272                  MOV     #UNS.ERR,-(SP)          ;                               6624
13838 050370  012746  010240                  MOV     #ONE.FMT,-(SP)
13839 050374  012746  000002                  MOV     #2,-(SP)
13840 050400  010600                          MOV     SP,R0                   ; SP,*
13841 050402  104414                          TRAP    14
13842 050404  062706  000006                  ADD     #6,SP                   ;                               6622
13843 050410  012716  005202          13$:    MOV     #PWR.ON,(SP)            ;                               6637
13844 050414  012746  010240                  MOV     #ONE.FMT,-(SP)
13845 050420  012746  000002                  MOV     #2,-(SP)
13846 050424  010600                          MOV     SP,R0                   ; SP,*
13847 050426  104414                          TRAP    14
13848 050430  104422                  14$:    TRAP    22                      ;                               6640
13849 050432  105777  145016                  TSTB    @ML.REG+50              ;                               6643
13850 050436  100374                          BPL     14$
13851 050440  132777  000100  145006          BITB    #100,@ML.REG+50         ;                               6645
13852 050446  001416                          BEQ     15$
13853 050450  104455                          TRAP    55                      ;                               6648
13854 050452  000230                          .WORD   230
13855 050454  012706                          .WORD   ASYNC
13856 050456  026302                          .WORD   DUMPER
13857 050460  012746  005764                  MOV     #VV.SET,-(SP)           ;                               6649
13858 050464  012746  010240                  MOV     #ONE.FMT,-(SP)
13859 050470  012746  000002                  MOV     #2,-(SP)
13860 050474  010600                          MOV     SP,R0                   ; SP,*
13861 050476  104414                          TRAP    14
13862 050500  062706  000006                  ADD     #6,SP                   ;                               6647
13863 050504  005005                  15$:    CLR     R5                      ; REG.SEL                       6652
13864 050506  005705                  16$:    TST     R5                      ; REG.SEL                       6655
13865 050510  001002                          BNE     17$
13866 050512  005002                          CLR     R2                      ; INDEX                         6659
13867 050514  000443                          BR      23$                     ;                               6655
13868 050516  020527  000001          17$:    CMP     R5,#1                   ; REG.SEL,*
13869 050522  001003                          BNE     18$
13870 050524  012702  000006                  MOV     #6,R2                   ; *,INDEX                       6662
13871 050530  000435                          BR      23$                     ;                               6655
13872 050532  020527  000002          18$:    CMP     R5,#2                   ; REG.SEL,*
13873 050536  001003                          BNE     19$
13874 050540  012702  000003                  MOV     #3,R2                   ; *,INDEX                       6665
13875 050544  000427                          BR      23$                     ;                               6655
```

```
13877                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
13878                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
13879
13880 050546  020527  000003    19$:    CMP     R5,#3           ; REG.SEL,*
13881 050552  001003                    BNE     20$
13882 050554  012702  000012            MOV     #12,R2          ; *,INDEX                       6668
13883 050560  000421                    BR      23$             ;                               6655
13884 050562  020527  000004    20$:    CMP     R5,#4           ; REG.SEL,*
13885 050566  001003                    BNE     21$
13886 050570  012702  000015            MOV     #15,R2          ; *,INDEX                       6671
13887 050574  000413                    BR      23$             ;                               6655
13888 050576  020527  000005    21$:    CMP     R5,#5           ; REG.SEL,*
13889 050602  001003                    BNE     22$
13890 050604  012702  000016            MOV     #16,R2          ; *,INDEX                       6674
13891 050610  000405                    BR      23$             ;                               6655
13892 050612  020527  000006    22$:    CMP     R5,#6           ; REG.SEL,*
13893 050616  001002                    BNE     23$
13894 050620  012702  000010            MOV     #10,R2          ; *,INDEX                       6677
13895 050624  010200            23$:    MOV     R2,R0           ; INDEX,*                       6680
13896 050626  006300                    ASL     R0
13897 050630  006300                    ASL     R0
13898 050632  006300                    ASL     R0
13899 050634  010004                    MOV     R0,R4
13900 050636  016400  015406            MOV     ML.REG+2(R4),R0
13901 050642  056400  015412            BIS     ML.REG+6(R4),R0
13902 050646  010066  000024            MOV     R0,24(SP)       ; *,CLR.DATA
13903 050652  010046                    MOV     R0,-(SP)        ; CLR.DATA,*                    6681
13904 050654  010546                    MOV     R5,-(SP)        ; REG.SEL,*
13905 050656  012746  000036            MOV     #36,-(SP)
13906 050662  060616                    ADD     SP,(SP)         ; ERR.FLG,*
13907 050664  004767  155022            JSR     PC,RD.REG
13908 050670  032766  000001  000036    BIT     #1,36(SP)       ; *,ERR.FLG                     6683
13909 050676  001433                    BEQ     24$
13910 050700  104455                    TRAP    55              ;                               6686
13911 050702  000231                    .WORD   231
13912 050704  012706                    .WORD   ASYNC
13913 050706  026302                    .WORD   DUMPER
13914 050710  012746  005570            MOV     #MB.DIS.ERR,-(SP)       ;                       6687
13915 050714  012746  010240            MOV     #ONE.FMT,-(SP)
13916 050720  012746  000002            MOV     #2,-(SP)
13917 050724  010600                    MOV     SP,R0           ; SP,*
13918 050726  104414                    TRAP    14
13919 050730  016716  144416            MOV     RD.DATA,(SP)    ;                               6688
13920 050734  016646  000040            MOV     40(SP),-(SP)    ; CLR.DATA,*
13921 050740  016446  015404            MOV     ML.REG(R4),-(SP)
13922 050744  012746  007436            MOV     #FMT.16,-(SP)
13923 050750  012746  000004            MOV     #4,-(SP)
13924 050754  010600                    MOV     SP,R0           ; SP,*
13925 050756  104414                    TRAP    14
13926 050760  062706  000024            ADD     #24,SP          ;                               6689
13927 050764  000406                    BR      25$
13928 050766  062706  000006    24$:    ADD     #6,SP           ;                               6653
13929 050772  005205                    INC     R5              ; REG.SEL                       6652
13930 050774  020527  000006            CMP     R5,#6           ; REG.SEL,*
13931 051000  003642                    BLE     16$
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;                TEST CODE SECTION                      29-Mar-1982 16:21:03    PA:<
13933
13934
13935
13936 051002  005066  000022            25$:    CLR     22(SP)                  ; WCE.CNT                               6694
13937 051006  012703  177777                    MOV     #-1,R3                  ; *,DSA.CNT                             6695
13938 051012  005067  143004                    CLR     IO.BUF                  ;                                       6696
13939 051016  104422                    26$:    TRAP    22                      ;                                       6699
13940 051020  005203                            INC     R3                      ; DSA.CNT                               6701
13941 051022  012766  177400  000020            MOV     #-400,20(SP)            ; *,SIZE                                6702
13942 051030  012746  177400                    MOV     #-400,-(SP)
13943 051034  010366  000030                    MOV     R3,30(SP)               ; DSA.CNT,DST
13944 051040  010346                            MOV     R3,-(SP)                ; DSA.CNT,*
13945 051042  012701  014022                    MOV     #IO.BUF,R1              ; *,SRC
13946 051046  010146                            MOV     R1,-(SP)                ; SRC,*
13947 051050  004767  156102                    JSR     PC,WRT.CHK.TRANSFE
13948 051054  032777  040000  144362            BIT     #40000,@ML.REG+40       ;                                       6704
13949 051062  001402                            BEQ     27$
13950 051064  005266  000030                    INC     30(SP)                  ; WCE.CNT
13951 051070  062706  000006            27$:    ADD     #6,SP                   ;                                       6699
13952 051074  020367  142714                    CMP     R3,LST.BLK              ; DSA.CNT,*                             6710
13953 051100  001346                            BNE     26$
13954 051102  026627  000022  000177            CMP     22(SP),#177             ; WCE.CNT,*                             6712
13955 051110  003416                            BLE     28$
13956 051112  104455                            TRAP    55                      ;                                       6715
13957 051114  000101                            .WORD   101
13958 051116  012706                            .WORD   ASYNC
13959 051120  026302                            .WORD   DUMPER
13960 051122  012746  005470                    MOV     #NO.INIT,-(SP)          ;                                       6716
13961 051126  012746  010240                    MOV     #ONE.FMT,-(SP)
13962 051132  012746  000002                    MOV     #2,-(SP)
13963 051136  010600                            MOV     SP,R0                   ; SP,*
13964 051140  104414                            TRAP    14
13965 051142  062706  000006                    ADD     #6,SP                   ;                                       6714
13966 051146  062706  000012            28$:    ADD     #12,SP                  ;                                       6562
13967 051152  104467                            TRAP    67                      ;                                       6717
13968 051154  006000                            ROR     R0
13969 051156  103002                            BHIS    29$
13970 051160  000167  176766                    JMP     8$
13971 051164  062706  000006            29$:    ADD     #6,SP                   ;                                       6486
13972 051170  062706  000012            30$:    ADD     #12,SP                  ;                                       6437
13973 051174  000207                            RTS     PC
13974
13975                                   ; Routine Size:  429 words
13976                                   ; Maximum stack depth per invocation:  29 words
13981
13982
13986
13987                                           .SBTTL  T21 TEST CODE SECTION
```

```
                                        ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<

                                        T21::
051176                                  1$:     JSR     PC,$T21                 ;                               6720
051176  004767  176242                        TRAP    66
051202  104466                                ROR     R0
051204  006000                                BLO     1$
051206  103773                                RTS     PC
051210  000207

                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words


;       6723  !<BLF/PAGE>
```

```
14012 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V4(212)
14013 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (74)
14014
14015 ;          6724   !
14016 ;          6725   !
14017 ;          6726   BGNTST;
14018 ;          6727
14019 ;          6728   !++
14020 ;          6729   ! TEST NUMBER:  TST 22
14021 ;          6730   !
14022 ;          6731   ! TEST NAME:    ILLEGAL FUNCTION TEST
14023 ;          6732   !
14024 ;          6733   ! TEST DESCRIPTION:
14025 ;          6734   !
14026 ;          6735   !       TEST THE DETECTION OF ILLEGAL
14027 ;          6736   !       FUNCTIONS WRITTEN TO MLCS1
14028 ;          6737   !       BY:
14029 ;          6738   !
14030 ;          6739   !       WRITING ALL POSSIBLE ILLEGAL
14031 ;          6740   !       FUNCTIONS TO MLCS1.  THEN
14032 ;          6741   !       TEST GO AND ERROR BITS CLEARED.
14033 ;          6742   !
14034 ;          6743   !--
14035 ;          6744
14036 ;          6745   local
14037 ;          6746       BAD_BITS,                            !STORES A COUNT TO GENERATE BAD FUNCTIONS
14038 ;          6747       BAD_FUNC;                            !STORES GENERATED BAD FUNCTION
14039 ;          6748
14040 ;          6749   CLR_THRESHOLD;                           !CLEAR ERROR PRINT THRESHOLD
14041 ;          6750   BAD_BITS = ZEROES;                       !CLEAR BAD BITS
14042 ;          6751
14043 ;          6752   incr CNT_1 from 0 to 2 do                !REPEAT LOOP 3 TIMES
14044 ;          6753       begin
14045 ;          6754       BAD_BITS = .BAD_BITS + %o'2';        !ADD 2 TO BAD_BITS
14046 ;          6755
14047 ;          6756       incr CNT_2 from %o'1' to %o'71' by %o'10' do        !REPEAT LOOP GENERATING 'GOOD' FUNCTIONS
14048 ;          6757           begin
14049 ;          6758           BGNSUB;
14050 ;          6759           CLR_MBUS;
14051 ;          6760           BAD_FUNC = .CNT_2 + .BAD_BITS;   !ADD BAD_BITS TO CNT_2 GENERATING BAD FUNCTIONS
14052 ;          6761           FIRST_BLK_XFER 7);               !SET UP A FIRST BLOCK XFERR
14053 ;          6762           MLCS1 = .BAD_FUNC;               !LOAD MLCS1 WITH TWO BAD FUNCTIONS
14054 ;          6763
14055 ;          6764           if .ILF IS_SET                   !SEE IF ILF IS SET
14056 ;          6765           then
14057 ;          6766               begin
14058 ;          6767
14059 ;          6768               if .GO IS_SET                !IF ILF IS SET THEN SEE IF GO IS SET
14060 ;          6769               then
14061 ;          6770                   begin
14062 ;          6771                   CMP_THRESHOLD;           !COMPARE ERROR PRINT THRESHOLD
14063 ;          6772                   ERRDF (66, ASYNC, DUMPER);   !ERROR IF GO SET WITH BAD FUNCTION
14064 ;          6773                   PRINTB (FIV_FMT, WRD_1, PHR_2, WRD_11, FNC_12, WRD_19);
14065 ;          6774                   PRINTB (FMT_12, .BAD_FUNC);
14066 ;          6775                   end;
```

```
14068 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
14069 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (74)
14070 ;
14071 ;          6776
14072 ;          6777              end
14073 ;          6778          else
14074 ;          6779              begin
14075 ;          6780              CMP_THRESHOLD;                      !COMPARE ERROR PRINT THRESHOLD
14076 ;          6781              ERRDF (67, ASYNC, DUMPER);          !ERROR BAD FUNCTION DON'T CAUSE ILF
14077 ;          6782              PRINTB (FIV_FMT, WRD_3, PHR_1, WRD_11, FNC_12, WRD_19);
14078 ;          6783              PRINTB (FMT_12, .BAD_FUNC);
14079 ;          6784              end;
14080 ;          6785
14081 ;          6786          if .OPI IS_SET                          !SEE IF OPI IS SET
14082 ;          6787          then
14083 ;          6788              begin
14084 ;          6789              CMP_THRESHOLD;                      !COMPARE ERROR PRINT THRESHOLD
14085 ;          6790              ERRDF (68, ASYNC, DUMPER);          !ERROR IF SET
14086 ;          6791              PRINTB (FIV_FMT, WRD_4, PHR_5, WRD_12, FNC_12, WRD_19);
14087 ;          6792              PRINTB (FMT_12, .BAD_FUNC);
14088 ;          6793              end;
14089 ;          6794
14090 ;          6795          ENDSUB;
14091 ;          6796          end;
14092 ;          6797
14093 ;          6798      end;
14094 ;          6799
14095 ;          6800  ENDTST;
14099
14100                                          .SBTTL  $T22 TEST CODE SECTION
14104 051212  004167  133374          $T22:   JSR     R1,$SAVE5                   ;                                   6722
14105 051216  005067  144154                  CLR     P.CNT                       ;                                   6747
14106 051222  005004                          CLR     @R4                         ; BAD.BITS                          6750
14107 051224  005001                          CLR     R1                          ; CNT.1                             6752
14108 051226  062704  000002          1$:     ADD     #2,R4                       ; *,BAD.BITS                        6754
14109 051232  012702  000001                  MOV     #1,R2                       ; *,CNT.2                           6756
14110 051236  010405                  2$:     MOV     R4,R5                       ; BAD.BITS,*                        6760
14111 051240  060205                          ADD     R2,R5                       ; CNT.2,*
14112 051242  104402                  3$:     TRAP    2                           ;                                   6757
14113 051244  152777  000040  144172          BISB    #40,@ML.REG+40              ;                                   6758
14114 051252  016700  144554                  MOV     ML.DUT,R0
14115 051256  042700  177770                  BIC     #177770,R0
14116 051262  142777  000007  144154          BICB    #7,@ML.REG+40
14117 051270  150077  144150                  BISB    R0,@ML.REG+40
14118 051274  010503                          MOV     R5,R3                       ; *,BAD.FUNC                        6760
14119 051276  004767  146760                  JSR     PC,FIRST.BLK.XFER           ;                                   6761
14120 051302  010377  144076                  MOV     R3,@ML.REG                  ; BAD.FUNC,*                        6762
14121 051306  132777  000001  144150          BITB    #1,@ML.REG+60               ;                                   6764
14122 051314  001446                          BEQ     4$
```

```
14124                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
14125                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
14126
14127 051316  132777  000001  144060            BITB    #1,@ML.REG      ;                               6768
14128 051324  001505                            BEQ     6$
14129 051326  005267  144044                    INC     P.CNT           ;                               6770
14130 051332  026767  144040  144040            CMP     P.CNT,LIMIT
14131 051340  003153                            BGT     8$
14132 051342  104455                            TRAP    55              ;                               6772
14133 051344  000102                            .WORD   102
14134 051346  012706                            .WORD   ASYNC
14135 051350  026302                            .WORD   DUMPER
14136 051352  012746  010730                    MOV     #WRD.19,-(SP)   ;                               6773
14137 051356  012746  012322                    MOV     #FNC.12,-(SP)
14138 051362  012746  010640                    MOV     #WRD.11,-(SP)
14139 051366  012746  011626                    MOV     #PHR.2,-(SP)
14140 051372  012746  010520                    MOV     #WRD.1,-(SP)
14141 051376  012746  010304                    MOV     #FIV.FMT,-(SP)
14142 051402  012746  000006                    MOV     #6,-(SP)
14143 051406  010600                            MOV     SP,R0           ; SP,*
14144 051410  104414                            TRAP    14
14145 051412  010316                            MOV     R3,(SP)         ; BAD.FUNC,*                    6774
14146 051414  012746  007224                    MOV     #FMT.12,-(SP)
14147 051420  012746  000002                    MOV     #2,-(SP)
14148 051424  010600                            MOV     SP,R0           ; SP,*
14149 051426  104414                            TRAP    14
14150 051430  001441                            BR      5$              ;                               6770
14151 051432  005267  143740          4$:       INC     P.CNT           ;                               6779
14152 051436  026767  143734  143734            CMP     P.CNT,LIMIT
14153 051444  003111                            BGT     8$
14154 051446  104455                            TRAP    55              ;                               6781
14155 051450  000103                            .WORD   103
14156 051452  012706                            .WORD   ASYNC
14157 051454  026302                            .WORD   DUMPER
14158 051456  012746  010730                    MOV     #WRD.19,-(SP)   ;                               6782
14159 051462  012746  012322                    MOV     #FNC.12,-(SP)
14160 051466  012746  010640                    MOV     #WRD.11,-(SP)
14161 051472  012746  011610                    MOV     #PHR.1,-(SP)
14162 051476  012746  010536                    MOV     #WRD.3,-(SP)
14163 051502  012746  010304                    MOV     #FIV.FMT,-(SP)
14164 051506  012746  000006                    MOV     #6,-(SP)
14165 051512  010600                            MOV     SP,R0           ; SP,*
14166 051514  104414                            TRAP    14
14167 051516  010316                            MOV     R3,(SP)         ; BAD.FUNC,*                    6783
14168 051520  012746  007224                    MOV     #FMT.12,-(SP)
14169 051524  012746  000002                    MOV     #2,-(SP)
14170 051530  010600                            MOV     SP,R0           ; SP,*
14171 051532  104414                            TRAP    14
14172 051534  062706  000022          5$:       ADD     #22,SP          ;                               6779
14173 051540  032777  020000  143716  6$:       BIT     #20000,@ML.REG+60 ;                             6786
14174 051546  001443                            BEQ     7$
14175 051550  005267  143622                    INC     P.CNT           ;                               6788
14176 051554  026767  143616  143616            CMP     P.CNT,LIMIT
14177 051562  003042                            BGT     8$
14178 051564  104455                            TRAP    55              ;                               6790
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<

                                                .WORD   104
                                                .WORD   ASYNC
                                                .WORD   DUMPER
                                                MOV     #WRD.19,-(SP)           ;                                               6791
                                                MOV     #FNC.12,-(SP)
                                                MOV     #WRD.12,-(SP)
                                                MOV     #PHR.5,-(SP)
                                                MOV     #WRD.4,-(SP)
                                                MOV     #FIV.FMT,-(SP)
                                                MOV     #6,-(SP)
                                                MOV     SP,R0                   ; SP,*
                                                TRAP    14
                                                MOV     R3,(SP)                 ; BAD.FUNC,*                                    6792
                                                MOV     #FMT.12,-(SP)
                                                MOV     #2,-(SP)
                                                MOV     SP,R0                   ; SP,*
                                                TRAP    14
                                                ADD     #22,SP                  ;                                               6788
                                        7$:     TRAP    67                      ;                                               6793
                                                ROR     R0
                                                BHIS    8$
                                                JMP     3$
                                        8$:     ADD     #10,R2                  ; *,CNT.2                                       6756
                                                CMP     R2,#71                  ; CNT.2,*
                                                BGT     9$
                                                JMP     2$
                                        9$:     INC     R1                      ; CNT.1                                         6752
                                                CMP     R1,#2                   ; CNT.1,*
                                                BGT     10$
                                                JMP     1$
                                        10$:    RTS     PC                      ;                                               6722

                                        ; Routine Size:  165 words
                                        ; Maximum stack depth per invocation:  15 words


                                                .SBTTL  T22 TEST CODE SECTION
                                        T22::
                                        1$:     JSR     PC,$T22                 ;                                               6798
                                                TRAP    66
                                                ROR     R0
```

```
14236                                   ;ML4AD
14237                                   ;               TEST CODE SECTION
14238
14239 051734  103773                              BLO     1$
14240 051736  000207                              RTS     PC
14241
14242                                   ; Routine Size:  6 words
14243                                   ; Maximum stack depth per invocation:  0 words
14248
14249
14250 ;          6801   !<BLF/PAGE>
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                      29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (75)

;          6802  !
;          6803  !
;          6804  BGNTST;
;          6805
;          6806  !++
;          6807  ! TEST NUMBER:  TST 23
;          6808  !
;          6809  ! TEST NAME:    REGISTER MODIFICATION REFUSED TEST
;          6810  !
;          6811  ! TEST DESCRIPTION:
;          6812  !
;          6813  !       TEST THE DETECTION OF A
;          6814  !       REGISTER MODIFICATION REFUSED
;          6815  !       BY:
;          6816  !
;          6817  !       1.  WRITTING TO MLCS1, MLDA
;          6818  !           AND MLER WHILE THE DRIVE
;          6819  !           IS BUSY AND TEST RMR
;          6820  !           BIT SET.
;          6821  !
;          6822  !       ALSO SEE IF THE DRIVE ASSERTED
;          6823  !       EXCEPTION BY TESTING THE TRE BIT SET.
;          6824  !
;          6825  !--
;          6826
;          6827  incr CNT from 0 to 2 do                      !REPEAT LOOP 3 TIMES
;          6828      begin
;          6829      BGNSUB;
;          6830      CLR_MBUS;
;          6831      MLCS1 = write;                           !DO A WRITE FUNCTION
;          6832
;          6833      case .CNT from 0 to 2 of                 !WRITE TO SELECTED REGISTERS FORCING RMR
;          6834          set
;          6835
;          6836          [0] :
;          6837              MLCS1 = %o'000000';
;          6838
;          6839          [1] :
;          6840              MLDA = ONES;
;          6841
;          6842          [2] :
;          6843              MLER = ONES
;          6844          tes;
;          6845
;          6846      DELAY (FRTY_US);
;          6847
;          6848      if .RMR IS_NOT_SET                       !SEE IF RMR GOT SET
;          6849      then
;          6850          begin
;          6851          ERRDF (69, ASYNC, DUMPER);           !ERROR IF NOT SET
;          6852          PRINTB (FOR_FMT, WRD_21, PHR_1, WRD_11, WRD_21);
;          6853          end;
```

```
14308 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
14309 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (75)
14310 ;
14311 ;          6854
14312 ;          6855      if .TRE IS_NOT_SET                   !SEE IF DRIVE ASSERTED EXCEPTION BY TESTING TRE
14313 ;          6856      then
14314 ;          6857          begin
14315 ;          6858          ERRDF (117, SYNC, DUMPER);
14316 ;          6859          PRINTB (FOR_FMT, WRD_20, PHR_1, WRD_11, WRD_21);
14317 ;          6860          end;
14318 ;          6861
14319 ;          6862      ENDSUB;
14320 ;          6863      end;
14321 ;          6864
14322 ;          6865  ENDTST;
14326
14327                                          .SBTTL  $T23 TEST CODE SECTION
14331 051740  004167  132574          $T23:   JSR     R1,$SAVE2                ;                          6800
14332 051744  005746                          TST     -(SP)
14333 051746  005002                          CLR     R2                       ; CNT                      6827
14334 051750  104402                  1$:     TRAP    2                        ;                          6828
14335 051752  152777  000040  143464          BISB    #40,@ML.REG+40           ;                          6829
14336 051760  016701  144046                  MOV     ML.DUT,R1
14337 051764  042701  177770                  BIC     #177770,R1
14338 051770  142777  000007  143446          BICB    #7,@ML.REG+40
14339 051776  150177  143442                  BISB    R1,@ML.REG+40
14340 052002  012777  000061  143374          MOV     #61,@ML.REG              ;                          6831
14341 052010  010201                          MOV     R2,R1                    ; CNT,*                    6833
14342 052012  006301                          ASL     R1
14343 052014  066107  052020                  ADD     2$(R1),PC
14344 052020  000006                  2$:     .WORD   3$-2$
14345 052022  000014                          .WORD   4$-2$
14346 052024  000024                          .WORD   5$-2$
14347 052026  005077  143352          3$:     CLR     @ML.REG                  ;                          6837
14348 052032  000407                          BR      6$                       ;                          6833
14349 052034  012777  177777  143372  4$:     MOV     #-1,@ML.REG+30           ;                          6840
14350 052042  000403                          BR      6$                       ;                          6833
14351 052044  012777  177777  143412  5$:     MOV     #-1,@ML.REG+60           ;                          6843
14352 052052  012700  000050          6$:     MOV     #50,R0                   ; *,$$TMP2                 6846
14353 052056  001410                  7$:     BEQ     10$
14354 052060  016701  130032                  MOV     L$DLY,R1                 ; *,$$TMP1
14355 052064  001403                          BEQ     9$
14356 052066  005016                  8$:     CLR     (SP)                     ; $$TMP
14357 052070  005301                          DEC     R1                       ; $$TMP1
14358 052072  001375                          BNE     8$
14359 052074  005300                  9$:     DEC     R0                       ; $$TMP2
14360 052076  000767                          BR      7$
14361 052100  132777  000004  143356  10$:    BITB    #4,@ML.REG+60            ;                          6848
14362 052106  001024                          BNE     11$
```

```
                                        ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
                                                                                                                6851
052110  104455                                  TRAP    55                      ;
052112  000105                                  .WORD   105
052114  012706                                  .WORD   ASYNC
052116  026302                                  .WORD   DUMPER
052120  012746  010744                          MOV     #WRD.21,-(SP)           ;                               6852
052124  012746  010640                          MOV     #WRD.11,-(SP)
052130  012746  011610                          MOV     #PHR.1,-(SP)
052134  012746  010744                          MOV     #WRD.21,-(SP)
052140  012746  010270                          MOV     #FOR.FMT,-(SP)
052144  012746  000005                          MOV     #5,-(SP)
052150  010600                                  MOV     SP,R0                   ; SP,*
052152  104414                                  TRAP    14
052154  062706  000014                          ADD     #14,SP                  ;                               6850
052160  032777  040000  143216  11$:            BIT     #40000,@ML.REG          ;                               6855
052166  001024                                  BNE     12$
052170  104455                                  TRAP    55                      ;                               6858
052172  000165                                  .WORD   165
052174  012750                                  .WORD   SYNC
052176  026302                                  .WORD   DUMPER
052200  012746  010744                          MOV     #WRD.21,-(SP)           ;                               6859
052204  012746  010640                          MOV     #WRD.11,-(SP)
052210  012746  011610                          MOV     #PHR.1,-(SP)
052214  012746  010736                          MOV     #WRD.20,-(SP)
052220  012746  010270                          MOV     #FOR.FMT,-(SP)
052224  012746  000005                          MOV     #5,-(SP)
052230  010600                                  MOV     SP,R0                   ; SP,*
052232  104414                                  TRAP    14
052234  062706  000014                          ADD     #14,SP                  ;                               6857
052240  104467                  12$:            TRAP    67                      ;                               6860
052242  006000                                  ROR     R0
052244  103641                                  BLO     1$
052246  005202                                  INC     R2                      ; CNT                           6827
052250  020227  000002                          CMP     R2,#2                   ; CNT,*
052254  003635                                  BLE     1$
052256  005726                                  TST     (SP)+                   ;                               6800
052260  000207                                  RTS     PC

                                        ; Routine Size:  105 words
                                        ; Maximum stack depth per invocation:  10 words


                                                .SBTTL  T23 TEST CODE SECTION
```

```
14424 052262                          T23::
14425 052262  004767  177452         1$:     JSR     PC,$T23                 ;      6863
14426 052266  104466                        TRAP    66
14427 052270  006000                        ROR     R0
14428 052272  103773                        BLO     1$
14429 052274  000207                        RTS     PC
14430
14431                                 ; Routine Size:  6 words
14432                                 ; Maximum stack depth per invocation:  0 words
14437
14438
14439 ;          6866  !<BLF/PAGE>
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (76)

```
14441 ;ML4AD
14442 ;                 TEST CODE SECTION
14443 ;
14444 ;          6867   !
14445 ;          6868   !
14446 ;          6869   BGNTST;
14447 ;          6870
14448 ;          6871   !++
14449 ;          6872   ! TEST NUMBER:  TST 24
14450 ;          6873   !
14451 ;          6874   ! TEST NAME : initial PROM TEST
14452 ;          6875   !
14453 ;          6876   ! TEST DESCRIPTION:
14454 ;          6877   !
14455 ;          6878   !       TEST THE MEMORY ARRAYS' PROM
14456 ;          6879   !       TIMING AND CONTROL LOGIC FOR
14457 ;          6880   !       INITIAL PROM READS BY:
14458 ;          6881   !
14459 ;          6882   !       1.  READING 14 PROM LOCATIONS
14460 ;          6883   !           AND TESTING FOR:
14461 ;          6884   !
14462 ;          6885   !           A. CHECK SUM ERRORS AT
14463 ;          6886   !              EACH ROW COLUMN ADRS
14464 ;          6887   !
14465 ;          6888   !           B. SUM OF EACH PROM BIT SET
14466 ;          6889   !              <9,0> GTR 14.
14467 ;          6890   !
14468 ;          6891   !--
14469 ;          6892
14470 ;          6893   local
14471 ;          6894       OFF_SET_CNT : vector [10, byte],        !COUNTS EACH NIBBLE OFFSET
14472 ;          6895       ROW_ORED_COL : bitvector [16],          !SAVES ROW DATA OR'ED WITH COL DATA
14473 ;          6896       R_C_SAV : bitvector [16],               !TEMP LOCATION FOR ROW COL DATA
14474 ;          6897       PROM_ADRS,                              !PROM ADDRESS
14475 ;          6898       CHK_SUM,                                !CHECK SUM DATA
14476 ;          6899       CHK_SUM_ERR,                            !CHECK SUM ERROR
14477 ;          6900       BAD_NIB_CNT,                            !COUNTS BAD NIBBLES
14478 ;          6901       CNT_14_BAD,                             !COUNTS BAD NIBBLE POSITION EQL 14
14479 ;          6902       DODO_FLG,                               !DROP UNIT FLAG
14480 ;          6903       ERR_FLG;                                !ERROR FLAG
14481 ;          6904
14482 ;          6905   CLR_THRESHOLD;                              !CLEAR ERROR PRINT THRESHOLD
14483 ;          6906   CLR_MBUS;
14484 ;          6907   DODO_FLG = ZERO;
14485 ;          6908   PROM_DIS = ONE;                             !SET PROM DISABLE MODE
14486 ;          6909   CHK_SUM_ERR = ZEROES;
14487 ;          6910
14488 ;          6911   incr CNT from 0 to 9 do                     !CLEAR OFFSET COUNTS
14489 ;          6912       OFF_SET_CNT [.CNT] = ZEROES;
14490 ;          6913
14491 ;          6914   incr ADRS_CNT from 0 to 14 do               !READ PROM DATA FROM 15 ARRAY WORDS
14492 ;          6915       begin
14493 ;          6916       ROW_ORED_COL = ZEROES;                  !CLEAR ROW ORED COL SAVE LOCATION
14494 ;          6917       PROM_ADRS = .ADRS_CNT;                  !GET COPY OF ADRS_CNT
14495 ;          6918
```

```
14497 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
14498 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (76)
14499 ;
14500 ;          6919       incr TWICE from 0 to 1 do                !READ ROW AND COL DATA FOR THIS ARRAY WORD
14501 ;          6920           begin
14502 ;          6921           BAD_NIB_CNT = ZEROES;
14503 ;          6922           ERR_FLG = ZERO;
14504 ;          6923           MLPA = .PROM_ADRS;                   !LOADING MLPA INITIATES PROM READ
14505 ;          6924           DELAY (ONE_US);
14506 ;          6925           R_C_SAV = .MLPD;                     !GET THE ROW OR COL DATA
14507 ;          6926
14508 ;          6927           incr BIT_CNT from 0 to 9 do          !COUNT NUMBER BITS SET IN <9:0>
14509 ;          6928
14510 ;          6929               if .R_C_SAV [.BIT_CNT] IS_SET then BAD_NIB_CNT = .BAD_NIB_CNT + 1;
14511 ;          6930
14512 ;          6931           CHK_SUM = .R_C_SAV<10, 3>;           !GET THE CHECK SUM BITS
14513 ;          6932
14514 ;          6933           if .R_C_SAV [13] IS_SET then CHK_SUM = .CHK_SUM + 1;    !ADD IN BIT 13
14515 ;          6934
14516 ;          6935           if .R_C_SAV [14] IS_SET then CHK_SUM = .CHK_SUM + 1;    !ADD IN BIT 14
14517 ;          6936
14518 ;          6937           if .R_C_SAV [15] IS_SET then CHK_SUM = .CHK_SUM + 1;    !ADD IN BIT 15
14519 ;          6938
14520 ;          6939           if .R_C_SAV [15] IS_SET              !IS BIT 15 SET
14521 ;          6940           then
14522 ;          6941               begin
14523 ;          6942
14524 ;          6943               if .BAD_...B_CNT lss .CHK_SUM then ERR_FLG = ONE;    !SET ERROR FLG IF CHECK SUM ERROR
14525 ;          6944
14526 ;          6945               end
14527 ;          6946           else
14528 ;          6947               begin
14529 ;          6948
14530 ;          6949               if .BAD_NIB_CNT neq .CHK_SUM then ERR_FLG = ONE;    !SET ERROR FLG IF CHECK SUM ERROR
14531 ;          6950
14532 ;          6951               end;
14533 ;          6952
14534 ;          6953           if .ERR_FLG IS_SET                   !WAS THERE A CHECK SUM ERROR
14535 ;          6954           then
14536 ;          6955               begin                            !REPORT INTERMEDIATE ERROR IF YES
14537 ;          6956               CMP_THRESHOLD;                   !COMPARE ERROR PRINT THRESHOLD
14538 ;          6957               ERRDF (70, INTER, DUMPER);
14539 ;          6958               PRINTB (SIX_FMT, FNC_21, WRD_10, WRD_12, WRD_45, WRD_35, FNC_6);
14540 ;          6959               PRINTB (FMT_10, .CHK_SUM, .R_C_SAV);
14541 ;          6960               DODU_FLG = ONE;
14542 ;          6961               end;
14543 ;          6962
14544 ;          6963           ROW_ORED_COL = (.ROW_ORED_COL) or (.R_C_SAV);   !OR ROW AND COLUMN DATA
14545 ;          6964           PROM_ADRS = (.PROM_ADRS) or (%o'2000');!GET COLUMN DATA
14546 ;          6965           end;
14547 ;          6966
14548 ;          6967       incr index from 0 to 9 do                !GET TOTAL OFF SET COUNTS FROM THE 15 ARRAY WORDS
14549 ;          6968
14550 ;          6969           if .ROW_ORED_COL [.index] IS_SET then OFF_SET_CNT [.index] = .OFF_SET_CNT [.index] + 1;
14551 ;          6970
```

```
14553 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
14554 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (7)
14555 ;
14556 ;          6971       end;
14557 ;          6972
14558 ;          6973   CNT_14_BAD = ZEROES;
14559 ;          6974
14560 ;          6975   incr CNT from 0 to 9 do                  !COUNT HOW MANY OFFSET COUNTS GEQ 14
14561 ;          6976
14562 ;          6977       if .OFF_SET_CNT [.CNT] geq 14 then CNT_14_BAD = .CNT_14_BAD + 1;
14563 ;          6978
14564 ;          6979   if .CNT_14_BAD neq ZERO                  !WAS ANY OFF_SET COUNTS GTR ZERO
14565 ;          6980   then
14566 ;          6981       begin
14567 ;          6982       ERRDF (71, ARR_DAT, DUMPER);         !ERROR IF YES
14568 ;          6983
14569 ;          6984       if .CNT_14_BAD eql 10                !WERE ALL 10 NIBBLE OFFSETS GEQ 14
14570 ;          6985       then
14571 ;          6986           PRINTB (SIX_FMT, WRD_55, WRD_54, WRD_46, WRD_51, WRD_42, WRD_40)      !ERROR IF YES
14572 ;          6987       else                                 !IF NO THEN PRINT WHICH ONES WERE
14573 ;          6988           begin
14574 ;          6989           PRINTB (FOR_FMT, WRD_46, WRD_47, WRD_42, WRD_40);      !PRINT MESSAGE
14575 ;          6990
14576 ;          6991           incr CNT from 0 to 9 do          !FIND OFFSETS GEQ 14
14577 ;          6992
14578 ;          6993               if .OFF_SET_CNT [.CNT] geq 14 then PRINTB (FMT_13, .CNT, (.OFF_SET_CNT [.CNT]));
14579 ;          6994
14580 ;          6995                                            !PRINT NIBBLE POSITION AND COUNT
14581 ;          6996           end;
14582 ;          6997
14583 ;          6998       DODU_FLG = ONE;
14584 ;          6999       end;
14585 ;          7000
14586 ;          7001   if .DODU_FLG IS_SET                      !DROP THIS UNIT IF DODU_FLG SET
14587 ;          7002   then
14588 ;          7003       begin
14589 ;          7004       DODU (.ML_LUN);
14590 ;          7005       DOCLN;
14591 ;          7006       end;
14592 ;          7007
14593 ;          7008   ENDTST;
14597
14598                                          .SBTTL  $T24 TEST CODE SECTION
14602 052276  004167  132310          $T24:   JSR     R1,$SAVE5                ;                          6865
14603 052302  162706  000030                  SUB     #30,SP
14604 052306  005067  143064                  CLR     P.CNT                    ;                          6903
14605 052312  152777  000040  143124          BISB    #40,@ML.REG+40           ;                          6905
14606 052320  016705  143506                  MOV     ML.DUT,R5
14607 052324  042705  177770                  BIC     #177770,R5
```

```
14609                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
14610                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
14611
14612 052330  142777  000007  143106          BICB    #7,@ML.REG+40
14613 052336  150577  143102                  BISB    R5,@ML.REG+40
14614 052342  005066  000002                  CLR     2(SP)           ; DODU.FLG                              6907
14615 052346  152777  000040  143150          BISB    #40,@ML.REG+120 ;                                       6908
14616 052354  005002                          CLR     R2              ; CHK.SUM.ERR                           6909
14617 052356  012701  000016          1$:     MOV     #16,R1          ;                                       6912
14618 052362  060601                          ADD     SP,R1           ; OFF.SET.CNT,*
14619 052364  060201                          ADD     R2,R1           ; CNT,*
14620 052366  105011                          CLRB    (R1)
14621 052370  005202                          INC     R2              ; CNT                                   6911
14622 052372  020227  000011                  CMP     R2,#11          ; CNT,*
14623 052376  003767                          BLE     1$
14624 052400  005005                          CLR     R5              ; ADRS.CNT                              6914
14625 052402  005066  000010          2$:     CLR     10(SP)          ; ROW.ORED.COL                          6916
14626 052406  010566  000006                  MOV     R5,6(SP)        ; ADRS.CNT,PROM.ADRS                    6917
14627 052412  005004                          CLR     R4              ; TWICE                                 6919
14628 052414  005066  000004          3$:     CLR     4(SP)           ; BAD.NIB.CNT                           6921
14629 052420  005016                          CLR     (SP)            ; ERR.FLG                               6922
14630 052422  016677  000006  143054          MOV     6(SP),@ML.REG+100 ; PROM.ADRS,*                         6923
14631 052430  012701  000001                  MOV     #1,R1           ; *,$$TMP2                              6924
14632 052434  001411          4$:     BEQ     7$
14633 052436  016702  127454                  MOV     L$DLY,R2        ; *,$$TMP1
14634 052442  001404                          BEQ     6$
14635 052444  005066  000014          5$:     CLR     14(SP)          ; $$TMP
14636 052450  005302                          DEC     R2              ; $$TMP1
14637 052452  001374                          BNE     5$
14638 052454  005301          6$:     DEC     R1                      ; $$TMP2
14639 052456  000766                          BR      4$
14640 052460  017766  143150  000012  7$:     MOV     @ML.REG+230,12(SP) ; *,R.C.SAV                          6925
14641 052466  005002                          CLR     R2              ; BIT.CNT                               6927
14642 052470  010201          8$:     MOV     R2,R1           ; BIT.CNT,*                             6929
14643 052472  006201                          ASR     R1
14644 052474  006201                          ASR     R1
14645 052476  006201                          ASR     R1
14646 052500  012700  000012                  MOV     #12,R0
14647 052504  060600                          ADD     SP,R0           ; R.C.SAV,*
14648 052506  060001                          ADD     R0,R1
14649 052510  010146                          MOV     R1,-(SP)
14650 052512  010246                          MOV     R2,-(SP)        ; BIT.CNT,*
14651 052514  042716  177770                  BIC     #177770,(SP)
14652 052520  012746  000001                  MOV     #1,-(SP)
14653 052524  005046                          CLR     -(SP)
14654 052526  004767  131102                  JSR     PC,BL$GT2
14655 052532  062706  000010                  ADD     #10,SP
14656 052536  005300                          DEC     R0
14657 052540  001002                          BNE     9$
14658 052542  005266  000004                  INC     4(SP)           ; BAD.NIB.CNT
14659 052546  005202          9$:     INC     R2              ; BIT.CNT                               6927
14660 052550  020227  000011                  CMP     R2,#11          ; BIT.CNT,*
14661 052554  003745                          BLE     8$
14662 052556  016603  000012                  MOV     12(SP),R3       ; R.C.SAV,CHK.SUM                       6931
14663 052562  006203                          ASR     R3              ; CHK.SUM
```

```
14665                                  ;ML4AD                                                    29-Mar-1982 16:23:04   TOPS
14666                                  ;       TEST CODE SECTION                                 29-Mar-1982 16:21:03   PA:<
14667
14668 052564 006203                            ASR     R3              ; CHK.SUM
14669 052566 000303                            SWAB    R3              ; CHK.SUM
14670 052570 042703 177770                     BIC     #177770,R3      ; *,CHK.SUM
14671 052574 132766 000040 000013              BITB    #40,13(SP)      ; *,R.C.SAV+1                                  6933
14672 052602 001401                            BEQ     10$
14673 052604 005203                            INC     R3              ; CHK.SUM
14674 052606 132766 000100 000013 10$:         BITB    #100,13(SP)     ; *,R.C.SAV+1                                  6935
14675 052614 001401                            BEQ     11$
14676 052616 005203                            INC     R3              ; CHK.SUM
14677 052620 005002                    11$:    CLR     R2              ;                                              6937
14678 052622 105766 000013                     TSTB    13(SP)          ; R.C.SAV+1
14679 052626 100002                            BPL     12$
14680 052630 005202                            INC     R2
14681 052632 005203                            INC     R3              ; CHK.SUM
14682 052634 006002                    12$:    ROR     R2              ;                                              6939
14683 052636 103004                            BCC     13$
14684 052640 026603 000004                     CMP     4(SP),R3        ; BAD.NIB.CNT,CHK.SUM                          6943
14685 052644 002006                            BGE     15$
14686 052646 000403                            BR      14$
14687 052650 026603 000004             13$:    CMP     4(SP),R3        ; BAD.NIB.CNT,CHK.SUM                          6949
14688 052654 001402                            BEQ     15$
14689 052656 012716 000001             14$:    MOV     #1,(SP)         ; *,ERR.FLG
14690 052662 021627 000001             15$:    CMP     (SP),#1         ; ERR.FLG,*                                    6953
14691 052666 001052                            BNE     16$
14692 052670 005267 142502                     INC     P.CNT           ;                                              6955
14693 052674 026767 142476 142476              CMP     P.CNT,LIMIT
14694 052702 003060                            BGT     17$
14695 052704 104455                            TRAP    55              ;                                              6957
14696 052706 000106                            .WORD   106
14697 052710 013114                            .WORD   INTER
14698 052712 026302                            .WORD   DUMPER
14699 052714 012746 012226                     MOV     #FNC.6,-(SP)    ;                                              6958
14700 052720 012746 011110                     MOV     #WRD.35,-(SP)
14701 052724 012746 011214                     MOV     #WRD.45,-(SP)
14702 052730 012746 010650                     MOV     #WRD.12,-(SP)
14703 052734 012746 010630                     MOV     #WRD.10,-(SP)
14704 052740 012746 012440                     MOV     #FNC.21,-(SP)
14705 052744 012746 010322                     MOV     #SIX.FMT,-(SP)
14706 052750 012746 000007                     MOV     #7,-(SP)
14707 052754 010600                            MOV     SP,R0           ; SP,*
14708 052756 104414                            TRAP    14
14709 052760 016616 000032                     MOV     32(SP),(SP)     ; R.C.SAV,*                                    6959
14710 052764 010346                            MOV     R3,-(SP)        ; CHK.SUM,*
14711 052766 012746 007116                     MOV     #FMT.10,-(SP)
14712 052772 012746 000003                     MOV     #3,-(SP)
14713 052776 010600                            MOV     SP,R0           ; SP,*
14714 053000 104414                            TRAP    14
14715 053002 012766 000001 000030              MOV     #1,30(SP)       ; *,DODU.FLG                                   6960
14716 053010 062706 000026                     ADD     #26,SP          ;                                              6955
14717 053014 056666 000012 000010 16$:         BIS     12(SP),10(SP)   ; R.C.SAV,ROW.ORED.COL                         6963
14718 053022 052766 002000 000006              BIS     #2000,6(SP)     ; *,PROM.ADRS                                  6964
14719 053030 005204                            INC     R4              ; TWICE                                        6919
```

```
14721                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
14722                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
14723
14724 053032  020427  000001                    CMP     R4,#1           ; TWICE,*
14725 053036  003002                            BGT     17$
14726 053040  000167  177350                    JMP     3$
14727 053044  005002                    17$:    CLR     R2              ; INDEX                         6967
14728 053046  010201                    18$:    MOV     R2,R1           ; INDEX,*                       6969
14729 053050  006201                            ASR     R1
14730 053052  006201                            ASR     R1
14731 053054  006201                            ASR     R1
14732 053056  012700  000010                    MOV     #10,R0
14733 053062  060600                            ADD     SP,R0           ; ROW.ORED.COL,*
14734 053064  060001                            ADD     R0,R1
14735 053066  010146                            MOV     R1,-(SP)
14736 053070  010246                            MOV     R2,-(SP)        ; INDEX,*
14737 053072  042716  177770                    BIC     #177770,(SP)
14738 053076  012746  000001                    MOV     #1,-(SP)
14739 053102  005046                            CLR     -(SP)
14740 053104  004767  130524                    JSR     PC,BL$GT2
14741 053110  062706  000010                    ADD     #10,SP
14742 053114  005300                            DEC     R0
14743 053116  001005                            BNE     19$
14744 053120  012701  000016                    MOV     #16,R1
14745 053124  060601                            ADD     SP,R1           ; OFF.SET.CNT,*
14746 053126  060201                            ADD     R2,R1           ; INDEX,*
14747 053130  105211                            INCB    (R1)
14748 053132  005202                    19$:    INC     R2              ; INDEX                         6967
14749 053134  020227  000011                    CMP     R2,#11          ; INDEX,*
14750 053140  003742                            BLE     18$
14751 053142  005205                            INC     R5              ; ADRS.CNT                      6914
14752 053144  020527  000016                    CMP     R5,#16          ; ADRS.CNT,*
14753 053150  003002                            BGT     20$
14754 053152  000167  177224                    JMP     2$
14755 053156  005000                    20$:    CLR     R0              ; CNT.14.BAD                    6973
14756 053160  005001                            CLR     R1              ; CNT                           6975
14757 053162  012702  000016            21$:    MOV     #16,R2          ;                               6977
14758 053166  060602                            ADD     SP,R2           ; OFF.SET.CNT,*
14759 053170  060102                            ADD     R1,R2           ; CNT,*
14760 053172  121227  000016                    CMPB    (R2),#16
14761 053176  103401                            BLO     22$
14762 053200  005200                            INC     R0              ; CNT.14.BAD
14763 053202  005201                    22$:    INC     R1              ; CNT                           6975
14764 053204  020127  000011                    CMP     R1,#11          ; CNT,*
14765 053210  003764                            BLE     21$
14766 053212  005700                            TST     R0              ; CNT.14.BAD                    6979
14767 053214  001505                            BEQ     27$
14768 053216  104455                            TRAP    55              ;                               6982
14769 053220  000107                            .WORD   107
14770 053222  013012                            .WORD   ARR.DAT
14771 053224  026302                            .WORD   DUMPER
14772 053226  020027  000012                    CMP     R0,#12          ; CNT.14.BAD,*                  6984
14773 053232  001024                            BNE     23$
14774 053234  012746  011150                    MOV     #WRD.40,-(SP)   ;                               6986
14775 053240  012746  011170                    MOV     #WRD.42,-(SP)
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        
053244  012746  011276                        MOV     #WRD.51,-(SP)
053250  012746  011226                        MOV     #WRD.46,-(SP)
053254  012746  011326                        MOV     #WRD.54,-(SP)
053260  012746  011336                        MOV     #WRD.55,-(SP)
053264  012746  010322                        MOV     #SIX.FMT,-(SP)
053270  012746  000007                        MOV     #7,-(SP)
053274  010600                                MOV     SP,R0                   ; SP,*
053276  104414                                TRAP    14
053300  022626                                CMP     (SP)+,(SP)+
053302  000445                                BR      26$                     ;                               6984
053304  012746  011150                23$:    MOV     #WRD.40,-(SP)           ;                               6989
053310  012746  011170                        MOV     #WRD.42,-(SP)
053314  012746  011240                        MOV     #WRD.47,-(SP)
053320  012746  011226                        MOV     #WRD.46,-(SP)
053324  012746  010270                        MOV     #FOR.FMT,-(SP)
053330  012746  000005                        MOV     #5,-(SP)
053334  010600                                MOV     SP,R0                   ; SP,*
053336  104414                                TRAP    14
053340  005002                                CLR     R2                      ; CNT                           6991
053342  012701  000032                24$:    MOV     #32,R1                  ;                               6993
053346  060601                                ADD     SP,R1                   ; OFF.SET.CNT,*
053350  060201                                ADD     R2,R1                   ; CNT,*
053352  121127  000016                        CMPB    (R1),#16
053356  103413                                BLO     25$
053360  005046                                CLR     -(SP)
053362  111116                                MOVB    (R1),(SP)
053364  010246                                MOV     R2,-(SP)                ; CNT,*
053366  012746  007254                        MOV     #FMT.13,-(SP)
053372  012746  000003                        MOV     #3,-(SP)
053376  010600                                MOV     SP,R0                   ; SP,*
053400  104414                                TRAP    14
053402  062706  000010                        ADD     #10,SP
053406  005202                25$:    INC     R2                      ; CNT                           6991
053410  020227  000011                        CMP     R2,#11                  ; CNT,*
053414  003752                                BLE     24$
053416  012766  000001  000016  26$:    MOV     #1,16(SP)               ; *,DODU.FLG                    6998
053424  062706  000014                        ADD     #14,SP                  ;                               6981
053430  026627  000002  000001  27$:    CMP     2(SP),#1                ; DODU.FLG,*                    7001
053436  001004                                BNE     28$
053440  016700  142364                        MOV     ML.LUN,R0               ;                               7004
053444  104451                                TRAP    51
053446  104444                                TRAP    44
053450  062706  000030                28$:    ADD     #30,SP                  ;                               6865
053454  000207                                RTS     PC

                                        ; Routine Size:  312 words
                                        ; Maximum stack depth per invocation:  29 words
```

```
 14838
 14839                                          .SBTTL  T24 TEST CODE SECTION
 14843 053456                           T24::
 14844 053456  004767  176614           1$:     JSR     PC,$T24                         ;  7006
 14845 053462  104466                           TRAP    66
 14846 053464  006000                           ROR     R0
 14847 053466  103773                           BLO     1$
 14848 053470  000207                           RTS     PC
 14849
 14850                                  ; Routine Size:  6 words
 14851                                  ; Maximum stack depth per invocation:  0 words
 14856
 14857
 14858 ;          7009  !<BLF/PAGE>
```

```
14860 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
14861 ;                TEST CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (77)
14862
14863 ;          7010  !
14864 ;          7011  !
14865 ;          7012  BGNTST;
14866 ;          7013
14867 ;          7014  !++
14868 ;          7015  ! TEST NUMBER:  TST 25
14869 ;          7016  !
14870 ;          7017  ! TEST NAME:    PROM OR FUNCTION TEST
14871 ;          7018  !
14872 ;          7019  ! TEST DESCRIPTION:
14873 ;          7020  !
14874 ;          7021  !       TEST THE HARDWARE ORING OF
14875 ;          7022  !       THE MEMORY ARRAYS' PROM
14876 ;          7023  !       ROW COLUMN DATA BY:
14877 ;          7024  !
14878 ;          7025  !       1.  READING AND STORING 128
14879 ;          7026  !           HARDWARE ORED ROW COLUMN
14880 ;          7027  !           DATA.
14881 ;          7028  !
14882 ;          7029  !       2.  THEN IN PROM DISABLE MODE
14883 ;          7030  !           AND VIA SOFTWARE CONTROL,
14884 ;          7031  !           READ AND OR PROM ROW
14885 ;          7032  !           COLUMN DATA AND COMPARE
14886 ;          7033  !           AGAINST THE RESPECTIVE
14887 ;          7034  !           STORED HARDWARE ORED DATA.
14888 ;          7035  !
14889 ;          7036  !--
14890 ;          7037
14891 ;          7038  local
14892 ;          7039      R_BITS,                   !PROM ROW DATA
14893 ;          7040      C_BITS,                   !PROM COL DATA
14894 ;          7041      SW_ORED,                  !SOFTWARE CALCULATED PROM ORED DATA
14895 ;          7042      HW_SAVE,                  !SOFTWARE  PROM ORED DATA
14896 ;          7043      DODU_FLG;                 !DROP UNIT FLAG
14897 ;          7044
14898 ;          7045  BGNSUB;
14899 ;          7046  CLR_THRESHOLD;                !CLEAR ERROR PRINT THRESHOLD
14900 ;          7047  CLR_MBUS;
14901 ;          7048  DODU_FLG = ZERO;
14902 ;          7049  DAT_DM = ONE;
14903 ;          7050  FIRST_BLK_XFER ();            !SET UP A FIRST BLOCK XFER
14904 ;          7051  ML_FUNC = write;              !DO A WRITE FUNCTION
14905 ;          7052
14906 ;          7053  incr PROM_ADRS from 0 to 127 do   !READ AND STORE 128 HARDWARE PROM ORED DATA
14907 ;          7054      begin
14908 ;          7055      DELAY (ONE_US);
14909 ;          7056      HW_OR_TBL [.PROM_ADRS] = .MLPD;   !READ HARDWARE PROM ORED DATA
14910 ;          7057      DAT_CLK = ONE;            !CLOCK NEXT ONE OUT
14911 ;          7058      end;
14912 ;          7059
14913 ;          7060  CLR_MBUS;
14914 ;          7061  PROM_DIS = ONE;               !SET PROM DISABLE MODE
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (77)

;          7062
;          7063  incr PROM_ADRS from 0 to 127 do          !CALCULATE 128 SW ORED DATA & COMPARE TO HW TABLE
;          7064      begin
;          7065      MLPA = .PROM_ADRS;                   !LOADING MLPA INITIATES A PROM READ
;          7066      DELAY (ONE_US);
;          7067      R_BITS = .MLPD;                      !SAVE ROW DATA
;          7068      MLPA = .PROM_ADRS or %o'2000';       !ENABLE COLUMN DATA ADRS
;          7069      DELAY (ONE_US);
;          7070      C_BITS = .MLPD;                      !SAVE COL DATA
;          7071      SW_ORED = .R_BITS or .C_BITS;        !CALCULATE SOFTWARE ORED
;          7072      HW_SAVE = .HW_OR_TBL [.PROM_ADRS];   !GET RESPECTIVE HARDWARE ORED
;          7073
;          7074      if (.HW_SAVE<0, 9>) neq (.SW_ORED<0, 9>)   !COMPARE SW & HW ORED
;          7075      then
;          7076          begin                            !IF NEQ THEN ERROR
;          7077          CMP_THRESHOLD;                   !COMPARE ERROR PRINT THRESHOLD
;          7078          ERRDF (76, ARR_DAT, DUMPER);
;          7079          PRINTB (FOR_FMT, WRD_35, WRD_36, WRD_19, PHR_4);
;          7080          PRINTR (FMT_2, .SW_ORED<0, 9>, .HW_SAVE<0, 9>, (.SW_ORED<0, 9> xor .HW_SAVE<0, 9>));
;          7081          DODU_FLG = ONE;
;          7082          end;
;          7083
;          7084      end;
;          7085
;          7086  ENDSUB;
;          7087
;          7088  if .DODU_FLG IS_SET                      !DROP THIS UNIT IF DODU FLG IS_SET
;          7089  then
;          7090      begin
;          7091      DODU (.ML_LUN);
;          7092      DOCLN;
;          7093      end;
;          7094
;          7095  ENDTST;

                                        .SBTTL  $T25 TEST CODE SECTION
053472  004167  131114          $T25:   JSR     R1,$SAVE5                       ;                       7008
053476  162706  000010                  SUB     #10,SP
053502  104402                  1$:     TRAP    2                               ;                       7043
053504  005067  141666                  CLR     P.CNT                           ;                       7045
053510  152777  000040  141726          BISB    #40,@ML.REG+40                  ;                       7046
053516  016705  142310                  MOV     ML.DUT,R5
053522  042705  177770                  BIC     #177770,R5
053526  142777  000007  141710          BICB    #7,@ML.REG+40
053534  150577  141704                  BISB    R5,@ML.REG+40
053540  005016                          CLR     (SP)                            ; DODU.FLG              7048
```

```
14972                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
14973                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
14974
14975 053542  152777  000010  141754          BISB    #10,@ML.REG+120         ;                       7049
14976 053550  004767  144506                  JSR     PC,FIRST.BLK.XFER       ;                       7050
14977 053554  142777  000077  141622          BICB    #77,@ML.REG             ;                       7051
14978 053562  152777  000061  141614          BISB    #61,@ML.REG
14979 053570  005004                          CLR     R4                      ; PROM.ADRS             7053
14980 053572  012703  000001          2$:     MOV     #1,R3                   ; *,$$TMP2              7055
14981 053576  001411                  3$:     BEQ     6$
14982 053600  016705  126312                  MOV     L$DLY,R5                ; *,$$TMP1
14983 053604  001404                          BEQ     5$
14984 053606  005066  000006          4$:     CLR     6(SP)                   ; $$TMP
14985 053612  005305                          DEC     R5                      ; $$TMP1
14986 053614  001374                          BNE     4$
14987 053616  005303                  5$:     DEC     R3                      ; $$TMP2
14988 053620  000766                          BR      3$
14989 053622  010405                  6$:     MOV     R4,R5                   ; PROM.ADRS,*           7056
14990 053624  006305                          ASL     R5
14991 053626  017765  142002  013402          MOV     @ML.REG+230,HW.OR.TBL(R5)
14992 053634  152777  000020  141662          BISB    #20,@ML.REG+120         ;                       7057
14993 053642  005204                          INC     R4                      ; PROM.ADRS             7053
14994 053644  020427  000177                  CMP     R4,#177                 ; PROM.ADRS,*
14995 053650  003750                          BLE     2$
14996 053652  152777  000040  141564          BISB    #40,@ML.REG+40          ;                       7058
14997 053660  016705  142146                  MOV     ML.DUT,R5
14998 053664  042705  177770                  BIC     #177770,R5
14999 053670  142777  000007  141546          BICB    #7,@ML.REG+40
15000 053676  150577  141542                  BISB    R5,@ML.REG+40
15001 053702  152777  000040  141614          BISB    #40,@ML.REG+120         ;                       7061
15002 053710  005003                          CLR     R3                      ; PROM.ADRS             7063
15003 053712  010377  141566          7$:     MOV     R3,@ML.REG+100          ; PROM.ADRS,*           7065
15004 053716  012704  000001                  MOV     #1,R4                   ; *,$$TMP2              7066
15005 053722  001411                  8$:     BEQ     11$
15006 053724  016705  126166                  MOV     L$DLY,R5                ; *,$$TMP1
15007 053730  001404                          BEQ     10$
15008 053732  005066  000006          9$:     CLR     6(SP)                   ; $$TMP
15009 053736  005305                          DEC     R5                      ; $$TMP1
15010 053740  001374                          BNE     9$
15011 053742  005304                  10$:    DEC     R4                      ; $$TMP2
15012 053744  000766                          @R      8$
15013 053746  017766  141662  000004  11$:    MOV     @ML.REG+230,4(SP)       ; *,R.BITS              7067
15014 053754  010305                          MOV     R3,R5                   ; PROM.ADRS,*           7068
15015 053756  052705  002000                  BIS     #2000,R5
15016 053762  010577  141516                  MOV     R5,@ML.REG+100
15017 053766  012704  000001                  MOV     #1,R4                   ; *,$$TMP2              7069
15018 053772  001411                  12$:    BEQ     15$
15019 053774  016705  126116                  MOV     L$DLY,R5                ; *,$$TMP1
15020 054000  001404                          BEQ     14$
15021 054002  005066  000006          13$:    CLR     6(SP)                   ; $$TMP
15022 054006  005305                          DEC     R5                      ; $$TMP1
15023 054010  001374                          BNE     13$
15024 054012  005304                  14$:    DEC     R4                      ; $$TMP2
15025 054014  000766                          BR      12$
15026 054016  017766  141612  000002  15$:    MOV     @ML.REG+230,2(SP)       ; *,C.BITS              7070
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
15028
15029
15030
15031 054024  016601  000004                MOV     4(SP),R1        ; R.BITS,SW.ORED                                7071
15032 054030  056601  000002                BIS     2(SP),R1        ; C.BITS,SW.ORED
15033 054034  010305                        MOV     R3,R5           ; PROM.ADRS,*                                   7072
15034 054036  006305                        ASL     R5
15035 054040  016502  013402                MOV     HW.OR.TBL(R5),R2        ; *,HW.SAVE
15036 054044  010104                        MOV     R1,R4           ; SW.ORED,*                                     7074
15037 054046  042704  177000                BIC     #177000,R4
15038 054052  010205                        MOV     R2,R5           ; HW.SAVE,*
15039 054054  042705  177000                BIC     #177000,R5
15040 054060  020504                        CMP     R5,R4
15041 054062  001457                        BEQ     16$
15042 054064  005267  141306                INC     P.CNT           ;                                               7076
15043 054070  026767  141302  141302        CMP     P.CNT,LIMIT
15044 054076  003055                        BGT     17$
15045 054100  104455                        TRAP    55              ;                                               7078
15046 054102  000114                        .WORD   114
15047 054104  013012                        .WORD   ARR.DAT
15048 054106  026302                        .WORD   DUMPER
15049 054110  012746  011676                MOV     #PHR.4,-(SP)    ;                                               7079
15050 054114  012746  010730                MOV     #WRD.19,-(SP)
15051 054120  012746  011116                MOV     #WRD.36,-(SP)
15052 054124  012746  011110                MOV     #WRD.35,-(SP)
15053 054130  012746  010270                MOV     #FOR.FMT,-(SP)
15054 054134  012746  000005                MOV     #5,-(SP)
15055 054140  010600                        MOV     SP,R0           ; SP,*
15056 054142  104414                        TRAP    14
15057 054144  010205                        MOV     R2,R5           ; HW.SAVE,*                                     7080
15058 054146  010116                        MOV     R1,(SP)         ; SW.ORED,*
15059 054150  010504                        MOV     R5,R4
15060 054152  040104                        BIC     R1,R4
15061 054154  040516                        BIC     R5,(SP)
15062 054156  050416                        BIS     R4,(SP)
15063 054160  010246                        MOV     R2,-(SP)        ; HW.SAVE,*
15064 054162  042716  177000                BIC     #177000,(SP)
15065 054166  010146                        MOV     R1,-(SP)        ; SW.ORED,*
15066 054170  042716  177000                BIC     #177000,(SP)
15067 054174  012746  006506                MOV     #FMT.2,-(SP)
15068 054200  012746  000004                MOV     #4,-(SP)
15069 054204  010600                        MOV     SP,R0           ; SP,*
15070 054206  104414                        TRAP    14
15071 054210  012766  000001  000024        MOV     #1,24(SP)       ; *,DODU.FLG                                    7081
15072 054216  062706  000024                ADD     #24,SP          ;                                               7076
15073 054222  005203                16$:    INC     R3              ; PROM.ADRS                                     7063
15074 054224  020327  000177                CMP     R3,#177         ; PROM.ADRS,*
15075 054230  003630                        BLE     7$
15076 054232  104467                17$:    TRAP    67              ;                                               7084
15077 054234  006000                        ROR     R0
15078 054236  103002                        BHIS    18$
15079 054240  000167  177236                JMP     1$
15080 054244  021627  000001        18$:    CMP     (SP),#1         ; DODU.FLG,*                                    7088
15081 054250  001004                        BNE     19$
15082 054252  016700  141552                MOV     ML.LUN,R0       ;                                               7091
```

```
                                        ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
                                        
                                                TRAP    51
                                                TRAP    44
                                        19$:    ADD     #10,SP                  ;                               7008
                                                RTS     PC
                                        
                                        ; Routine Size:  191 words
                                        ; Maximum stack depth per invocation:  20 words
                                        
                                        
                                                .SBTTL  T25 TEST CODE SECTION
                                        T25::
                                        1$:     JSR     PC,$T25                 ;                               7093
                                                TRAP    66
                                                ROR     R0
                                                BLO     1$
                                                RTS     PC
                                        
                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
                                        
                                        
                                        ;       7096    !<BLF/PAGE>
```

```
15125 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
15126 ;                TEST CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (78)
15127
15128 ;          7097  !
15129 ;          7098
15130 ;          7099  BGNTST;
15131 ;          7100
15132 ;          7101  !++
15133 ;          7102  ! TEST NUMBER:  TST 26
15134 ;          7103  !
15135 ;          7104  ! TEST NAME:    UV ADRS ERROR TEST
15136 ;          7105  !
15137 ;          7106  ! TEST DESCRIPTION:
15138 ;          7107  !
15139 ;          7108  !       TEST THE DETECTION OF UV ADRS
15140 ;          7109  !       ERRORS BY:
15141 ;          7110  !
15142 ;          7111  !       1.  GENERATING PROM DATA PATTERN
15143 ;          7112  !           FROM 0 TO %O'177777' AND
15144 ;          7113  !           DETERMINE WHETHER RESPECTIVE
15145 ;          7114  !           PATTERN IS GOOD/OR BAD
15146 ;          7115  !           PROM DATA.
15147 ;          7116  !
15148 ;          7117  !       2.  VIA DAT_DM AND PROM R/W
15149 ;          7118  !           MODES PRESENT GENERATED
15150 ;          7119  !           PROM DATA TO THE UV ADRS
15151 ;          7120  !           ERR PROM.
15152 ;          7121  !
15153 ;          7122  !       3.  TEST ERROR CONDITIONS FOR
15154 ;          7123  !           CORRECT RESPONCE TO GOOD/
15155 ;          7124  !           OR BAD PROM DATA.
15156 ;          7125  !
15157 ;          7126  !--
15158 ;          7127
15159 ;          7128  local
15160 ;          7129      HIGH_CNT,                     !STORES PROM DATA CHECK SUM BITS
15161 ;          7130      PROM_DATA : bitvector [16],   !STORES PROM DATA
15162 ;          7131      LOW_CNT,                      !STORES SUM OF PROM DATA BITS <9:0>
15163 ;          7132      TEMP,                         !TEMPORARY STORAGE
15164 ;          7133      ERR_FLG,                      !ERROR FLAG
15165 ;          7134      GTR_FLG;                      !SETS WHEN PROM DATA BIT 15 IS A ONE
15166 ;          7135
15167 ;          7136  CLR_THRESHOLD;                    !CLEAR ERROR PRINT THRESHOLD
15168 ;          7137  PROM_DATA = -1;
15169 ;          7138
15170 ;          7139  do                              !TEST ALL POSSIBLE PROM DATA COMBINATIONS
15171 ;          7140      begin
15172 ;          7141      PROM_DATA = .PROM_DATA + 1; !INCREMENT PROM_DATA
15173 ;          7142      BGNSUB;
15174 ;          7143      CLR_MBUS;
15175 ;          7144      ERR_FLG = ZERO;
15176 ;          7145      LOW_CNT = ZEROES;
15177 ;          7146      HIGH_CNT = ZEROES;
15178 ;          7147      GTR_FLG = ZERO;
15179 ;          7148
```

```
15181 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
15182 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (78)
15183 ;
15184 ;          7149       incr BIT_CNT from 0 to 9 do                 !COUNT PROM DATA BITS <9:0>
15185 ;          7150
15186 ;          7151           if .PROM_DATA [.BIT_CNT] IS_SET then LOW_CNT = .LOW_CNT + 1;
15187 ;          7152
15188 ;          7153       HIGH_CNT = .PROM_DATA<10, 3>;               !GET PROM DATA CHECK SUM BITS
15189 ;          7154
15190 ;          7155       if .PROM_DATA [13] IS_SET then HIGH_CNT = .HIGH_CNT + 1;    !ADD IN BIT 13 IF SET
15191 ;          7156
15192 ;          7157       if .PROM_DATA [14] IS_SET then HIGH_CNT = .HIGH_CNT + 1;    !ADD IN BIT 14 IF SET
15193 ;          7158
15194 ;          7159       if .PROM_DATA [15] IS_SET then HIGH_CNT = .HIGH_CNT + 1;    !ADD IN BIT 15 IF SET
15195 ;          7160
15196 ;          7161       if .PROM_DATA [15] IS_SET then GTR_FLG = ONE;       !SET FLAG IF BIT 15 IS SET
15197 ;          7162
15198 ;          7163       DAT_DM_XFER ();                             !SET UP A DATA DIAG MODE XFERR
15199 ;          7164       PROM_RQ = ONE;                              !SET PROM READ WRITE
15200 ;          7165       MLPD = .PROM_DATA;                          !LOAD MLPD WITH PROM_DATA
15201 ;          7166       MLCS1 = write;                              !DO A WRITE FUNCTION
15202 ;          7167       DAT_CLK = ONE;                              !CLOCK PROM DATA INTO UV PROM
15203 ;          7168
15204 ;          7169       if .UNS IS_SET                              !SEE IF PROM DATA CAUSED A UV ERROR
15205 ;          7170       then
15206 ;          7171           begin
15207 ;          7172
15208 ;          7173           if .GTR_FLG IS_SET                      !UNS IS_SET. SEE IF GTR FLG IS SET
15209 ;          7174           then
15210 ;          7175               begin
15211 ;          7176               TEMP = .PROM_DATA;                  !LOAD TEMP WITH PROM DATA
15212 ;          7177               TEMP = .TEMP and %o'162000';        !SEE IF THESE BITS ARE SET IN PROM DATA
15213 ;          7178
15214 ;          7179               if .TEMP eql %o'162000'             !THESE BITS SET AUTOMATICALLY CAUSE A UNS
15215 ;          7180               then
15216 ;          7181                   begin
15217 ;          7182
15218 ;          7183                   if .LOW_CNT geq .HIGH_CNT
15219 ;          7184                                           !LOW<9:0> SHOULD BE ISS THAN THE HIGH<15:10> IF GTR FLG IS SET
15220 ;          7185                   then
15221 ;          7186                       begin               !ERROR IF LOW<9:0> IS GEQ HIGH<15:10>
15222 ;          7187                       CMP_THRESHOLD;      !COMPARE ERROR PRINT THRESHOLD
15223 ;          7188                       ERRDF (72, ARR_DAT, DUMPER);
15224 ;          7189                       PRINTB (SIX_FMT, WRD_34, PHR_5, WRD_32, WRD_6, WRD_33, WRD_24);
15225 ;          7190                       ERR_FLG = ONE;
15226 ;          7191                       end;
15227 ;          7192
15228 ;          7193                   end;
15229 ;          7194
15230 ;          7195               end
15231 ;          7196           else                                !GTR FLG IS NOT SET
15232 ;          7197               begin
15233 ;          7198
15234 ;          7199               if .LOW_CNT eql .HIGH_CNT       !LOW<9:0> SHOULD BE NEQ HIGH<15:10>
15235 ;          7200               then
```

```
15237 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
15238 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (78)
15239 ;
15240 ;          7201                  begin                    !ERROR IF EQL
15241 ;          7202                  CMP_THRESHOLD;           !COMPARE ERROR PRINT THRESHOLD
15242 ;          7203                  ERRDF (73, ARR_DAT, DUMPER);
15243 ;          7204                  PRINTB (SIX_FMT, WRD_34, PHR_5, WRD_32, WRD_6, WRD_33, WRD_24);
15244 ;          7205                  ERR_FLG = ONE;
15245 ;          7206                  end;
15246 ;          7207
15247 ;          7208              end
15248 ;          7209
15249 ;          7210          end
15250 ;          7211      else                                 !UNS WAS NOT SET
15251 ;          7212          begin
15252 ;          7213
15253 ;          7214          if .GTR_FLG IS_SET               !SEE IF GTR FLG IS_SET
15254 ;          7215          then
15255 ;          7216              begin
15256 ;          7217              TEMP = .PROM_DATA;           !LOAD TEMP WITH PROM DATA
15257 ;          7218              TEMP = .TEMP and %o'162000';  !SEE IF THESE BITS ARE SET IN PROM DATA
15258 ;          7219
15259 ;          7220              if .TEMP neq %o'162000'      !IF THESE BITS ARE SET THEN UNS SHOULD BE SET
15260 ;          7221              then
15261 ;          7222                  begin                    !ERROR UNS IS NOT SET
15262 ;          7223                  CMP_THRESHOLD;           !COMPARE ERROR PRINT THRESHOLD
15263 ;          7224                  ERRDF (74, ARR_DAT, DUMPER);
15264 ;          7225                  PRINTB (SIX_FMT, WRD_34, PHR_1, WRD_32, WRD_5, WRD_33, WRD_24);
15265 ;          7226                  ERR_FLG = ONE;
15266 ;          7227                  end
15267 ;          7228              else                         !BITS 162000 ARE NOT SET
15268 ;          7229                  begin
15269 ;          7230
15270 ;          7231                  if .LOW_CNT lss .HIGH_CNT    !LOW<9:0> SHOULD BE GEQ HIGH<15:10>
15271 ;          7232                  then
15272 ;          7233                      begin                !ERROR IF LSS
15273 ;          7234                      CMP_THRESHOLD;       !COMPARE ERROR PRINT THRESHOLD
15274 ;          7235                      ERRDF (75, ARR_DAT, DUMPER);
15275 ;          7236                      PRINTB (SIX_FMT, WRD_34, PHR_1, WRD_32, WRD_5, WRD_33, WRD_24);
15276 ;          7237                      ERR_FLG = ONE;
15277 ;          7238                      end;
15278 ;          7239
15279 ;          7240                  end
15280 ;          7241
15281 ;          7242              end
15282 ;          7243          else                             !GTR_FLG IS NOT SET
15283 ;          7244              begin
15284 ;          7245
15285 ;          7246              if .LOW_CNT neq .HIGH_CNT    !LOW<9:0> SHOULD EQL HIGH<15:10>
15286 ;          7247              then
15287 ;          7248                  begin                    !ERROR IF NEQ
15288 ;          7249                  CMP_THRESHOLD;           !COMPARE ERROR PRINT THRESHOLD
15289 ;          7250                  ERRDF (108, ARR_DAT, DUMPER);
15290 ;          7251                  PRINTB (SIX_FMT, WRD_34, PHR_1, WRD_32, WRD_5, WRD_33, WRD_24);
15291 ;          7252                  ERR_FLG = ONE;
```

```
                                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                                    29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (78)
15293 ;ML4AD
15294 ;                 TEST CODE SECTION
15295
15296 ;          7253                   end
15297 ;          7254
15298 ;          7255               end
15299 ;          7256
15300 ;          7257           end;
15301 ;          7258
15302 ;          7259       if .ERR_FLG IS_SET                       !SEE IF ERROR FLG GOT SET
15303 ;          7260       then
15304 ;          7261           begin                                !PRINT FAILING PROM_DATA AND SET DODU_FLG
15305 ;          7262           PRINTB (FMT_7, .PROM_DATA);
15306 ;          7263           end;
15307 ;          7264
15308 ;          7265       ENDSUB;
15309 ;          7266       end
15310 ;          7267   until .PROM_DATA eql %o'177777';             !TRY ALL BIT COMBINATIONS
15311 ;          7268
15312 ;          7269   ENDTST;
15316
15317                                          .SBTTL  $T26 TEST CODE SECTION
15321 054304  004167  130302          $T26:   JSR     R1,$SAVE5                ;                              7095
15322 054310  162706  000010                  SUB     #10,SP
15323 054314  005067  141056                  CLR     P.CNT                    ;                              7134
15324 054320  012766  177777  000006          MOV     #-1,6(SP)                ; *,PROM.DATA                  7137
15325 054326  005266  000006          1$:     INC     6(SP)                    ; PROM.DATA                    7141
15326 054332  104402                  2$:     TRAP    2
15327 054334  152777  000040  141102          BISB    #40,@ML.REG+40           ;                              7142
15328 054342  016705  141464                  MOV     ML.DUT,R5
15329 054346  042705  177770                  BIC     #177770,R5
15330 054352  142777  000007  141064          BICB    #7,@ML.REG+40
15331 054360  150577  141060                  BISB    R5,@ML.REG+40
15332 054364  005001                          CLR     R1                       ; ERR.FLG                      7144
15333 054366  005066  000002                  CLR     2(SP)                    ; LOW.CNT                      7145
15334 054372  005002                          CLR     R2                       ; HIGH.CNT                     7146
15335 054374  005066  000004                  CLR     4(SP)                    ; GTR.FLG                      7147
15336 054400  005005                          CLR     R5                       ; BIT.CNT                      7149
15337 054402  010504                  3$:     MOV     R5,R4                    ; BIT.CNT,*                    7151
15338 054404  006204                          ASR     R4
15339 054406  006204                          ASR     R4
15340 054410  006204                          ASR     R4
15341 054412  012703  000006                  MOV     #6,R3
15342 054416  060603                          ADD     SP,R3                    ; PROM.DATA,*
15343 054420  060304                          ADD     R3,R4
15344 054422  010446                          MOV     R4,-(SP)
15345 054424  010546                          MOV     R5,-(SP)                 ; BIT.CNT,*
15346 054426  042716  177770                  BIC     #177770,(SP)
15347 054432  012746  000001                  MOV     #1,-(SP)
```

```
                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                    29-Mar-1982 16:21:03    PA:<
15349                                   ;ML4AD
15350                                   ;               TEST CODE SECTION
15351
15352 054436 005046                             CLR     -(SP)
15353 054440 004767 127170                      JSR     PC,BL$GT2
15354 054444 062706 000010                      ADD     #10,SP
15355 054450 005300                             DEC     R0
15356 054452 001002                             BNE     4$
15357 054454 005266 000002                      INC     2(SP)           ; LOW.CNT
15358 054460 005205                     4$:     INC     R5              ; BIT.CNT                               7149
15359 054462 020527 000011                      CMP     R5,#11          ; BIT.CNT,*
15360 054466 003745                             BLE     3$
15361 054470 016602 000006                      MOV     6(SP),R2        ; PROM.DATA,HIGH.CNT                    7153
15362 054474 006202                             ASR     R2              ; HIGH.CNT
15363 054476 006202                             ASR     R2              ; HIGH.CNT
15364 054500 000302                             SWAB    R2              ; HIGH.CNT
15365 054502 042702 177770                      BIC     #177770,R2      ; *,HIGH.CNT
15366 054506 132766 000040 000007               BITB    #40,7(SP)       ; *,PROM.DATA+1                         7155
15367 054514 001401                             BEQ     5$
15368 054516 005202                             INC     R2              ; HIGH.CNT
15369 054520 132766 000100 000007       5$:     BITB    #100,7(SP)      ; *,PROM.DATA+1                         7157
15370 054526 001401                             BEQ     6$
15371 054530 005202                             INC     R2              ; HIGH.CNT
15372 054532 005005                     6$:     CLR     R5              ;                                       7159
15373 054534 105766 000007                      TSTB    7(SP)           ; PROM.DATA+1
15374 054540 100002                             BPL     7$
15375 054542 005205                             INC     R5
15376 054544 005202                             INC     R2              ; HIGH.CNT
15377 054546 006005                     7$:     ROR     R5              ;                                       7161
15378 054550 103003                             BCC     8$
15379 054552 012766 000001 000004               MOV     #1,4(SP)        ; *,GTR.FLG
15380 054560 004767 141626              8$:     JSR     PC,DAT.DM.XFER  ;                                       7163
15381 054564 152777 000100 140732               BISB    #100,@ML.REG+120 ;                                      7164
15382 054572 016605 000006                      MOV     6(SP),R5        ; PROM.DATA,*                           7165
15383 054576 010577 141032                      MOV     R5,@ML.REG+230
15384 054602 012777 000061 140574               MOV     #61,@ML.REG     ;                                       7166
15385 054610 152777 000020 140706               BISB    #20,@ML.REG+120 ;                                       7167
15386 054616 032777 040000 140640               BIT     #40000,@ML.REG+60 ;                                     7169
15387 054624 001514                             BEQ     12$
15388 054626 026627 000004 000001               CMP     4(SP),#1        ; GTR.FLG,*                             7173
15389 054634 001050                             BNE     11$
15390 054636 010516                             MOV     R5,(SP)         ; *,TEMP                                7176
15391 054640 042716 015777                      BIC     #15777,(SP)     ; *,TEMP                                7177
15392 054644 021627 162000                      CMP     (SP),#-16000    ; TEMP,*                                7179
15393 054650 001003                             BNE     9$
15394 054652 026602 000002                      CMP     2(SP),R2        ; LOW.CNT,HIGH.CNT                      7183
15395 054656 002002                             BGE     10$
15396 054660 000167 000516              9$:     JMP     19$
15397 054664 005267 140506              10$:    INC     P.CNT           ;                                       7186
15398 054670 026767 140502 140502               CMP     P.CNT,LIMIT
15399 054676 003146                             BGT     14$
15400 054700 104455                             TRAP    55              ;                                       7188
15401 054702 000110                             .WORD   110
15402 054704 013012                             .WORD   ARR.DAT
15403 054706 026302                             .WORD   DUMPER
```

```
15405                                   ;ML4AD                          29-Mar-1982 16:23:04    TOPS
15406                                   ;       TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
15407
15408 054710  012746  010774                    MOV     #WRD.24,-(SP)   ;                       7189
15409 054714  012746  011076                    MOV     #WRD.33,-(SP)
15410 054720  012746  010560                    MOV     #WRD.6,-(SP)
15411 054724  012746  011070                    MOV     #WRD.32,-(SP)
15412 054730  012746  011714                    MOV     #PHR.5,-(SP)
15413 054734  012746  011102                    MOV     #WRD.34,-(SP)
15414 054740  012746  010322                    MOV     #SIX.FMT,-(SP)
15415 054744  012746  000007                    MOV     #7,-(SP)
15416 054750  010600                            MOV     SP,R0           ; SP,*
15417 054752  104414                            TRAP    14
15418 054754  000546                            BR      15$             ;                       7190
15419 054756  026602  000002            11$:    CMP     2(SP),R2        ; LOW.CNT,HIGH.CNT      7199
15420 054762  001336                            BNE     9$
15421 054764  005267  140406                    INC     P.CNT           ;                       7201
15422 054770  026767  140402  140402            CMP     P.CNT,LIMIT
15423 054776  003146                            BGT     17$
15424 055000  104455                            TRAP    55              ;                       7203
15425 055002  000111                            .WORD   111
15426 055004  013012                            .WORD   ARR.DAT
15427 055006  026302                            .WORD   DUMPER
15428 055010  012746  010774                    MOV     #WRD.24,-(SP)   ;                       7204
15429 055014  012746  011076                    MOV     #WRD.33,-(SP)
15430 055020  012746  010560                    MOV     #WRD.6,-(SP)
15431 055024  012746  011070                    MOV     #WRD.32,-(SP)
15432 055030  012746  011714                    MOV     #PHR.5,-(SP)
15433 055034  012746  011102                    MOV     #WRD.34,-(SP)
15434 055040  012746  010322                    MOV     #SIX.FMT,-(SP)
15435 055044  012746  000007                    MOV     #7,-(SP)
15436 055050  010600                            MOV     SP,R0           ; SP,*
15437 055052  104414                            TRAP    14
15438 055054  000546                            BR      18$             ;                       7205
15439 055056  026627  000004  000001    12$:    CMP     4(SP),#1        ; GTR.FLG,*             7214
15440 055064  001103                            BNE     16$
15441 055066  010516                            MOV     R5,(SP)         ; *,TEMP                7217
15442 055070  042716  015777                    BIC     #15777,(SP)     ; *,TEMP                7218
15443 055074  021627  162000                    CMP     (SP),#-16000    ; TEMP,*                7220
15444 055100  001435                            BEQ     13$
15445 055102  005267  140270                    INC     P.CNT           ;                       7222
15446 055106  026767  140264  140264            CMP     P.CNT,LIMIT
15447 055114  003153                            BGT     21$
15448 055116  104455                            TRAP    55              ;                       7224
15449 055120  000112                            .WORD   112
15450 055122  013012                            .WORD   ARR.DAT
15451 055124  026302                            .WORD   DUMPER
15452 055126  012746  010774                    MOV     #WRD.24,-(SP)   ;                       7225
15453 055132  012746  011076                    MOV     #WRD.33,-(SP)
15454 055136  012746  010552                    MOV     #WRD.5,-(SP)
15455 055142  012746  011070                    MOV     #WRD.32,-(SP)
15456 055146  012746  011610                    MOV     #PHR.1,-(SP)
15457 055152  012746  011102                    MOV     #WRD.34,-(SP)
15458 055156  012746  010322                    MOV     #SIX.FMT,-(SP)
15459 055162  012746  000007                    MOV     #7,-(SP)
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
15461                                   ;ML4AD
15462                                   ;               TEST CODE SECTION
15463
15464 055166 010600                             MOV     SP,R0           ; SP,*
15465 055170 104414                             TRAP    14
15466 055172 000477                             BR      18$             ;                                       7226
15467 055174 026602 000002              13$:    CMP     2(SP),R2        ; LOW.CNT,HIGH.CNT                      7231
15468 055200 002100                             BGE     19$
15469 055202 005267 140170                      INC     P.CNT           ;                                       7233
15470 055206 026767 140164 140164               CMP     P.CNT,LIMIT
15471 055214 003113                     14$:    BGT     21$
15472 055216 104455                             TRAP    55              ;                                       7235
15473 055220 000113                             .WORD   113
15474 055222 013012                             .WORD   ARR.DAT
15475 055224 026302                             .WORD   DUMPER
15476 055226 012746 010774                      MOV     #WRD.24,-(SP)   ;                                       7236
15477 055232 012746 011076                      MOV     #WRD.33,-(SP)
15478 055236 012746 010552                      MOV     #WRD.5,-(SP)
15479 055242 012746 011070                      MOV     #WRD.32,-(SP)
15480 055246 012746 011610                      MOV     #PHR.1,-(SP)
15481 055252 012746 011102                      MOV     #WRD.34,-(SP)
15482 055256 012746 010322                      MOV     #SIX.FMT,-(SP)
15483 055262 012746 000007                      MOV     #7,-(SP)
15484 055266 010600                             MOV     SP,R0           ; SP,*
15485 055270 104414                             TRAP    14
15486 055272 000437                     15$:    BR      18$             ;                                       7237
15487 055274 026602 000002              16$:    CMP     2(SP),R2        ; LOW.CNT,HIGH.CNT                      7246
15488 055300 001440                             BEQ     19$
15489 055302 005267 140070                      INC     P.CNT           ;                                       7248
15490 055306 026767 140064 140064               CMP     P.CNT,LIMIT
15491 055314 003053                     17$:    BGT     21$
15492 055316 104455                             TRAP    55              ;                                       7250
15493 055320 000154                             .WORD   154
15494 055322 013012                             .WORD   ARR.DAT
15495 055324 026302                             .WORD   DUMPER
15496 055326 012746 010774                      MOV     #WRD.24,-(SP)   ;                                       7251
15497 055332 012746 011076                      MOV     #WRD.33,-(SP)
15498 055336 012746 010552                      MOV     #WRD.5,-(SP)
15499 055342 012746 011070                      MOV     #WRD.32,-(SP)
15500 055346 012746 011610                      MOV     #PHR.1,-(SP)
15501 055352 012746 011102                      MOV     #WRD.34,-(SP)
15502 055356 012746 010322                      MOV     #SIX.FMT,-(SP)
15503 055362 012746 000007                      MOV     #7,-(SP)
15504 055366 010600                             MOV     SP,R0           ; SP,*
15505 055370 104414                             TRAP    14
15506 055372 012701 000001              18$:    MOV     #1,R1           ; *,ERR.FLG                             7252
15507 055376 062706 000020                      ADD     #20,SP          ;                                       7248
15508 055402 020127 000001              19$:    CMP     R1,#1           ; ERR.FLG,*                             7259
15509 055406 001011                             BNE     20$
15510 055410 010546                             MOV     R5,-(SP)        ;                                       7262
15511 055412 012746 007002                      MOV     #FMT.7,-(SP)
15512 055416 012746 000002                      MOV     #2,-(SP)
15513 055422 010600                             MOV     SP,R0           ; SP,*
15514 055424 104414                             TRAP    14
15515 055426 062706 000006                      ADD     #6,SP           ;                                       7261
```

```
15517                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
15518                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
15519
15520 055432  104467                    20$:    TRAP    67                      .                                       7263
15521 055434  006000                            ROR     R0
15522 055436  103002                            BHIS    21$
15523 055440  000167  176666                    JMP     2$
15524 055444  026627  000006  177777    21$:    CMP     6(SP),#-1               ; PROM.DATA,*                           7267
15525 055452  001402                            BEQ     22$
15526 055454  000167  176646                    JMP     1$
15527 055460  062706  000010            22$:    ADD     #10,SP                  ;                                       7095
15528 055464  000207                            RTS     PC
15529
15530                                   ; Routine Size:  313 words
15531                                   ; Maximum stack depth per invocation:  18 words
15536
15537
15541
15542                                           .SBTTL  T26 TEST CODE SECTION
15546 055466                            T26::
15547 055466  004767  176612            1$:     JSR     PC,$T26                 ;                                       7267
15548 055472  104466                            TRAP    66
15549 055474  006000                            ROR     R0
15550 055476  103773                            BLO     1$
15551 055500  000207                            RTS     PC
15552
15553                                   ; Routine Size:  6 words
15554                                   ; Maximum stack depth per invocation:  0 words
15559
15560
15561 ;          7270  !<BLF/PAGE>
```

```
15563 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
15564 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (79)
15565 ;
15566 ;          7271  !
15567 ;          7272  !
15568 ;          7273  BGNTST;
15569 ;          7274
15570 ;          7275  !++
15571 ;          7276  ! TEST NUMBER:  TST 27
15572 ;          7277  !
15573 ;          7278  ! TEST NAME:    INITIAL ARRAY TEST
15574 ;          7279  !
15575 ;          7280  ! TEST DESCRIPTION:
15576 ;          7281  !
15577 ;          7282  !       DUE TO THE NATURE OF THE DEVICE
15578 ;          7283  !       THERE EXISTS KNOWN BAD ARRAY
15579 ;          7284  !       DATA LOCATIONS.
15580 ;          7285  !
15581 ;          7286  !       THEREFORE TO INITIALLY TEST THE ARRAYS'
15582 ;          7287  !       TIMING AND CONTROL LOGIC A BAD
15583 ;          7288  !       NIBBLE THRESHOLD OF 36 BAD NIBBLES
15584 ;          7289  !       OUT OF 100 NIBBLES TESTED WILL BE
15585 ;          7290  !       TOLERATED BEFORE DETERMINING CONTROL
15586 ;          7291  !       LOGIC TO BE IN ERROR.
15587 ;          7292  !
15588 ;          7293  !       THE ARRAYS' ARE INITIALLY TESTED BY:
15589 ;          7294  !
15590 ;          7295  !       1.  VIA DAT_DM MOD WRITE DATA PATTERNS
15591 ;          7296  !           OF 1'S AND 0'S TO 5 ARRAY
15592 ;          7297  !           WORDS.
15593 ;          7298  !
15594 ;          7299  !       2.  TEST EACH NIBBLE (4 BITS) FOR
15595 ;          7300  !           1'S AND 0'S AND COUNT EACH BAD
15596 ;          7301  !           NIBBLE ENCOUNTERED.
15597 ;          7302  !
15598 ;          7303  !       3.  IF ACCUMULATED BAD NIBBLES
15599 ;          7304  !           EXCEED 36 THEN REPORT AN ERROR.
15600 ;          7305  !
15601 ;          7306  !--
15602 ;          7307
15603 ;          7308  local
15604 ;          7309      TST_PAT,                              !TEST PATTERN
15605 ;          7310      BAD_NIB_CNT,                          !NUMBER OF BAD NIBBLES FOUND
15606 ;          7311      ERR_FLG;                              !ERROR FLAG
15607 ;          7312
15608 ;          7313  TST_PAT = ONES;
15609 ;          7314  BAD_NIB_CNT = ZEROES;
15610 ;          7315
15611 ;          7316  incr TWICE from 0 to 1 do                 !REPEAT LOOP TWICE
15612 ;          7317      begin
15613 ;          7318      BGNSUB;
15614 ;          7319      CLR_MBUS;
15615 ;          7320      MLD1 = .TST_PAT;                      !LOAD TEST PATTERN INTO DIAG REGISTERS
15616 ;          7321      MLD2 = .TST_PAT;
15617 ;          7322      MLE2 = .TST_PAT;
```

```
15619 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 BLiss-16 V2(212)
15620 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (79)
15621
15622 ;          7323      DAT_DM = ONE;                        !SET DATA DIAG MODE
15623 ;          7324      FIRST_BLK_XFER ();                   !SET UP A FIRST BLK XFERR
15624 ;          7325      MLCS1 = write;                       !DO A MBUS WRITE FUNCTION
15625 ;          7326
15626 ;          7327      incr CNT from 0 to 4 do              !CLOCK 5 WORDS INTO MEMORY
15627 ;          7328          begin
15628 ;          7329          DELAY (ONE_US);
15629 ;          7330          DAT_CLK = ONE;
15630 ;          7331          end;
15631 ;          7332
15632 ;          7333      CLR_MBUS;
15633 ;          7334      DAT_DM = ONE;                        !SET DATA DIAG MODE
15634 ;          7335      FIRST_BLK_XFER ();                   !SET UP A FIRST BLK XFERR
15635 ;          7336      MLCS1 = read;                        !DO A READ FUNCTION
15636 ;          7337      DELAY (ONE_US);
15637 ;          7338
15638 ;          7339      incr ARR_WRD from 0 to 4 do          !READ THE 5 WORD IN MEMORY
15639 ;          7340          begin
15640 ;          7341          DAT_CLK = ONE;                   !CLOCK OUT A WORD INTO THE DIAG REGS
15641 ;          7342          DELAY (ONE_US);
15642 ;          7343          RD_LNG_WRD;                      !READ THE DIAG REGISTERS
15643 ;          7344
15644 ;          7345          incr NIB_PTR from 0 to 9 do      !READ THE 10 NIBBLES IN THE WORD
15645 ;          7346              begin
15646 ;          7347              TST_LNG_WRD (.NIB_PTR, .TST_PAT, ERR_FLG);  !COMPARE TST PAT TO NIBBLE UNDER TEST
15647 ;          7348
15648 ;          7349              if .ERR_FLG IS_SET then BAD_NIB_CNT = .BAD_NIB_CNT + 1;
15649 ;          7350
15650 ;          7351                                           !INCREMENT BAD_NIBBLE COUNT IFERR_FLG SET
15651 ;          7352              end;
15652 ;          7353
15653 ;          7354          end;
15654 ;          7355
15655 ;          7356      TST_PAT = not .TST_PAT;              !REPEAT WITH COMPLIMENT TST PAT
15656 ;          7357      ENDSUB;
15657 ;          7358      end;
15658 ;          7359
15659 ;          7360  if .BAD_NIB_CNT gtr 36                  !SEE IF 36 OUT OF THE 100 XFERRED WHERE BAD
15660 ;          7361  then
15661 ;          7362      begin                                !ERROR IF GTR 36
15662 ;          7363      ERRDF (77, ASYNC, DUMPER);
15663 ;          7364      PRINTB (FIV_FMT, WRD_22, PHR_4, WRD_12, WRD_45, FNC_14);
15664 ;          7365      DODU (.ML_LUN);
15665 ;          7366      DOCLN;
15666 ;          7367      end;
15667 ;          7368
15668 ;          7369  ENDTST;
15672
15673                                  .SBTTL  $T27 TEST CODE SECTION
```

```
15675                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
15676                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
15677
15681 055502  004167  127104           ST27:   JSR     R1,$SAVE5       ;                               7269
15682 055506  024646                           CMP     -(SP),-(SP)
15683 055510  012701  177777                   MOV     #-1,R1          ; *,TST.PAT                     7313
15684 055514  005046                           CLR     -(SP)           ; BAD.NIB.CNT                   7314
15685 055516  005005                           CLR     R5              ; TWICE                         7316
15686 055520  104402                   1$:     TRAP    2               ;                               7317
15687 055522  152777  000040  137714           BISB    #40,@ML.REG+40  ;                               7318
15688 055530  016704  140276                   MOV     ML.DUT,R4
15689 055534  042704  177770                   BIC     #177770,R4
15690 055540  142777  000007  137676           BICB    #7,@ML.REG+40
15691 055546  150477  137672                   BISB    R4,@ML.REG+40
15692 055552  010177  140016                   MOV     R1,@ML.REG+170  ; TST.PAT,*                     7320
15693 055556  010177  140022                   MOV     R1,@ML.REG+200  ; TST.PAT,*                     7321
15694 055562  010177  137776                   MOV     R1,@ML.REG+160  ; TST.PAT,*                     7322
15695 055566  152777  000010  137730           BISB    #10,@ML.REG+120 ;                               7323
15696 055574  004767  142462                   JSR     PC,FIRST.BLK.XFER ;                             7324
15697 055600  012777  000061  137576           MOV     #61,@ML.REG     ;                               7325
15698 055606  005002                           CLR     R2              ; CNT                           7327
15699 055610  012703  000001           2$:     MOV     #1,R3           ; *,$STMP2                      7329
15700 055614  001411                   3$:     BEQ     6$
15701 055616  016704  124274                   MOV     L$DLY,R4        ; *,$STMP1
15702 055622  001404                           BEQ     5$
15703 055624  005066  000004           4$:     CLR     4(SP)           ; $STMP
15704 055630  005304                           DEC     R4              ; $STMP1
15705 055632  001374                           BNE     4$
15706 055634  005303                   5$:     DEC     R3              ; $STMP2
15707 055636  000766                           BR      3$
15708 055640  152777  000020  137656   6$:     BISB    #20,@ML.REG+120 ;                               7330
15709 055646  005202                           INC     R2              ; CNT                           7327
15710 055650  020227  000004                   CMP     R2,#4           ; CNT,*
15711 055654  003755                           BLE     2$
15712 055656  152777  000040  137560           BISB    #40,@ML.REG+40  ;                               7331
15713 055664  016704  140142                   MOV     ML.DUT,R4
15714 055670  042704  177770                   BIC     #177770,R4
15715 055674  142777  000007  137542           BICB    #7,@ML.REG+40
15716 055702  150477  137536                   BISB    R4,@ML.REG+40
15717 055706  152777  000010  137610           BISB    #10,@ML.REG+120 ;                               7334
15718 055714  004767  142342                   JSR     PC,FIRST.BLK.XFER ;                             7335
15719 055720  012777  000071  137456           MOV     #71,@ML.REG     ;                               7336
15720 055726  012703  000001                   MOV     #1,R3           ; *,$STMP2                      7337
15721 055732  001411                   7$:     BEQ     10$
15722 055734  016704  124156                   MOV     L$DLY,R4        ; *,$STMP1
15723 055740  001404                           BEQ     9$
15724 055742  005066  000004           8$:     CLR     4(SP)           ; $STMP
15725 055746  005304                           DEC     R4              ; $STMP1
15726 055750  001374                           BNE     8$
15727 055752  005303                   9$:     DEC     R3              ; $STMP2
15728 055754  000766                           BR      7$
15729 055756  005002                   10$:    CLR     R2              ; ARR.WRD                       7339
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
15731                                   ;ML4AD
15732                                   ;               TEST CODE SECTION
15733                                                                                                   7341
15734 055760  152777  000020  137536  11$:    BISB    #20,@ML.REG+120         ;                       7342
15735 055766  012703  000001           12$:    MOV     #1,R3                   ; *,$$TMP2
15736 055772  001411                   13$:    BEQ     15$
15737 055774  016704  124116                   MOV     L$DLY,R4                ; *,$$TMP1
15738 056000  001404                           BEQ     14$
15739 056002  005066  000004           13$:    CLR     4(SP)                   ; $$TMP
15740 056006  005304                           DEC     R4                      ; $$TMP1
15741 056010  001374                           BNE     13$
15742 056012  005303                   14$:    DEC     R3                      ; $$TMP2
15743 056014  000766                           BR      12$
15744 056016  017767  137552  135350  15$:    MOV     @ML.REG+170,D1.TEMP
15745 056024  017767  137554  135344           MOV     @ML.REG+200,D2.TEMP
15746 056032  017767  137526  135340           MOV     @ML.REG+160,E2.TEMP
15747 056040  005004                           CLR     R4                      ; NIB.PTR                       7345
15748 056042  010446                   16$:    MOV     R4,-(SP)                ; NIB.PTR,*                     7347
15749 056044  010146                           MOV     R1,-(SP)                ; TST.PAT,*
15750 056046  012746  000010                   MOV     #10,-(SP)
15751 056052  060616                           ADD     SP,(SP)                 ; ERR.FLG,*
15752 056054  004767  142316                   JSR     PC,TST.LNG.WRD
15753 056060  026627  000010  000001           CMP     10(SP),#1               ; ERR.FLG,*                     7349
15754 056066  001002                           BNE     17$
15755 056070  005266  000006                   INC     6(SP)                   ; BAD.NIB.CNT
15756 056074  062706  000006           17$:    ADD     #6,SP                   ;                               7346
15757 056100  005204                           INC     R4                      ; NIB.PTR                       7345
15758 056102  020427  000011                   CMP     R4,#11                  ; NIB.PTR,*
15759 056106  003755                           BLE     16$
15760 056110  005202                           INC     R2                      ; ARR.WRD                       7339
15761 056112  020227  000004                   CMP     R2,#4                   ; ARR.WRD,*
15762 056116  003720                           BLE     11$
15763 056120  005101                           COM     R1                      ; TST.PAT                       7356
15764 056122  104467                           TRAP    67
15765 056124  006000                           ROR     R0
15766 056126  103002                           BHIS    19$
15767 056130  000167  177364           18$:    JMP     1$
15768 056134  005205                   19$:    INC     R5                      ; TWICE                         7316
15769 056136  020527  000001                   CMP     R5,#1                   ; TWICE,*
15770 056142  003772                           BLE     18$
15771 056144  021627  000044                   CMP     (SP),#44                ; BAD.NIB.CNT,*                 7360
15772 056150  003432                           BLE     20$
15773 056152  104455                           TRAP    55                      ;                               7363
15774 056154  000115                           .WORD   115
15775 056156  012706                           .WORD   ASYNC
15776 056160  026302                           .WORD   DUMPER
15777 056162  012746  012344                   MOV     #FNC.14,-(SP)           ;                               7364
15778 056166  012746  011214                   MOV     #WRD.45,-(SP)
15779 056172  012746  010650                   MOV     #WRD.12,-(SP)
15780 056176  012746  011676                   MOV     #PHR.4,-(SP)
15781 056202  012746  010752                   MOV     #WRD.22,-(SP)
15782 056206  012746  010304                   MOV     #FIV.FMT,-(SP)
15783 056212  012746  000006                   MOV     #6,-(SP)
15784 056216  010600                           MOV     SP,R0                   ; SP,*
15785 056220  104414                           TRAP    14
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
15787                           ;ML4AD
15788                           ;                TEST CODE SECTION                                      7365
15789
15790 056222  016700  137602                MOV     ML.LUN,R0                ;
15791 056226  104451                        TRAP    51
15792 056230  104444                        TRAP    44                                                 7362
15793 056232  062706  000016                ADD     #16,SP                   ;                         7269
15794 056236  062706  000006          20$:  ADD     #6,SP                    ;
15795 056242  000207                        RTS     PC
15796
15797                           ; Routine Size:  177 words
15798                           ; Maximum stack depth per invocation:  16 words
15803
15804
15808
15809                                   .SBTTL  T27 TEST CODE SECTION
15813 056244                    T27::
15814 056244  004767  177232          1$:   JSR     PC,$T27                  ;                         7367
15815 056250  104466                        TRAP    66
15816 056252  006000                        ROR     R0
15817 056254  103773                        BLO     1$
15818 056256  000207                        RTS     PC
15819
15820                           ; Routine Size:  6 words
15821                           ; Maximum stack depth per invocation:  0 words
15826
15827
15828 ;          7370  !<BLF/PAGE>
```

```
15830 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
15831 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (80)
15832
15833 ;          7371   !
15834 ;          7372   BGNTST;
15835 ;          7373
15836 ;          7374   !++
15837 ;          7375   ! TEST NUMBER:  TST 28
15838 ;          7376   !
15839 ;          7377   ! TEST NAME:    PROM SELECTION TEST
15840 ;          7378   !
15841 ;          7379   ! TEST DESCRIPTION:
15842 ;          7380   !       DUE TO THE NATURE OF THE DEVICE
15843 ;          7381   !       AND OF THE ARRAY MODULES' UV
15844 ;          7382   !       PROMS, ONLY PROM READS ARE
15845 ;          7383   !       ALLOWED DURING DIAG TESTING.
15846 ;          7384   !
15847 ;          7385   !       THEREFORE THE ARRAY MODULE UV PROMS
15848 ;          7386   !       ARE TESTED FOR UNIQUE SELECTION BY:
15849 ;          7387   !
15850 ;          7388   !       1.  AT EACH PRESENT ARRAY MODULE WRITE 127 ARRAY WORDS WITH 1'S/0'S PATTERN.
15851 ;          7389   !
15852 ;          7390   !       2.  READ THE UV PROMS AT THEIR RESPECTIVE ARRAY WORD LOCATION AND SEE IF
15853 ;          7391   !           THE PROMS MASK BAD NIBBLE LOCATIONS (ENCOUNTERED BAD NIBBLES
15854 ;          7392   !           INDICATES INCORRECT MASKING).  COUNT EACH BAD NIBBLE ENCOUNTERED AT AN
15855 ;          7393   !           ARRAY MODULE.
15856 ;          7394   !
15857 ;          7395   !       3.  ALLOW A THRESHOLD OF 5 BAD NIBBLES AT ANY ARRAY MODULE.
15858 ;          7396   !
15859 ;          7397   !       4.  REPORT PROM SEL ERRORS AT RESPECTIVE ARRAY MODULE IF THE
15860 ;          7398   !           THRESHOLD IS EXCEEDED.
15861 ;          7399   !
15862 ;          7400   ! IMPLICIT INPUTS:
15863 ;          7401   !       PD_TEMP:
15864 ;          7402   !       A BIT VECTOR OF 16 BITS WHERE
15865 ;          7403   !       THE READ PROM DATA IS STORED
15866 ;          7404   !       AND ACCESSED FROM.
15867 ;          7405   !
15868 ;          7406   !       IO_BUF
15869 ;          7407   !       A VECTOR OF 256 WORDS WHERE
15870 ;          7408   !       DATA FOR MBUS READS AND WRITE
15871 ;          7409   !       FUNCTION ARE FOUND.
15872 ;          7410   !
15873 ;          7411   !--
15874 ;          7412
15875 ;          7413   local
15876 ;          7414       DODU_FLG,                            !DROP UNIT FLG
15877 ;          7415       ERR_FLG,                             !ERROR FLG
15878 ;          7416       TST_PAT,                             !TEST PATTERN
15879 ;          7417       ERR_CNT;                             !ERROR COUNT
15880 ;          7418
15881 ;          7419   DODU_FLG = ZERO;
15882 ;          7420   TST_PAT = ONES;
15883 ;          7421
15884 ;          7422   !
```

```
15886 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
15887 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (80)
15888
15889 ;          7423  !VER CZMLAD CHANGED TEST TO UNSIGNED TEST
15890 ;          7424  !
15891 ;          7425  incrU ARR_SEL from 0 to .LST_ARR by .ARR_INC do        !TEST ALL PRESENT ARRAYS
15892 ;          7426      begin
15893 ;          7427      ERR_CNT = ZERO;
15894 ;          7428      BGNSUB;
15895 ;          7429
15896 ;          7430      incr TWICE from 0 to 1 do                  !REPEAT LOOP TWICE
15897 ;          7431          begin
15898 ;          7432          CLR_MBUS;
15899 ;          7433          MLD1 = .TST_PAT;                       !LOAD DATA DIAG REGISTERS WITH TST_PAT
15900 ;          7434          MLD2 = .TST_PAT;
15901 ;          7435          MLE2 = .TST_PAT;
15902 ;          7436          DAT_DM = ONE;                          !SET DATA DIAG MODE
15903 ;          7437          MLWC = not 255;                        !LOAD WORD COUNT
15904 ;          7438          MLBA = IO_BUF;                         !LOAD UBUS ADRS
15905 ;          7439          MLDA = .ARR_SEL;                       !LOAD SECTOR
15906 ;          7440          MLCS1 = write;                         !DO A WRITE FUNCTION
15907 ;          7441
15908 ;          7442          incr CNT from 0 to 127 do              !CLOCK IN 127 WORDS
15909 ;          7443              begin
15910 ;          7444              DELAY (ONE_US);
15911 ;          7445              DAT_CLK = ONE;
15912 ;          7446              end;
15913 ;          7447
15914 ;          7448          CLR_MBUS;
15915 ;          7449          DAT_DM = ONE;                          !SET DATA DIAG MODE
15916 ;          7450          MLWC = not 255;                        !LOAD WORD COUNT
15917 ;          7451          MLBA = IO_BUF;                         !LOAD UBUS ADRS
15918 ;          7452          MLDA = .ARR_SEL;                       !LOAD SECTOR
15919 ;          7453          MLCS1 = read;                          !DO A READ FUNCTION
15920 ;          7454          DELAY (ONE_US);
15921 ;          7455
15922 ;          7456          incr WD_CNT from 0 to 127 do           !READ THE 10 WORDS
15923 ;          7457              begin
15924 ;          7458              PD_TEMP = .MLPD;                   !GET PROM DATA FOR THIS WORD
15925 ;          7459              DAT_CLK = ONE;                     !CLOCK THIS WORD INTO DIAG REG
15926 ;          7460              DELAY (ONE_US);
15927 ;          7461              RD_LNG_WRD;                        !READ DIAG REG FOR THIS WORD
15928 ;          7462
15929 ;          7463              incr NIB_PTR from 0 to 9 do        !LOOK AT ALL 10 NIBBLE
15930 ;          7464
15931 ;          7465                  if .PD_TEMP [.NIB_PTR] IS_NOT_SET      !FIND GOOD NIBBLES
15932 ;          7466                  then
15933 ;          7467                      begin
15934 ;          7468                      TST_LNG_WRD (.NIB_PTR, .TST_PAT, ERR_FLG);  !COMPARE NIBBLE TO TST_PAT
15935 ;          7469
15936 ;          7470                      if .ERR_FLG IS_SET then ERR_CNT = .ERR_CNT + 1;
15937 ;          7471
15938 ;          7472                                                 !INCREMENT ERROR COUNT IF ERROR FLG IS SET
15939 ;          7473                      end;
15940 ;          7474
```

```
                                                                                29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                                                29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (80)
;ML4AD
;                    TEST CODE SECTION
;
;           7475                 end;
;           7476
;           7477             TST_PAT = not .TST_PAT;                !REPEAT WITH COMPLIMENT DATA
;           7478             end;
;           7479
;           7480         if .ERR_CNT gtr 5                          !ALLOW 5 ERROR BEFORE ERRORING
;           7481         then
;           7482             begin                                  !ERROR IF GTR 5
;           7483             ERRDF (78, ARR_DAT, DUMPER);
;           7484             PRINTB (THR_FMT, WRD_35, WRD_37, WRD_10);
;           7485             PRINTB (FMT_9, .ARR_SEL);
;           7486             DODU_FLG = ONE;
;           7487             end;
;           7488
;           7489         ENDSUB;
;           7490
;           7491         if .DODU_FLG IS_SET                        !DROP THIS UNIT IF DODU_FLG IS SET
;           7492         then
;           7493             begin
;           7494             DODU (.ML_LUN);
;           7495             DOCLN;
;           7496             end;
;           7497
;           7498         end;
;           7499
;           7500 ENDTST;
15974
15975                                        .SBTTL  $T28 TEST CODE SECTION
15979 056260  004167  126326          $T28:  JSR     R1,$SAVE5                ;                                    7369
15980 056264  162706  000016                 SUB     #16,SP
15981 056270  005066  000010                 CLR     10(SP)                   ; DODU.FLG                           7419
15982 056274  012702  177777                 MOV     #-1,R2                   ; *,TST.PAT                          7420
15983 056300  016766  135514  000006         MOV     LST.ARR,6(SP)            ;                                    7425
15984 056306  016766  135472  000004         MOV     ARR.INC,4(SP)
15985 056314  005001                         CLR     R1                       ; ARR.SEL
15986 056316  000167  000666                 JMP     25$
15987 056322  005066  000002          1$:    CLR     2(SP)                    ; ERR.CNT                            7427
15988 056326  104402                 2$:    TRAP    2
15989 056330  005016                         CLR     (SP)                     ; TWICE                              7430
15990 056332  152777  000040  137104  3$:    BISB    #40,@ML.REG+40           ;                                    7431
15991 056340  016705  137466                 MOV     ML.DUT,R5
15992 056344  042705  177770                 BIC     #177770,R5
15993 056350  142777  000007  137066         BICB    #7,@ML.REG+40
15994 056356  150577  137062                 BISB    R5,@ML.REG+40
15995 056362  010277  137206                 MOV     R2,@ML.REG+170           ; TST.PAT,*                          7433
15996 056366  010277  137212                 MOV     R2,@ML.REG+200           ; TST.PAT,*                          7434
```

```
15998                                   ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
15999                                   ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
16000
16001 056372 010277 137166              MOV     R2,@ML.REG+160          ; TST.PAT,*                             7435
16002 056376 152777 000010 137120       BISB    #10,@ML.REG+120         ;                                       7436
16003 056404 012777 177400 137002       MOV     #-400,@ML.REG+10        ;                                       7437
16004 056412 012777 014022 137004       MOV     #IO.BUF,@ML.REG+20      ;                                       7438
16005 056420 010177 137010              MOV     R1,@ML.REG+30           ; ARR.SEL,*                             7439
16006 056424 012777 000061 136752       MOV     #61,@ML.REG             ;                                       7440
16007 056432 005003                     CLR     R3                      ; CNT                                   7442
16008 056434 012704 000001        4$:   MOV     #1,R4                   ; *,$$TMP2                              7444
16009 056440 001411               5$:   BEQ     8$
16010 056442 016705 123450              MOV     L$DLY,R5                ; *,$$TMP1
16011 056446 001404                     BEQ     7$
16012 056450 005066 000014        6$:   CLR     14(SP)                  ; $$TMP
16013 056454 005305                     DEC     R5                      ; $$TMP1
16014 056456 001374                     BNE     6$
16015 056460 005304               7$:   DEC     R4                      ; $$TMP2
16016 056462 000766                     BR      5$
16017 056464 152777 000020 137032 8$:   BISB    #20,@ML.REG+120         ;                                       7445
16018 056472 005203                     INC     R3                      ; CNT                                   7442
16019 056474 020327 000177              CMP     R3,#177                 ; CNT,*
16020 056500 003755                     BLE     4$
16021 056502 152777 000040 136734       BISB    #40,@ML.REG+40          ;                                       7446
16022 056510 016705 137316              MOV     ML.DUT,R5
16023 056514 042705 177770              BIC     #177770,R5
16024 056520 142777 000007 136716       BICB    #7,@ML.REG+40
16025 056526 150577 136712              BISB    R5,@ML.REG+40
16026 056532 152777 000010 136764       BISB    #10,@ML.REG+120         ;                                       7449
16027 056540 012777 177400 136646       MOV     #-400,@ML.REG+10        ;                                       7450
16028 056546 012777 014022 136650       MOV     #IO.BUF,@ML.REG+20      ;                                       7451
16029 056554 010177 136654              MOV     R1,@ML.REG+30           ; ARR.SEL,*                             7452
16030 056560 012777 000071 136616       MOV     #71,@ML.REG             ;                                       7453
16031 056566 012704 000001              MOV     #1,R4                   ; *,$$TMP2                              7454
16032 056572 001411               9$:   BEQ     12$
16033 056574 016705 123316              MOV     L$DLY,R5                ; *,$$TMP1
16034 056600 001404                     BEQ     11$
16035 056602 005066 000014        10$:  CLR     14(SP)                  ; $$TMP
16036 056606 005305                     DEC     R5                      ; $$TMP1
16037 056610 001374                     BNE     10$
16038 056612 005304               11$:  DEC     R4                      ; $$TMP2
16039 056614 000766                     BR      9$
16040 056616 005003               12$:  CLR     R3                      ; WD.CNT                                7456
16041 056620 017767 137010 136514 13$:  MOV     @ML.REG+230,PD.TEMP     ;                                       7458
16042 056626 152777 000020 136670       BISB    #20,@ML.REG+120         ;                                       7459
16043 056634 012704 000001              MOV     #1,R4                   ; *,$$TMP2                              7460
16044 056640 001411               14$:  BEQ     17$
16045 056642 016705 123250              MOV     L$DLY,R5                ; *,$$TMP1
16046 056646 001404                     BEQ     16$
16047 056650 005066 000014        15$:  CLR     14(SP)                  ; $$TMP
16048 056654 005305                     DEC     R5                      ; $$TMP1
16049 056656 001374                     BNE     15$
16050 056660 005304               16$:  DEC     R4                      ; $$TMP2
16051 056662 000766                     BR      14$
16052 056664 017767 136704 134502 17$:  MOV     @ML.REG+170,D1.TEMP
```

```
16054                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
16055                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
16056
16057 056672  017767  136706  134476            MOV     @ML.REG+200,D2.TEMP
16058 056700  017767  136660  134472            MOV     @ML.REG+160,E2.TEMP
16059 056706  005004                            CLR     R4                      ; NIB.PTR                       7463
16060 056710  010405                    18$:    MOV     R4,R5                   ; NIB.PTR,*                     7465
16061 056712  006205                            ASR     R5
16062 056714  006205                            ASR     R5
16063 056716  006205                            ASR     R5
16064 056720  062705  015342                    ADD     #PD.TEMP,R5
16065 056724  010546                            MOV     R5,-(SP)
16066 056726  010446                            MOV     R4,-(SP)                ; NIB.PTR,*
16067 056730  042716  177770                    BIC     #177770,(SP)
16068 056734  012746  000001                    MOV     #1,-(SP)
16069 056740  005046                            CLR     -(SP)
16070 056742  004767  124666                    JSR     PC,BL$GT2
16071 056746  062706  000010                    ADD     #10,SP
16072 056752  005700                            TST     R0
16073 056754  001017                            BNE     20$
16074 056756  010446                            MOV     R4,-(SP)                ; NIB.PTR,*                     7468
16075 056760  010246                            MOV     R2,-(SP)                ; TST.PAT,*
16076 056762  012746  000020                    MOV     #20,-(SP)
16077 056766  060616                            ADD     SP,(SP)                 ; ERR.FLG,*
16078 056770  004767  141402                    JSR     PC,TST.LNG.WRD
16079 056774  026627  000020  000001            CMP     20(SP),#1               ; ERR.FLG,*                     7470
16080 057002  001002                            BNE     19$
16081 057004  005266  000010                    INC     10(SP)                  ; ERR.CNT
16082 057010  062706  000006            19$:    ADD     #6,SP                   ;                               7467
16083 057014  005204                    20$:    INC     R4                      ; NIB.PTR                       7463
16084 057016  020427  000011                    CMP     R4,#11                  ; NIB.PTR,*
16085 057022  003732                            BLE     18$
16086 057024  005203                            INC     R3                      ; WD.CNT                        7456
16087 057026  020327  000177                    CMP     R3,#177                 ; WD.CNT,*
16088 057032  003672                            BLE     13$
16089 057034  005102                            COM     R2                      ; TST.PAT                       7477
16090 057036  005216                            INC     (SP)                    ; TWICE                         7430
16091 057040  021627  000001                    CMP     (SP),#1                 ; TWICE,*
16092 057044  003002                            BGT     21$
16093 057046  000167  177260                    JMP     3$
16094 057052  026627  000002  000005    21$:    CMP     2(SP),#5                ; ERR.CNT,*                     7480
16095 057060  003434                            BLE     22$
16096 057062  104455                            TRAP    55                      ;                               7483
16097 057064  000116                            .WORD   116
16098 057066  013012                            .WORD   ARR.DAT
16099 057070  026302                            .WORD   DUMPER
16100 057072  012746  010630                    MOV     #WRD.10,-(SP)           ;                               7484
16101 057076  012746  011122                    MOV     #WRD.37,-(SP)
16102 057102  012746  011110                    MOV     #WRD.35,-(SP)
16103 057106  012746  010256                    MOV     #THR.FMT,-(SP)
16104 057112  012746  000004                    MOV     #4,-(SP)
16105 057116  010600                            MOV     SP,R0                   ; SP,*
16106 057120  104414                            TRAP    14
16107 057122  010116                            MOV     R1,(SP)                 ; ARR.SEL,*                     7485
16108 057124  012746  007064                    MOV     #FMT.9,-(SP)
```

```
16110                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
16111                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
16112
16113 057130  012746  000002                    MOV     #2,-(SP)
16114 057134  010600                            MOV     SP,R0                   ; SP,*
16115 057136  104414                            TRAP    14
16116 057140  012766  000001  000026            MOV     #1,26(SP)               ; *,DODU.FLG                                    7486
16117 057146  062706  000016                    ADD     #16,SP                  ;                                               7482
16118 057152  104467                  22$:      TRAP    67                      ;                                               7487
16119 057154  006000                            ROR     R0
16120 057156  103002                            BHIS    23$
16121 057160  000167  177142                    JMP     2$
16122 057164  026627  000010  000001  23$:      CMP     10(SP),#1               ; DODU.FLG,*                                    7491
16123 057172  001004                            BNE     24$
16124 057174  016700  136630                    MOV     ML.LUN,R0               ;                                               7494
16125 057200  104451                            TRAP    51
16126 057202  104444                            TRAP    44
16127 057204  066601  000004            24$:    ADD     4(SP),R1                ; *,ARR.SEL                                     7425
16128 057210  020166  000006            25$:    CMP     R1,6(SP)                ; ARR.SEL,*
16129 057214  101002                            BHI     26$
16130 057216  000167  177100                    JMP     1$
16131 057222  062706  000016            26$:    ADD     #16,SP                  ;                                               7369
16132 057226  000207                            RTS     PC
16133
16134                                   ; Routine Size:  244 words
16135                                   ; Maximum stack depth per invocation:  20 words
16140
16141
16145
16146                                           .SBTTL  T28 TEST CODE SECTION
16150 057230                            T28::
16151 057230  004767  177024            1$:     JSR     PC,$T28                 ;                                               7498
16152 057234  104466                            TRAP    66
16153 057236  006000                            ROR     R0
16154 057240  103773                            BLO     1$
16155 057242  000207                            RTS     PC
16156
16157                                   ; Routine Size:  6 words
16158                                   ; Maximum stack depth per invocation:  0 words
16163
16164 ;         7501  !<BLF/PAGE>
```

```
16166 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
16167 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (81)
16168
16169 ;          7502   !
16170 ;          7503   BGNTST;
16171 ;          7504
16172 ;          7505   !++
16173 ;          7506   ! TEST NUMBER:  TST 29
16174 ;          7507   !
16175 ;          7508   ! TEST NAME:    READ WRITE ARRAYS WITH PROM DATA
16176 ;          7509   !
16177 ;          7510   ! TEST DESCRIPTION:
16178 ;          7511   !       COMBINE THE READING OF ARRAY
16179 ;          7512   !       MODULE DATA WITH ARRAY MODULE UV PROM DATA AND
16180 ;          7513   !       FIND A GOOD BLOCK WHERE FURTHER
16181 ;          7514   !       TESTING WILL BE PERFORMED BY:
16182 ;          7515   !
16183 ;          7516   !       1.  STARTING AT BLOCK 0 WRITE THE BLOCK WITH SELECTED DATA PATTERNS
16184 ;          7517   !           AND READ THE BLOCK AVOIDING ANY BAD NIBBLES POINTED TO BY THE
16185 ;          7518   !           PROM DATA.
16186 ;          7519   !
16187 ;          7520   !           SET ERROR FLAG IF ANY BAD NIBBLES ARE ENCOUNTERED IN BLOCK.
16188 ;          7521   !
16189 ;          7522   !       2.  REPEAT WRITING/READING THIS BLOCK UNTIL ALL PATTERNS ARE TESTED
16190 ;          7523   !           OR THE ERROR FLAG IS SET.
16191 ;          7524   !
16192 ;          7525   !       3.  IF ALL PATTERN HAVE BEEN TESTED AND THE ERROR FLAG IS NOT SET
16193 ;          7526   !           THEN SAVE THIS BLOCK ADDRESS AS THE GOOD BLOCK ADRS AND EXIT TEST.
16194 ;          7527   !
16195 ;          7528   !       4.  ELSE IF THE ERROR FLG HAS SET THEN REPEAT TEST AT THE NEXT ROW.
16196 ;          7529   !           REPEAT UNTIL A GOOD BLOCK IS FOUND OR LAST ROW IS REACHED.
16197 ;          7530   !
16198 ;          7531   !       5.  IF NO GOOD BLOCK IS FOUND BY LAST ROW THEN REPORT ERROR AND
16199 ;          7532   !           EXIT TEST.
16200 ;          7533   !
16201 ;          7534   ! IMPLICIT INPUTS:
16202 ;          7535   !       RAS_INC
16203 ;          7536   !       LOADED DURING THE INITIALIZATION CODE AND CONTAINS THE ROW ADDRESS
16204 ;          7537   !       INCREMENT VALUE FOR THIS DRIVE.
16205 ;          7538   !
16206 ;          7539   !
16207 ;          7540   !       PD_TEMP:
16208 ;          7541   !       A BITVECTOR OF 16 BITS WHERE THE READ PROM DATA IS STORED AND
16209 ;          7542   !       ACCESSED FROM.
16210 ;          7543   !
16211 ;          7544   !       IO_BUF:
16212 ;          7545   !       A VECTOR OF 256 WORDS WHERE DATA FOR MBUS READS AND WRITE FUNCTION
16213 ;          7546   !       ARE FOUND.
16214 ;          7547   !
16215 ;          7548   !
16216 ;          7549   !--
16217 ;          7550
16218 ;          7551   local
16219 ;          7552       WRD_CNT,                             !WORD COUNT
16220 ;          7553       NIB_PTR,                             !NIBBLE POINTER
```

```
16222 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
16223 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (81)
16224 ;
16225 ;          7554      PASS_CNT,                            !PASS COUNT
16226 ;          7555      NIB_PAT,                             !NIBBLE PATTERN
16227 ;          7556      DONE_FLG,                            !DONE FLAG
16228 ;          7557      ERR_FLG,                             !ERROR FLAG
16229 ;          7558      SECTOR_NO;                           !SECTOR NUMBER
16230 ;          7559
16231 ;          7560  BGNSUB;
16232 ;          7561  PASS_CNT = -1;
16233 ;          7562  SECTOR_NO = ZEROES;
16234 ;          7563  DONE_FLG = ZERO;
16235 ;          7564
16236 ;          7565  do                                       !THIS LOOP DETERMINES WHEN TO STOP
16237 ;          7566      begin
16238 ;          7567
16239 ;          7568      do                                   !THIS LOOP RUNS THE PATTERNS
16240 ;          7569          begin
16241 ;          7570          PASS_CNT = .PASS_CNT + 1;        !INCREMENT THE PASS COUNT
16242 ;          7571          CLR_MBUS;
16243 ;          7572          DAT_DM = ONE;                    !SET DATA DIAG MODE
16244 ;          7573          MLDA = .SECTOR_NO;               !LOAD SECTOR NUMBER IN DSA
16245 ;          7574          MLWC = not 255;                  !LOAD WORD COUNT
16246 ;          7575          MLBA = IO_BUF;                   !LOAD UBUS ADRS
16247 ;          7576
16248 ;          7577          case .PASS_CNT from 0 to 3 of    !SELECT A NIBBLE PATTERN
16249 ;          7578              set
16250 ;          7579
16251 ;          7580              [0] :
16252 ;          7581                  NIB_PAT = %o'000000';    !ZEROES
16253 ;          7582
16254 ;          7583              [1] :
16255 ;          7584                  NIB_PAT = %o'17';        !ONES
16256 ;          7585
16257 ;          7586              [2] :
16258 ;          7587                  NIB_PAT = %o'12';        !ALTERNATING ONE'S, ZEROES
16259 ;          7588
16260 ;          7589              [3] :
16261 ;          7590                  NIB_PAT = %o'15'         !COMPLIMENT ONE'S, ZEROES
16262 ;          7591              tes;
16263 ;          7592
16264 ;          7593          incr LD_CNT from 0 to 9 do       !LOAD NIBBLE PATTERN INTO NIBBLE SAVE
16265 ;          7594              LD_LNG_WRD (.LD_CNT, .NIB_PAT);
16266 ;          7595
16267 ;          7596          WRT_LNG_WRD;                     !LOAD THE DATA DIAG REGISTERS WITH NIBBLE SAVE
16268 ;          7597          MLCS1 = write;                   !DO A WRITE FUNCTION
16269 ;          7598
16270 ;          7599          incr WRT_CNT from 0 to 127 do    !WRITE PATTERN INTO THIS BLOCK
16271 ;          7600              begin
16272 ;          7601              DELAY (ONE_US);
16273 ;          7602              DAT_CLK = ONE;
16274 ;          7603              end;
16275 ;          7604
16276 ;          7605          CLR_MBUS;
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (81)
;
;          7606          DAT_DM = ONE;                    !SET DATA DIAG MODE
;          7607          MLDA = .SECTOR_NO;               !LOAD SECTOR NUMBER
;          7608          MLWC = not 255;                  !LOAD WORD COUNT
;          7609          MLBA = IO_BUF;                   !LOAD UBUS ADRS
;          7610          MLCS1 = read;                    !DO A READ FUNCTION
;          7611          DELAY (ONE_US);
;          7612          WRD_CNT = -1;                    !RESET THE WORD COUNT
;          7613
;          7614          do
;          7615              begin                        !TEST ONE BLOCK FOR NIBBLE PATTERN
;          7616              WRD_CNT = .WRD_CNT + 1;
;          7617              PD_TEMP = .MLPD;             !GET PROM DATA
;          7618              DAT_CLK = ONE;               !CLOCK DATA WORD INTO DIAG REG
;          7619              DELAY (ONE_US);              !
;          7620              RD_LNG_WRD;                  !READ DIAG REGISTERS
;          7621              NIB_PTR = -1;                !RESET THE NIBBLE POINTER
;          7622
;          7623              do
;          7624                  begin                    !SEARCH FOR GOOD NIBBLES
;          7625                  NIB_PTR = .NIB_PTR + 1;  !INCREMENT NIBBLE POINTER
;          7626
;          7627                  if .PD_TEMP [.NIB_PTR] IS_NOT_SET       !TEST THIS NIB IF PROM FLAG NOT SET
;          7628                  then
;          7629                      TST_LNG_WRD (.NIB_PTR, .NIB_PAT, ERR_FLG);
;          7630
;          7631                  end
;          7632              until (.ERR_FLG) or (.NIB_PTR eql 9);
;          7633
;          7634              end
;          7635          until (.ERR_FLG) or (.WRD_CNT eql 127);
;          7636
;          7637          end
;          7638      until (.PASS_CNT eql 3) or (.ERR_FLG IS_SET );      !REPEAT UNTIL ALL PAT TESTED OR ERROR FLG GETS SET
;          7639
;          7640      if (.PASS_CNT eql 3) and (.ERR_FLG IS_NOT_SET )     !WAS THIS A GOOD BLOCK?
;          7641      then
;          7642          begin                            !YES
;          7643          DONE_FLG = ONE;                  !SET DONE FLAG
;          7644          GOOD_BLK = .SECTOR_NO;           !GOOD BLOCK GETS THIS SECTOR NO
;          7645          end
;          7646      else
;          7647          begin                            !NO
;          7648          SECTOR_NO = .SECTOR_NO + .RAS_INC;       !INCREMENT ROW NO
;          7649          PASS_CNT = -1;                   !RESET PASS COUNT
;          7650          end;
;          7651
;          7652      end
;          7653  !
;          7654  !VER CZMLAD CHANGED TEST TO UNSIGNED TEST
;          7655  !
;          7656  until (.DONE_FLG IS_SET ) or (.SECTOR_NO eqlU .LST_ARR + .ARR_INC);
;          7657
```

```
 16334 ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
 16335 ;                TEST CODE SECTION                              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (81)
 16336
 16337 ;          7658                                                 !REPEAT UNTIL GOOD BLK FOUND OR AT LST ROW
 16338 ;          7659  ENDSUB;
 16339 ;          7660
 16340 ;          7661  !
 16341 ;          7662  !VER CZMLAD CHANGED TEST TO UNSIGNED TEST
 16342 ;          7663  !
 16343 ;          7664  if .SECTOR_NO eqlU .LST_ARR + .ARR_INC             !SEE IF WE'RE AT THE LAST BLOCK
 16344 ;          7665  then
 16345 ;          7666      begin                                          !A GOOD BLK NOT FOUND BEFORE LAST BLK
 16346 ;          7667      ERRDF (79, INTER, DUMPER);                     !ERROR AND DROP UNIT
 16347 ;          7668      PRINTB (THR_FMT, WRD_14, PHR_10, FNC_15);
 16348 ;          7669      DODU (.ML_LUN);
 16349 ;          7670      DOCLN;
 16350 ;          7671      end;
 16351 ;          7672
 16352 ;          7673  ENDTST;
 16356
 16357                                          .SBTTL  $T29 TEST CODE SECTION
 16361 057244  004167  125342          $T29:   JSR     R1,$SAVE5                       ;                                7500
 16362 057250  162706  000014                  SUB     #14,SP
 16363 057254  104402                  1$:     TRAP    2                               ;                                7558
 16364 057256  012766  177777  000002          MOV     #-1,2(SP)                       ; *,PASS.CNT                     7561
 16365 057264  005002                          CLR     R2                              ; SECTOR.NO                      7562
 16366 057266  005066  000004                  CLR     4(SP)                           ; DONE.FLG                       7563
 16367 057272  005266  000002          2$:     INC     2(SP)                           ; PASS.CNT                       7570
 16368 057276  152777  000040  136140          BISB    #40,@ML.REG+40
 16369 057304  016705  136522                  MOV     ML.DUT,R5
 16370 057310  042705  177770                  BIC     #177770,R5
 16371 057314  142777  000007  136122          BICB    #7,@ML.REG+40
 16372 057322  150577  136116                  BISB    R5,@ML.REG+40
 16373 057326  152777  000010  136170          BISB    #10,@ML.REG+120                 ;                                7572
 16374 057334  010277  136074                  MOV     R2,@ML.REG+30                   ; SECTOR.NO,*                    7573
 16375 057340  012777  177400  136046          MOV     #-400,@ML.REG+10                ;                                7574
 16376 057346  012777  014022  136050          MOV     #IO.BUF,@ML.REG+20              ;                                7575
 16377 057354  016605  000002                  MOV     2(SP),R5                        ; PASS.CNT,*                     7577
 16378 057360  006305                          ASL     R5
 16379 057362  066507  057366                  ADD     3$(R5),PC
 16380 057366  000010                  3$:     .WORD   4$-3$
 16381 057370  000014                          .WORD   5$-3$
 16382 057372  000022                          .WORD   6$-3$
 16383 057374  000030                          .WORD   7$-3$
 16384 057376  005001                  4$:     CLR     R1                              ; NIB.PAT                        7581
 16385 057400  000410                          BR      8$                              ;                                7577
 16386 057402  012701  000017          5$:     MOV     #17,R1                          ; *,NIB.PAT                      7584
 16387 057406  000405                          BR      8$                              ;                                7577
 16388 057410  012701  000012          6$:     MOV     #12,R1                          ; *,NIB.PAT                      7587
```

```
16390                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
16391                                   ;           TEST CODE SECTION                           29-Mar-1982 16:21:03    PA:<
16392
16393 057414  000402                            BR      8$                      ;                                       7577
16394 057416  012701  000015           7$:      MOV     #15,R1                  ; *,NIB.PAT                             7590
16395 057422  005005                   8$:      CLR     R5                      ; LD.CNT                                7593
16396 057424  010546                   9$:      MOV     R5,-(SP)                ; LD.CNT,*                              7594
16397 057426  010146                            MOV     R1,-(SP)                ; NIB.PAT,*
16398 057430  004767  141720                     JSR     PC,LD.LNG.WRD
16399 057434  022626                            CMP     (SP)+,(SP)+
16400 057436  005205                            INC     R5                      ; LD.CNT                                7593
16401 057440  020527  000011                    CMP     R5,#11                  ; LD.CNT,*
16402 057444  003767                            BLE     9$
16403 057446  016777  133722  136120           MOV     D1.TEMP,aML.REG+170     ;                                       7594
16404 057454  016777  133716  136122           MOV     D2.TEMP,aML.REG+200
16405 057462  016777  133712  136074           MOV     E2.TEMP,aML.REG+160
16406 057470  012777  000061  135706           MOV     #61,aML.REG             ;                                       7597
16407 057476  005003                            CLR     R3                      ; WRT.CNT                               7599
16408 057500  012704  000001           10$:     MOV     #1,R4                   ; *,$STMP2                              7601
16409 057504  001411                   11$:     BEQ     14$
16410 057506  016705  122404                    MOV     L$DLY,R5                ; *,$STMP1
16411 057512  001404                            BEQ     13$
16412 057514  005066  000012           12$:     CLR     12(SP)                  ; $STMP
16413 057520  005305                            DEC     R5                      ; $STMP1
16414 057522  001374                            BNE     12$
16415 057524  005304                   13$:     DEC     R4                      ; $STMP2
16416 057526  000766                            BR      11$
16417 057530  152777  000020  135766   14$:     BISB    #20,aML.REG+120         ;                                       7602
16418 057536  005203                            INC     R3                      ; WRT.CNT                               7599
16419 057540  020327  000177                    CMP     R3,#177                 ; WRT.CNT,*
16420 057544  003755                            BLE     10$
16421 057546  152777  000040  135670           BISB    #40,aML.REG+40          ;                                       7603
16422 057554  016705  136252                    MOV     ML.DUT,R5
16423 057560  042705  177770                    BIC     #177770,R5
16424 057564  142777  000007  135652           BICB    #7,aML.REG+40
16425 057572  150577  135646                    BISB    R5,aML.REG+40
16426 057576  152777  000010  135720           BISB    #10,aML.REG+120         ;                                       7606
16427 057604  010277  135524                    MOV     R2,aML.REG+30           ; SECTOR.NO,*                           7607
16428 057610  012777  177400  135576           MOV     #-400,aML.REG+10        ;                                       7608
16429 057616  012777  014022  135600           MOV     #IO.BUF,aML.REG+20      ;                                       7609
16430 057624  012777  000071  135552           MOV     #71,aML.REG             ;                                       7610
16431 057632  012704  000001                    MOV     #1,R4                   ; *,$STMP2                              7611
16432 057636  001411                   15$:     BEQ     18$
16433 057640  016705  122252                    MOV     L$DLY,R5                ; *,$STMP1
16434 057644  001404                            BEQ     17$
16435 057646  005066  000012           16$:     CLR     12(SP)                  ; $STMP
16436 057652  005305                            DEC     R5                      ; $STMP1
16437 057654  001374                            BNE     16$
16438 057656  005304                   17$:     DEC     R4                      ; $STMP2
16439 057660  000766                            BR      15$
16440 057662  012766  177777  000006   18$:     MOV     #-1,6(SP)               ; *,WRD.CNT                             7612
16441 057670  005266  000006           19$:     INC     6(SP)                   ; WRD.CNT                               7616
16442 057674  017767  135734  135440           MOV     aML.REG+230,PD.TEMP     ;                                       7617
16443 057702  152777  000020  135614           BISB    #20,aML.REG+120         ;                                       7618
16444 057710  012704  000001                    MOV     #1,R4                   ; *,$STMP2                              7619
```

```
                                                                                    29-Mar-1982 16:23:04    TOPS
                                ;ML4AD                                              29-Mar-1982 16:21:03    PA:<
                                ;               TEST CODE SECTION
16446
16447
16448
16449 057714  001411          20$:    BEQ     23$
16450 057716  016705  122174          MOV     L$DLY,R5                ; *,$$TMP1
16451 057722  001404                  BEQ     22$
16452 057724  005066  000012  21$:     CLR     12(SP)                  ; $$TMP
16453 057730  005305                  DEC     R5                      ; $$TMP1
16454 057732  001374                  BNE     21$
16455 057734  005304          22$:    DEC     R4                      ; $$TMP2
16456 057736  000766                  BR      20$
16457 057740  017767  135630  133426  23$:    MOV     @ML.REG+170,D1.TEMP
16458 057746  017767  135632  133422          MOV     @ML.REG+200,D2.TEMP
16459 057754  017767  135604  133416          MOV     @ML.REG+160,E2.TEMP
16460 057762  012716  177777                  MOV     #-1,(SP)                ; *,NIB.PTR                     7621
16461 057766  005216          24$:    INC     (SP)                    ; NIB.PTR                       7625
16462 057770  011605                  MOV     (SP),R5                 ; NIB.PTR,*                     7627
16463 057772  006205                  ASR     R5
16464 057774  006205                  ASR     R5
16465 057776  006205                  ASR     R5
16466 060000  062705  015342          ADD     #PD.TEMP,R5
16467 060004  010546                  MOV     R5,-(SP)
16468 060006  016646  000002          MOV     2(SP),-(SP)             ; NIB.PTR,*
16469 060012  042716  177770          BIC     #177770,(SP)
16470 060016  012746  000001          MOV     #1,-(SP)
16471 060022  005046                  CLR     -(SP)
16472 060024  004767  123604          JSR     PC,BL$GT2
16473 060030  062706  000010          ADD     #10,SP
16474 060034  005700                  TST     R0
16475 060036  001011                  BNE     25$
16476 060040  011646                  MOV     (SP),-(SP)              ; NIB.PTR,*                     7629
16477 060042  010146                  MOV     R1,-(SP)                ; NIB.PAT,*
16478 060044  012746  000016          MOV     #16,-(SP)
16479 060050  060616                  ADD     SP,(SP)                 ; ERR.FLG,*
16480 060052  004767  140320          JSR     PC,TST.LNG.WRD
16481 060056  062706  000006          ADD     #6,SP
16482 060062  016605  000010  25$:     MOV     10(SP),R5               ; ERR.FLG,*                     7632
16483 060066  032705  000001          BIT     #1,R5
16484 060072  001012                  BNE     26$
16485 060074  021627  000011          CMP     (SP),#11                ; NIB.PTR,*
16486 060100  001332                  BNE     24$
16487 060102  032705  000001          BIT     #1,R5                   ;                               7635
16488 060106  001004                  BNE     26$
16489 060110  026627  000006  000177  CMP     6(SP),#177              ; WRD.CNT,*
16490 060116  001264                  BNE     19$
16491 060120  005004          26$:    CLR     R4                      ;                               7638
16492 060122  026627  000002  000003  CMP     2(SP),#3                ; PASS.CNT,*
16493 060130  001002                  BNE     27$
16494 060132  005204                  INC     R4
16495 060134  000403                  BR      28$
16496 060136  020527  000001  27$:     CMP     R5,#1
16497 060142  001030                  BNE     31$
16498 060144  006004          28$:    ROR     R4                      ;                               7640
16499 060146  103010                  BCC     29$
16500 060150  005705                  TST     R5
```

```
16502                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
16503                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
16504
16505 060152  001006                            BNE     29$
16506 060154  012766  000001  000004            MOV     #1,4(SP)        ; *,DONE.FLG                            7643
16507 060162  010267  133620                    MOV     R2,GOOD.BLK     ; SECTOR.NO,*                           7644
16508 060166  000405                            BR      30$             ;                                       7640
16509 060170  066702  135152          29$:      ADD     RAS.INC,R2      ; *,SECTOR.NO                           7648
16510 060174  012766  177777  000002            MOV     #-1,2(SP)       ; *,PASS.CNT                            7649
16511 060202  026627  000004  000001  30$:      CMP     4(SP),#1        ; DONE.FLG,*                            7656
16512 060210  001410                            BEQ     32$
16513 060212  016705  133602                    MOV     LST.ARR,R5
16514 060216  066705  133562                    ADD     ARR.INC,R5
16515 060222  020205                            CMP     R2,R5           ; SECTOR.NO,*
16516 060224  001402                  31$:      BEQ     32$
16517 06022o  000167  177040                    JMP     2$
16518 060232  104467                  32$:      TRAP    67
16519 060234  006000                            ROR     R0
16520 060236  103002                            BHIS    33$
16521 060240  000167  177010                    JMP     1$
16522 060244  016705  133550          33$:      MOV     LST.ARR,R5      ;                                       7664
16523 060250  066705  133530                    ADD     ARR.INC,R5
16524 060254  020205                            CMP     R2,R5           ; SECTOR.NO,*
16525 060256  001026                            BNE     34$
16526 060260  104455                            TRAP    55              ;                                       7667
16527 060262  000117                            .WORD   117
16528 060264  013114                            .WORD   INTER
16529 060266  026302                            .WORD   DUMPER
16530 060270  012746  012360                    MOV     #FNC.15,-(SP)   ;                                       7668
16531 060274  012746  012006                    MOV     #PHR.10,-(SP)
16532 060300  012746  010664                    MOV     #WRD.14,-(SP)
16533 060304  012746  010256                    MOV     #THR.FMT,-(SP)
16534 060310  012746  000004                    MOV     #4,-(SP)
16535 060314  010600                            MOV     SP,R0           ; SP,*
16536 060316  104414                            TRAP    14
16537 060320  016700  135504                    MOV     ML.LUN,R0       ;                                       7669
16538 060324  104451                            TRAP    51
16539 060326  104444                            TRAP    44
16540 060330  062706  000012                    ADD     #12,SP          ;                                       7666
16541 060334  062706  000014          34$:      ADD     #14,SP          ;                                       7500
16542 060340  000207                            RTS     PC
16543
16544                                   ; Routine Size:  287 words
16545                                   ; Maximum stack depth per invocation:  17 words
16550
16551
16555
16556                                           .SBTTL  T29 TEST CODE SECTION
```

```
16558                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
16559                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
16560
16564 060342                            T29::
16565 060342  004767  176676             1$:     JSR     PC,$T29                 ;                       7671
16566 060346  104466                             TRAP    66
16567 060350  006000                             ROR     R0
16568 060352  103773                             BLO     1$
16569 060354  000207                             RTS     PC
16570
16571                                   ; Routine Size:  6 words
16572                                   ; Maximum stack depth per invocation:  0 words
16577
16578
16579 ;         7674  !<BLF/PAGE>
```

```
16581 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
16582 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (82)
16583 ;
16584 ;          7675  !
16585 ;          7676  !
16586 ;          7677  BGNTST;
16587 ;          7678
16588 ;          7679  !++
16589 ;          7680  ! TEST NUMBER:  TST 30
16590 ;          7681  !
16591 ;          7682  ! TEST NAME:    REFRESH TIMING TEST
16592 ;          7683  !
16593 ;          7684  ! TEST DESCRIPTION:
16594 ;          7685  !
16595 ;          7686  !       TEST THE MEMORY ARRAY MODULES
16596 ;          7687  !       REFRESH TIMING AND CONTROL LOGIC
16597 ;          7688  !       REG BY:
16598 ;          7689  !
16599 ;          7690  !       1.  WRITING ALL ONES INTO THE
16600 ;          7691  !           GOOD BLOCK.
16601 ;          7692  !
16602 ;          7693  !       2.  DELAY FOR 2 MS
16603 ;          7694  !
16604 ;          7695  !       3.  READ THE GOOD BLOCK FOR ONES.
16605 ;          7696  !           KEEP COUNT OF BAD NIBBLES
16606 ;          7697  !           ENCOUNTERED
16607 ;          7698  !
16608 ;          7699  !       4.  ALLOW A BAD NIBBLE THRESHOLD
16609 ;          7700  !           OF 20 BAD NIBBLES OUT OF THE
16610 ;          7701  !           1280 NIBBLES TESTED.
16611 ;          7702  !
16612 ;          7703  !       5.  IF THRESHOLD IS EXCEEDED THEN
16613 ;          7704  !           REPORT ERROR AND DROP THE UNIT.
16614 ;          7705  !
16615 ;          7706  ! IMPLICIT INPUTS:
16616 ;          7707  !
16617 ;          7708  !       PD_TEMP:
16618 ;          7709  !       A BIT VECTOR OF 16 BITS WHERE
16619 ;          7710  !       THE READ PROM DATA IS STORED
16620 ;          7711  !       AND ACCESSED FROM.
16621 ;          7712  !
16622 ;          7713  !--
16623 ;          7714
16624 ;          7715  local
16625 ;          7716      TST_PAT,                          !TEST PATTERN
16626 ;          7717      ERR_CNT,                          !ERROR COUNT
16627 ;          7718      ERR_FLG;                          !ERROR FLAG
16628 ;          7719
16629 ;          7720  BGNSUB:
16630 ;          7721  CLR_MBUS;
16631 ;          7722  ERR_CNT = ZERO;
16632 ;          7723  TST_PAT = ONES;
16633 ;          7724  MLD1 = .TST_PAT;                      !LOAD DATA DIAG REGS WITH TST PAT
16634 ;          7725  MLD2 = .TST_PAT;
16635 ;          7726  MLE2 = .TST_PAT;
```

```
16637 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
16638 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (82)
16639
16640 ;          7727  DAT_DM_XFER ();                         !SET UP A DATA DIAG MODE XFERR
16641 ;          7728  MLCS1 = write;                          !DO A WRITE FUNCTION
16642 ;          7729
16643 ;          7730  incr WRD_CNT from 0 to 127 do           !WRITE BLOCK WITH TST PAT
16644 ;          7731      begin
16645 ;          7732      DELAY (ONE_US);
16646 ;          7733      DAT_CLK = ONE;
16647 ;          7734      end;
16648 ;          7735
16649 ;          7736  CLR_MBUS;
16650 ;          7737  DAT_DM_XFER ();                         !SET UP A DATA DIAG MODE XFERR
16651 ;          7738  MLCS1 = read;                           !DO A READ FUNCTION
16652 ;          7739  DELAY (TWO_TH_US);                      !DELAY FOR 2 MS
16653 ;          7740
16654 ;          7741  incr WRD_CNT from 0 to 127 do           !READ THE BLOCK
16655 ;          7742      begin
16656 ;          7743      PD_TEMP = .MLPD;                    !GET THE PROM DATA
16657 ;          7744      DAT_CLK = ONE;                      !CLOCK DATA WORD INTO DIAG REG
16658 ;          7745      DELAY (ONE_US);
16659 ;          7746      RD_LNG_WRD;                         !READ THE DIAG REG
16660 ;          7747
16661 ;          7748      incr NIB_PTR from 0 to 9 do         !LOOK AT 10 NIBBLES
16662 ;          7749          begin
16663 ;          7750
16664 ;          7751          if .PD_TEMP [.NIB_PTR] IS_NOT_SET then TST_LNG_WRD (.NIB_PTR, .TST_PAT, ERR_FLG);
16665 ;          7752
16666 ;          7753                                              !FIND GOOD NIBBLES AND COMPARE THEM
16667 ;          7754
16668 ;          7755          if .ERR_FLG IS_SET then ERR_CNT = .ERR_CNT + 1; !INCREMENT ERROR COUNT IF ERR_FLG IS SET
16669 ;          7756
16670 ;          7757          end;
16671 ;          7758
16672 ;          7759      end;
16673 ;          7760
16674 ;          7761  ENDSUB;
16675 ;          7762
16676 ;          7763  if .ERR_CNT gtr 20                       !ALLOW 20 NIBBLES TO FAIL
16677 ;          7764  then
16678 ;          7765      begin                                 !ERROR IF GTR 20
16679 ;          7766      ERRDF (80, ASYNC, DUMPER);
16680 ;          7767      PRINTB (FIV_FMT, WRD_22, PHR_4, WRD_12, FNC_16, WRD_48);
16681 ;          7768      DODU (.ML_LUN);
16682 ;          7769      DOCLN;
16683 ;          7770      end;
16684 ;          7771
16685 ;          7772  ENDTST;
16689
16690                                  .SBTTL  $T30 TEST CODE SECTION
```

```
16698 060356 004167 124230          $T30:  JSR    R1,$SAVE5          ;                          7673
16699 060362 024646                        CMP    -(SP),-(SP)
16700 060364 104402                 1$:    TRAP   2                  ;                          7718
16701 060366 152777 000040 135050          BISB   #40,@ML.REG+40     ;                          7720
16702 060374 016703 135432                 MOV    ML.DUT,R3
16703 060400 042703 177770                 BIC    #177770,R3
16704 060404 142777 000007 135032          BICB   #7,@ML.REG+40
16705 060412 150377 135026                 BISB   R3,@ML.REG+40
16706 060416 005005                        CLR    R5                 ; ERR.CNT               7722
16707 060420 012704 177777                 MOV    #-1,R4             ; *,TST.PAT             7723
16708 060424 010477 135144                 MOV    R4,@ML.REG+170     ; TST.PAT,*             7724
16709 060430 010477 135150                 MOV    R4,@ML.REG+200     ; TST.PAT,*             7725
16710 060434 010477 135124                 MOV    R4,@ML.REG+160     ; TST.PAT,*             7726
16711 060440 004767 135746                 JSR    PC,DAT.DM.XFER     ;                       7727
16712 060444 012777 000061 134732          MOV    #61,@ML.REG        ;                       7728
16713 060452 005001                        CLR    R1                 ; WRD.CNT               7730
16714 060454 012702 000001          2$:    MOV    #1,R2              ; *,$STMP2              7732
16715 060460 001411                 3$:    BEQ    6$
16716 060462 016703 121430                 MOV    L$DLY,R3           ; *,$STMP1
16717 060466 001404                        BEQ    5$
16718 060470 005066 000002          4$:    CLR    2(SP)              ; $STMP
16719 060474 005303                        DEC    R3                 ; $STMP1
16720 060476 001374                        BNE    4$
16721 060500 005302                 5$:    DEC    R2                 ; $STMP2
16722 060502 000766                        BR     3$
16723 060504 152777 000020 135012   6$:    BISB   #20,@ML.REG+120    ;                          7733
16724 060512 005201                        INC    R1                 ; WRD.CNT               7730
16725 060514 020127 000177                 CMP    R1,#177            ; WRD.CNT,*
16726 060520 003755                        BLE    2$
16727 060522 152777 000040 134714          BISB   #40,@ML.REG+40     ;                          7734
16728 060530 016703 135276                 MOV    ML.DUT,R3
16729 060534 042703 177770                 BIC    #177770,R3
16730 060540 142777 000007 134676          BICB   #7,@ML.REG+40
16731 060546 150377 134672                 BISB   R3,@ML.REG+40
16732 060552 004767 135634                 JSR    PC,DAT.DM.XFER     ;                       7737
16733 060556 012777 000071 134620          MOV    #71,@ML.REG        ;                       7738
16734 060564 012702 003720                 MOV    #3720,R2           ; *,$STMP2              7739
16735 060570 001411                 7$:    BEQ    10$
16736 060572 016703 121320                 MOV    L$DLY,R3           ; *,$STMP1
16737 060576 001404                        BEQ    9$
16738 060600 005066 000002          8$:    CLR    2(SP)              ; $STMP
16739 060604 005303                        DEC    R3                 ; $STMP1
16740 060606 001374                        BNE    8$
16741 060610 005302                 9$:    DEC    R2                 ; $STMP2
16742 060612 000766                        BR     7$
16743 060614 005001                 10$:   CLR    R1                 ; WRD.CNT               7741
16744 060616 017767 135012 134516   11$:   MOV    @ML.REG+230,PD.TEMP ;                      7743
16745 060624 152777 000020 134672          BISB   #20,@ML.REG+120    ;                          7744
16746 060632 012702 000001                 MOV    #1,R2              ; *,$STMP2              7745
16747 060636 001411                 12$:   BEQ    15$
```

```
16749                                   ;ML4AD
16750                                   ;               TEST CODE SECTION
16751
16752 060640 016703 121252                      MOV     L$DLY,R3        ; *,$$TMP1
16753 060644 001404                             BEQ     14$
16754 060646 005066 000002              13$:    CLR     2(SP)           ; $$TMP
16755 060652 005303                             DEC     R3              ; $$TMP1
16756 060654 001374                             BNE     13$
16757 060656 005302                     14$:    DEC     R2              ; $$TMP2
16758 060660 000766                             BR      12$
16759 060662 017767 134706 132504       15$:    MOV     @ML.REG+170,D1.TEMP
16760 060670 017767 134710 132500               MOV     @ML.REG+200,D2.TEMP
16761 060676 017767 134662 132474               MOV     @ML.REG+160,E2.TEMP
16762 060704 005002                             CLR     R2              ; NIB.PTR                       7748
16763 060706 010203                     16$:    MOV     R2,R3           ; NIB.PTR,*                     7751
16764 060710 006203                             ASR     R3
16765 060712 006203                             ASR     R3
16766 060714 006203                             ASR     R3
16767 060716 062703 015342                      ADD     #PD.TEMP,R3
16768 060722 010346                             MOV     R3,-(SP)
16769 060724 010246                             MOV     R2,-(SP)        ; NIB.PTR,*
16770 060726 042716 177770                      BIC     #177770,(SP)
16771 060732 012746 000001                      MOV     #1,-(SP)
16772 060736 005046                             CLR     -(SP)
16773 060740 004767 122670                      JSR     PC,BL$GT2
16774 060744 062706 000010                      ADD     #10,SP
16775 060750 005700                             TST     R0
16776 060752 001011                             BNE     17$
16777 060754 010246                             MOV     R2,-(SP)        ; NIB.PTR,*
16778 060756 010446                             MOV     R4,-(SP)        ; TST.PAT,*
16779 060760 012746 000006                      MOV     #6,-(SP)
16780 060764 060616                             ADD     SP,(SP)         ; ERR.FLG,*
16781 060766 004767 137404                      JSR     PC,TST.LNG.WRD
16782 060772 062706 000006                      ADD     #6,SP
16783 060776 021627 000001              17$:    CMP     (SP),#1         ; ERR.FLG,*                     7755
16784 061002 001001                             BNE     18$
16785 061004 005205                             INC     R5              ; ERR.CNT
16786 061006 005202                     18$:    INC     R2              ; NIB.PTR                       7748
16787 061010 020227 000011                      CMP     R2,#11          ; NIB.PTR,*
16788 061014 003734                             BLE     16$
16789 061016 005201                             INC     R1              ; WRD.CNT                       7741
16790 061020 020127 000177                      CMP     R1,#177         ; WRD.CNT,*
16791 061024 003674                             BLE     11$
16792 061026 104467                             TRAP    67              ;                               7759
16793 061030 006000                             ROR     R0
16794 061032 103002                             BHIS    19$
16795 061034 000167 177324                      JMP     1$
16796 061040 020527 000024              19$:    CMP     R5,#24          ; ERR.CNT,*                     7763
16797 061044 003432                             BLE     20$
16798 061046 104455                             TRAP    55              ;                               7766
16799 061050 000120                             .WORD   120
16800 061052 012706                             .WORD   ASYNC
16801 061054 026302                             .WORD   DUMPER
16802 061056 012746 011250                      MOV     #WRD.48,-(SP)   ;                               7767
16803 061062 012746 012372                      MOV     #FNC.16,-(SP)
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        ;
061066  012746  010650                          MOV     #WRD.12,-(SP)
061072  012746  011676                          MOV     #PHR.4,-(SP)
061076  012746  010752                          MOV     #WRD.22,-(SP)
061102  012746  010304                          MOV     #FIV.FMT,-(SP)
061106  012746  000006                          MOV     #6,-(SP)
061112  010600                                  MOV     SP,R0                           ; SP,*
061114  104414                                  TRAP    14
061116  016700  134706                          MOV     ML.LUN,R0                       ;                               7768
061122  104451                                  TRAP    51
061124  104444                                  TRAP    44
061126  062706  000016                          ADD     #16,SP                          ;                               7765
061132  022626                        20$:      CMP     (SP)+,(SP)+                     ;                               7673
061134  000207                                  RTS     PC
                                        ;
                                        ; Routine Size:  184 words
                                        ; Maximum stack depth per invocation:  15 words
                                        ;
                                        ;
                                        ;
                                                .SBTTL  T30 TEST CODE SECTION
061136                                  T30::
061136  004767  177214                  1$:     JSR     PC,$T30                         ;                               7770
061142  104466                                  TRAP    66
061144  006000                                  ROR     R0
061146  103773                                  BLO     1$
061150  000207                                  RTS     PC
                                        ;
                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
                                        ;
                                        ;
;               7773  !<BLF/PAGE>
```

```
16855 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
16856 ;                TEST CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (83)
16857
16858 ;          7774  !
16859 ;          7775  BGNTST;
16860 ;          7776
16861 ;          7777  !++
16862 ;          7778  ! TEST NUMBER:  TST 31
16863 ;          7779  !
16864 ;          7780  ! TEST NAME:    ADDRESS COUNTER TEST
16865 ;          7781  !
16866 ;          7782  ! TEST DESCRIPTION:
16867 ;          7783  !       TEST THE ABILITY OF THE ADDRESS
16868 ;          7784  !       COUNTER TO SUCCESSFULLY COUNT
16869 ;          7785  !       FROM BLOCK ZERO THROUGH THE
16870 ;          7786  !       DEVICES LAST BLOCK BY:
16871 ;          7787  !
16872 ;          7788  !       1.  WRITING THE LAST BLOCK WITH ONES PATTERN.
16873 ;          7789  !
16874 ;          7790  !       2.  STARTING AT BLOCK ZERO WRITE ZEROES INTO ALL BLOCK UP TO THE
16875 ;          7791  !           LAST BLOCK ADRS MINUS ONE.
16876 ;          7792  !
16877 ;          7793  !           READ THE LAST BLOCK FOR ONES AND ERROR IF ZEROES.
16878 ;          7794  !
16879 ;          7795  !       3.  STARTING AT BLOCK ZERO WRITE ZEROES INTO ALL BLOCK THROUGH THE LAST
16880 ;          7796  !           BLOCK.
16881 ;          7797  !
16882 ;          7798  !           READ THE LAST BLOCK FOR ZEROES AND ERROR IF STILL ONES.
16883 ;          7799  !
16884 ;          7800  ! IMPLICIT INPUTS:
16885 ;          7801  !       PD_TEMP:
16886 ;          7802  !       A BITVECTOR OF 16 BITS WHERE THE READ PROM DATA IS STORED AND ACCESSED FROM.
16887 ;          7803  !--
16888 ;          7804
16889 ;          7805  local
16890 ;          7806      ERR_CNT,                          !ERROR THRESHOLD COUNT
16891 ;          7807      ERR_FLG,                          !ERROR FLG
16892 ;          7808      END_CNT,                          !ENDING SECTOR NUMBER
16893 ;          7809      BG_PAT;                           !BACKGROUND PATTERN
16894 ;          7810
16895 ;          7811  BGNSUB;
16896 ;          7812  CLR_MBUS;
16897 ;          7813  BG_PAT = ONES;                        !BACKGROUND PAT OF ONES
16898 ;          7814  MLD1 = .BG_PAT;                       !LOAD DATA DIAGS WITH BG PAT
16899 ;          7815  MLD2 = .BG_PAT;
16900 ;          7816  MLE2 = .BG_PAT;
16901 ;          7817  DAT_DM = ONE;                         !SET DATA DIAG MODE
16902 ;          7818  LAST_BLK_XFER ();                     !SET UP A LAST BLOCK XFERR
16903 ;          7819  MLCST = write;                        !DO A WRITE FUNCTION
16904 ;          7820
16905 ;          7821  incr WRD_CNT from 0 to 127 do        !WRITE THE LAST BLOCK WITH THE BG PATTERN
16906 ;          7822      begin
16907 ;          7823      DELAY (ONE_US);
16908 ;          7824      DAT_CLK = ONE;
16909 ;          7825      end;
```

```
16911 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
16912 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (83)
16913 ;
16914 ;          7826
16915 ;          7827  CLR_MBUS;
16916 ;          7828  DAT_DM = ONE;                           !SET DATA DIAG MODE
16917 ;          7829  LAST_BLK_XFER ();                       !SET UP A LAST BLOCK XFERR
16918 ;          7830  MLCST = read;                           !DO A READ FUNCTION
16919 ;          7831  DELAY (ONE_US);
16920 ;          7832  ERR_CNT = ZERO;                         !CLEAR ERROR COUNT THRESHOLD
16921 ;          7833
16922 ;          7834  incr WD_CNT from 0 to 127 do            !READ THE LAST BLOCK FOR BG PATTERN
16923 ;          7835      begin
16924 ;          7836      PD_TEMP = .MLPD;                    !GET PROM DATA
16925 ;          7837      DAT_CLK = ONE;                      !CLOCK OUT THE DATA WORD
16926 ;          7838      DELAY (ONE_US);
16927 ;          7839      RD_LNG_WRD;                         !READ THE DATA WORD
16928 ;          7840
16929 ;          7841      incr NIB_PTR from 0 to 9 do         !LOOK AT 10 NIBBLES
16930 ;          7842          begin
16931 ;          7843
16932 ;          7844          if .PD_TEMP [.NIB_PTR] IS_NOT_SET then TST_LNG_WRD (.NIB_PTR, .BG_PAT, ERR_FLG);
16933 ;          7845
16934 ;          7846                                              !FIND GOOD NIBBLES AND COMPARE THEM
16935 ;          7847
16936 ;          7848          if .ERR_FLG IS_SET then ERR_CNT = .ERR_CNT + 1; !INC ERROR COUNT IF ERROR DETECTED
16937 ;          7849
16938 ;          7850          end;
16939 ;          7851
16940 ;          7852      end;
16941 ;          7853
16942 ;          7854  if .ERR_CNT gtr 10                       !IS ERROR THRESHOLD EXCEEDED
16943 ;          7855  then
16944 ;          7856      begin                                 !ERROR IF EXCEEDED
16945 ;          7857      ERRDF (81, INTER, DUMPER);
16946 ;          7858      PRINTB (THR_FMT, PHR_4, WRD_13, FNC_22);
16947 ;          7859      PRINTB (TWO_FMT, FNC_13, WRD_56);
16948 ;          7860      EXIT_TST;
16949 ;          7861      end;
16950 ;          7862
16951 ;          7863  END_CNT = .LST_BLK - 1;                  !END AT LAST BLOCK -1
16952 ;          7864  MLDT = ZEROES;                          !LOAD DATA DIAG REG WITH COMP BG PAT
16953 ;          7865  MLD2 = ZEROES;
16954 ;          7866  MLE2 = ZEROES;
16955 ;          7867
16956 ;          7868  incr TWICE from 0 to 1 do               !REPEAT LOOP TWICE
16957 ;          7869      begin
16958 ;          7870      CLR_MBUS;
16959 ;          7871      ERR_CNT = ZERO;                     !CLEAR THE ERROR COUNT THRESHOLD
16960 ;          7872      DAT_DM = ONE;                       !SET DATA DIAG MODE
16961 ;          7873      FIRST_BLK_XFER ();                  !SET UP A FIRST BLOCK XFERR
16962 ;          7874      MLCS1 = write;                      !DO A WRITE FUNCTION
16963 ;          7875
16964 ;          7876  !
16965 ;          7877  !VER CZMLAD CHANGED TEST TO UNSIGNED TEST
```

```
16967 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
16968 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (83)
16969
16970 ;          7878  !
16971 ;          7879      incrU BLK_CNT from 0 to .END_CNT do              !CLOCK THE ADDRESS COUNTER UP TO END_CNT
16972 ;          7880
16973 ;          7881          incr ADRS_CNT from 0 to 127 do
16974 ;          7882              begin
16975 ;          7883              DAT_CLK = ONE;
16976 ;          7884              end;
16977 ;          7885
16978 ;          7886      CLR_MBUS;
16979 ;          7887      DAT_DM = ONE;                                !SET DATA DIAG MODE
16980 ;          7888      LAST_BLK_XFER ();                            !SET UP A LAST BLOCK XFERR
16981 ;          7889      MLCST = read;                                !DO A READ FUNCTION
16982 ;          7890      DELAY (ONE_US);
16983 ;          7891
16984 ;          7892      incr WD_CNT from 0 to 127 do                 !READ THE LAST BLOCK FOR BG PATTERN
16985 ;          7893          begin
16986 ;          7894          PD_TEMP = .MLPD;                         !GET THE PROM DATA
16987 ;          7895          DAT_CLK = ONE;                           !CLOCK OUT DATA WORD
16988 ;          7896          DELAY (ONE_US);
16989 ;          7897          RD_LNG_WRD;                              !READ DATA WORD
16990 ;          7898
16991 ;          7899          incr NIB_PTR from 0 to 9 do              !LOOK AT 10 NIBBLES
16992 ;          7900              begin
16993 ;          7901
16994 ;          7902              if .PD_TEMP [.NIB_PTR] IS_NOT_SET then TST_LNG_WRD (.NIB_PTR, .BG_PAT, ERR_FLG);
16995 ;          7903
16996 ;          7904                                                   !FIND GOOD NIBBLES AND COMPARE THEM
16997 ;          7905
16998 ;          7906              if .ERR_FLG IS_SET then ERR_CNT = .ERR_CNT + ONE;   !INC ERROR COUNT IF ERROR DECTED
16999 ;          7907
17000 ;          7908              end;
17001 ;          7909
17002 ;          7910          end;
17003 ;          7911
17004 ;          7912      if .ERR_CNT gtr 10                           !IS ERROR COUNT THRESHOLD EXCEEDED
17005 ;          7913      then
17006 ;          7914          begin                                    !ERROR IF EXCEEDED
17007 ;          7915          ERRDF (82, ASYNC, DUMPER);
17008 ;          7916          PRINTB (THR_FMT, WRD_50, WRD_51, WRD_10);
17009 ;          7917          end;
17010 ;          7918
17011 ;          7919      END_CNT = .END_CNT + 1;                      !NOW END AT THE LAST BLOCK
17012 ;          7920      BG_PAT = not .BG_PAT;                        !COMPLIMENT THE BG PATTERN AND REPEAT
17013 ;          7921      end;
17014 ;          7922
17015 ;          7923  ENDSUB;
17016 ;          7924  ENDTST;
17020
17021                                  .SBTTL  $T31 TEST CODE SECTION
```

```
17023                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
17024                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
17025
17029 061152  004167  123434            $T31:   JSR     R1,$SAVE5       ;                                               7772
17030 061156  162706  000010                    SUB     #10,SP
17031 061162  104402                    1$:     TRAP    2               ;                                               7809
17032 061164  152777  000040  134252            BISB    #40,@ML.REG+40  ;                                               7811
17033 061172  016705  134634                    MOV     ML.DUT,R5
17034 061176  042705  177770                    BIC     #177770,R5
17035 061202  142777  000007  134234            BICB    #7,@ML.REG+40
17036 061210  150577  134230                    BISB    R5,@ML.REG+40
17037 061214  012701  177777                    MOV     #-1,R1          ; *,BG.PAT                                      7813
17038 061220  010177  134350                    MOV     R1,@ML.REG+170  ; BG.PAT,*                                      7814
17039 061224  010177  134354                    MOV     R1,@ML.REG+200  ; BG.PAT,*                                      7815
17040 061230  010177  134330                    MOV     R1,@ML.REG+160  ; BG.PAT,*                                      7816
17041 061234  152777  000010  134262            BISB    #10,@ML.REG+120 ;                                               7817
17042 061242  004767  137076                    JSR     PC,LAST.BLK.XFER ;                                              7818
17043 061246  012777  000061  134130            MOV     #61,@ML.REG     ;                                               7819
17044 061254  005002                            CLR     R2              ; WRD.CNT                                       7821
17045 061256  012703  000001            2$:     MOV     #1,R3           ; *,$STMP2                                      7823
17046 061262  001411                    3$:     BEQ     6$
17047 061264  016704  120626                    MOV     L$DLY,R4        ; *,$STMP1
17048 061270  001404                            BEQ     5$
17049 061272  005066  000006            4$:     CLR     6(SP)           ; $STMP
17050 061276  005304                            DEC     R4              ; $STMP1
17051 061300  001374                            BNE     4$
17052 061302  005303                    5$:     DEC     R3              ; $STMP2
17053 061304  000766                            BR      3$
17054 061306  152777  000020  134210    6$:     BISB    #20,@ML.REG+120 ;                                               7824
17055 061314  005202                            INC     R2              ; WRD.CNT                                       7821
17056 061316  020227  000177                    CMP     R2,#177         ; WRD.CNT,*
17057 061322  003755                            BLE     2$
17058 061324  152777  000040  134112            BISB    #40,@ML.REG+40  ;                                               7825
17059 061332  016705  134474                    MOV     ML.DUT,R5
17060 061336  042705  177770                    BIC     #177770,R5
17061 061342  142777  000007  134074            BICB    #7,@ML.REG+40
17062 061350  150577  134070                    BISB    R5,@ML.REG+40
17063 061354  152777  000010  134142            BISB    #10,@ML.REG+120 ;                                               7828
17064 061362  004767  136756                    JSR     PC,LAST.BLK.XFER ;                                              7829
17065 061366  012777  000071  134010            MOV     #71,@ML.REG     ;                                               7830
17066 061374  012703  000001                    MOV     #1,R3           ; *,$STMP2                                      7831
17067 061400  001411                    7$:     BEQ     10$
17068 061402  016704  120510                    MOV     L$DLY,R4        ; *,$STMP1
17069 061406  001404                            BEQ     9$
17070 061410  005066  000006            8$:     CLR     6(SP)           ; $STMP
17071 061414  005304                            DEC     R4              ; $STMP1
17072 061416  001374                            BNE     8$
17073 061420  005303                    9$:     DEC     R3              ; $STMP2
17074 061422  000766                            BR      7$
17075 061424  005016                    10$:    CLR     (SP)            ; ERR.CNT                                       7832
17076 061426  005002                            CLR     R2              ; WD.CNT                                        7834
17077 061430  017767  134200  133704    11$:    MOV     @ML.REG+230,PD.TEMP ;                                           7836
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;                TEST CODE SECTION                              29-Mar-1982 16:21:03    PA:<
                                                                                                                                7837
061436  152777  000020  13406C          BISB    #20,@ML.REG+120         ;                                                       7838
061444  012703  000001                  MOV     #1,R3                   ; *,$$TMP2
061450  001411                  12$:    BEQ     15$
061452  016704  120440                  MOV     L$DLY,R4                ; *,$$TMP1
061456  001404                          BEQ     14$
061460  005066  000006          13$:    CLR     6(SP)                   ; $$TMP
061464  005304                          DEC     R4                      ; $$TMP1
061466  001374                          BNE     13$
061470  005303                  14$:    DEC     R3                      ; $$TMP2
061472  000766                          BR      12$
061474  017767  134074  131672  15$:    MOV     @ML.REG+170,D1.TEMP
061502  017767  134076  131666          MOV     @ML.REG+200,D2.TEMP
061510  017767  134050  131662          MOV     @ML.REG+160,E2.TEMP
061516  005004                          CLR     R4                      ; NIB.PTR                                               7841
061520  010403                  16$:    MOV     R4,R3                   ; NIB.PTR,*                                             7844
061522  006203                          ASR     R3
061524  006203                          ASR     R3
061526  006203                          ASR     R3
061530  062703  015342                  ADD     #PD.TEMP,R3
061534  010346                          MOV     R3,-(SP)
061536  010446                          MOV     R4,-(SP)                ; NIB.PTR,*
061540  042716  177770                  BIC     #177770,(SP)
061544  012746  000001                  MOV     #1,-(SP)
061550  005046                          CLR     -(SP)
061552  004767  122056                  JSR     PC,BL$GT2
061556  062706  000010                  ADD     #10,SP
061562  005700                          TST     R0
061564  001011                          BNE     17$
061566  010446                          MOV     R4,-(SP)                ; NIB.PTR,*
061570  010146                          MOV     R1,-(SP)                ; BG.PAT,*
061572  012746  000012                  MOV     #12,-(SP)
061576  060616                          ADD     SP,(SP)                 ; ERR.FLG,*
061600  004767  136572                  JSR     PC,TST.LNG.WRD
061604  062706  000006                  ADD     #6,SP
061610  026627  000004  000001  17$:    CMP     4(SP),#1                ; ERR.FLG,*                                             7848
061616  001001                          BNE     18$
061620  005216                          INC     (SP)                    ; ERR.CNT
061622  005204                  18$:    INC     R4                      ; NIB.PTR                                               7841
061624  020427  000011                  CMP     R4,#11                  ; NIB.PTR,*
061630  003733                          BLE     16$
061632  005202                          INC     R2                      ; WD.CNT                                                7834
061634  020227  000177                  CMP     R2,#177                 ; WD.CNT,*
061640  003673                          BLE     11$
061642  021627  000012                  CMP     (SP),#12                ; ERR.CNT,*                                             7854
061646  003437                          BLE     19$
061650  104455                          TRAP    55                      ;                                                       7857
061652  000121                          .WORD   121
061654  013114                          .WORD   INTER
061656  026302                          .WORD   DUMPER
061660  012746  012452                  MOV     #FNC.22,-(SP)           ;                                                       7858
061664  012746  010660                  MOV     #WRD.13,-(SP)
061670  012746  011676                  MOV     #PHR.4,-(SP)
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        ;
17138 061674 012746 010256              MOV     #THR.FMT,-(SP)
17139 061700 012746 000004              MOV     #4,-(SP)
17140 061704 010600                     MOV     SP,R0           ; SP,*
17141 061706 104414                     TRAP    14
17142 061710 012716 011344              MOV     #WRD.56,(SP)    ;                                                       7859
17143 061714 012746 012334              MOV     #FNC.13,-(SP)
17144 061720 012746 010246              MOV     #TWO.FMT,-(SP)
17145 061724 012746 000003              MOV     #3,-(SP)
17146 061730 010600                     MOV     SP,R0           ; SP,*
17147 061732 104414                     TRAP    14
17148 061734 104463                     TRAP    63
17149 061736 062706 000020              ADD     #20,SP          ;                                                       7854
17150 061742 000167 000560              JMP     38$             ;                                                       7856
17151 061746 016766 132042 000002 19$:  MOV     LST.BLK,2(SP)   ; *,END.CNT                                             7863
17152 061754 005366 000002              DEC     2(SP)           ; END.CNT
17153 061760 005077 133610              CLR     @ML.REG+170     ;                                                       7864
17154 061764 005077 133614              CLR     @ML.REG+200     ;                                                       7865
17155 061770 005077 133570              CLR     @ML.REG+160     ;                                                       7866
17156 061774 005005                     CLR     R5              ; TWICE                                                 7868
17157 061776 152777 000040 133440 20$:  BISB    #40,@ML.REG+40  ;                                                       7869
17158 062004 016704 134022              MOV     ML.DUT,R4
17159 062010 042704 177770              BIC     #177770,R4
17160 062014 142777 000007 133422       BICB    #7,@ML.REG+40
17161 062022 150477 133416              BISB    R4,@ML.REG+40
17162 062026 005016                     CLR     (SP)            ; ERR.CNT                                               7871
17163 062030 152777 000010 133466       BISB    #10,@ML.REG+120 ;                                                       7872
17164 062036 004767 136220              JSR     PC,FIRST.BLK.XFER ;                                                     7873
17165 062042 012777 000061 133334       MOV     #61,@ML.REG     ;                                                       7874
17166 062050 005003                     CLR     R3              ; BLK.CNT                                               7879
17167 062052 000411                     BR      23$
17168 062054 005004                 21$:CLR     R4              ; ADRS.CNT                                              7881
17169 062056 152777 000020 133440 22$:  BISB    #20,@ML.REG+120 ;                                                       7883
17170 062064 005204                     INC     R4              ; ADRS.CNT                                              7881
17171 062066 020427 000177              CMP     R4,#177         ; ADRS.CNT,*
17172 062072 003771                     BLE     22$
17173 062074 005203                     INC     R3              ; BLK.CNT                                               7879
17174 062076 020366 000002          23$:CMP     R3,2(SP)        ; BLK.CNT,END.CNT
17175 062102 101764                     BLOS    21$
17176 062104 152777 000040 133332       BISB    #40,@ML.REG+40  ;                                                       7884
17177 062112 016704 133714              MOV     ML.DUT,R4
17178 062116 042704 177770              BIC     #177770,R4
17179 062122 142777 000007 133314       BICB    #7,@ML.REG+40
17180 062130 150477 133310              BISB    R4,@ML.REG+40
17181 062134 152777 000010 133362       BISB    #10,@ML.REG+120 ;                                                       7887
17182 062142 004767 136176              JSR     PC,LAST.BLK.XFER ;                                                      7888
17183 062146 012777 000071 133230       MOV     #71,@ML.REG     ;                                                       7889
17184 062154 012703 000001              MOV     #1,R3           ; *,$$TMP2                                              7890
17185 062160 001411                 24$:BEQ     27$
17186 062162 016704 117730              MOV     L$DLY,R4        ; *,$$TMP1
17187 062166 001404                     BEQ     26$
17188 062170 005066 000006          25$:CLR     6(SP)           ; $$TMP
17189 062174 005304                     DEC     R4              ; $$TMP1
```

```
17191                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
17192                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
17193
17194 062176  001374                            BNE     25$
17195 062200  005303                    26$:    DEC     R3                      ; $$TMP2
17196 062202  000766                            BR      24$
17197 062204  005002                    27$:    CLR     R2                      ; WD.CNT                                7892
17198 062206  017767  133422  133126  28$:    MOV     @ML.REG+230,PD.TEMP     ;                                       7894
17199 062214  152777  000020  133302            BISB    #20,@ML.REG+120         ;                                       7895
17200 062222  012703  000001                    MOV     #1,R3                   ; *,$$TMP2                              7896
17201 062226  001411                    29$:    BEQ     32$
17202 062230  016704  117662                    MOV     L$DLY,R4                ; *,$$TMP1
17203 062234  001404                            BEQ     31$
17204 062236  005066  000006            30$:    CLR     6(SP)                   ; $$TMP
17205 062242  005304                            DEC     R4                      ; $$TMP1
17206 062244  001374                            BNE     30$
17207 062246  005303                    31$:    DEC     R3                      ; $$TMP2
17208 062250  000766                            BR      29$
17209 062252  017767  133316  131114  32$:    MOV     @ML.REG+170,D1.TEMP
17210 062260  017767  133320  131110            MOV     @ML.REG+200,D2.TEMP
17211 062266  017767  133272  131104            MOV     @ML.REG+160,E2.TEMP
17212 062274  005004                            CLR     R4                      ; NIB.PTR                               7899
17213 062276  010403                    33$:    MOV     R4,R3                   ; NIB.PTR,*                             7902
17214 062300  006203                            ASR     R3
17215 062302  006203                            ASR     R3
17216 062304  006203                            ASR     R3
17217 062306  062703  015342                    ADD     #PD.TEMP,R3
17218 062312  010346                            MOV     R3,-(SP)
17219 062314  010446                            MOV     R4,-(SP)                ; NIB.PTR,*
17220 062316  042716  177770                    BIC     #177770,(SP)
17221 062322  012746  000001                    MOV     #1,-(SP)
17222 062326  005046                            CLR     -(SP)
17223 062330  004767  121300                    JSR     PC,BL$GT2
17224 062334  062706  000010                    ADD     #10,SP
17225 062340  005700                            TST     R0
17226 062342  001011                            BNE     34$
17227 062344  010446                            MOV     R4,-(SP)                ; NIB.PTR,*
17228 062346  010146                            MOV     R1,-(SP)                ; BG.PAT,*
17229 062350  012746  000012                    MOV     #12,-(SP)
17230 062354  060616                            ADD     SP,(SP)                 ; ERR.FLG,*
17231 062356  004767  136014                    JSR     PC,TST.LNG.WRD
17232 062362  062706  000006                    ADD     #6,SP
17233 062366  026627  000004  000001  34$:    CMP     4(SP),#1                ; ERR.FLG,*                             7906
17234 062374  001001                            BNE     35$
17235 062376  005216                            INC     (SP)                    ; ERR.CNT
17236 062400  005204                    35$:    INC     R4                      ; NIB.PTR                               7899
17237 062402  020427  000011                    CMP     R4,#11                  ; NIB.PTR,*
17238 062406  003733                            BLE     33$
17239 062410  005202                            INC     R2                      ; WD.CNT                                7892
17240 062412  020227  000177                    CMP     R2,#177                 ; WD.CNT,*
17241 062416  003673                            BLE     28$
17242 062420  021627  000012                    CMP     (SP),#12                ; ERR.CNT,*                             7912
17243 062424  003422                            BLE     36$
17244 062426  104455                            TRAP    55                      ;                                       7915
17245 062430  000122                            .WORD   122
```

```
17247                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
17248                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
17249
17250 062432  012706                            .WORD   ASYNC
17251 062434  026302                            .WORD   DUMPER
17252 062436  012746  010630                    MOV     #WRD.10,-(SP)           ;                               7916
17253 062442  012746  011276                    MOV     #WRD.51,-(SP)
17254 062446  012746  011270                    MOV     #WRD.50,-(SP)
17255 062452  012746  01025E                    MOV     #THR.FMT,-(SP)
17256 062456  012746  000004                    MOV     #4,-(SP)
17257 062462  010600                            MOV     SP,R0                   ; SP,*
17258 062464  104414                            TRAP    14
17259 062466  062706  000012                    ADD     #12,SP                  ;                               7914
17260 062472  005266  000002          36$:      INC     2(SP)                   ; END.CNT                       7919
17261 062476  005101                            COM     R1                      ; BG.PAT                        7920
17262 062500  005205                            INC     R5                      ; TWICE                         7868
17263 062502  020527  000001                    CMP     R5,#1                   ; TWICE,*
17264 062506  003002                            BGT     37$
17265 062510  000167  177262                    JMP     20$
17266 062514  104467          37$:      TRAP    67                              ;                               7921
17267 062516  006000                            ROR     R0
17268 062520  103002                            BHIS    38$
17269 062522  000167  176434                    JMP     1$
17270 062526  062706  000010          38$:      ADD     #10,SP                  ;                               7772
17271 062532  000207                            RTS     PC
17272
17273                                   ; Routine Size:  377 words
17274                                   ; Maximum stack depth per invocation:  18 words
17279
17280
17284
17285                                           .SBTTL  T31 TEST CODE SECTION
17289 062534                            T31::
17290 062534  004767  176412          1$:       JSR     PC,$T31                 ;                               7923
17291 062540  104466                            TRAP    66
17292 062542  006000                            ROR     R0
17293 062544  103773                            BLO     1$
17294 062546  000207                            RTS     PC
17295
17296                                   ; Routine Size:  6 words
17297                                   ; Maximum stack depth per invocation:  0 words
```

```
                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                    29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (83)
17303 ;ML4AD
17304 ;                 TEST CODE SECTION
17305
17306 ;          7925   !<BLF/PAGE>
```

```
17308 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
17309 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (84)
17310 ;
17311 ;          7926  !
17312 ;          7927  !
17313 ;          7928  BGNTST;
17314 ;          7929
17315 ;          7930  !++
17316 ;          7931  ! TEST NUMBER:  TST 32
17317 ;          7932  !
17318 ;          7933  ! TEST NAME:    ARRAY MODULE SELECTION TEST
17319 ;          7934  !
17320 ;          7935  ! TEST DESCRIPTION:
17321 ;          7936  !
17322 ;          7937  !       TEST FOR UNIQUE ARRAY MODULE
17323 ;          7938  !       SELECTION BY:
17324 ;          7939  !
17325 ;          7940  !       1.  WRITING THE RESPECTIVE ARRAY
17326 ;          7941  !           MODULE POSITION NUMBER INTO
17327 ;          7942  !           THE FIRST GOOD NIBBLE FOUND
17328 ;          7943  !           IN THE ARRAY.  DO FOR ALL
17329 ;          7944  !           PRESENT ARRAYS.
17330 ;          7945  !
17331 ;          7946  !       2.  READ THE ARRAYS FOR THEIR
17332 ;          7947  !           RESPECTIVE POSTION NUMBERS.
17333 ;          7948  !
17334 ;          7949  ! IMPLICIT INPUTS:
17335 ;          7950  !       PD_TEMP:
17336 ;          7951  !       A BIT VECTOR OF 16 BITS WHERE
17337 ;          7952  !       THE READ PROM DATA IS STORED
17338 ;          7953  !       AND ACCESSED FROM.
17339 ;          7954  !
17340 ;          7955  !       IO_BUF :
17341 ;          7956  !       A VECTOR OF 256 WORDS WHERE
17342 ;          7957  !       DATA FOR MBUS READS AND WRITE
17343 ;          7958  !       FUNCTION ARE FOUND.
17344 ;          7959  !
17345 ;          7960  !--
17346 ;          7961
17347 ;          7962  local
17348 ;          7963      WRDS_TSTED,                           !WORDS TESTED
17349 ;          7964      ARR_SEL,                              !ARRAY SELECT
17350 ;          7965      FND_GD_NIB,                           !FOUND GOOD NIBBLE
17351 ;          7966      ARR_NUM;                              !ARRAY NUMBER
17352 ;          7967
17353 ;          7968  ARR_SEL = ZEROES;
17354 ;          7969  ARR_SEL = .ARR_SEL - .ARR_INC;            !START ARR_SEL BACK ONE ARRAY
17355 ;          7970
17356 ;          7971  incr ARR_CNT from 0 to .OP_NUM_ARR do     !TEST ALL PRESENT ARRAYS
17357 ;          7972      begin
17358 ;          7973      CLR_MBUS;
17359 ;          7974      FND_GD_NIB = ZERO;
17360 ;          7975      WRDS_TSTED = ZERO;
17361 ;          7976      DAT_DM = ONE;                         !SET DATA DIAG MODE
17362 ;          7977      MLWC = not 255;                       !LOAD WORD COUNT
```

```
17364 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
17365 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (84)
17366 ;
17367 ;          7978       MLBA = IO_BUF;                      !LOAD IO_BUF
17368 ;          7979       ARR_SEL = .ARR_SEL + .ARR_INC;      !LOOK AT NEXT ARRAY
17369 ;          7980       MLDA = .ARR_SEL;                    !LOAD DSA WITH SELECTED ARRAY AT BLOCK ZERO
17370 ;          7981       MLCS1 = write;                      !DO A WRITE FUNCTION
17371 ;          7982
17372 ;          7983       do                                  !THIS LOOP WRITES ARRAY NUMBERS TO THE ARRAYS
17373 ;          7984           begin
17374 ;          7985           DELAY (ONE_US);
17375 ;          7986           PD_TEMP = .MLPD;                !GET THE PROM DATA
17376 ;          7987           WRDS_TSTED = .WRDS_TSTED + 1;   !COUNT WORDS TESTED
17377 ;          7988
17378 ;          7989           incr CNT from 0 to 8 do         !LOOK AT 9 NIBBLES
17379 ;          7990
17380 ;          7991               if .PD_TEMP [.CNT] IS_NOT_SET   !FIND A GOOD NIBBLE
17381 ;          7992               then
17382 ;          7993                   begin
17383 ;          7994
17384 ;          7995                   case .CNT from 0 to 8 of    !SELECT AND LOAD GOOD NIBBLE WITH ARRAY CNT
17385 ;          7996                       set
17386 ;          7997
17387 ;          7998                       [0] :
17388 ;          7999                           (MLD1)<0, 4> = .ARR_CNT;        !NIBBLE 0
17389 ;          8000
17390 ;          8001                       [1] :
17391 ;          8002                           (MLD1)<4, 4> = .ARR_CNT;        !NIBBLE 1
17392 ;          8003
17393 ;          8004                       [2] :
17394 ;          8005                           (MLD1)<8, 4> = .ARR_CNT;        !NIBBLE 2
17395 ;          8006
17396 ;          8007                       [3] :
17397 ;          8008                           (MLD1)<12, 4> = .ARR_CNT;       !NIBBLE 3
17398 ;          8009
17399 ;          8010                       [4] :
17400 ;          8011                           (MLD2)<0, 4> = .ARR_CNT;        !NIBBLE 4
17401 ;          8012
17402 ;          8013                       [5] :
17403 ;          8014                           (MLD2)<4, 4> = .ARR_CNT;        !NIBBLE 5
17404 ;          8015
17405 ;          8016                       [6] :
17406 ;          8017                           (MLD2)<8, 4> = .ARR_CNT;        !NIBBLE 6
17407 ;          8018
17408 ;          8019                       [7] :
17409 ;          8020                           (MLD2)<12, 4> = .ARR_CNT;       !NIBBLE 7
17410 ;          8021
17411 ;          8022                       [8] :
17412 ;          8023                           (MLE2)<8, 4> = .ARR_CNT;        !NIBBLE 8
17413 ;          8024                       tes;
17414 ;          8025
17415 ;          8026                   FND_GD_NIB = ONE;           !SET FOUND GOOD NIBBLE FLG
17416 ;          8027                   exitloop;                   !EXIT THE LOOP
17417 ;          8028                   end;
17418 ;          8029
```

```
;ML4AD                                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (84)

;          8030          DAT_CLK = ONE;                         !CLOCK GOOD NIBBLE INTO MEMORY & GET NXT PROM WRD
;          8031          end
;          8032      until (.FND_GD_NIB IS_SET ) or (.WRDS_TSTED eql 14);      !DO UNTIL FOUND GOOD NIBBLE OR 14 WRDS TSTED
;          8033
;          8034      if .WRDS_TSTED eql 14                      !IF 14 WORDS TSTED
;          8035      then
;          8036          begin                                  !THEN ERROR AND EXIT TESTED
;          8037          ERRDF (142, INTER, DUMPER);
;          8038          PRINTB (SEV_FMT, WRD_14, PHR_10, FNC_15, WRD_12, FNC_17, WRD_37, WRD_56);
;          8039          EXIT_TST;
;          8040          end;
;          8041
;          8042      end;
;          8043
;          8044  ARR_SEL = ZEROES;
;          8045  ARR_SEL = .ARR_SEL - .ARR_INC;                 !START ARR SEL BACK ONE AGAIN
;          8046
;          8047  incr ARR_CNT from 0 to .OP_NUM_ARR do          !TEST ALL PRESENT ARRAYS
;          8048      begin
;          8049      BGNSUB;
;          8050      CLR_MBUS;
;          8051      FND_GD_NIB = ZERO;
;          8052      DAT_DM = ONE;                              !SET DATA DIAG MODE
;          8053      MLWC = not 255;                            !LOAD WORD COUNT
;          8054      MLBA = IO_BUF;                             !LOAD UBUS ADDRESS
;          8055      ARR_SEL = .ARR_SEL + .ARR_INC;             !LOOK AT NEXT ARRAY
;          8056      MLDA = .ARR_SEL;                           !LOAD DSA WITH ARRAY SELECT
;          8057      MLCS1 = read;                              !DO A READ FUNCTION
;          8058
;          8059      do                                         !THIS LOOP READS ARRAYS FOR ARRAY NUMBERS
;          8060          begin
;          8061          DELAY (ONE_US);
;          8062          PD_TEMP = .MLPD;                       !GET THE PROM DATA
;          8063
;          8064          incr CNT from 0 to 8 do                !LOOK AT 9 NIBBLES
;          8065
;          8066              if .PD_TEMP [.CNT] IS_NOT_SET      !FIND THE GOOD NIBBLES WHERE ARR NUM IS STORED
;          8067              then
;          8068                  begin
;          8069                  DAT_CLK = ONE;                 !CLOCK ARRAY WORD OUT
;          8070
;          8071                  case .CNT from 0 to 8 of       !SELECT AND READ GOOD NIBBLE
;          8072                      set
;          8073
;          8074                      [0] :
;          8075                          ARR_NUM = .(MLD1)<0, 4>;       !NIBBLE 0
;          8076
;          8077                      [1] :
;          8078                          ARR_NUM = .(MLD1)<4, 4>;       !NIBBLE 1
;          8079
;          8080                      [2] :
;          8081                          ARR_NUM = .(MLD1)<8, 4>;       !NIBBLE 2
```

```
  17476 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
  17477 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (84)
  17478
  17479 ;          8082
  17480 ;          8083                        [3] :
  17481 ;          8084                            ARR_NUM = .(MLD1)<12, 4>;       !NIBBLE 3
  17482 ;          8085
  17483 ;          8086                        [4] :
  17484 ;          8087                            ARR_NUM = .(MLD2)<0, 4>;        !NIBBLE 4
  17485 ;          8088
  17486 ;          8089                        [5] :
  17487 ;          8090                            ARR_NUM = .(MLD2)<4, 4>;        !NIBBLE 5
  17488 ;          8091
  17489 ;          8092                        [6] :
  17490 ;          8093                            ARR_NUM = .(MLD2)<8, 4>;        !NIBBLE 6
  17491 ;          8094
  17492 ;          8095                        [7] :
  17493 ;          8096                            ARR_NUM = .(MLD2)<12, 4>;       !NIBBLE 7
  17494 ;          8097
  17495 ;          8098                        [8] :
  17496 ;          8099                            ARR_NUM = .(MLE2)<8, 4>;        !NIBBLE 8
  17497 ;          8100                        tes;
  17498 ;          8101
  17499 ;          8102                    FND_GD_NIB = ONE;                   !SET FND GD NIB FLG
  17500 ;          8103                    exitloop;                           !EXIT LOOP
  17501 ;          8104                    end;
  17502 ;          8105
  17503 ;          8106                DAT_CLK = ONE;                          !CLOCK OUT NEXT PROM LOCATION
  17504 ;          8107                end
  17505 ;          8108            until .FND_GD_NIB IS_SET;                   !REPEAT UNTIL FOUND THE GOOD NIBBLE
  17506 ;          8109
  17507 ;          8110            if .ARR_CNT neq .ARR_NUM                    !SEE IF ARRAY CONTAINS IT'S ARR NUM
  17508 ;          8111            then
  17509 ;          8112                begin                                   !ERROR IF NOT THERE
  17510 ;          8113                ERRDF (83, ASYNC, DUMPER);
  17511 ;          8114                PRINTB (FOR_FMT, WRD_39, FNC_17, WRD_37, WRD_10);
  17512 ;          8115                PRINTB (FMT_14, .ARR_CNT, .ARR_NUM);
  17513 ;          8116                end;
  17514 ;          8117
  17515 ;          8118            ENDSUB;
  17516 ;          8119            end;
  17517 ;          8120
  17518 ;          8121  ENDTST;
  17522
  17523                                          .SBTTL  $T32 TEST CODE SECTION
  17527 062550  004167  122036          $T32:   JSR     R1,$SAVE5                       ;                                7924
  17528 062554  162706  000006                  SUB     #6,SP
  17529 062560  005005                          CLR     R5                              ; ARR.SEL                        7968
  17530 062562  166705  131216                  SUB     ARR.INC,R5                      ; *,ARR.SEL                      7969
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;                TEST CODE SECTION                              29-Mar-1982 16:21:03    PA:<
                                                                                                                                7971
                                        MOV     OP.NUM.ARR,2(SP)        ;
                                        CLR     R3                      ; ARR.CNT
                                        JMP     27$
                                                                                                                                7972
                                1$:     BISB    #40,@ML.REG+40          ;
                                        MOV     ML.DUT,R2
                                        BIC     #177770,R2
                                        BICB    #7,@ML.REG+40
                                        BISB    R2,@ML.REG+40
                                        CLR     (SP)                    ; FND.GD.NIB                                            7974
                                        CLR     R4                      ; WRDS.TSTED                                            7975
                                                                                                                                7976
                                        BISB    #10,@ML.REG+120         ;                                                       7977
                                        MOV     #-400,@ML.REG+10        ;                                                       7978
                                        MOV     #IO.BUF,@ML.REG+20      ;                                                       7979
                                        ADD     ARR.INC,R5              ; *,ARR.SEL                                             7980
                                        MOV     R5,@ML.REG+30           ; ARR.SEL,*                                             7981
                                        MOV     #61,@ML.REG             ;                                                       7985
                                2$:     MOV     #1,R1                   ; *,$$TMP2
                                3$:     BEQ     6$
                                        MOV     L$DLY,R2                ; *,$$TMP1
                                        BEQ     5$
                                4$:     CLR     4(SP)                   ; $$TMP
                                        DEC     R2                      ; $$TMP1
                                        BNE     4$
                                5$:     DEC     R1                      ; $$TMP2
                                        BR      3$
                                6$:     MOV     @ML.REG+230,PD.TEMP     ;                                                       7986
                                        INC     R4                      ; WRDS.TSTED                                            7987
                                        CLR     R2                      ; CNT                                                   7989
                                7$:     MOV     R2,R1                   ; CNT,*                                                 7991
                                        ASR     R1
                                        ASR     R1
                                        ASR     R1
                                        ADD     #PD.TEMP,R1
                                        MOV     R1,-(SP)
                                        MOV     R2,-(SP)                ; CNT,*
                                        BIC     #177770,(SP)
                                        MOV     #1,-(SP)
                                        CLR     -(SP)
                                        JSR     PC,BL$GT2
                                        ADD     #10,SP
                                        TST     R0
                                        BNE     23$
                                        MOV     R2,R1                   ; CNT,*                                                 7995
                                        ASL     R1
                                        ADD     8$(R1),PC
                                8$:     .WORD   9$-8$
                                        .WORD   10$-8$
                                        .WORD   12$-8$
                                        .WORD   13$-8$
                                        .WORD   15$-8$
                                        .WORD   16$-8$
                                        .WORD   18$-8$
```

```
17588                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
17589                                   :       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
17590
17591 063034  000236                            .WORD   19$-8$
17592 063036  000272                            .WORD   21$-8$
17593 063040  010301                    9$:     MOV     R3,R1           ; ARR.CNT,*                     7999
17594 063042  042701  177760                    BIC     #177760,R1
17595 063046  142777  000017  132520            BICB    #17,@ML.REG+170
17596 063054  000412                            BR      11$
17597 063056  010301                    10$:    MOV     R3,R1           ; ARR.CNT,*                     8002
17598 063060  006301                            ASL     R1
17599 063062  006301                            ASL     R1
17600 063064  006301                            ASL     R1
17601 063066  006301                            ASL     R1
17602 063070  042701  177417                    BIC     #177417,R1
17603 063074  142777  000360  132472            BICB    #360,@ML.REG+170
17604 063102  150177  132466            11$:    BISB    R1,@ML.REG+170
17605 063106  000511                            BR      22$             ;                               7995
17606 063110  010301                    12$:    MOV     R3,R1           ; ARR.CNT,*                     8005
17607 063112  000301                            SWAB    R1
17608 063114  042701  170377                    BIC     #170377,R1
17609 063120  042777  007400  132446            BIC     #7400,@ML.REG+170
17610 063126  000413                            BR      14$
17611 063130  010301                    13$:    MOV     R3,R1           ; ARR.CNT,*                     8008
17612 063132  000301                            SWAB    R1
17613 063134  006301                            ASL     R1
17614 063136  006301                            ASL     R1
17615 063140  006301                            ASL     R1
17616 063142  006301                            ASL     R1
17617 063144  042701  007777                    BIC     #7777,R1
17618 063150  042777  170000  132416            BIC     #170000,@ML.REG+170
17619 063156  050177  132412            14$:    BIS     R1,@ML.REG+170
17620 063162  000463                            BR      22$             ;                               7995
17621 063164  010301                    15$:    MOV     R3,R1           ; ARR.CNT,*                     8011
17622 063166  042701  177760                    BIC     #177760,R1
17623 063172  142777  000017  132404            BICB    #17,@ML.REG+200
17624 063200  000412                            BR      17$
17625 063202  010301                    16$:    MOV     R3,R1           ; ARR.CNT,*                     8014
17626 063204  006301                            ASL     R1
17627 063206  006301                            ASL     R1
17628 063210  006301                            ASL     R1
17629 063212  006301                            ASL     R1
17630 063214  042701  177417                    BIC     #177417,R1
17631 063220  142777  000360  132356            BICB    #360,@ML.REG+200
17632 063226  150177  132352            17$:    BISB    R1,@ML.REG+200
17633 063232  000437                            BR      22$             ;                               7995
17634 063234  010301                    18$:    MOV     R3,R1           ; ARR.CNT,*                     8017
17635 063236  000301                            SWAB    R1
17636 063240  042701  170377                    BIC     #170377,R1
17637 063244  042777  007400  132332            BIC     #7400,@ML.REG+200
17638 063252  000413                            BR      20$
17639 063254  010301                    19$:    MOV     R3,R1           ; ARR.CNT,*                     8020
17640 063256  000301                            SWAB    R1
17641 063260  006301                            ASL     R1
17642 063262  006301                            ASL     R1
```

```
17644                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
17645                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
17646
17647 063264  006301                            ASL     R1
17648 063266  006301                            ASL     R1
17649 063270  042701  007777                    BIC     #7777,R1
17650 063274  042777  170000  132302            BIC     #170000,@ML.REG+200
17651 063302  050177  132276            20$:    BIS     R1,@ML.REG+200                                          7995
17652 063306  000411                            BR      22$             ;
17653 063310  010301                    21$:    MOV     R3,R1           ; ARR.CNT,*                             8023
17654 063312  000301                            SWAB    R1
17655 063314  042701  170377                    BIC     #170377,R1
17656 063320  042777  007400  132236            BIC     #7400,@ML.REG+160
17657 063326  050177  132232                    BIS     R1,@ML.REG+160
17658 063332  012716  000001            22$:    MOV     #1,(SP)         ; *,FND.GD.NIB                          8026
17659 063336  000406                            BR      24$             ;                                       8027
17660 063340  005202                    23$:    INC     R2              ; CNT                                   7989
17661 063342  020227  000010                    CMP     R2,#10          ; CNT,*
17662 063346  003002                            BGT     24$
17663 063350  000167  177364                    JMP     7$
17664 063354  152777  000020  132142    24$:    BISB    #20,@ML.REG+120 ;                                       8030
17665 063362  021627  000001                    CMP     (SP),#1         ; FND.GD.NIB,*                          8032
17666 063366  001405                            BEQ     25$
17667 063370  020427  000016                    CMP     R4,#16          ; WRDS.TSTED,*
17668 063374  001402                            BEQ     25$
17669 063376  000167  177274                    JMP     2$
17670 063402  020427  000016            25$:    CMP     R4,#16          ; WRDS.TSTED,*                          8034
17671 063406  001035                            BNE     26$
17672 063410  104455                            TRAP    55              ;                                       8037
17673 063412  000216                            .WORD   216
17674 063414  013114                            .WORD   INTER
17675 063416  026302                            .WORD   DUMPER
17676 063420  012746  011344                    MOV     #WRD.56,-(SP)   ;                                       8038
17677 063424  012746  011122                    MOV     #WRD.37,-(SP)
17678 063430  012746  012404                    MOV     #FNC.17,-(SP)
17679 063434  012746  010650                    MOV     #WRD.12,-(SP)
17680 063440  012746  012360                    MOV     #FNC.15,-(SP)
17681 063444  012746  012006                    MOV     #PHR.10,-(SP)
17682 063450  012746  010664                    MOV     #WRD.14,-(SP)
17683 063454  012746  010342                    MOV     #SEV.FMT,-(SP)
17684 063460  012746  000010                    MOV     #10,-(SP)
17685 063464  010600                            MOV     SP,R0           ; SP,*
17686 063466  104414                            TRAP    14
17687 063470  104463                            TRAP    63
17688 063472  062706  000022                    ADD     #22,SP          ;                                       8034
17689 063476  000167  000562                    JMP     56$             ;                                       8036
17690 063502  005203                    26$:    INC     R3              ; ARR.CNT                               7971
17691 063504  020366  000002            27$:    CMP     R3,2(SP)        ; ARR.CNT,*
17692 063510  003002                            BGT     28$
17693 063512  000167  177064                    JMP     1$
17694 063516  005005                    28$:    CLR     R5              ; ARR.SEL                               8044
17695 063520  166705  130260                    SUB     ARR.INC,R5      ; *,ARR.SEL                             8045
17696 063524  016766  130252  000002            MOV     OP.NUM.ARR,2(SP) ;                                      8047
17697 063532  005004                            CLR     R4              ; ARR.CNT
17698 063534  000167  000516                    JMP     55$
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        ;
063540  104402                  29$:    TRAP    2                       ;                                               8048
063542  152777  000040  131674          BISB    #40,@ML.REG+40          ;                                               8049
063550  016702  132256                  MOV     ML.DUT,R2
063554  042702  177770                  BIC     #177770,R2
063560  142777  000007  131656          BICB    #7,@ML.REG+40
063566  150277  131652                  BISB    R2,@ML.REG+40
063572  005016                          CLR     (SP)                    ; FND.GD.NIB                                    8051
063574  152777  000010  131722          BISB    #10,@ML.REG+120         ;                                               8052
063602  012777  177400  131604          MOV     #-400,@ML.REG+10        ;                                               8053
063610  012777  014022  131606          MOV     #IO.BUF,@ML.REG+20      ;                                               8054
063616  066705  130162                  ADD     ARR.INC,R5              ; *,ARR.SEL                                     8055
063622  010577  131606                  MOV     R5,@ML.REG+30           ; ARR.SEL,*                                     8056
063626  012777  000071  131550          MOV     #71,@ML.REG             ;                                               8057
063634  012701  000001          30$:    MOV     #1,R1                   ; *,$$TMP2                                      8061
063640  001411                  31$:    BEQ     34$
063642  016702  116250                  MOV     L$DLY,R2                ; *,$$TMP1
063646  001404                          BEQ     33$
063650  005066  000004          32$:    CLR     4(SP)                   ; $$TMP
063654  005302                          DEC     R2                      ; $$TMP1
063656  001374                          BNE     32$
063660  005301                  33$:    DEC     R1                      ; $$TMP2
063662  000766                          BR      31$
063664  017767  131744  131450  34$:    MOV     @ML.REG+230,PD.TEMP     ;                                               8062
063672  005002                          CLR     R2                      ; CNT                                           8064
063674  010201                  35$:    MOV     R2,R1                   ; CNT,*                                         8066
063676  006201                          ASR     R1
063700  006201                          ASR     R1
063702  006201                          ASR     R1
063704  062701  015342                  ADD     #PD.TEMP,R1
063710  010146                          MOV     R1,-(SP)
063712  010246                          MOV     R2,-(SP)                ; CNT,*
063714  042716  177770                  BIC     #177770,(SP)
063720  012746  000001                  MOV     #1,-(SP)
063724  005046                          CLR     -(SP)
063726  004767  117702                  JSR     PC,BL$GT2
063732  062706  000010                  ADD     #10,SP
063736  005700                          TST     R0
063740  001070                          BNE     50$
063742  152777  000020  131554          BISB    #20,@ML.REG+120         ;                                               8069
063750  010201                          MOV     R2,R1                   ; CNT,*                                         8071
063752  006301                          ASL     R1
063754  066107  063760                  ADD     36$(R1),PC
063760  000022                  36$:    .WORD   37$-36$
063762  000030                          .WORD   38$-36$
063764  000036                          .WORD   39$-36$
063766  000044                          .WORD   40$-36$
063770  000052                          .WORD   41$-36$
063772  000060                          .WORD   42$-36$
063774  000076                          .WORD   44$-36$
063776  000104                          .WORD   45$-36$
064000  000122                          .WORD   47$-36$
064002  117703  131566          37$:    MOVB    @ML.REG+170,R3          ; *,ARR.NUM                                     8075
```

```
                                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                                    29-Mar-1982 16:21:03    PA:<
17756                                    ;ML4AD
17757                                    ;                  TEST CODE SECTION
17758
17759 064006 000440                              BR        49$
17760 064010 117703 131560               38$:    MOVB      @ML.REG+170,R3          ; *,ARR.NUM                          8078
17761 064014 000413                              BR        43$
17762 064016 017703 131552               39$:    MOV       @ML.REG+170,R3          ; *,ARR.NUM                          8081
17763 064022 000431                              BR        48$
17764 064024 017703 131544               40$:    MOV       @ML.REG+170,R3          ; *,ARR.NUM                          8084
17765 064030 000417                              BR        46$
17766 064032 117703 131546               41$:    MOVB      @ML.REG+200,R3          ; *,ARR.NUM                          8087
17767 064036 000424                              BR        49$
17768 064040 117703 131540               42$:    MOVB      @ML.REG+200,R3          ; *,ARR.NUM                          8090
17769 064044 006203                      43$:    ASR       R3                      ; ARR.NUM
17770 064046 006203                              ASR       R3                      ; ARR.NUM
17771 064050 006203                              ASR       R3                      ; ARR.NUM
17772 064052 006203                              ASR       R3                      ; ARR.NUM
17773 064054 000415                              BR        49$
17774 064056 017703 131522               44$:    MOV       @ML.REG+200,R3          ; *,ARR.NUM                          8093
17775 064062 000411                              BR        48$
17776 064064 017703 131514               45$:    MOV       @ML.REG+200,R3          ; *,ARR.NUM                          8096
17777 064070 006203                      46$:    ASR       R3                      ; ARR.NUM
17778 064072 006203                              ASR       R3                      ; ARR.NUM
17779 064074 006203                              ASR       R3                      ; ARR.NUM
17780 064076 006203                              ASR       R3                      ; ARR.NUM
17781 064100 000402                              BR        48$
17782 064102 017703 131456               47$:    MOV       @ML.REG+160,R3          ; *,ARR.NUM                          8099
17783 064106 000303                      48$:    SWAB      R3                      ; ARR.NUM
17784 064110 042703 177760               49$:    BIC       #177760,R3             ; *,ARR.NUM
17785 064114 012716 000001                       MOV       #1,(SP)                 ; *,FND.GD.NIB                       8102
17786 064120 000404                              BR        51$                     ;                                    8103
17787 064122 005202                      50$:    INC       R2                      ; CNT                                8064
17788 064124 020227 000010                       CMP       R2,#10                  ; CNT,*
17789 064130 003661                              BLE       35$
17790 064132 152777 000020 131364        51$:    BISB      #20,@ML.REG+120         ;                                    8106
17791 064140 021627 000001                       CMP       (SP),#1                 ; FND.GD.NIB,*                       8108
17792 064144 001233                              BNE       30$
17793 064146 020403                              CMP       R4,R3                   ; ARR.CNT,ARR.NUM                    8110
17794 064150 001434                              BEQ       52$
17795 064152 104455                              TRAP      55                      ;                                    8113
17796 064154 000123                              .WORD     123
17797 064156 012706                              .WORD     ASYNC
17798 064160 026302                              .WORD     DUMPER
17799 064162 012746 010630                       MOV       #WRD.10,-(SP)           ;                                    8114
17800 064166 012746 011122                       MOV       #WRD.37,-(SP)
17801 064172 012746 012404                       MOV       #FNC.17,-(SP)
17802 064176 012746 011140                       MOV       #WRD.39,-(SP)
17803 064202 012746 010270                       MOV       #FOR.FMT,-(SP)
17804 064206 012746 000005                       MOV       #5,-(SP)
17805 064212 010600                              MOV       SP,R0                   ; SP,*
17806 064214 104414                              TRAP      14
17807 064216 010316                              MOV       R3,(SP)                 ; ARR.NUM,*                          8115
17808 064220 010446                              MOV       R4,-(SP)                ; ARR.CNT,*
17809 064222 012746 007330                       MOV       #FMT.14,-(SP)
17810 064226 012746 000003                       MOV       #3,-(SP)
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        
064232  010600                                  MOV     SP,R0                   ; SP,*
064234  104414                                  TRAP    14
064236  062706  000022                          ADD     #22,SP                  ;                                       8112
064242  104467                          52$:    TRAP    67                      ;                                       8116
064244  006000                                  ROR     R0
064246  103002                                  BHIS    54$
064250  000167  177264                  53$:    JMP     29$
064254  005204                          54$:    INC     R4                      ; ARR.CNT                               8047
064256  020466  000002                  55$:    CMP     R4,2(SP)                ; ARR.CNT,*
064262  003772                                  BLE     53$
064264  062706  000006                  56$:    ADD     #6,SP                   ;                                       7924
064270  000207                                  RTS     PC
                                        
                                        ; Routine Size:  425 words
                                        ; Maximum stack depth per invocation:  18 words
                                        
                                        
                                                .SBTTL  T32 TEST CODE SECTION
064272                                  T32::
064272  004767  176252                  1$:     JSR     PC,$T32                 ;                                       8119
064276  104466                                  TRAP    66
064300  006000                                  ROR     R0
064302  103773                                  BLO     1$
064304  000207                                  RTS     PC
                                        
                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
                                        
                                        
;       8122  !<BLF/PAGE>
```

```
17861 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
17862 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (85)
17863 ;
17864 ;          8123  !
17865 ;          8124  BGNTST;
17866 ;          8125
17867 ;          8126  !++
17868 ;          8127  ! TEST NUMBER:  TST 33
17869 ;          8128  !
17870 ;          8129  ! TEST NAME:    SEQUENCER EXISTENCE TEST
17871 ;          8130  !
17872 ;          8131  ! TEST DESCRIPTION:
17873 ;          8132  !
17874 ;          8133  !       TEST SEQUENCER TIMING AND CONTROL
17875 ;          8134  !       LOGIC FOR EXISTENCE BY:
17876 ;          8135  !
17877 ;          8136  !       1.  FIRST WRITING THE GOOD BLOCK vIA DAT_DM MODE WITH A BACKGROUND
17878 ;          8137  !           PATTERN OF ONES.
17879 ;          8138  !
17880 ;          8139  !
17881 ;          8140  !       2.  VIA A MBUS WRITE FUNCTION WRITE ONES INTO THE GOOD BLOCK.
17882 ;          8141  !
17883 ;          8142  !       3.  THEN VIA DAT_DM READ GOOD NIBBLES IN THE GOOD BLOCK AND XOR THEM
17884 ;          8143  !           AGAINST THE BACKGROUND PATTERN.
17885 ;          8144  !
17886 ;          8145  !           RECORD THE NUMBER OF NIBBLES THAT WERE UNCHANGED OR PARTIALLY CHANGED
17887 ;          8146  !           BY THE MBUS WIRTE.
17888 ;          8147  !
17889 ;          8148  !       4.  REPORT A FATAL ERROR AND DROP THIS UNIT IF THE NIBBLES TESTED EQUALS
17890 ;          8149  !           THE COUNT OF UNCHANGED NIBBLES.
17891 ;          8150  !
17892 ;          8151  !           REPORT AN INTERMEDIATE DIAGNOSTIC MESSAGE IF AT LEAST SOME NIBBLES
17893 ;          8152  !           WERE CHANGED BY THE MBUS WRITE.
17894 ;          8153  !
17895 ;          8154  ! IMPLICIT INPUTS:
17896 ;          8155  !       PD_TEMP:
17897 ;          8156  !       A BIT VECTOR OF 16 BITS WHERE THE READ PROM DATA IS STORED AND ACCESSED FROM.
17898 ;          8157  !
17899 ;          8158  !       IO_BUF:
17900 ;          8159  !       A VECTOR OF 256 WORDS WHERE DATA FOR MBUS READS AND WRITE FUNCTIONS
17901 ;          8160  !       ARE FOUND.
17902 ;          8161  !--
17903 ;          8162
17904 ;          8163  Local
17905 ;          8164      BG_PAT,                          !BACK GROUND PATTERN
17906 ;          8165      SUM_BAD,                         !SUM NIBBLE ARE BAD
17907 ;          8166      NIB_TSTED,                       !NIBBLES TESTED
17908 ;          8167      ALL_BAD,                         !ALL NIBBLES ARE BAD
17909 ;          8168      RESULT;                          !RESULTS OF XOR
17910 ;          8169
17911 ;          8170  CLR_MBUS;
17912 ;          8171  BG_PAT = ONES;                       !BACKGROUND EQL ONES
17913 ;          8172  MLD1 = .BG_PAT;                      !LOAD DATA DIAG REG WITH BG PAT
17914 ;          8173  MLD2 = .BG_PAT;
17915 ;          8174  MLE2 = .BG_PAT;
```

```
;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (85)

;       8175  DAT_DM_XFER ();                           !SET UP A  DATA DIAG XFERR AT THE GOOD BLOCK
;       8176  MLCS1 = write;                           !DO A WRITE FUNCTION
;       8177
;       8178  incr WD_CNT from 0 to 127 do             !WRITE BLOCK WITH BG PAT
;       8179      begin
;       8180      DELAY (ONE_US);
;       8181      DAT_CLK = ONE;
;       8182      end;
;       8183
;       8184  CLR_MBUS;
;       8185  IO_BUF = ZEROES;                         !LOAD FIRST WORD OF IO_BUF
;       8186  BAT = ONE;                               !MAKE XFERR SET ON ONE ADRS
;       8187  GD_BLK_XFER ();                          !SET UP A GOOD BLOCK XFERR
;       8188  MLCS1 = write;                           !DO A WRITE FUNCTION
;       8189  TIME_OUT_LOOP;
;       8190  BGNSUB;
;       8191  CLR_MBUS;
;       8192  ALL_BAD = ZEROES;
;       8193  SUM_BAD = ZEROES;
;       8194  NIB_TSTED = ZEROES;
;       8195  DAT_DM_XFER ();                          !SET UP SAME DATA DIAG XFERR
;       8196  MLCS1 = read;                            !DO A READ FUNCTION
;       8197  DELAY (ONE_US);
;       8198
;       8199  incr WD_CNT from 0 to 112 do            !READ 113 LONG WORDS
;       8200      begin
;       8201      PD_TEMP = .MLPD;                    !GET PROM DATA
;       8202      DAT_CLK = ONE;                      !CLOCK OUT THE DATA WORD
;       8203      DELAY (ONE_US);
;       8204      RD_LNG_WRD;                         !READ THE DATA WORD
;       8205
;       8206      incr NIB_PTR from 0 to 8 do         !LOOK AT 9 NIBBLES
;       8207
;       8208          if .PD_TEMP [.NIB_PTR] eql ZERO !FIND GOOD NIBBLE
;       8209          then
;       8210              begin
;       8211              NIB_TSTED = .NIB_TSTED + 1; !INCREMENT COUNT OF NIBBLES TESTED
;       8212              XOR_LNG_WRD (.NIB_PTR, .BG_PAT, RESULT);    !XOR NIBBLE WITH BG PAT
;       8213
;       8214              if .RESULT<0, 4> eql ZERO   !SEE IF ALL BITS IN NIBBLE WERE BAD?
;       8215              then
;       8216                  ALL_BAD = .ALL_BAD + 1  !INCREMENT COUNT IF ALL BAD
;       8217              else
;       8218
;       8219                  if .RESULT<0, 4> neq %o'17' then SUM_BAD = .SUM_BAD + 1;
;       8220
;       8221                                          !SEE IF SOME BITS IN NIBBLE WERE BAD
;       8222              end;                        !INCREMENT COUNT IF SOME BAD
;       8223
;       8224      end;
;       8225
;       8226  ENDSUB;
```

```
17973 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
17974 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI 4 (85)
17975
17976 ;          8227
17977 ;          8228  if .NIB_TSTED eql .ALL_BAD                !WHERE ALL NIBBLES XFERR'ED ALL BAD?
17978 ;          8229  then                                      !ERROR IF ALL BAD
17979 ;          8230      begin
17980 ;          8231      ERRDF (84, SYNC, DUMPER);
17981 ;          8232      PRINTB (SEV_FMT, WRD_22, PHR_4, WRD_9, WRD_12, WRD_23, FNC_5, WRD_19);
17982 ;          8233      DODU (.ML_LON);
17983 ;          8234      DOCLN;
17984 ;          8235      end
17985 ;          8236  else
17986 ;          8237
17987 ;          8238      if .SUM_BAD gtr ZERO                  !SEE IF SEE NIBBLE WERE BAD?
17988 ;          8239      then
17989 ;          8240          begin                             !SOME BAD IS OK SO GIVE INTERMEDIATE ERROR
17990 ;          8241          ERRDF (85, INTER, DUMPER);
17991 ;          8242          PRINTB (SIX_FMT, PHR_4, WRD_9, WRD_12, WRD_23, FNC_5, WRD_19);
17992 ;          8243          end;
17993 ;          8244
17994 ;          8245  ENDTST;
17998
17999                                        .SBTTL  $T33 TEST CODE SECTION
18003 064306  004167  120300          $T33:  JSR     R1,$SAVE5                ;                          8121
18004 064312  162706  000010                 SUB     #10,SP
18005 064316  152777  000040  131120         BISB    #40,@ML.REG+40           ;                          8168
18006 064324  016705  131502                 MOV     ML.DUT,R5
18007 064330  042705  177770                 BIC     #177770,R5
18008 064334  142777  000007  131102         BICB    #7,@ML.REG+40
18009 064342  150577  131076                 BISB    R5,@ML.REG+40
18010 064346  012766  177777  000002         MOV     #-1,2(SP)                ; *,BG.PAT                 8171
18011 064354  012777  177777  131212         MOV     #-1,@ML.REG+170          ;                          8172
18012 064362  016677  000002  131214         MOV     2(SP),@ML.REG+200        ; BG.PAT,*                 8173
18013 064370  016677  000002  131166         MOV     2(SP),@ML.REG+160        ; BG.PAT,*                 8174
18014 064376  004767  132010                 JSR     PC,DAT.DM.XFER           ;                          8175
18015 064402  012777  000061  130774         MOV     #61,@ML.REG              ;                          8176
18016 064410  005000                         CLR     R0                       ; WD.CNT                   8178
18017 064412  012701  000001          1$:    MOV     #1,R1                    ; *,$$TMP2                 8180
18018 064416  001411                 2$:    BEQ     5$
18019 064420  016702  115472                 MOV     L$DLY,R2                 ; *,$$TMP1
18020 064424  001404                         BEQ     4$
18021 064426  005066  000006          3$:    CLR     6(SP)                    ; $$TMP
18022 064432  005302                         DEC     R2                       ; $$TMP1
18023 064434  001374                         BNE     3$
18024 064436  005301                 4$:     DEC     R1                       ; $$TMP2
18025 064440  000766                         BR      2$
18026 064442  152777  000020  131054  5$:    BISB    #20,@ML.REG+120          ;                          8181
18027 064450  005200                         INC     R0                       ; WD.CNT                   8178
```

```
18029                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
18030                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
18031
18032 064452  020027  000177                    CMP     R0,#177         ; WD.CNT,*
18033 064456  003755                            BLE     1$
18034 064460  152777  000040  130756            BISB    #40,aML.REG+40  ;                                               8182
18035 064464  016705  131340                    MOV     ML.DUT,R5
18036 064472  042705  177770                    BIC     #177770,R5
18037 064476  142777  000007  130740            BICB    #7,aML.REG+40
18038 064504  150577  130734                    BISB    R5,aML.REG+40
18039 064510  005067  127306                    CLR     IO.BUF          ;                                               8185
18040 064514  152777  000010  130722            BISB    #10,aML.REG+40  ;                                               8186
18041 064522  004767  133564                    JSR     PC,GD.BLK.XFER  ;                                               8187
18042 064526  012777  000061  130650            MOV     #61,aML.REG     ;                                               8188
18043 064534  105777  130714          6$:       TSTB    aML.REG+50
18044 064540  100375                            BPL     6$
18045 064542  104402                  7$:       TRAP    2               ;                                               8189
18046 064544  152777  000040  130672            BISB    #40,aML.REG+40  ;                                               8190
18047 064552  016703  131254                    MOV     ML.DUT,R3
18048 064556  042703  177770                    BIC     #177770,R3
18049 064562  142777  000007  130654            BICB    #7,aML.REG+40
18050 064570  150377  130650                    BISB    R3,aML.REG+40
18051 064574  005004                            CLR     R4              ; ALL.BAD                                       8192
18052 064576  005016                            CLR     (SP)            ; SUM.BAD                                       8193
18053 064600  005005                            CLR     R5              ; NIB.TSTED                                     8194
18054 064602  004767  131604                    JSR     PC,DAT.DM.XFER  ;                                               8195
18055 064606  012777  000071  130570            MOV     #71,aML.REG     ;                                               8196
18056 064614  012701  000001                    MOV     #1,R1           ; *,$$TMP2                                      8197
18057 064620  001411                  8$:       BEQ     11$
18058 064622  016702  115270                    MOV     L$DLY,R2        ; *,$$TMP1
18059 064626  001404                            BEQ     10$
18060 064630  005066  000006          9$:       CLR     6(SP)           ; $$TMP
18061 064634  005302                            DEC     R2              ; $$TMP1
18062 064636  001374                            BNE     9$
18063 064640  005301                  10$:      DEC     R1              ; $$TMP2
18064 064642  000766                            BR      8$
18065 064644  005003                  11$:      CLR     R3              ; WD.CNT                                        8199
18066 064646  017767  130762  130466  12$:      MOV     aML.REG+230,PD.TEMP ;                                           8201
18067 064654  152777  000020  130642            BISB    #20,aML.REG+120 ;                                               8202
18068 064662  012701  000001                    MOV     #1,R1           ; *,$$TMP2                                      8203
18069 064666  001411                  13$:      BEQ     16$
18070 064670  016702  115222                    MOV     L$DLY,R2        ; *,$$TMP1
18071 064674  001404                            BEQ     15$
18072 064676  005066  000006          14$:      CLR     6(SP)           ; $$TMP
18073 064702  005302                            DEC     R2              ; $$TMP1
18074 064704  001374                            BNE     14$
18075 064706  005301                  15$:      DEC     R1              ; $$TMP2
18076 064710  000766                            BR      13$
18077 064712  017767  130656  126454  16$:      MOV     aML.REG+170,D1.TEMP
18078 064720  017767  130660  126450            MOV     aML.REG+200,D2.TEMP
18079 064726  017767  130632  126444            MOV     aML.REG+160,E2.TEMP
18080 064734  005001                            CLR     R1              ; NIB.PTR                                       8206
18081 064736  010102                  17$:      MOV     R1,R2           ; NIB.PTR,*                                     8208
18082 064740  006202                            ASR     R2
18083 064742  006202                            ASR     R2
```

```
                                                                    29-Mar-1982 16:23:04    TOPS
                                                                    29-Mar-1982 16:21:03    PA:<
18085                           ;ML4AD
18086                           ;               TEST CODE SECTION
18087
18088 064744  006202                    ASR     R2
18089 064746  062702  015342            ADD     #PD.TEMP,R2
18090 064752  010246                    MOV     R2,-(SP)
18091 064754  010146                    MOV     R1,-(SP)                ; NIB.PTR,*
18092 064756  042716  177770            BIC     #177770,(SP)
18093 064762  012746  000001            MOV     #1,-(SP)
18094 064766  005046                    CLR     -(SP)
18095 064770  004767  116640            JSR     PC,BL$GT2
18096 064774  062706  000010            ADD     #10,SP
18097 065000  005700                    TST     R0
18098 065002  001027                    BNE     20$
18099 065004  005205                    INC     R5                      ; NIB.TSTED                     8211
18100 065006  010146                    MOV     R1,-(SP)                ; NIB.PTR,*                     8212
18101 065010  016646  000004            MOV     4(SP),-(SP)             ; BG.PAT,*
18102 065014  012746  000012            MOV     #12,-(SP)
18103 065020  060616                    ADD     SP,(SP)                 ; RESULT,*
18104 065022  004767  134044            JSR     PC,XOR.LNG.WRD
18105 065026  016602  000012            MOV     12(SP),R2               ; RESULT,*                      8214
18106 065032  042702  177760            BIC     #177760,R2
18107 065036  001002                    BNE     18$
18108 065040  005204                    INC     R4                      ; ALL.BAD                       8216
18109 065042  000405                    BR      19$                     ;                               8214
18110 065044  020227  000017    18$:    CMP     R2,#17                  ;                               8219
18111 065050  001402                    BEQ     19$
18112 065052  005266  000006            INC     6(SP)                   ; SUM.BAD
18113 065056  062706  000006    19$:    ADD     #6,SP                   ;                               8210
18114 065062  005201            20$:    INC     R1                      ; NIB.PTR                       8206
18115 065064  020127  000010            CMP     R1,#10                  ; NIB.PTR,*
18116 065070  003722                    BLE     17$
18117 065072  005203                    INC     R3                      ; WD.CNT                        8199
18118 065074  020327  000160            CMP     R3,#160                 ; WD.CNT,*
18119 065100  003662                    BLE     12$
18120 065102  104467                    TRAP    67                      ;                               8224
18121 065104  006000                    ROR     R0
18122 065106  103615                    BLO     7$
18123 065110  020504                    CMP     R5,R4                   ; NIB.TSTED,ALL.BAD             8228
18124 065112  001037                    BNE     21$
18125 065114  104455                    TRAP    55                      ;                               8231
18126 065116  000124                    .WORD   124
18127 065120  012750                    .WORD   SYNC
18128 065122  026302                    .WORD   DUMPER
18129 065124  012746  010730            MOV     #WRD.19,-(SP)           ;                               8232
18130 065130  012746  012216            MOV     #FNC.5,-(SP)
18131 065134  012746  010766            MOV     #WRD.23,-(SP)
18132 065140  012746  010650            MOV     #WRD.12,-(SP)
18133 065144  012746  010616            MOV     #WRD.9,-(SP)
18134 065150  012746  011676            MOV     #PHR.4,-(SP)
18135 065154  012746  010752            MOV     #WRD.22,-(SP)
18136 065160  012746  010342            MOV     #SEV.FMT,-(SP)
18137 065164  012746  000010            MOV     #10,-(SP)
18138 065170  010600                    MOV     SP,R0                   ; SP,*
18139 065172  104414                    TRAP    14
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
18141                           ;ML4AD
18142                           ;               TEST CODE SECTION                                       8233
18143
18144 065174  016700  130630               MOV     ML.LUN,R0                  ;
18145 065200  104451                       TRAP    51
18146 065202  104444                       TRAP    44
18147 065204  062706  000022               ADD     #22,SP                     ;                        8230
18148 065210  000432                       BR      22$                        ;                        8228
18149 065212  005716               21$:    TST     (SP)                       ; SUM.BAD                8238
18150 065214  003430                       BLE     22$
18151 065216  104455                       TRAP    55                         ;                        8241
18152 065220  000125                       .WORD   125
18153 065222  013114                       .WORD   INTER
18154 065224  026302                       .WORD   DUMPER
18155 065226  012746  010730               MOV     #WRD.19,-(SP)              ;                        8242
18156 065232  012746  012216               MOV     #FNC.5,-(SP)
18157 065236  012746  010766               MOV     #WRD.23,-(SP)
18158 065242  012746  010650               MOV     #WRD.12,-(SP)
18159 065246  012746  010616               MOV     #WRD.9,-(SP)
18160 065252  012746  011676               MOV     #PHR.4,-(SP)
18161 065256  012746  010322               MOV     #SIX.FMT,-(SP)
18162 065262  012746  000007               MOV     #7,-(SP)
18163 065266  010600                       MOV     SP,R0                      ; SP,*
18164 065270  104414                       TRAP    14
18165 065272  062706  000020               ADD     #20,SP                     ;                        8240
18166 065276  062706  000010       22$:    ADD     #10,SP                     ;                        8121
18167 065302  000207                       RTS     PC
18168
18169                           ; Routine Size:  255 words
18170                           ; Maximum stack depth per invocation:  19 words
18175
18176
18180
18181                                   .SBTTL  T33 TEST CODE SECTION
18185 065304                    T33::
18186 065304  004767  176776       1$:     JSR     PC,$T33                    ;                        8243
18187 065310  104466                       TRAP    66
18188 065312  006000                       ROR     R0
18189 065314  103773                       BLO     1$
18190 065316  000207                       RTS     PC
18191
18192                           ; Routine Size:  6 words
18193                           ; Maximum stack depth per invocation:  0 words
```

```
18202
18203
18204 ;          8246  !<BLF/PAGE>
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (86)

```
18206 ;ML4AD
18207 ;                 TEST CODE SECTION
18208
18209 ;          8247  !
18210 ;          8248  !
18211 ;          8249  BGNTST;
18212 ;          8250
18213 ;          8251  !++
18214 ;          8252  ! TEST NUMBER:  TST 34
18215 ;          8253  !
18216 ;          8254  ! TEST NAME:    SYNC DATA BUS CONTINUITY TEST (WRITE PATH)
18217 ;          8255  !
18218 ;          8256  ! TEST DESCRIPTION:
18219 ;          8257  !
18220 ;          8258  !       TEST THE CONTINUITY OF THE
18221 ;          8259  !       SYNCHRONOUS MODULE WRITE PATH
18222 ;          8260  !       DATA BUS BY:
18223 ;          8261  !
18224 ;          8262  !       1.  VIA DAT_DM MODE WRITE A
18225 ;          8263  !           BACKGROUND PATTERN OF ONES
18226 ;          8264  !           INTO THE GOOD BLOCK.
18227 ;          8265  !
18228 ;          8266  !       2.  VIA MBUS WRITE FUNCTION
18229 ;          8267  !           WRITE A ZEROES PATTERN INTO
18230 ;          8268  !           THE GOOD BLOCK.
18231 ;          8269  !
18232 ;          8270  !       3.  VIA DAT_DM MODE READ GOOD
18233 ;          8271  !           NIBBLES IN THE GOOD BLOCK FOR
18234 ;          8272  !           ZEROES.
18235 ;          8273  !
18236 ;          8274  !       4.  REPEAT WITH COMPLIMENT
18237 ;          8275  !           DATA AND BACKGROUND PATTERNS.
18238 ;          8276  !
18239 ;          8277  ! IMPLICIT INPUTS:
18240 ;          8278  !
18241 ;          8279  !       PD_TEMP
18242 ;          8280  !
18243 ;          8281  !       A BIT VECTOR OF 16 BITS WHERE
18244 ;          8282  !       THE READ PROM DATA IS STORED
18245 ;          8283  !       AND ACCESSED FROM.
18246 ;          8284  !
18247 ;          8285  !       IO_BUF
18248 ;          8286  !
18249 ;          8287  !       A VECTOR OF 256 WORDS WHERE
18250 ;          8288  !       DATA FOR MBUS READS AND WRITE
18251 ;          8289  !       FUNCTION ARE FOUND.
18252 ;          8290  !
18253 ;          8291  !
18254 ;          8292  !--
18255 ;          8293
18256 ;          8294  local
18257 ;          8295      DODU_FLG,                   !DROP UNIT FLAG
18258 ;          8296      BG_PAT,                     !BACKGROUND PATTERN
18259 ;          8297      RESULT,                     !RESULTS FROM XOR
18260 ;          8298      TST_PAT;                    !TEST PATTERN
```

```
18262 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
18263 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (86)
18264 ;
18265 ;          8299
18266 ;          8300  CLR_THRESHOLD;                           !CLEAR ERROR PRINT THRESHOLD
18267 ;          8301  DODO_FLG = ZERO;
18268 ;          8302  BG_PAT = ZEROES;                         !BG PAT EQL 0'S
18269 ;          8303  TST_PAT = ONES;                          !TST PAT EQL 1'S
18270 ;          8304
18271 ;          8305  incr TWICE from 0 to 1 do                !REPEAT LOOP TWICE
18272 ;          8306      begin
18273 ;          8307      BGNSUB;
18274 ;          8308      CLR_MBUS;
18275 ;          8309      MLDT = .BG_PAT;                      !LOAD DATA DIAG REG WITH BG PAT
18276 ;          8310      MLD2 = .BG_PAT;
18277 ;          8311      MLE2 = .BG_PAT;
18278 ;          8312      DAT_DM_XFER ();                      !SET UP A DATA DIAG XFERR AT THE GOOD BLK
18279 ;          8313      MLCS1 = write;                       !DO A WRITE FUNCTION
18280 ;          8314
18281 ;          8315      incr WD_CNT from 0 to 127 do         !LOAD BLOCK WITH BG PAT
18282 ;          8316          begin
18283 ;          8317          DELAY (ONE_US);
18284 ;          8318          DAT_CLK = ONE;
18285 ;          8319          end;
18286 ;          8320
18287 ;          8321      CLR_MBUS;
18288 ;          8322      BAI = ONE;                           !SET ON FIRST IO_BUF ADRS
18289 ;          8323      IO_BUF = .TST_PAT;                   !FIRST IO_BUF WORD EQL'S TST_PAT
18290 ;          8324      GD_BLK_XFER ();                      !SET UP A GOOD BLOCK XFERR
18291 ;          8325      MLCS1 = write;                       !DO A WRITE FUNCTION
18292 ;          8326      TIME_OUT_LOOP;
18293 ;          8327      CLR_MBUS;
18294 ;          8328      DAT_DM_XFER ();                      !SET UP A DATA DIAG XFERR AT SAME BLOCK
18295 ;          8329      MLCS1 = read;                        !DO A READ FUNCTION
18296 ;          8330      DELAY (ONE_US);
18297 ;          8331
18298 ;          8332      incr WD_CNT from 0 to 112 do         !READ 113 LONG WORDS
18299 ;          8333          begin
18300 ;          8334          PD_TEMP = .MLPD;                 !GET THE PROM DATA
18301 ;          8335          DAT_CLK = ONE;                   !CLOCK OUT THE DATA WORD
18302 ;          8336          DELAY (ONE_US);
18303 ;          8337          RD_LNG_WRD;                      !READ THE DATA WORD
18304 ;          8338
18305 ;          8339          incr NIB_PTR from 0 to 8 do      !LOOK AT 9 NIBBLES
18306 ;          8340
18307 ;          8341              if .PD_TEMP [.NIB_PTR] IS_NOT_SET   !FIND GOOD NIBBLES
18308 ;          8342              then
18309 ;          8343                  begin
18310 ;          8344                  XOR_LNG_WRD (.NIB_PTR, .TST_PAT, RESULT);       !XOR NIBBLE DATA WITH TST_PAT
18311 ;          8345
18312 ;          8346                  if .RESULT<0, 4> neq ZERO       !SEE IF EQUAL
18313 ;          8347                  then
18314 ;          8348                      begin                       !ERROR IF NEQ
18315 ;          8349                      CMP_THRESHOLD;              !COMPARE ERROR PRINT THRESHOLD
18316 ;          8350                      ERRDF (86, SYNC, DUMPER);
```

```
18318 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
18319 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (86)
18320
18321 ;          8351                    PRINTB (FIV_FMT, WRD_24, WRD_25, WRD_10, WRD_12, FNC_5);
18322 ;          8352                    PRINTB (FMT_5, .TST_PAT, .RESULT, .NIB_PTR);
18323 ;          8353                    DODU_FLG = ONE;
18324 ;          8354                    end
18325 ;          8355
18326 ;          8356                end
18327 ;          8357
18328 ;          8358            end;
18329 ;          8359
18330 ;          8360        ENDSUB;
18331 ;          8361
18332 ;          8362        if .DODU_FLG IS_SET                 !DROP THIS UNIT IF DODU IS_SET
18333 ;          8363                                            !AND EXITS TEST
18334 ;          8364        then
18335 ;          8365            begin
18336 ;          8366            DODU (.ML_LUN);
18337 ;          8367            DOCLN;
18338 ;          8368            end;
18339 ;          8369
18340 ;          8370        BG_PAT = not .BG_PAT;               !COMPLIMENT BG_PAT
18341 ;          8371        TST_PAT = not .TST_PAT;             !COMPLIMENT TST_PAT AND REPEAT
18342 ;          8372        end;
18343 ;          8373
18344 ;          8374    ENDTST;
18348
18349                                    .SBTTL  $T34 TEST CODE SECTION
18353 065320  004167  117266      $T34: JSR     R1,$SAVE5                 ;                                  8245
18354 065324  024646                    CMP     -(SP),-(SP)
18355 065326  005067  130044            CLR     P.CNT                     ;                                  8298
18356 065332  005046                    CLR     -(SP)                     ; DODU.FLG                         8301
18357 065334  005001                    CLR     R1                        ; BG.PAT                           8302
18358 065336  012702  177777            MOV     #-1,R2                    ; *,TST.PAT                        8303
18359 065342  005046                    CLR     -(SP)                     ; TWICE                            8305
18360 065344  104402              1$:   TRAP    2                         ;                                  8306
18361 065346  152777  000040  130070    BISB    #40,@ML.REG+40            ;                                  8307
18362 065354  016705  130452            MOV     ML.DUT,R5
18363 065360  042705  177770            BIC     #177770,R5
18364 065364  142777  000007  130052    BICB    #7,@ML.REG+40
18365 065372  150577  130046            BISB    R5,@ML.REG+40
18366 065376  010177  130172            MOV     R1,@ML.REG+170            ; BG.PAT,*                         8309
18367 065402  010177  130176            MOV     R1,@ML.REG+200            ; BG.PAT,*                         8310
18368 065406  010177  130152            MOV     R1,@ML.REG+160            ; BG.PAT,*                         8311
18369 065412  004767  130774            JSR     PC,DAT.DM.XFER            ;                                  8312
18370 065416  012777  000061  127760    MOV     #61,@ML.REG               ;                                  8313
18371 065424  005003                    CLR     R3                        ; WD.CNT                           8315
18372 065426  012704  000001      2$:   MOV     #1,R4                     ; *,$STMP2                         8317
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
18374                                   ;ML4AD
18375                                   ;                       TEST CODE SECTION
18376
18377 065432  001411                    3$:     BEQ     6$
18378 065434  016705  114456                    MOV     L$DLY,R5        ; * $$TMP1
18379 065440  001404                            BEQ     5$
18380 065442  005066  000006              4$:   CLR     6(SP)           ; $$TMP
18381 065446  005305                            DEC     R5              ; $$TMP1
18382 065450  001374                            BNE     4$
18383 065452  005304                      5$:   DEC     R4              ; $$TMP2
18384 065454  000766                            BR      3$
18385 065456  152777  000020  130040      6$:   BISB    #20,@ML.REG+120 ;                                       8318
18386 065464  005203                            INC     R3              ; WD.CNT                                8315
18387 065466  020327  000177                    CMP     R3,#177         ; WD.CNT,*
18388 065472  003755                            BLE     2$
18389 065474  152777  000040  127742            BISB    #40,@ML.REG+40  ;                                       8319
18390 065502  016705  130324                    MOV     ML.DUT,R5
18391 065506  042705  177770                    BIC     #177770,R5
18392 065512  142777  000007  127724            BICB    #7,@ML.REG+40
18393 065520  150577  127720                    BISB    R5,@ML.REG+40
18394 065524  152777  000010  127712            BISB    #10,@ML.REG+40  ;                                       8322
18395 065532  010267  126264                    MOV     R2,IO.BUF       ; TST.PAT,*                             8323
18396 065536  004767  132550                    JSR     PC,GD.BLK.XFER  ;                                       8324
18397 065542  012777  000061  127634            MOV     #61,@ML.REG     ;                                       8325
18398 065550  105777  127700              7$:   TSTB    @ML.REG+50
18399 065554  100375                            BPL     7$
18400 065556  152777  000040  127660            BISB    #40,@ML.REG+40  ;                                       8326
18401 065564  016705  130242                    MOV     ML.DUT,R5
18402 065570  042705  177770                    BIC     #177770,R5
18403 065574  142777  000007  127642            BICB    #7,@ML.REG+40
18404 065602  150577  127636                    BISB    R5,@ML.REG+40
18405 065606  004767  130600                    JSR     PC,DAT.DM.XFER  ;                                       8328
18406 065612  012777  000071  127564            MOV     #71,@ML.REG     ;                                       8329
18407 065620  012704  000001                    MOV     #1,R4           ; *,$$TMP2                              8330
18408 065624  001411                      8$:   BEQ     11$
18409 065626  016705  114264                    MOV     L$DLY,R5        ; *,$$TMP1
18410 065632  001404                            BEQ     10$
18411 065634  005066  000006              9$:   CLR     6(SP)           ; $$TMP
18412 065640  005305                            DEC     R5              ; $$TMP1
18413 065642  001374                            BNE     9$
18414 065644  005304                     10$:   DEC     R4              ; $$TMP2
18415 065646  000766                            BR      8$
18416 065650  005003                     11$:   CLR     R3              ; WD.CNT                                8332
18417 065652  017767  127756  127462     12$:   MOV     @ML.REG+230,PD.TEMP ;                                   8334
18418 065660  152777  000020  127636            BISB    #20,@ML.REG+120 ;                                       8335
18419 065666  012704  000001                    MOV     #1,R4           ; *,$$TMP2                              8336
18420 065672  001411                     13$:   BEQ     16$
18421 065674  016705  114216                    MOV     L$DLY,R5        ; *,$$TMP1
18422 065700  001404                            BEQ     15$
18423 065702  005066  000006             14$:   CLR     6(SP)           ; $$TMP
18424 065706  005305                            DEC     R5              ; $$TMP1
18425 065710  001374                            BNE     14$
18426 065712  005304                     15$:   DEC     R4              ; $$TMP2
18427 065714  000766                            BR      13$
18428 065716  017767  127652  125450     16$:   MOV     @ML.REG+170,D1.TEMP
```

```
18430                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
18431                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
18432
18433 065724  017767  127654  125444            MOV     @ML.REG+200,D2.TEMP
18434 065732  017767  127626  125440            MOV     @ML.REG+160,E2.TEMP
18435 065740  005004                            CLR     R4                      ; NIB.PTR                               8339
18436 065742  010405                    17$:    MOV     R4,R5                   ; NIB.PTR,*                             8341
18437 065744  006205                            ASR     R5
18438 065746  006205                            ASR     R5
18439 065750  006205                            ASR     R5
18440 065752  062705  015342                    ADD     #PD.TEMP,R5
18441 065756  010546                            MOV     R5,-(SP)
18442 065760  010446                            MOV     R4,-(SP)                ; NIB.PTR,*
18443 065762  042716  177770                    BIC     #177770,(SP)
18444 065766  012746  000001                    MOV     #1,-(SP)
18445 065772  005046                            CLR     -(SP)
18446 065774  004767  115634                    JSR     PC,BL$GT2
18447 066000  062706  000010                    ADD     #10,SP
18448 066004  005700                            TST     R0
18449 066006  001071                            BNE     20$
18450 066010  010446                            MOV     R4,-(SP)                ; NIB.PTR,*                             8344
18451 066012  010246                            MOV     R2,-(SP)                ; TST.PAT,*
18452 066014  012746  000012                    MOV     #12,-(SP)
18453 066020  060616                            ADD     SP,(SP)                 ; RESULT,*
18454 066022  004767  133044                    JSR     PC,XOR.LNG.WRD
18455 066026  032766  000017  000012            BIT     #17,12(SP)              ; *,RESULT                              8346
18456 066034  001454                            BEQ     19$
18457 066036  005267  127334                    INC     P.CNT                   ;                                       8348
18458 066042  026767  127330  127330            CMP     P.CNT,LIMIT
18459 066050  003403                            BLE     18$
18460 066052  062706  000006                    ADD     #6,SP
18461 066056  000451                            BR      21$
18462 066060  104455                    18$:    TRAP    55                      ;                                       8350
18463 066062  000126                            .WORD   126
18464 066064  012750                            .WORD   SYNC
18465 066066  026302                            .WORD   DUMPER
18466 066070  012746  012216                    MOV     #FNC.5,-(SP)            ;                                       8351
18467 066074  012746  010650                    MOV     #WRD.12,-(SP)
18468 066100  012746  010630                    MOV     #WRD.10,-(SP)
18469 066104  012746  011002                    MOV     #WRD.25,-(SP)
18470 066110  012746  010774                    MOV     #WRD.24,-(SP)
18471 066114  012746  010304                    MOV     #FIV.FMT,-(SP)
18472 066120  012746  000006                    MOV     #6,-(SP)
18473 066124  010600                            MOV     SP,R0                   ; SP,*
18474 066126  104414                            TRAP    14
18475 066130  010416                            MOV     R4,(SP)                 ; NIB.PTR,*                             8352
18476 066132  016646  000030                    MOV     30(SP),-(SP)            ; RESULT,*
18477 066136  010246                            MOV     R2,-(SP)                ; TST.PAT,*
18478 066140  012746  006650                    MOV     #FMT.5,-(SP)
18479 066144  012746  000004                    MOV     #4,-(SP)
18480 066150  010600                            MOV     SP,R0                   ; SP,*
18481 066152  104414                            TRAP    14
18482 066154  012766  000001  000036            MOV     #1,36(SP)               ; *,DODU.FLG                            8353
18483 066162  062706  000026                    ADD     #26,SP                  ;                                       8348
18484 066166  062706  000006            19$:    ADD     #6,SP                   ;                                       8343
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        20$:    INC     R4                      ; NIB.PTR                               8339
066174  020427  000010                        CMP     R4,#10                  ; NIB.PTR,*
066200  003660                                BLE     17$
                                        21$:    INC     R3                      ; WD.CNT                                8332
066204  020327  000160                        CMP     R3,#160                 ; WD.CNT,*
066210  003620                                BLE     12$
066212  104467                                TRAP    67                      ;                                       8358
066214  006000                                ROR     R0
066216  103002                                BHIS    23$
066220  000167  177120                22$:    JMP     1$
066224  026627  000002  000001      23$:    CMP     2(SP),#1                ; DODU.FLG,*                            8362
066232  001004                                BNE     24$
066234  016700  127570                        MOV     ML.LUN,R0               ;                                       8366
066240  104451                                TRAP    51
066242  104444                                TRAP    44
066244  005101                        24$:    COM     R1                      ; BG.PAT                                8370
066246  005102                                COM     R2                      ; TST.PAT                               8371
066250  005216                                INC     (SP)                    ; TWICE                                 8305
066252  021627  000001                        CMP     (SP),#1                 ; TWICE,*
066256  003760                                BLE     22$
066260  062706  000010                        ADD     #10,SP                  ;                                       8245
066264  000207                                RTS     PC

                                        ; Routine Size:  243 words
                                        ; Maximum stack depth per invocation:  24 words


                                                .SBTTL  T34 TEST CODE SECTION
066266                                  T34::
066266  004767  177026                1$:     JSR     PC,$T34                 ;                                       8372
066272  104466                                TRAP    66
066274  006000                                ROR     R0
066276  103773                                BLO     1$
066300  000207                                RTS     PC

                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
```

```
18542 ;ML4AD                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
18543 ;                TEST CODE SECTION        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (86)
18544
18545 ;          8375  !<BLF/PAGE>
```

```
18547 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
18548 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>M_4AD.BLI.4 '87)
18549
18550 ;          8376   !
18551 ;          8377   BGNTST;
18552 ;          8378
18553 ;          8379   !++
18554 ;          8380   ! TEST NUMBER:  TST 35
18555 ;          8381   !
18556 ;          8382   ! TEST NAME:    SYNC DATA BUS CONIINUITY /READ PATH
18557 ;          8383   !
18558 ;          8384   ! TEST DESCRIPTION:
18559 ;          8385   !       TEST THE CONITNUITY OF THE SYNCHRONOUS MODULE READ
18560 ;          8386   !       DATA BUS BY:
18561 ;          8387   !
18562 ;          8388   !       1.  VIA MBUS WRITE FUNCTION WRITE ONES INTO THE GOOD BLOCK.
18563 ;          8389   !
18564 ;          8390   !       2.  VIA MBUS READ FUNCTION READ THE GOOD BLOCK FOR ONES.
18565 ;          8391   !
18566 ;          8392   !       3.  REPEAT WITH COMPLIMENT DATA PATTERN.
18567 ;          8393   !
18568 ;          8394   ! IMPLICIT INPUTS:
18569 ;          8395   !       IO_BUF
18570 ;          8396   !       A VECTOR OF 256 WORDS WHERE DATA FOR MBUS READS AND WRITE
18571 ;          8397   !       FUNCTION ARE FOUND.
18572 ;          8398   !--
18573 ;          8399
18574 ;          8400   local
18575 ;          8401       DODU_FLG,                            !DROP UNIT FLAG
18576 ;          8402       TST_PAT,                             !TEST PATTERN
18577 ;          8403       BG_PAT;                              !BACKGROUND PATTERN
18578 ;          8404
18579 ;          8405   CLR_THRESHOLD;                           !CLEAR ERROR PRINT THRESHOLD
18580 ;          8406   DODU_FLG = ZERO;
18581 ;          8407   TST_PAT = ONES;
18582 ;          8408   BG_PAT = ZEROES;
18583 ;          8409
18584 ;          8410   incr TWICE from 0 to 1 do                !REPEAT LOOP TWICE
18585 ;          8411       begin
18586 ;          8412       CLR_MBUS;
18587 ;          8413       BAI = ONE;                           !SET ON FIRST IO_BUF ADRS
18588 ;          8414       IO_BUF = .TST_PAT;                   !FIRST IO_BUF ADRS GET TST PAT
18589 ;          8415       GD_BLK_XFER ();                      !SET UP A GOOD BLOCK XFERR
18590 ;          8416       MLCS1 = write;                       !DO A WRITE FUNCTION (WRITES THE TST_PAT)
18591 ;          8417       TIME_OUT_LOOP;
18592 ;          8418       BGNSUB;
18593 ;          8419       CLR_MBUS;
18594 ;          8420
18595 ;          8421       incr IO_CNT from 0 to 255 do         !LOAD IO_BUF WITH BG PAT
18596 ;          8422           IO_BUF [.IO_CNT] = .BG_PAT;
18597 ;          8423
18598 ;          8424       GD_BLK_XFER ();                      !SET UP A GOOD BLOCK XFERR
18599 ;          8425       MLCS1 = read;                        !DO A READ FUNCTION (READ THE TST PAT)
18600 ;          8426       TIME_OUT_LOOP;
18601 ;          8427
```

```
 18603 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
 18604 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (87)
 18605
 18606 ;          8428      incr IO_CNT from 0 to 255 do          !READ THE IO_BUF FOR TEST PATTERN
 18607 ;          8429
 18608 ;          8430          if .IO_BUF [.IO_CNT] neq .TST_PAT  !SEE IF IO_BUF WORD EQLS TST PAT
 18609 ;          8431          then
 18610 ;          8432              begin                          !ERROR AND SET DODU_FLG IF NEQ
 18611 ;          8433              CMP_THRESHOLD;                 !COMPARE ERROR PRINT THRESHOLD
 18612 ;          8434              ERRDF (87, SYNC, DUMPER);
 18613 ;          8435              PRINTB (SEV_FMT, WRD_24, WRD_25, WRD_10, WRD_12, WRD_23, FNC_6, WRD_19);
 18614 ;          8436              PRINTB (FMT_2, .TST_PAT, .IO_BUF [.IO_CNT], (.TST_PAT xor .IO_BUF [.IO_CNT]));
 18615 ;          8437              DODU_FLG = ONE;
 18616 ;          8438              end;
 18617 ;          8439
 18618 ;          8440      ENDSUB;
 18619 ;          8441
 18620 ;          8442      if .DODU_FLG IS_SET                   !DROP THIS UNIT IF DODU_FLG IS SET
 18621 ;          8443      then
 18622 ;          8444          begin
 18623 ;          8445          DODU (.ML_LUN);
 18624 ;          8446          DOCLN;
 18625 ;          8447          end;
 18626 ;          8448
 18627 ;          8449      TST_PAT = not .TST_PAT;               !COMPLIMENT TST_PAT
 18628 ;          8450      BG_PAT = not .BG_PAT;                 !COMPLIMENT BG_PAT AND REPEAT
 18629 ;          8451      end;
 18630 ;          8452
 18631 ;          8453  ENDTST;
 18635
 18636                                      .SBTTL  $T35 TEST CODE SECTION
 18640 066302  004167  116304          $T35:  JSR     R1,$SAVE5                    ;                          8374
 18641 066306  005067  127064                 CLR     P.CNT                        ;                          8403
 18642 066312  005046                        CLR     -(SP)                        ; DODU.FLG                 8406
 18643 066314  012701  177777                MOV     #-1,R1                       ; *,TST.PAT                8407
 18644 066320  005004                        CLR     R4                           ; BG.PAT                   8408
 18645 066322  005005                        CLR     R5                           ; TWICE                    8410
 18646 066324  152777  000040  127112  1$:   BISB    #40,@ML.REG+40               ;                          8411
 18647 066332  016703  127474               MOV     ML.DUT,R3
 18648 066336  042703  177770               BIC     #177770,R3
 18649 066342  142777  000007  127074       BICB    #7,@ML.REG+40
 18650 066350  150377  127070               BISB    R3,@ML.REG+40
 18651 066354  152777  000010  127062       BISB    #10,@ML.REG+40               ;                          8413
 18652 066362  010167  125434               MOV     R1,IO.BUF                    ; TST.PAT,*                8414
 18653 066366  004767  131720               JSR     PC,GD.BLK.XFER               ;                          8415
 18654 066372  012777  000061  127004       MOV     #61,@ML.REG                  ;                          8416
 18655 066400  105777  127050          2$:  TSTB    @ML.REG+50
 18656 066404  100375                       BPL     2$
 18657 066406  104402                  3$:  TRAP    2                            ;                          8417
```

29-Mar-1982 16:23:04 TOPS
29-Mar-1982 16:21:03 PA:<

```
18659                                   ;ML4AD
18660                                   ;                TEST CODE SECTION
18661
18662 066410 152777 000040 127026       BISB    #40,@ML.RE+0            ;                                       8418
18663 066416 016703 127410              MOV     ML.DUT,R3
18664 066422 042703 177770              BIC     #177770,R3
18665 066426 142777 000007 127010       BICB    #7,@ML.REG+40
18666 066434 150377 127004              BISB    R3,@ML.REG+40
18667 066440 005002                     CLR     R2                      ; IO.CNT                                8421
18668 066442 010203                 4$: MOV     R2,R3                   ; IO.CNT,*                              8422
18669 066444 006303                     ASL     R3
18670 066446 010463 014022              MOV     R4,IO.BUF(R3)           ; BG.PAT,*
18671 066452 005202                     INC     R2                      ; IO.CNT                                8421
18672 066454 020227 000377              CMP     R2,#377                 ; IO.CNT,*
18673 066460 003770                     BLE     4$
18674 066462 004767 131624              JSR     PC,GD.BLK.XFER          ;                                       8424
18675 066466 012777 000071 126710       MOV     #71,@ML.REG             ;                                       8425
18676 066474 105777 126754          5$: TSTB    @ML.REG+50
18677 066500 100375                     BPL     5$
18678 066502 005002                     CLR     R2                      ; IO.CNT                                8428
18679 066504 010203                 6$: MOV     R2,R3                   ; IO.CNT,*                              8430
18680 066506 006303                     ASL     R3
18681 066510 062703 014022              ADD     #IO.BUF,R3
18682 066514 021301                     CMP     (R3),R1                 ; *,TST.PAT
18683 066516 001462                     BEQ     7$
18684 066520 005267 126652              INC     P.CNT                   ;                                       8432
18685 066524 026767 126646 126646       CMP     P.CNT,LIMIT
18686 066532 003060                     BGT     8$
18687 066534 104455                     TRAP    55                      ;                                       8434
18688 066536 000127                     .WORD   127
18689 066540 012750                     .WORD   SYNC
18690 066542 026302                     .WORD   DUMPER
18691 066544 012746 010730              MOV     #WRD.19,-(SP)           ;                                       8435
18692 066550 012746 012226              MOV     #FNC.6,-(SP)
18693 066554 012746 010766              MOV     #WRD.23,-(SP)
18694 066560 012746 010650              MOV     #WRD.12,-(SP)
18695 066564 012746 010630              MOV     #WRD.10,-(SP)
18696 066570 012746 011002              MOV     #WRD.25,-(SP)
18697 066574 012746 010774              MOV     #WRD.24,-(SP)
18698 066600 012746 010342              MOV     #SEV.FMT,-(SP)
18699 066604 012746 000010              MOV     #10,-(SP)
18700 066610 010600                     MOV     SP,R0                   ; SP,*
18701 066612 104414                     TRAP    14
18702 066614 011316                     MOV     (R3),(SP)               ;                                       8436
18703 066616 010146                     MOV     R1,-(SP)                ; TST.PAT,*
18704 066620 046616 000002              BIC     2(SP),(SP)
18705 066624 040166 000002              BIC     R1,2(SP)                ; TST.PAT,*
18706 066630 052616                     BIS     (SP)+,(SP)
18707 066632 011346                     MOV     (R3),-(SP)
18708 066634 010146                     MOV     R1,-(SP)                ; TST.PAT,*
18709 066636 012746 006506              MOV     #FMT.2,-(SP)
18710 066642 012746 000004              MOV     #4,-(SP)
18711 066646 010600                     MOV     SP,R0                   ; SP,*
18712 066650 104414                     TRAP    14
18713 066652 012766 000001 000032       MOV     #1,32(SP)               ; *,DODU.FLG                            8437
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                                
018718 066660  062706  000032                  ADD     #32,SP                          ;                                       8432
018719 066664  005202                  7$:     INC     R2                              ; IO.CNT                                8428
018720 066666  020227  000377                  CMP     R2,#377                         ; IO.CNT,*
018721 066672  003704                          BLE     6$
018722 066674  104467                  8$:     TRAP    67                              ;                                       8438
018723 066676  006000                          ROR     R0
018724 066700  103642                          BLO     3$
018725 066702  021627  000001                  CMP     (SP),#1                         ; DODU.FLG,*                            8442
018726 066706  001004                          BNE     9$
018727 066710  016700  127114                  MOV     ML.LUN,R0                       ;                                       8445
018728 066714  104451                          TRAP    51
018729 066716  104444                          TRAP    44
018730 066720  005101                  9$:     COM     R1                              ; TST.PAT                               8449
018731 066722  005104                          COM     R4                              ; BG.PAT                                8450
018732 066724  005205                          INC     R5                              ; TWICE                                 8410
018733 066726  020527  000001                  CMP     R5,#1                           ; TWICE,*
018734 066732  003002                          BGT     10$
018735 066734  000167  177364                  JMP     1$
018736 066740  005726                  10$:    TST     (SP)+                           ;                                       8374
018737 066742  000207                          RTS     PC
018738
018739                                  ; Routine Size:  145 words
018740                                  ; Maximum stack depth per invocation:  20 words
018745
018746
018750
018751                                          .SBTTL  T35 TEST CODE SECTION
018755 066744                          T35::
018756 066744  004767  177332          1$:     JSR     PC,$T35                         ;                                       8451
018757 066750  104466                          TRAP    66
018758 066752  006000                          ROR     R0
018759 066754  103773                          BLO     1$
018760 066756  000207                          RTS     PC
018761
018762                                  ; Routine Size:  6 words
018763                                  ; Maximum stack depth per invocation:  0 words
018768
018769 ;         8454  !<BLF/PAGE>
```

```
18771 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
18772 ;                TEST CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (88)
18773
18774 ;          8455  !
18775 ;          8456  !
18776 ;          8457  BGNTST;
18777 ;          8458
18778 ;          8459  !++
18779 ;          8460  ! TEST NUMBER:  TST 36
18780 ;          8461  !
18781 ;          8462  ! TEST NA'_:    RAM BUS ADRS COUNTER TEST /WRITE PATH
18782 ;          8463  !
18783 ;          8464  ! TEST DESCRIPTION:
18784 ;          8465  !
18785 ;          8466  !       TEST ABILITY OF THE RAM_BUS ADDRESS
18786 ;          8467  !       COUNTERS TO LOAD/UNLOAD THE SKIP
18787 ;          8468  !       RAM DURING WRITE FUNCTIONS BY:
18788 ;          8469  !
18789 ;          8470  !       1.  LOADING A REPEATING COUNT OF 0
18790 ;          8471  !           TO 63 INTO THE NIBBLES OF THE
18791 ;          8472  !           FIRST 64 WORDS OF THE IO_BUF.
18792 ;          8473  !
18793 ;          8474  !       2.  VIA MBUS WRITE FUNCTION WRITE
18794 ;          8475  !           THE CONTENTS OF THE IO_BUF
18795 ;          8476  !           INTO THE GOOD BLOCK.
18796 ;          8477  !
18797 ;          8478  !       3.  VIA DAT_DM READ GOOD NIBBLES IN
18798 ;          8479  !           THE GOOD BLOCK FOR THE UNBROKEN
18799 ;          8480  !           COUNT OF 0 TO 63.
18800 ;          8481  !
18801 ;          8482  !           ONCE A BAD NIBBLE IS ENCOUNTERED
18802 ;          8483  !           MASK THAT NIBBLE FROM FURTHER
18803 ;          8484  !           READS.
18804 ;          8485  !
18805 ;          8486  !       4.  REPEAT READING NIBBLES UNTIL
18806 ;          8487  !           113 WORDS ARE READ OR ALL 10 NIBBLES
18807 ;          8488  !           ARE MASKED.
18808 ;          8489  !
18809 ;          8490  ! IMPLICIT INPUTS:
18810 ;          8491  !
18811 ;          8492  !       PD_TEMP
18812 ;          8493  !
18813 ;          8494  !       A BIT VECTOR OF 16 BITS WHERE
18814 ;          8495  !       THE READ PROM DATA IS STORED
18815 ;          8496  !       AND ACCESSED FROM.
18816 ;          8497  !
18817 ;          8498  !       IO_BUF
18818 ;          8499  !       A VECTOR OF 256 WORDS WHERE
18819 ;          8500  !       DATA FOR MBUS READS AND WRITE
18820 ;          8501  !       FUNCTION ARE FOUND.
18821 ;          8502  !
18822 ;          8503  !--
18823 ;          8504
18824 ;          8505  local
18825 ;          8506      DODU_FLG,                  !DROP UNIT FLAG
```

```
18827 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
18828 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (88)
18829 ;
18830 ;          8507       WRD_CNT,                            !WORD COUNT
18831 ;          8508       NIB_IGNORE : bitvector [16],        !NIBBLE IGNORE FLAGS
18832 ;          8509       ERR_FLG,                            !ERROR FLAG
18833 ;          8510       BAD_NIB_CNT,                        !BAD NIBBLE COUNT
18834 ;          8511       PASS_CNT,                           !PASS COUNT
18835 ;          8512       NIB_PAT;                            !NIBBLE PATTERN
18836 ;          8513
18837 ;          8514   CLR_THRESHOLD;                          !CLEAR ERROR PRINT THRESHOLD
18838 ;          8515   DODO_FLG = ZERO;
18839 ;          8516   WRD_CNT = ZERO;
18840 ;          8517
18841 ;          8518   incr CNT from 0 to 63 do                !LOAD 64 WORDS WITH REPEATING COUNTS OF 0-63
18842 ;          8519
18843 ;          8520       incr PAT_CNT from -1 to 11 by 4 do  !LOAD NIBBLES IN WORD WITH REPEATING COUNTS OF 0-63
18844 ;          8521           begin
18845 ;          8522           (IO_BUF [.WRD_CNT])<0, 4> = .PAT_CNT + 1;       !LOAD FIRST NIBBLE IN WORD
18846 ;          8523           (IO_BUF [.WRD_CNT])<4, 4> = .PAT_CNT + 2;       !LOAD SECOND NIBBLE IN WORD
18847 ;          8524           (IO_BUF [.WRD_CNT])<8, 4> = .PAT_CNT + 3;       !LOAD THIRD NIBBLE IN WORD
18848 ;          8525           (IO_BUF [.WRD_CNT])<12, 4> = .PAT_CNT + 4;      !LOAD FORTH NIBBLE IN WORD
18849 ;          8526           WRD_CNT = .WRD_CNT + 1;         !INCREMENT TO NEXT WORD
18850 ;          8527           end;
18851 ;          8528
18852 ;          8529   BGNSUB;
18853 ;          8530   CLR_MBUS;
18854 ;          8531   GD_BLK_XFER ();                         !SET UP A GOOD BLOCK XFERR
18855 ;          8532   MLCS1 = write;                          !DO A WRITE FUNCTION
18856 ;          8533   TIME_OUT_LOOP;
18857 ;          8534   CLR_MBUS;
18858 ;          8535   NIB_IGNORE = ZEROES;
18859 ;          8536   PASS_CNT = ZEROES;
18860 ;          8537   NIB_PAT = ZEROES;
18861 ;          8538   BAD_NIB_CNT = ZEROES;
18862 ;          8539   DAT_DM_XFER ();                         !SET UP A DATA DIAG MODE AT THE GOOD BLOCK
18863 ;          8540   MLCS1 = read;                           !DO A READ FUNCTION
18864 ;          8541   DELAY (ONE_US);
18865 ;          8542
18866 ;          8543   do                                      !LOOP UNTIL THE BLOCK IS READ OR 9 BAD NIBBLES FOUND
18867 ;          8544       begin
18868 ;          8545       PD_TEMP = .MLPD;                    !GET THE PROM DATA
18869 ;          8546       DAT_CLK = ONE;                      !CLOCK OUT THE DATA WORD
18870 ;          8547       DELAY (ONE_US);
18871 ;          8548       RD_LNG_WRD;                         !READ THE DATA DIAG REGISTERS
18872 ;          8549
18873 ;          8550       incr NIB_PTR from 0 to 8 do         !LOOK AT 9 NIBBLES
18874 ;          8551           begin
18875 ;          8552
18876 ;          8553           if .PD_TEMP [.NIB_PTR] IS_NOT_SET   !FIND GOOD NIBBLES
18877 ;          8554           then
18878 ;          8555               begin
18879 ;          8556
18880 ;          8557               if .NIB_IGNORE [.NIB_PTR] IS_NOT_SET    !SEE IF THIS NIBBLE FOUND BAD BEFORE
18881 ;          8558               then
```

```
18883 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
18884 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (88)
18885 ;
18886 ;          8559                   begin
18887 ;          8560                   TST_LNG_WRD (.NIB_PTR, .NIB_PAT, ERR_FLG);      !TEST THE NIBBLE IF NEVER FOUND BAD
18888 ;          8561
18889 ;          8562                   if .ERR_FLG IS_SET              !SEE IF TEST FOUND AN ERROR
18890 ;          8563                   then
18891 ;          8564                       begin                       !ERROR AND SET DODU_FLG IS SET
18892 ;          8565                       CMP_THRESHOLD;              !COMPARE ERROR PRINT THRESHOLD
18893 ;          8566                       ERRDF (88, ARR_DAT, DUMPER);
18894 ;          8567                       PRINTB (SIX_FMT, FNC_18, WRD_50, WRD_10, WRD_12, FNC_5, WRD_19);
18895 ;          8568                       DODU_FLG = ONE;
18896 ;          8569                       end
18897 ;          8570
18898 ;          8571                   end
18899 ;          8572
18900 ;          8573               end
18901 ;          8574           else                                    !THIS NIBBLE IS BAD
18902 ;          8575               begin
18903 ;          8576               NIB_IGNORE [.NIB_PTR] = ONE;        !SET THIS NIBBLE NIB_IGNORE FLAG
18904 ;          8577               BAD_NIB_CNT = .BAD_NIB_CNT + 1;     !INCREMENT BAD NIB COUNT
18905 ;          8578               end;
18906 ;          8579
18907 ;          8580           NIB_PAT = .NIB_PAT + 1;                 !INCREMENT NIB PAT
18908 ;          8581           end;
18909 ;          8582
18910 ;          8583       PASS_CNT = .PASS_CNT + 1;                   !INCREMENT PASS COUNT
18911 ;          8584       end
18912 ;          8585   until (.PASS_CNT eql 113) or (.BAD_NIB_CNT eql 9);      !REPEAT UNTIL COMPLETE
18913 ;          8586
18914 ;          8587   ENDSUB;
18915 ;          8588
18916 ;          8589   if .DODU_FLG IS_SET                             !DROP THIS UNIT IF DODU_FLG SET
18917 ;          8590   then
18918 ;          8591       begin
18919 ;          8592       DODU (.ML_LUN);
18920 ;          8593       DOCLN;
18921 ;          8594       end;
18922 ;          8595
18923 ;          8596   ENDTST;
18927
18928                                        .SBTTL  $T36 TEST CODE SECTION
18932 066760  004167  115626          $T36:  JSR     R1,$SAVE5                ;                                    8453
18933 066764  162706  000006                 SUB     #6,SP
18934 066770  005067  126402                 CLR     P.CNT                    ;                                    8512
18935 066774  005046                         CLR     -(SP)                    ; DODU.FLG                           8515
18936 066776  005003                         CLR     R3                       ; WRD.CNT                            8516
18937 067000  005002                         CLR     R2                       ; CNT                                8518
```

```
                                                                                29-Mar-1982 16:23:04    TOPS
                                                                                29-Mar-1982 16:21:03    PA:<
 18939                                  ;ML4AD
 18940                                  ;                TEST CODE SECTION
 18941
 18942 067002  012700  177777           1$:     MOV     #-1,R0          ; *,PAT.CNT                     8520
 18943 067006  010301                   2$:     MOV     R3,R1           ; WRD.CNT,*                     8522
 18944 067010  006301                           ASL     R1
 18945 067012  062701  014022                   ADD     #IO.BUF,R1
 18946 067016  010005                           MOV     R0,R5           ; PAT.CNT,*
 18947 067020  005205                           INC     R5
 18948 067022  042705  177760                   BIC     #177760,R5
 18949 067026  142711  000017                   BICB    #17,(R1)
 18950 067032  150511                           BISB    R5,(R1)
 18951 067034  010005                           MOV     R0,R5           ; PAT.CNT,*                     8523
 18952 067036  062705  000002                   ADD     #2,R5
 18953 067042  006305                           ASL     R5
 18954 067044  006305                           ASL     R5
 18955 067046  006305                           ASL     R5
 18956 067050  006305                           ASL     R5
 18957 067052  042705  177417                   BIC     #177417,R5
 18958 067056  142711  000360                   BICB    #360,(R1)
 18959 067062  150511                           BISB    R5,(R1)
 18960 067064  010005                           MOV     R0,R5           ; PAT.CNT,*                     8524
 18961 067066  062705  000003                   ADD     #3,R5
 18962 067072  000305                           SWAB    R5
 18963 067074  042705  170377                   BIC     #170377,R5
 18964 067100  042711  007400                   BIC     #7400,(R1)
 18965 067104  050511                           BIS     R5,(R1)
 18966 067106  010005                           MOV     R0,R5           ; PAT.CNT,*                     8525
 18967 067110  062705  000004                   ADD     #4,R5
 18968 067114  000305                           SWAB    R5
 18969 067116  006305                           ASL     R5
 18970 067120  006305                           ASL     R5
 18971 067122  006305                           ASL     R5
 18972 067124  006305                           ASL     R5
 18973 067126  042705  007777                   BIC     #7777,R5
 18974 067132  042711  170000                   BIC     #170000,(R1)
 18975 067136  050511                           BIS     R5,(R1)
 18976 067140  005203                           INC     R3              ; WRD.CNT                       8526
 18977 067142  062700  000004                   ADD     #4,R0           ; *,PAT.CNT                     8520
 18978 067146  020027  000013                   CMP     R0,#13          ; PAT.CNT,*
 18979 067152  003715                           BLE     2$
 18980 067154  005202                           INC     R2              ; CNT                           8518
 18981 067156  020227  000077                   CMP     R2,#77          ; CNT,*
 18982 067162  003707                           BLE     1$
 18983 067164  104402                   3$:     TRAP    2               ;                               8527
 18984 067166  152777  000040  126250           BISB    #40,@ML.REG+40  ;                               8529
 18985 067174  016702  126632                   MOV     ML.DUT,R2
 18986 067200  042702  177770                   BIC     #177770,R2
 18987 067204  142777  000007  126232           BICB    #7,@ML.REG+40
 18988 067212  150277  126226                   BISB    R2,@ML.REG+40
 18989 067216  004767  131070                   JSR     PC,GD.BLK.XFER  ;                               8531
 18990 067222  012777  000061  126154           MOV     #61,@ML.REG     ;                               8532
 18991 067230  105777  126220           4$:     TSTB    @ML.REG+50
 18992 067234  100375                           BPL     4$
 18993 067236  152777  000040  126200           BISB    #40,@ML.REG+40  ;                               8533
```

29-Mar-1982 16:23:04 TOPS
29-Mar-1982 16:21:03 PA:<

```
18995                                   ;ML4AD
18996                                   ;               TEST CODE SECTION
18997
18998 067244  016702  126562                      MOV     ML.DUT,R2
18999 067250  042702  177770                      BIC     #177770,R2
19000 067254  142777  000007  126162              BICB    #7,@ML.REG+40
19001 067262  150277  126156                      BISB    R2,@ML.REG+40
19002 067266  005066  000004                      CLR     4(SP)           ; NIB.IGNORE                    8535
19003 067272  005004                              CLR     R4              ; PASS.CNT                      8536
19004 067274  005003                              CLR     R3              ; NIB.PAT                       8537
19005 067276  005005                              CLR     R5              ; BAD.NIB.CNT                   8538
19006 067300  004767  127106                      JSR     PC,DAT.DM.XFER  ;                               8539
19007 067304  012777  000071  126072              MOV     #71,@ML.REG     ;                               8540
19008 067312  012701  000001                      MOV     #1,R1           ; *,$$TMP2                      8541
19009 067316  001411                      5$:     BEQ     8$
19010 067320  016702  112572                      MOV     L$DLY,R2        ; *,$$TMP1
19011 067324  001404                              BEQ     7$
19012 067326  005066  000006              6$:     CLR     6(SP)           ; $$TMP
19013 067332  005302                              DEC     R2              ; $$TMP1
19014 067334  001374                              BNE     6$
19015 067336  005301                      7$:     DEC     R1              ; $$TMP2
19016 067340  000766                              BR      5$
19017 067342  017767  126266  125772      8$:     MOV     @ML.REG+230,PD.TEMP ;                           8545
19018 067350  152777  000020  126146              BISB    #20,@ML.REG+120 ;                               8546
19019 067356  012701  000001                      MOV     #1,R1           ; *,$$TMP2                      8547
19020 067362  001411                      9$:     BEQ     12$
19021 067364  016702  112526                      MOV     L$DLY,R2        ; *,$$TMP1
19022 067370  001404                              BEQ     11$
19023 067372  005066  000006              10$:    CLR     6(SP)           ; $$TMP
19024 067376  005302                              DEC     R2              ; $$TMP1
19025 067400  001374                              BNE     10$
19026 067402  005301                      11$:    DEC     R1              ; $$TMP2
19027 067404  000766                              BR      9$
19028 067406  017767  126162  123760      12$:    MOV     @ML.REG+170,D1.TEMP
19029 067414  017767  126164  123754              MOV     @ML.REG+200,D2.TEMP
19030 067422  017767  126136  123750              MOV     @ML.REG+160,E2.TEMP
19031 067430  005001                              CLR     R1              ; NIB.PTR                       8550
19032 067432  010100                      13$:    MOV     R1,R0           ; NIB.PTR,*                     8553
19033 067434  006200                              ASR     R0
19034 067436  006200                              ASR     R0
19035 067440  006200                              ASR     R0
19036 067442  012702  000004                      MOV     #4,R2           ;                               8557
19037 067446  060602                              ADD     SP,R2           ; NIB.IGNORE,*
19038 067450  060002                              ADD     R0,R2
19039 067452  010046                              MOV     R0,-(SP)        ;                               8553
19040 067454  062716  015342                      ADD     #PD.TEMP,(SP)
19041 067460  010146                              MOV     R1,-(SP)        ; NIB.PTR,*
19042 067462  042716  177770                      BIC     #177770,(SP)
19043 067466  012746  000001                      MOV     #1,-(SP)
19044 067472  005046                              CLR     -(SP)
19045 067474  004767  114134                      JSR     PC,BL$GT2
19046 067500  062706  000010                      ADD     #10,SP
19047 067504  005700                              TST     R0
19048 067506  001077                              BNE     16$
19049 067510  010246                              MOV     R2,-(SP)        ;                               8557
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        ;
19054 067512  010146                            MOV     R1,-(SP)        ; NIB.PTR,*
19055 067514  042716  177770                      BIC     #177770,(SP)
19056 067520  012746  000001                      MOV     #1,-(SP)
19057 067524  005046                            CLR     -(SP)
19058 067526  004767  114102                      JSR     PC,BL$GT2
19059 067532  062706  000010                      ADD     #10,SP
19060 067536  005700                            TST     R0
19061 067540  001076                            BNE     17$
19062 067542  010146                            MOV     R1,-(SP)        ; NIB.PTR,*                             8560
19063 067544  010346                            MOV     R3,-(SP)        ; NIB.PAT,*
19064 067546  012746  000010                      MOV     #10,-(SP)
19065 067552  060616                            ADD     SP,(SP)         ; ERR.FLG,*
19066 067554  004767  130616                      JSR     PC,TST.LNG.WRD
19067 067560  026627  000010  000001              CMP     10(SP),#1       ; ERR.FLG,*                             8562
19068 067566  001044                            BNE     15$
19069 067570  005267  125602                      INC     P.CNT           ;                                       8564
19070 067574  026767  125576  125576              CMP     P.CNT,LIMIT
19071 067602  003403                            BLE     14$
19072 067604  062706  000006                      ADD     #6,SP
19073 067610  000457                            BR      18$
19074 067612  104455                    14$:    TRAP    55              ;                                       8566
19075 067614  000130                            .WORD   130
19076 067616  013012                            .WORD   ARR.DAT
19077 067620  026302                            .WORD   DUMPER
19078 067622  012746  010730                      MOV     #WRD.19,-(SP)   ;                                       8567
19079 067626  012746  012216                      MOV     #FNC.5,-(SP)
19080 067632  012746  010650                      MOV     #WRD.12,-(SP)
19081 067636  012746  010630                      MOV     #WRD.10,-(SP)
19082 067642  012746  011270                      MOV     #WRD.50,-(SP)
19083 067646  012746  012414                      MOV     #FNC.18,-(SP)
19084 067652  012746  010322                      MOV     #SIX.FMT,-(SP)
19085 067656  012746  000007                      MOV     #7,-(SP)
19086 067662  010600                            MOV     SP,R0           ; SP,*
19087 067664  104414                            TRAP    14
19088 067666  012766  000001  000026              MOV     #1,26(SP)       ; *,DODU.FLG                            8568
19089 067674  062706  000020                      ADD     #20,SP          ;                                       8564
19090 067700  062706  000006            15$:    ADD     #6,SP           ;                                       8559
19091 067704  000414                            BR      17$             ;                                       8553
19092 067706  010246                    16$:    MOV     R2,-(SP)        ;                                       8576
19093 067710  010146                            MOV     R1,-(SP)        ; NIB.PTR,*
19094 067712  042716  177770                      BIC     #177770,(SP)
19095 067716  012746  000001                      MOV     #1,-(SP)
19096 067722  011646                            MOV     (SP),-(SP)
19097 067724  004767  114142                      JSR     PC,BL$PU2
19098 067730  005205                            INC     R5              ; BAD.NIB.CNT                           8577
19099 067732  062706  000010                      ADD     #10,SP          ;                                       8575
19100 067736  005203                    17$:    INC     R3              ; NIB.PAT                               8580
19101 067740  005201                            INC     R1              ; NIB.PTR                               8550
19102 067742  020127  000010                      CMP     R1,#10          ; NIB.PTR,*
19103 067746  003631                            BLE     13$
19104 067750  005204                    18$:    INC     R4              ; PASS.CNT                              8583
19105 067752  020427  000161                      CMP     R4,#161         ; PASS.CNT,*                            8585
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                                        BEQ     19$
                                                        CMP     R5,#11                  ; BAD.NIB.CNT,*
                                                        BEQ     19$
                                                        JMP     8$
                                        19$:            TRAP    67
                                                        ROR     R0
                                                        BHIS    20$
                                                        JMP     3$
                                        20$:            CMP     (SP),#1                 ; DODU.FLG,*                            8589
                                                        BNE     21$
                                                        MOV     ML.LUN,R0               ;                                       8592
                                                        TRAP    51
                                                        TRAP    44
                                        21$:            ADD     #10,SP                  ;                                       8453
                                                        RTS     PC

                                        ; Routine Size:  276 words
                                        ; Maximum stack depth per invocation:  21 words


                                                        .SBTTL  T36 TEST CODE SECTION
                                        T36::
                                        1$:             JSR     PC,$T36                 ;                                       8594
                                                        TRAP    66
                                                        ROR     R0
                                                        BLO     1$
                                                        RTS     PC

                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words


                ;       8597    !<BLF/PAGE>
```

```
19159 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
19160 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (89)
19161
19162 ;          8598  !
19163 ;          8599  !
19164 ;          8600  BGNTST;
19165 ;          8601
19166 ;          8602  !++
19167 ;          8603  ! TEST NUMBER:  TST 37
19168 ;          8604  !
19169 ;          8605  ! TEST NAME:    RAM BUS ADRS COUNTER TEST /READ PATH
19170 ;          8606  !
19171 ;          8607  ! TEST DESCRIPTION:
19172 ;          8608  !
19173 ;          8609  !       TEST ABILITY OF RAM/BUS ADRS
19174 ;          8610  !       COUNTERS TO LOAD/UNLOAD THE SKIP
19175 ;          8611  !       RAM DURING READ FUNCTIONS BY:
19176 ;          8612  !
19177 ;          8613  !       1.  LOADING A REPEATING COUNT OF 0
19178 ;          8614  !           TO 63 INTO THE NIBBLES OF THE
19179 ;          8615  !           FIRST 64 WORDS OF THE IO_BUF.
19180 ;          8616  !
19181 ;          8617  !       2.  VIA MBUS WRITE FUNCTION WRITE
19182 ;          8618  !           THE CONTENTS OF THE IO_BUF
19183 ;          8619  !           INTO THE GOOD BLOCK.
19184 ;          8620  !
19185 ;          8621  !       3.  CLEAR OUT THE IO_BUF
19186 ;          8622  !
19187 ;          8623  !       4.  VIA MBUS READ FUNCTION READ
19188 ;          8624  !           THE GOOD BLOCK FOR THE REPEATING
19189 ;          8625  !           COUNT OF 0 TO 63.
19190 ;          8626  !
19191 ;          8627  ! IMPLICIT INPUTS:
19192 ;          8628  !
19193 ;          8629  !       IO_BUF
19194 ;          8630  !
19195 ;          8631  !       A VECTOR OF 256 WORDS WHERE
19196 ;          8632  !       DATA FOR MBUS READS AND WRITE
19197 ;          8633  !       FUNCTION ARE FOUND.
19198 ;          8634  !
19199 ;          8635  !--
19200 ;          8636
19201 ;          8637  local
19202 ;          8638      DODU_FLG,                          !DROP UNIT FLAG
19203 ;          8639      WRD_CNT,                           !WORD COUNT
19204 ;          8640      PAT_INC,                           !PATTERN INCREMENT
19205 ;          8641      SIZ_EXP,                           !SIZE EXPRESSION
19206 ;          8642      POS_EXP,                           !POSITIONAL EXPRESSION
19207 ;          8643      TEMP;                              !TEMPORARY STORAGE LOCATION
19208 ;          8644
19209 ;          8645  CLR_THRESHOLD;                         !CLEAR ERROR PRINT THRESHOLD
19210 ;          8646  CLR_MBUS;
19211 ;          8647  DODU_FLG = ZERO;
19212 ;          8648  WRD_CNT = ZERO;
19213 ;          8649
```

```
:ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
:                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (89)

;          8650  incr COUNT from 0 to 63 do               !LOAD 64 WORDS WITH REPEATING  COUNTS OF 0-63
;          8651
;          8652      incr PAT_CNT from -1 to 11 by 4 do   !LOAD NIBBLES IN WORD WITH REPEATING COUNT OF 0-63
;          8653          begin
;          8654          (IO_BUF [.WRD_CNT])<0, 4> = .PAT_CNT + 1;      !LOAD FIRST NIBBLE IN WORD
;          8655          (IO_BUF [.WRD_CNT])<4, 4> = .PAT_CNT + 2;      !LOAD SECOND NIBBLE IN WORD
;          8656          (IO_BUF [.WRD_CNT])<8, 4> = .PAT_CNT + 3;      !LOAD THIRD NIBBLE IN WORD
;          8657          (IO_BUF [.WRD_CNT])<12, 4> = .PAT_CNT + 4;     !LOAD FORTH NIBBLE IN WORD
;          8658          WRD_CNT = .WRD_CNT + 1;              !INCREMENT TO NEXT WORD
;          8659          end;
;          8660
;          8661  GD_BLK_XFER ();                            !SET UP A GOOD BLOCK XFERR
;          8662  MLCS1 = write;                             !DO A WRITE FUNCTION
;          8663  TIME_OUT_LOOP;
;          8664  BGNSUB;
;          8665
;          8666  incr IO_CNT from 0 to 255 do               !CLEAR OUT IO_BUF
;          8667      IO_BUF [.IO_CNT] = ZEROES;
;          8668
;          8669  CLR_MBUS;
;          8670  GD_BLK_XFER ();                            !SET UP A GOOD BLOCK XFERR
;          8671  MLCS1 = read;                              !DO A READ FUNCTION
;          8672  TIME_OUT_LOOP;
;          8673  CLR_MBUS;
;          8674  SIZ_EXP = 4;                               !FIELD SIZE FOR NIBBLES ALWAYS 4 BITS
;          8675  WRD_CNT = 0;
;          8676
;          8677  incr COUNT from 0 to 63 do                !READ 64 WORDS IN IO_BUF
;          8678
;          8679      incr PAT_CNT from -1 to 11 by 4 do    !READ REPEATING COUNTS OF 0-63
;          8680          begin
;          8681          POS_EXP = ZERO;                   !FIELD SELECTOR SELECTS THE FOUR NIBBLES
;          8682          PAT_INC = ONE;
;          8683          TEMP = .IO_BUF [.WRD_CNT];        !GET A WORD OUT OF IO_BUF
;          8684
;          8685          incr CNT from 0 to 3 do           !READ THE FOUR NIBBLES IN WORD
;          8686              begin
;          8687
;          8688              if .TEMP<.POS_EXP, .SIZ_EXP> neq (.PAT_CNT + .PAT_INC)
;          8689                                            !COMPARE NIBBLE WITH RESPECTIVE 0 -63 CNT
;          8690              then
;          8691                  begin                     !ERROR AND SET DODU_FLG IF NEQ
;          8692                  CMP_THRESHOLD;            !COMPARE ERROR PRINT THRESHOLD
;          8693                  ERRDF (89, ARR_DAT, DUMPER);
;          8694                  PRINTB (SIX_FMT, FNC_18, WRD_50, WRD_10, WRD_12, FNC_6, WRD_19);
;          8695                  DODU_FLG = ONE;
;          8696                  end;
;          8697
;          8698              POS_EXP = .POS_EXP + 4;       !POINT TO THE NEXT NIBBLE IN WORD
;          8699              PAT_INC = .PAT_INC + 1;       !INCREMENT THE 0-03 COUNT
;          8700              end;
;          8701
```

```
 19271 ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
 19272 ;                TEST CODE SECTION                      29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (89)
 19273
 19274 ;          8702          WRD_CNT = .WRD_CNT + 1;        !GET THE NEXT IO_BUF WORD
 19275 ;          8703          end;
 19276 ;          8704
 19277 ;          8705    ENDSUB;
 19278 ;          8706
 19279 ;          8707    if .DODU_FLG IS_SET                  !DROP THIS UNIT IF DODU_FLG SET
 19280 ;          8708    then
 19281 ;          8709        begin
 19282 ;          8710        DODU (.ML_LUN);
 19283 ;          8711        DOCLN;
 19284 ;          8712        end;
 19285 ;          8713
 19286 ;          8714    ENDTST;
 19290
 19291                                          .SBTTL  $T37 TEST CODE SECTION
 19295 070044  004167  114542          $T37:   JSR     R1,$SAVE5                ;                          8596
 19296 070050  162706  000012                  SUB     #12,SP
 19297 070054  005067  125316                  CLR     P.CNT                    ;                          8643
 19298 070060  152777  000040  125356          BISB    #40,@ML.REG+40           ;                          8645
 19299 070066  016705  125740                  MOV     ML.DUT,R5
 19300 070072  042705  177770                  BIC     #177770,R5
 19301 070076  142777  000007  125340          BICB    #7,@ML.REG+40
 19302 070104  150577  125334                  BISB    R5,@ML.REG+40
 19303 070110  005066  000010                  CLR     10(SP)                   ; DODU.FLG                 8647
 19304 070114  005066  000002                  CLR     2(SP)                    ; WRD.CNT                  8648
 19305 070120  005002                          CLR     R2                       ; COUNT                    8650
 19306 070122  012703  177777          1$:     MOV     #-1,R3                   ; *,PAT.CNT                8652
 19307 070126  016604  000002          2$:     MOV     2(SP),R4                 ; WRD.CNT,*                8654
 19308 070132  006304                          ASL     R4
 19309 070134  062704  014022                  ADD     #IO.BUF,R4
 19310 070140  010305                          MOV     R3,R5                    ; PAT.CNT,*
 19311 070142  005205                          INC     R5
 19312 070144  042705  177760                  BIC     #177760,R5
 19313 070150  142714  000017                  BICB    #17,(R4)
 19314 070154  150514                          BISB    R5,(R4)
 19315 070156  010305                          MOV     R3,R5                    ; PAT.CNT,*                8655
 19316 070160  062705  000002                  ADD     #2,R5
 19317 070164  006305                          ASL     R5
 19318 070166  006305                          ASL     R5
 19319 070170  006305                          ASL     R5
 19320 070172  006305                          ASL     R5
 19321 070174  042705  177417                  BIC     #177417,R5
 19322 070200  142714  000360                  BICB    #360,(R4)
 19323 070204  150514                          BISB    R5,(R4)
 19324 070206  010305                          MOV     R3,R5                    ; PAT.CNT,*                8656
 19325 070210  062705  000003                  ADD     #3,R5
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;                TEST CODE SECTION                      29-Mar-1982 16:21:03    PA:<
                                                         SWAB    R5
070214  000305                                           BIC     #170377,R5
070216  042705  170377                                   BIC     #7400,(R4)
070222  042714  007400                                   BIS     R5,(R4)
070226  050514                                           MOV     R3,R5                  ; PAT.CNT,*                              8657
070230  010305                                           ADD     #4,R5
070232  062705  000004                                   SWAB    R5
070236  000305                                           ASL     R5
070240  006305                                           ASL     R5
070242  006305                                           ASL     R5
070244  006305                                           ASL     R5
070246  006305                                           BIC     #7777,R5
070250  042705  007777                                   BIC     #170000,(R4)
070254  042714  170000                                   BIS     R5,(R4)
070260  050514                                           INC     2(SP)                  ; WRD.CNT                                8658
070262  005266  000002                                   ADD     #4,R3                  ; *,PAT.CNT                              8652
070266  062703  000004                                   CMP     R3,#13                 ; PAT.CNT,*
070272  020327  000013                                   BLE     2$
070276  003713                                           INC     R2                     ; COUNT                                  8650
070300  005202                                           CMP     R2,#77                 ; COUNT,*
070302  020227  000077                                   BLE     1$
070306  003705                                           JSR     PC,GD.BLK.XFER         ;                                        8661
070310  004767  127776                                   MOV     #61,@ML.REG            ;                                        8662
070314  012777  000061  125062                 3$:     TSTB    @ML.REG+50
070322  105777  125126                                   BPL     3$
070326  100375                                 4$:     TRAP    2                      ;                                        8663
070330  104402                                           CLR     R3                     ; IO.CNT                                 8666
070332  005003                                 5$:     MOV     R3,R4                  ; IO.CNT,*                               8667
070334  010304                                           ASL     R4
070336  006304                                           CLR     IO.BUF(R4)
070340  005064  014022                                   INC     R3                     ; IO.CNT                                 8666
070344  005203                                           CMP     R3,#377                ; IO.CNT,*
070346  020327  000377                                   BLE     5$
070352  003770                                           BISB    #40,@ML.REG+40         ;                                        8667
070354  152777  000040  125062                         MOV     ML.DUT,R4
070362  016704  125444                                   BIC     #177770,R4
070366  042704  177770                                   BICB    #7,@ML.REG+40
070372  142777  000007  125044                         BISB    R4,@ML.REG+40
070400  150477  125040                                   JSR     PC,GD.BLK.XFER         ;                                        8670
070404  004767  127702                                   MOV     #71,@ML.REG            ;                                        8671
070410  012777  000071  124766                 6$:     TSTB    @ML.REG+50
070416  105777  125032                                   BPL     6$
070422  100375                                           BISB    #40,@ML.REG+40         ;                                        8672
070424  152777  000040  125012                         MOV     ML.DUT,R4
070432  016704  125374                                   BIC     #177770,R4
070436  042704  177770                                   BICB    #7,@ML.REG+40
070442  142777  000007  124774                         BISB    R4,@ML.REG+40
070450  150477  124770                                   MOV     #4,6(SP)               ; *,SIZ.EXP                              8674
070454  012766  000004  000006                         CLR     2(SP)                  ; WRD.CNT                                8675
070462  005066  000002                                   CLR     R1                     ; COUNT                                  8677
070466  005001                                 7$:     MOV     #-1,R3                 ; *,PAT.CNT                              8679
070470  012703  177777                         8$:     CLR     R5                     ; POS.EXP                                8681
070474  005005
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                                       29-Mar-1982 16:21:03    PA:<
19385
19386 070476  012716  000001                    MOV     #1,(SP)         ; *,PAT.INC                                     8682
19387 070502  016604  000002                    MOV     2(SP),R4        ; WRD.CNT,*                                     8683
19388 070506  006304                            ASL     R4
19389 070510  016466  014022  000004            MOV     IO.BUF(R4),4(SP) ; *,TEMP
19390 070516  005002                            CLR     R2              ; CNT                                           8685
19391 070520  016646  000004            9$:     MOV     4(SP),-(SP)     ; TEMP,*                                        8688
19392 070524  010546                            MOV     R5,-(SP)        ; POS.EXP,*
19393 070526  016646  000012                    MOV     12(SP),-(SP)    ; SIZ.EXP,*
19394 070532  005046                            CLR     -(SP)
19395 070534  004767  112752                    JSR     PC,BL$GT1
19396 070540  062706  000010                    ADD     #10,SP
19397 070544  010304                            MOV     R3,R4           ; PAT.CNT,*
19398 070546  061604                            ADD     (SP),R4         ; PAT.INC,*
19399 070550  020004                            CMP     R0,R4
19400 070552  001441                            BEQ     10$
19401 070554  005267  124616                    INC     P.CNT           ;                                               8691
19402 070560  026767  124612  124612            CMP     P.CNT,LIMIT
19403 070566  003042                            BGT     11$
19404 070570  104455                            TRAP    55              ;                                               8693
19405 070572  000131                            .WORD   131
19406 070574  013012                            .WORD   ARR.DAT
19407 070576  026302                            .WORD   DUMPER
19408 070600  012746  010730                    MOV     #WRD.19,-(SP)   ;                                               8694
19409 070604  012746  012226                    MOV     #FNC.6,-(SP)
19410 070610  012746  010650                    MOV     #WRD.12,-(SP)
19411 070614  012746  010630                    MOV     #WRD.10,-(SP)
19412 070620  012746  011270                    MOV     #WRD.50,-(SP)
19413 070624  012746  012414                    MOV     #FNC.18,-(SP)
19414 070630  012746  010322                    MOV     #SIX.FMT,-(SP)
19415 070634  012746  000007                    MOV     #7,-(SP)
19416 070640  010600                            MOV     SP,R0           ; SP,*
19417 070642  104414                            TRAP    14
19418 070644  012766  000001  000030            MOV     #1,30(SP)       ; *,DODU.FLG                                    8695
19419 070652  062706  000020                    ADD     #20,SP          ;                                               8691
19420 070656  062705  000004            10$:    ADD     #4,R5           ; *,POS.EXP                                     8698
19421 070662  005216                            INC     (SP)            ; PAT.INC                                       8699
19422 070664  005202                            INC     R2              ; CNT                                           8685
19423 070666  020227  000003                    CMP     R2,#3           ; CNT,*
19424 070672  003712                            BLE     9$
19425 070674  005266  000002            11$:    INC     2(SP)           ; WRD.CNT                                       8702
19426 070700  062703  000004                    ADD     #4,R3           ; *,PAT.CNT                                     8679
19427 070704  020327  000013                    CMP     R3,#13          ; PAT.CNT,*
19428 070710  003671                            BLE     8$
19429 070712  005201                            INC     R1              ; COUNT                                         8677
19430 070714  020127  000077                    CMP     R1,#77          ; COUNT,*
19431 070720  003663                            BLE     7$
19432 070722  104467                            TRAP    67              ;                                               8703
19433 070724  006000                            ROR     R0
19434 070726  103600                            BLO     4$
19435 070730  026627  000010  000001            CMP     10(SP),#1       ; DODU.FLG,*                                    8707
19436 070736  001004                            BNE     12$
19437 070740  016700  125064                    MOV     ML.LUN,R0       ;                                               8710
```

```
19439                                   ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
19440                                   ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
19441
19442 070744  104451                             TRAP    51
19443 070746  104444                             TRAP    44
19444 070750  062706  000012        12$:    ADD     #12,SP                  ;                               8596
19445 070754  000207                             RTS     PC
19446
19447                                   ; Routine Size:  229 words
19448                                   ; Maximum stack depth per invocation:  19 words
19453
19454
19458
19459                                           .SBTTL  T37 TEST CODE SECTION
19463 070756                            T37::
19464 070756  004767  177062          1$:     JSR     PC,$T37                 ;                               8712
19465 070762  104466                             TRAP    66
19466 070764  006000                             ROR     R0
19467 070766  103773                             BLO     1$
19468 070770  000207                             RTS     PC
19469
19470                                   ; Routine Size:  6 words
19471                                   ; Maximum stack depth per invocation:  0 words
19476
19477
19478 ;          8715  !<BLF/PAGE>
```

```
19480 ;ML4AD
19481 ;                 TEST CODE SECTION
19482
19483 ;          8716  !
19484 ;          8717  !
19485 ;          8718  BGNTST;
19486 ;          8719
19487 ;          8720  !++
19488 ;          8721  ! TEST NUMBER:  TST 38
19489 ;          8722  !
19490 ;          8723  ! TEST NAME:    SYNC DATA BUS BIT UNIQUENESS TEST/WRITE PATH
19491 ;          8724  !
19492 ;          8725  ! TEST DESCRIPTION:
19493 ;          8726  !
19494 ;          8727  !       TEST SYNCHRONOUS DATA BUS FOR
19495 ;          8728  !       DATA BIT UNIQUENESS BY:
19496 ;          8729  !
19497 ;          8730  !       1.  LOADING THE FIRST 16 WORDS IN
19498 ;          8731  !           THE IO_BUF WITH A SHIFTING
19499 ;          8732  !           ZERO IN A FIELD OF ONES PATTERN.
19500 ;          8733  !
19501 ;          8734  !       2.  VIA MBUS WRITE FUNCTION WRITE
19502 ;          8735  !           SHIFTING PATTERN THROUGH THE
19503 ;          8736  !           DATA BUS AND INTO THE GOOD
19504 ;          8737  !           BLOCK.
19505 ;          8738  !
19506 ;          8739  !       3.  VIA DAT_DM MODE READ THE
19507 ;          8740  !           GOOD BLOCK AND SAVE ALL GOOD
19508 ;          8741  !           NIBBLE DATA, IN THEIR PROPER
19509 ;          8742  !           SEQUENCE, INTO A STACK
19510 ;          8743  !           STRUCTURE.
19511 ;          8744  !
19512 ;          8745  !       4.  INTERRIGATE STACK STRUCTURE FOR
19513 ;          8746  !           SHIFTED DATA PATTERN.
19514 ;          8747  !
19515 ;          8748  !
19516 ;          8749  ! IMPLICIT INPUTS:
19517 ;          8750  !
19518 ;          8751  !       PD_TEMP
19519 ;          8752  !       A BIT VECTOR OF 16 BITS WHERE
19520 ;          8753  !       THE READ PROM DATA IS STORED
19521 ;          8754  !       AND ACCESSED FROM.
19522 ;          8755  !
19523 ;          8756  !       IO_BUF
19524 ;          8757  !       A VECTOR OF 256 WORDS WHERE
19525 ;          8758  !       DATA FOR MBUS READS AND WRITE
19526 ;          8759  !       FUNCTION ARE FOUND.
19527 ;          8760  !
19528 ;          8761  !       STACK
19529 ;          8762  !       A VECTOR OF 198 BYTE LOCATIONS
19530 ;          8763  !       WHERE GOOD NIBBLE DATA IS STORED
19531 ;          8764  !       WHEN STRIPPING AWAY BAD NIBBLE
19532 ;          8765  !       LOCATIONS OF A BLOCK.
19533 ;          8766  !
19534 ;          8767  !
```

```
19536 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
19537 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (90)
19538
19539 ;          8768  !--
19540 ;          8769
19541 ;          8770  local
19542 ;          8771      SAV_NIB,                             !STORES THE SHIFTED BIT PATTERN
19543 ;          8772      DODO_FLG,                            !DROP UNIT FLAG
19544 ;          8773      NIB_BIT,                             !NIBBLE PATTERN
19545 ;          8774      TST_PAT,                             !TEST PATTERN
19546 ;          8775      ALL_ONES_1,                          !HOW MANY '17' NIBBLE PATTERN POSITION TO READ
19547 ;          8776      ALL_ONES_2,                          !HOW MANY '17' NIBBLE PATTERN POSITION TO READ
19548 ;          8777      STK_PTR,                             !STACK POINTER
19549 ;          8778      COUNT;                               !COUNTER
19550 ;          8779
19551 ;          8780  CLR_THRESHOLD;                           !CLEAR ERROR PRINT THRESHOLD
19552 ;          8781  BGNSUB;
19553 ;          8782  CLR_MBUS;
19554 ;          8783  DODO_FLG = ZERO;
19555 ;          8784  TST_PAT = ONE;                           !ONE IN A FIELD OF ZEROES
19556 ;          8785
19557 ;          8786  incr CNT from 0 to 15 do                 !WRITE 16 WORDS WITH SHIFTING 0 IN FIELD OF 1'S.
19558 ;          8787      begin
19559 ;          8788      IO_BUF [.CNT] = not .TST_PAT;
19560 ;          8789      TST_PAT = .TST_PAT^ONE;
19561 ;          8790      end;
19562 ;          8791
19563 ;          8792  GD_BLK_XFER ();                          !SET UP A GOOD BLOCK XFERR
19564 ;          8793  ML[S1 = write;                           !WRITE SHIFTING PATTERN THROUGH SYNC BUS
19565 ;          8794  TIME_OUT_LOOP;
19566 ;          8795  STRIPPER (21, 8);                        !CALL ROUTINE TO STRIP OUT BAD NIBBLE DATA FROM ARRAY WORDS
19567 ;          8796  STK_PTR = -1;                            !RESET THE STACK POINTER
19568 ;          8797  NIB_BIT = ONE;                           !SHIFTING NIBBLE PAT OF 1 IN FIELD OF 0'S
19569 ;          8798  ALL_ONES_1 = ZERO;                       !READ NO '17' NIBBLE PATTERN ON FIRST PASS
19570 ;          8799  ALL_ONES_2 = 3;                          !READ THREE '17' NIBBLE PATTERN ON FIRST PASS
19571 ;          8800
19572 ;          8801  incr BY_FOUR_WRDS from 0 to 3 do         !READ 4 GROUPS OF 4 WORDS
19573 ;          8802      begin
19574 ;          8803
19575 ;          8804      incr BY_ONE_WRD from 0 to 3 do       !READ 4 GROUPS OF 1 WORD
19576 ;          8805          begin
19577 ;          8806          COUNT = ZERO;                    !CLEAR COUNT
19578 ;          8807
19579 ;          8808          until .COUNT eql .ALL_ONES_1 do  !READ X NUMBER OF '17' NIBBLE PAT
19580 ;          8809              begin
19581 ;          8810              COUNT = .COUNT + 1;          !INCREMENT COUNT
19582 ;          8811              STK_PTR = .STK_PTR + 1;      !INCREMENT STACK POINTER
19583 ;          8812
19584 ;          8813              if (.stack [.STK_PTR]) neq %o'000017'       !COMPARE STACK WITH '17'
19585 ;          8814              then
19586 ;          8815                  begin                    !ERROR AND SET DODU_FLG IF NEQ
19587 ;          8816                  CMP_THRESHOLD;           !COMPARE ERROR PRINT THRESHOLD
19588 ;          8817                  ERRDF (90, SYNC, DUMPER);
19589 ;          8818                  PRINTB (SIX_FMT, WRD_23, WRD_39, PHR_4, WRD_12, FNC_5, WRD_19);
19590 ;          8819                  PRINTB (FMT_5, ONES, .stack [.STK_PTR], .STK_PTR);
```

```
19592 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
19593 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (90)
19594 ;
19595 ;          8820                  DODU_FLG = ONE;
19596 ;          8821                  end;
19597 ;          8822
19598 ;          8823              end;
19599 ;          8824
19600 ;          8825          STK_PTR = .STK_PTR + 1;                 !INCREMENT THE STACK POINTER
19601 ;          8826          SAV_NIB = ( not .NIB_BIT) and (%o'000017');     !GENERATE THE SHIFTED BIT
19602 ;          8827
19603 ;          8828          if (.stack [.STK_PTR]) neq (.SAV_NIB)   !COMPARE STACK TO SHIFTED BIT
19604 ;          8829          then
19605 ;          8830              begin                               !ERROR AND SET DODU_FLG IF NEQ
19606 ;          8831              CMP_THRESHOLD;                      !COMPARE ERROR PRINT THRESHOLD
19607 ;          8832              ERRDF (91, SYNC, DUMPER);
19608 ;          8833              PRINTB (SIX_FMT, WRD_23, WRD_39, PHR_4, WRD_12, FNC_5, WRD_19);
19609 ;          8834              PRINTB (FMT_15, .STK_PTR);
19610 ;          8835              PRINTB (FMT_5, .SAV_NIB, .stack [.STK_PTR]);
19611 ;          8836              DODU_FLG = ONE;
19612 ;          8837              end;
19613 ;          8838
19614 ;          8839          COUNT = ZEROES;                         !CLEAR COUNT
19615 ;          8840
19616 ;          8841          until .COUNT eql .ALL_ONES_2 do         !READ X NUMBER OF '17' NIBBLE PAT
19617 ;          8842              begin
19618 ;          8843              COUNT = .COUNT + 1;                 !INCREMENT COUNT
19619 ;          8844              STK_PTR = .STK_PTR + 1;             !INCREMENT STACK POINTER
19620 ;          8845
19621 ;          8846              if (.stack [.STK_PTR]) neq %o'000017'       !COMPARE STACK POINTER WITH  '17'
19622 ;          8847              then
19623 ;          8848                  begin                           !ERROR AND SET DODU_FLG IF SET
19624 ;          8849                  CMP_THRESHOLD;                  !COMPARE ERROR PRINT THRESHOLD
19625 ;          8850                  ERRDF (92, SYNC, DUMPER);
19626 ;          8851                  PRINTB (SIX_FMT, WRD_23, WRD_39, PHR_4, WRD_12, FNC_5, WRD_19);
19627 ;          8852                  PRINTB (FMT_5, ONES, .stack [.STK_PTR], .STK_PTR);
19628 ;          8853                  DODU_FLG = ONE;
19629 ;          8854                  end;
19630 ;          8855
19631 ;          8856              end;
19632 ;          8857
19633 ;          8858          NIB_BIT = .NIB_BIT^ONE;                 !SHIFT THE SHIFTED NIBBLE BIT
19634 ;          8859          end;
19635 ;          8860
19636 ;          8861      NIB_BIT = ONE;                              !RESET THE SHIFTED NIBBLE BIT
19637 ;          8862      ALL_ONES_1 = .ALL_ONES_1 + 1;               !READ ONE MORE '17' PATTERN
19638 ;          8863      ALL_ONES_2 = .ALL_ONES_2 - 1;               !READ ONE LESS '17' PATTERN
19639 ;          8864      end;
19640 ;          8865
19641 ;          8866  ENDSUB;
19642 ;          8867
19643 ;          8868  if .DODU_FLG IS_SET                            !DROP THIS UNIT IF DODU_FLG SET
19644 ;          8869  then
19645 ;          8870      begin
19646 ;          8871      DODU (.ML_LUN);
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (90)

```
19648 ;ML4AD
19649 ;                 TEST CODE SECTION
19650
19651 ;          8872       DOCLN;
19652 ;          8873       end;
19653 ;          8874
19654 ;          8875   ENDTST;
19658
19659                                        .SBTTL  $T38 TEST CODE SECTION
19663 070772  004167  113614          $T38:  JSR     R1,$SAVE5                ;                                  8714
19664 070776  162706  000012                 SUB     #12,SP
19665 071002  005067  124370                 CLR     P.CNT                    ;                                  8778
19666 071006  104402                  1$:    TRAP    2                        ;                                  8780
19667 071010  152777  000040  124426         BISB    #40,@ML.REG+40           ;                                  8781
19668 071016  016705  125010                 MOV     ML.DUT,R5
19669 071022  042705  177770                 BIC     #177770,R5
19670 071026  142777  000007  124410         BICB    #7,@ML.REG+40
19671 071034  150577  124404                 BISB    R5,@ML.REG+40
19672 071040  005001                         CLR     R1                       ; DODU.FLG                         8783
19673 071042  012766  000001  000006         MOV     #1,6(SP)                 ; *,TST.PAT                        8784
19674 071050  005004                         CLR     R4                       ; CNT                              8786
19675 071052  010405                  2$:    MOV     R4,R5                    ; CNT,*                            8788
19676 071054  006305                         ASL     R5
19677 071056  016665  000006  014022         MOV     6(SP),IO.BUF(R5)         ; TST.PAT,*
19678 071064  005165  014022                 COM     IO.BUF(R5)
19679 071070  006366  000006                 ASL     6(SP)                    ; TST.PAT                          8789
19680 071074  005204                         INC     R4                       ; CNT                              8786
19681 071076  020427  000017                 CMP     R4,#17                   ; CNT,*
19682 071102  003763                         BLE     2$
19683 071104  004767  127202                 JSR     PC,GD.BLK.XFER           ;                                  8792
19684 071110  012777  000061  124266         MOV     #61,@ML.REG              ;                                  8793
19685 071116  105777  124332          3$:    TSTB    @ML.REG+50
19686 071122  100375                         BPL     3$
19687 071124  012746  000025                 MOV     #25,-(SP)                ;                                  8795
19688 071130  012746  000010                 MOV     #10,-(SP)
19689 071134  004767  125304                 JSR     PC,STRIPPER
19690 071140  012702  177777                 MOV     #-1,R2                   ; *,STK.PTR                        8796
19691 071144  012766  000001  000004         MOV     #1,4(SP)                 ; *,NIB.BIT                        8797
19692 071152  005066  000010                 CLR     10(SP)                   ; ALL.ONES.1                       8798
19693 071156  012766  000003  000006         MOV     #3,6(SP)                 ; *,ALL.ONES.2                     8799
19694 071164  005004                         CLR     R4                       ; BY.FOUR.WRDS                     8801
19695 071166  005005                  4$:    CLR     R5                       ; BY.ONE.WRD                       8804
19696 071170  005003                  5$:    CLR     R3                       ; COUNT                            8806
19697 071172  020366  000010          6$:    CMP     R3,10(SP)                ; COUNT,ALL.ONES.1                 8808
19698 071176  001463                         BEQ     7$
19699 071200  005203                         INC     R3                       ; COUNT                            8810
19700 071202  005202                         INC     R2                       ; STK.PTR                          8811
19701 071204  126227  015034  000017         CMPB    STACK(R2),#17            ; *(STK.PTR),*                     8813
19702 071212  001767                         BEQ     6$
```

```
19704                                   ;ML4AD                          29-Mar-1982 16:23:04    TOPS
19705                                   ;       TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
19706
19707 071214  005267  124156                    INC     P.CNT           ;                       8815
19708 071220  026767  124152  124152            CMP     P.CNT,LIMIT
19709 071226  003047                            BGT     7$
19710 071230  104455                            TRAP    55              ;                       8817
19711 071232  000132                            .WORD   132
19712 071234  012750                            .WORD   SYNC
19713 071236  026302                            .WORD   DUMPER
19714 071240  012746  010730                    MOV     #WRD.19,-(SP)   ;                       8818
19715 071244  012746  012216                    MOV     #FNC.5,-(SP)
19716 071250  012746  010650                    MOV     #WRD.12,-(SP)
19717 071254  012746  011676                    MOV     #PHR.4,-(SP)
19718 071260  012746  011140                    MOV     #WRD.39,-(SP)
19719 071264  012746  010766                    MOV     #WRD.23,-(SP)
19720 071270  012746  010322                    MOV     #SIX.FMT,-(SP)
19721 071274  012746  000007                    MOV     #7,-(SP)
19722 071300  010600                            MOV     SP,R0           ; SP,*
19723 071302  104414                            TRAP    14
19724 071304  010216                            MOV     R2,(SP)         ; STK.PTR,*             8819
19725 071306  005046                            CLR     -(SP)
19726 071310  116216  015034                    MOVB    STACK(R2),(SP)  ; *(STK.PTR),*
19727 071314  012746  177777                    MOV     #-1,-(SP)
19728 071320  012746  006650                    MOV     #FMT.5,-(SP)
19729 071324  012746  000004                    MOV     #4,-(SP)
19730 071330  010600                            MOV     SP,R0           ; SP,*
19731 071332  104414                            TRAP    14
19732 071334  012701  000001                    MOV     #1,R1           ; *,DODU.FLG            8820
19733 071340  062706  000030                    ADD     #30,SP          ;                       8815
19734 071344  000712                            BR      6$              ;                       8808
19735 071346  005202                    7$:     INC     R2              ; STK.PTR               8825
19736 071350  012766  000017  000014            MOV     #17,14(SP)      ; *,SAV.NIB             8826
19737 071356  046666  000004  000014            BIC     4(SP),14(SP)    ; NIB.BIT,SAV.NIB
19738 071364  005000                            CLR     R0              ;                       8828
19739 071366  156200  015034                    BISB    STACK(R2),R0    ; *(STK.PTR),*
19740 071372  020066  000014                    CMP     R0,14(SP)       ; *,SAV.NIB
19741 071376  001462                            BEQ     8$
19742 071400  005267  123772                    INC     P.CNT           ;                       8830
19743 071404  026767  123766  123766            CMP     P.CNT,LIMIT
19744 071412  003153                            BGT     11$
19745 071414  104455                            TRAP    55              ;                       8832
19746 071416  000133                            .WORD   133
19747 071420  012750                            .WORD   SYNC
19748 071422  026302                            .WORD   DUMPER
19749 071424  012746  010730                    MOV     #WRD.19,-(SP)   ;                       8833
19750 071430  012746  012216                    MOV     #FNC.5,-(SP)
19751 071434  012746  010650                    MOV     #WRD.12,-(SP)
19752 071440  012746  011676                    MOV     #PHR.4,-(SP)
19753 071444  012746  011140                    MOV     #WRD.39,-(SP)
19754 071450  012746  010766                    MOV     #WRD.23,-(SP)
19755 071454  012746  010322                    MOV     #SIX.FMT,-(SP)
19756 071460  012746  000007                    MOV     #7,-(SP)
19757 071464  010600                            MOV     SP,R0           ; SP,*
19758 071466  104414                            TRAP    14
```

```
                                                                    29-Mar-1982 16:23:04   TOPS
                                                                    29-Mar-1982 16:21:03   PA:<
19760                                   ;ML4AD
19761                                   ;                   TEST CODE SECTION
19762
19763 071470  010216                              MOV     R2,(SP)             ; STK.PTR,*                    8834
19764 071472  012746  007370                      MOV     #FMT.15,-(SP)
19765 071476  012746  000002                      MOV     #2,-(SP)
19766 071502  010600                              MOV     SP,R0               ; SP,*
19767 071504  104414                              TRAP    14
19768 071506  005016                              CLR     (SP)                ;                              8835
19769 071510  116216  015034                      MOVB    STACK(R2),(SP)      ; *(STK.PTR),*
19770 071514  016646  000040                      MOV     40(SP),-(SP)        ; SAV.NIB,*
19771 071520  012746  006650                      MOV     #FMT.5,-(SP)
19772 071524  012746  000003                      MOV     #3,-(SP)
19773 071530  010600                              MOV     SP,R0               ; SP,*
19774 071532  104414                              TRAP    14
19775 071534  012701  000001                      MOV     #1,R1               ; *,DODU.FLG                   8836
19776 071540  062706  000032                      ADD     #32,SP              ;                              8830
19777 071544  005003                  8$:         CLR     R3                  ; COUNT                        8839
19778 071546  020366  000006                  9$: CMP     R3,6(SP)            ; COUNT,ALL.ONES.2             8841
19779 071552  001463                              BEQ     10$
19780 071554  005203                              INC     R3                  ; COUNT                        8843
19781 071556  005202                              INC     R2                  ; STK.PTR                      8844
19782 071560  126227  015034  000017              CMPB    STACK(R2),#17       ; *(STK.PTR),*                 8846
19783 071566  001767                              BEQ     9$
19784 071570  005267  123602                      INC     P.CNT               ;                              8848
19785 071574  026767  123576  123576              CMP     P.CNT,LIMIT
19786 071602  003047                              BGT     10$
19787 071604  104455                              TRAP    55                  ;                              8850
19788 071606  000134                              .WORD   134
19789 071610  012750                              .WORD   SYNC
19790 071612  026302                              .WORD   DUMPER
19791 071614  012746  010730                      MOV     #WRD.19,-(SP)       ;                              8851
19792 071620  012746  012216                      MOV     #FNC.5,-(SP)
19793 071624  012746  010650                      MOV     #WRD.12,-(SP)
19794 071630  012746  011676                      MOV     #PHR.4,-(SP)
19795 071634  012746  011140                      MOV     #WRD.39,-(SP)
19796 071640  012746  010766                      MOV     #WRD.23,-(SP)
19797 071644  012746  010322                      MOV     #SIX.FMT,-(SP)
19798 071650  012746  000007                      MOV     #7,-(SP)
19799 071654  010600                              MOV     SP,R0               ; SP,*
19800 071656  104414                              TRAP    14
19801 071660  010216                              MOV     R2,(SP)             ; STK.PTR,*                    8852
19802 071662  005046                              CLR     -(SP)
19803 071664  116216  015034                      MOVB    STACK(R2),(SP)      ; *(STK.PTR),*
19804 071670  012746  177777                      MOV     #-1,-(SP)
19805 071674  012746  006650                      MOV     #FMT.5,-(SP)
19806 071700  012746  000004                      MOV     #4,-(SP)
19807 071704  010600                              MOV     SP,R0               ; SP,*
19808 071706  104414                              TRAP    14
19809 071710  012701  000001                      MOV     #1,R1               ; *,DODU.FLG                   8853
19810 071714  062706  000030                      ADD     #30,SP              ;                              8848
19811 071720  000712                              BR      9$                  ;                              8841
19812 071722  006366  000004              10$:    ASL     4(SP)               ; NIB.BIT                      8858
19813 071726  005205                              INC     R5                  ; BY.ONE.WRD                   8804
19814 071730  020527  000003                      CMP     R5,#3               ; BY.ONE.WRD,*
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                                BGT     11$
                                                JMP     5$
000004                          11$:    MOV     #1,4(SP)                ; *,NIB.BIT                             8861
                                        INC     10(SP)                  ; ALL.ONES.1                            8862
                                        DEC     6(SP)                   ; ALL.ONES.2                            8863
                                        INC     R4                      ; BY.FOUR.WRDS                          8801
                                        CMP     R4,#3                   ; BY.FOUR.WRDS,*
                                        BGT     12$
                                        JMP     4$
                                12$:    CMP     (SP)+,(SP)+             ;                                       8780
                                        TRAP    67                      ;                                       8864
                                        ROR     R0
                                        BHIS    13$
                                        JMP     1$
                                13$:    DEC     R1                      ; DODU.FLG                              8868
                                        BNE     14$
                                        MOV     ML.LUN,R0               ;                                       8871
                                        TRAP    51
                                        TRAP    44
                                14$:    ADD     #12,SP                  ;                                       8714
                                        RTS     PC

                                ; Routine Size:  272 words
                                ; Maximum stack depth per invocation:  26 words


                                        .SBTTL  T38 TEST CODE SECTION
                                T38::
                                1$:     JSR     PC,$T38                 ;                                       8873
                                        TRAP    66
                                        ROR     R0
                                        BLO     1$
                                        RTS     PC

                                ; Routine Size:  6 words
                                ; Maximum stack depth per invocation:  0 words
;          8876  !<BLF/PAGE>
```

```
19872 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
19873 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (91)
19874
19875 ;          8877  !
19876 ;          8878  BGNTST;
19877 ;          8879
19878 ;          8880  !++
19879 ;          8881  ! TEST NUMBER:  TST 39
19880 ;          8882  !
19881 ;          8883  ! TEST NAME:    SYNC DATA BUS BIT UNIQUENESS TEST/READ PATH
19882 ;          8884  !
19883 ;          8885  ! TEST DESCRIPTION:
19884 ;          8886  !       TEST SYNCHRONOUS DATA BUS READ
19885 ;          8887  !       PATH FOR DATA BIT UNIQUENESS BY:
19886 ;          8888  !
19887 ;          8889  !       1.  LOADING THE FIRST 16 WORDS IN THE IO_BUF WITH A SHIFTING
19888 ;          8890  !           ZERO IN A FIELD OF ONES PATTERN.
19889 ;          8891  !
19890 ;          8892  !       2.  VIA MBUS WRITE FUNCTION WRITE SHIFTING PATTERN INTO THE GOOD BLOCK.
19891 ;          8893  !
19892 ;          8894  !       3.  CLEAR THE IO_BUF.
19893 ;          8895  !
19894 ;          8896  !       4.  VIA MBUS READ FUNCTION READ THE SHIFTING PATTERN THROUGH THE
19895 ;          8897  !           READ PATH.
19896 ;          8898  !
19897 ;          8899  !       5.  INTERIGATE THE IO_BUF FOR THE SHIFTING PATTERN.
19898 ;          8900  !
19899 ;          8901  ! IMPLICIT INPUTS:
19900 ;          8902  !       IO_BUF
19901 ;          8903  !       A VECTOR OF 256 WORDS WHERE DATA FOR MBUS READS AND WRITE FUNCTION ARD FOUND.
19902 ;          8904  !--
19903 ;          8905
19904 ;          8906  local
19905 ;          8907      DODU_FLG,                              !DROP UNIT FLAG
19906 ;          8908      TST_PAT;                               !TEST PATTERN
19907 ;          8909
19908 ;          8910  CLR_MBUS;
19909 ;          8911  DODU_FLG = ZERO;
19910 ;          8912  TST_PAT = ONE;                             !ONE IN A FIELD OF ZEROES
19911 ;          8913
19912 ;          8914  incr CNT from 0 to 15 do                  !WRITE 16 WORDS WITH SHIFTED 0 IN A FIELD OF 1'S
19913 ;          8915      begin
19914 ;          8916      IO_BUF [.CNT] = not .TST_PAT;
19915 ;          8917      TST_PAT = .TST_PAT^ONE;
19916 ;          8918      end;
19917 ;          8919
19918 ;          8920  GD_BLK_XFER ();                           !SET UP A GOOD BLOCK XFERR
19919 ;          8921  MLCS1 = write;                            !WRITE SHIFTING PATTERN
19920 ;          8922  TIME_OUT_LOOP;
19921 ;          8923  BGNSUB;
19922 ;          8924
19923 ;          8925  incr CNT from 0 to 15 do                  !CLEAR OUT THE IO_BUF
19924 ;          8926      IO_BUF [.CNT] = ZEROES;
19925 ;          8927
19926 ;          8928  CLR_MBUS;
```

```
 19928 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
 19929 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (91)
 19930
 19931 ;          8929  GD_BLK_XFER ();                          !SET UP A GOOD BLOCK XFERR
 19932 ;          8930  ML_CS1 = read;                           !READ SHIFTING PATTERN THROUGH SYNC BUS
 19933 ;          8931  TIME_OUT_LOOP;
 19934 ;          8932  TST_PAT = ONE;                          !SHIFTING PATTERN
 19935 ;          8933
 19936 ;          8934  incr CNT from 0 to 15 do                !READ IO_BUF FOR SHIFTING 0 IN FIELD OF 1'S
 19937 ;          8935      begin
 19938 ;          8936
 19939 ;          8937      if .IO_BUF [.CNT] neq ( not .TST_PAT)   !COMPARE IO_BUF TO SHIFTED PAT
 19940 ;          8938      then
 19941 ;          8939          begin                            !ERROR AND SET DODU_FLG IF NEQ
 19942 ;          8940          ERRDF (93, SYNC, DUMPER);
 19943 ;          8941          PRINTB (FIV_FMT, WRD_23, FNC_6, WRD_19, WRD_39, PHR_4);
 19944 ;          8942          PRINTB (FMT_2, ( not .TST_PAT), .IO_BUF [.CNT], ( not .TST_PAT xor .IO_BUF [.CNT]));
 19945 ;          8943          DODU_FLG = ONE;
 19946 ;          8944          end;
 19947 ;          8945
 19948 ;          8946      TST_PAT = .TST_PAT^ONE;              !SHIFT THE PATTERN AND REPEAT
 19949 ;          8947      end;
 19950 ;          8948
 19951 ;          8949  ENDSUB;
 19952 ;          8950
 19953 ;          8951  if .DODU_FLG IS_SET                     !DROP THIS UNIT IF DODU_FLG IS_SET
 19954 ;          8952  then
 19955 ;          8953      begin
 19956 ;          8954      DODU (.ML_LUN);
 19957 ;          8955      DOCLN;
 19958 ;          8956      end;
 19959 ;          8957
 19960 ;          8958  ENDTST;
 19964
 19965                                    .SBTTL  $T39 TEST CODE SECTION
 19969 072046  004167  112540        $T39: JSR     R1,$SAVE5                  ;                                  8875
 19970 072052  152777  000040  123364      BISB    #40,@ML.REG+40             ;                                  8908
 19971 072060  016705  123746              MOV     ML.OUT,R5
 19972 072064  042705  177770              BIC     #177770,R5
 19973 072070  142777  000007  123346      BICB    #7,@ML.REG+40
 19974 072076  150577  123342              BISB    R5,@ML.REG+40
 19975 072102  005005                      CLR     R5                         ; DODU.FLG                         8911
 19976 072104  012704  000001              MOV     #1,R4                      ; *,TST.PAT                        8912
 19977 072110  005000                      CLR     R0                         ; CNT                              8914
 19978 072112  010001              1$:     MOV     R0,R1                      ; CNT,*                            8916
 19979 072114  006301                      ASL     R1
 19980 072116  010461  014022              MOV     R4,IO.BUF(R1)              ; TST.PAT,*
 19981 072122  005161  014022              COM     IO.BUF(R1)
 19982 072126  006304                      ASL     R4                         ; TST.PAT                          8917
```

```
19984                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
19985                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
19986
19987 072130  005200                            INC     R0              ; CNT                                           8914
19988 072132  020027  000017                    CMP     R0,#17          ; CNT,*
19989 072136  003765                            BLE     1$
19990 072140  004767  126146                    JSR     PC,GD.BLK.XFER  ;                                               8920
19991 072144  012777  000061  123232            MOV     #61,@ML.REG     ;                                               8921
19992 072152  105777  123276          2$:       TSTB    @ML.REG+50
19993 072156  100375                            BPL     2$
19994 072160  104402                  3$:       TRAP    2               ;                                               8922
19995 072162  005000                            CLR     R0              ; CNT                                           8925
19996 072164  010001                  4$:       MOV     R0,R1           ; CNT,*                                         8926
19997 072166  006301                            ASL     R1
19998 072170  005061  014022                    CLR     IO.BUF(R1)
19999 072174  005200                            INC     R0              ; CNT                                           8925
20000 072176  020027  000017                    CMP     R0,#17          ; CNT,*
20001 072202  003770                            BLE     4$
20002 072204  152777  000040  123232            BISB    #40,@ML.REG+40  ;                                               8926
20003 072212  016703  123614                    MOV     ML.DUT,R3
20004 072216  042703  177770                    BIC     #177770,R3
20005 072222  142777  000007  123214            BICB    #7,@ML.REG+40
20006 072230  150377  123210                    BISB    R3,@ML.REG+40
20007 072234  004767  126052                    JSR     PC,GD.BLK.XFER  ;                                               8929
20008 072240  012777  000071  123136            MOV     #71,@ML.REG     ;                                               8930
20009 072246  105777  123202          5$:       TSTB    @ML.REG+50
20010 072252  100375                            BPL     5$
20011 072254  012704  000001                    MOV     #1,R4           ; *,TST.PAT                                     8932
20012 072260  005002                            CLR     R2              ; CNT                                           8934
20013 072262  010201                  6$:       MOV     R2,R1           ; CNT,*                                         8937
20014 072264  006301                            ASL     R1
20015 072266  012703  014022                    MOV     #IO.BUF,R3
20016 072272  060103                            ADD     R1,R3
20017 072274  010401                            MOV     R4,R1           ; TST.PAT,*
20018 072276  005101                            COM     R1
20019 072300  021301                            CMP     (R3),R1
20020 072302  001447                            BEQ     7$
20021 072304  104455                            TRAP    55              ;                                               8940
20022 072306  000135                            .WORD   135
20023 072310  012750                            .WORD   SYNC
20024 072312  026302                            .WORD   DUMPER
20025 072314  012746  011676                    MOV     #PHR.4,-(SP)    ;                                               8941
20026 072320  012746  011140                    MOV     #WRD.39,-(SP)
20027 072324  012746  010730                    MOV     #WRD.19,-(SP)
20028 072330  012746  012226                    MOV     #FNC.6,-(SP)
20029 072334  012746  010766                    MOV     #WRD.23,-(SP)
20030 072340  012746  010304                    MOV     #FIV.FMT,-(SP)
20031 072344  012746  000006                    MOV     #6,-(SP)
20032 072350  010600                            MOV     SP,R0           ; SP,*
20033 072352  104414                            TRAP    14
20034 072354  011316                            MOV     (R3),(SP)       ;                                               8942
20035 072356  010146                            MOV     R1,-(SP)
20036 072360  046616  000002                    BIC     2(SP),(SP)
20037 072364  040166  000002                    BIC     R1,2(SP)
20038 072370  052616                            BIS     (SP)+,(SP)
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        
                                                MOV     (R3),-(SP)
                                                MOV     R1,-(SP)
                                                MOV     #FMT.2,-(SP)
                                                MOV     #4,-(SP)
                                                MOV     SP,R0                           ; SP,*
                                                TRAP    14
                                                MOV     #1,R5                           ; *,DODU.FLG                    8943
                                                ADD     #26,SP                          ;                               8939
                                        7$:     ASL     R4                              ; TST.PAT                       8946
                                                INC     R2                              ; CNT                           8934
                                                CMP     R2,#17                          ; CNT,*
                                                BLE     6$
                                                TRAP    67                              ;                               8947
                                                ROR     R0
                                                BLO     3$
                                                DEC     R5                              ; DODU.FLG                      8951
                                                BNE     8$
                                                MOV     ML.LUN,R0                       ;                               8954
                                                TRAP    51
                                                TRAP    44
                                        8$:     RTS     PC                              ;                               8875
                                        
                                        ; Routine Size:  133 words
                                        ; Maximum stack depth per invocation:  17 words
                                        
                                        
                                                .SBTTL  T39 TEST CODE SECTION
                                        T39::
                                        1$:     JSR     PC,$T39                         ;                               8956
                                                TRAP    66
                                                ROR     R0
                                                BLO     1$
                                                RTS     PC
                                        
                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
                                        ;       8959  !<BLF/PAGE>
```

```
20096 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
20097 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (92)
20098
20099 ;          8960 !
20100 ;          8961 !
20101 ;          8962 BGNTST;
20102 ;          8963
20103 ;          8964 !++
20104 ;          8965 ! TEST NUMBER:  TST 40
20105 ;          8966 !
20106 ;          8967 ! TEST NAME:    ARRAY ADDRESS MUX TEST
20107 ;          8968 !
20108 ;          8969 ! TEST DESCRIPTION:
20109 ;          8970 !
20110 ;          8971 !       TEST FOR UNIQUE MOS RAM ROW
20111 ;          8972 !       AND COLUMN ADDRESSING BY:
20112 ;          8973 !
20113 ;          8974 !       1.  FIRST FINDING A ERROR FREE
20114 ;          8975 !           16K OR 64K CHUNK OF MEMORY.
20115 ;          8976 !           THIS REPRESENTS ONE ROW OF
20116 ;          8977 !           EITHER 16K OR 64K MOS RAMS.
20117 ;          8978 !
20118 ;          8979 !       2.  WRITE A BACKGROUND OF ALL
20119 ;          8980 !           ONES INTO THE GOOD CHUNK
20120 ;          8981 !
20121 ;          8982 !       3.  WRITE ZEROES INTO THE FIRST
20122 ;          8983 !           BLOCK OF THE GOOD CHUNK.
20123 ;          8984 !
20124            8985 !       4.  READ REMAINING BLOCKS IN
20125 ;          8986 !           GOOD CHUNK FOR ONES.
20126 ;          8987 !
20127 ;          8988 !
20128 ;          8989 ! IMPLICIT INPUTS:
20129 ;          8990 !
20130 ;          8991 !       IO_BUF
20131 ;          8992 !
20132 ;          8993 !       A VECTOR OF 256 WORDS
20133 ;          8994 !       WHERE DATA FOR MBUS
20134 ;          8995 !       READ AND WRITE TRANSFERS
20135 ;          8996 !       CAN BE FOUND.
20136 ;          8997 !--
20137 ;          8998
20138 ;          8999 local
20139 ;          9000     DSA_ADRS,                          !DSA ADRS COUNTER
20140 ;          9001     FND_GD_CHK;                        !FOUND GOOD 16K/64K CHUNK FLAG
20141 ;          9002
20142 ;          9003 IO_BUF = ONES;                         !LOAD FIRST IO_BUF WORD WITH ONES
20143 ;          9004 DSA_ADRS = -.RAS_INC;                  !REST DSA COUNT
20144 ;          9005 FND_GD_CHK = ZERO;                     !CLEAR FLAG
20145 ;          9006
20146 ;          9007 do                                     !DO UNTIL FOUND GOOD CHUNK OR LBT
20147 ;          9008     begin
20148 ;          9009     CLR_MBUS;
20149 ;          9010     BAI = ONE;                         !SET ON FIRST IO BUF WORD
20150 ;          9011     ECC_DIS = ONE;                     !DISABLE ECC
```

```
  20152 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
  20153 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (92)
  20154 ;
  20155 ;          9012       DSA_ADRS = .DSA_ADRS + .RAS_INC;    !INCREMENT DSA ADRS COUNTER
  20156 ;          9013       MLWC = .W_C_SIZE;                   !16K OR 64K WORDS
  20157 ;          9014       MLBA = IO_BUF;                      !LOAD UBUS ADRS
  20158 ;          9015       MLDA = .DSA_ADRS;                   !LOAD DSA ADRS
  20159 ;          9016       ML_FUNC = write;                    !DO A WRITE FUNCTION
  20160 ;          9017       TIME_OUT_LOOP;
  20161 ;          9018
  20162 ;          9019       if .SC IS_NOT_SET                   !DID XFERR CAUSE AN SC
  20163 ;          9020       then
  20164 ;          9021           begin                           !XFERR WAS OK
  20165 ;          9022           MLWC = .W_C_SIZE;               !LOAD WORD COUNT
  20166 ;          9023           MLBA = IO_BUF;                  !LOAD UBUS ADRS
  20167 ;          9024           MLDA = .DSA_ADRS;               !LOAD DSA ADRS
  20168 ;          9025           ML_FUNC = WRT_CHK;              !DO A WRITE CHECK FUNCTION
  20169 ;          9026           TIME_OUT_LOOP;
  20170 ;          9027
  20171 ;          9028           if .SC IS_NOT_SET               !IS THIS CHUNK GOOD
  20172 ;          9029           then
  20173 ;          9030               FND_GD_CHK = ONE;           !YES SET FLG
  20174 ;          9031
  20175 ;          9032           end
  20176 ;          9033
  20177 ;          9034       end
  20178 ;          9035   !
  20179 ;          9036   !VER CZMLAD CHANGED TEST TO UNSIGNED TEST
  20180 ;          9037   !
  20181 ;          9038   until (.FND_GD_CHK IS_SET ) or (.DSA_ADRS eqlU .LST_ARR + .ARR_INC);
  20182 ;          9039
  20183 ;          9040                                           !REPEAT UNTIL FOUND GOOD CHUNCK OR AT LBT
  20184 ;          9041
  20185 ;          9042   !
  20186 ;          9043   !VER CZMLAD CHANGED TEST TO UNSIGNED TEST
  20187 ;          9044   !
  20188 ;          9045   if .DSA_ADRS eqlU .LST_ARR + .ARR_INC
  20189 ;          9046   then
  20190 ;          9047       begin
  20191 ;          9048       ERRDF (111, INTER, DUMPER);
  20192 ;          9049       PRINTB (FIV_FMT, FNC_13, FNC_17, WRD_50, WRD_60, WRD_56);
  20193 ;          9050       PRINTB (THR_FMT, WRD_14, PHR_10, FNC_15);
  20194 ;          9051       end
  20195 ;          9052   else                                    !A GOOD CHUNCK WAS FOUND CONTINUE TEST
  20196 ;          9053       begin
  20197 ;          9054       CLR_MBUS;
  20198 ;          9055       BAI = ONE;
  20199 ;          9056       ECC_DIS = ONE;                      !DISABLE ECC
  20200 ;          9057       IO_BUF = ZEROES;                    !FIRST BLOCK IN CHUNCK GETS ZEROES
  20201 ;          9058       MLDA = .DSA_ADRS;                   !LOAD DSA
  20202 ;          9059       MLWC = not 255;                     !LOAD WORD COUNT
  20203 ;          9060       MLBA = IO_BUF;                      !LOAD UBUS ADRS
  20204 ;          9061       ML_FUNC = write;                    !DO A WRITE FUNCTION
  20205 ;          9062       TIME_OUT_LOOP;
  20206 ;          9063       CLR_MBUS;
```

```
20208 ;M14AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
20209 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (92)
20210
20211 ;          9064       BAI = ONE;
20212 ;          9065       IO_BUF = ONES;                      !READ REMAINING BLOCKS FOR ONES
20213 ;          9066       ECC_DIS = ONE;
20214 ;          9067       MLDA = .DSA_ADRS + 1;               !LOAD DSA WITH NEXT DSA INCREMENT
20215 ;          9068       MLBA = IO_BUF;                      !LOAD  UBUS ADRS
20216 ;          9069       MLWC = .W_C_SIZE + 256;             !LOAD WORD COUNT WITH LESS ONE BLOCK
20217 ;          9070       ML_FUNC = WRT_CHK;                  !DO A WRITE CHECK FUNCTION
20218 ;          9071       TIME_OUT_LOOP;
20219 ;          9072
20220 ;          9073       if .WCE IS_SET                      !WERE ANY BITS DISTURBED
20221 ;          9074       then
20222 ;          9075           begin                           !ERROR IF WRITE CHECK FOUND BAD DATA
20223 ;          9076           ERRDF (112, ASYNC, DUMPER);
20224 ;          9077           PRINTB (FOR_FMT, FNC_17, WRD_50, WRD_60, WRD_14);
20225 ;          9078           PRINTB (FMT_9, (.MLDA - 1));
20226 ;          9079           DODU (.ML_LUN);
20227 ;          9080           DOCLN;
20228 ;          9081           end;
20229 ;          9082
20230 ;          9083       end;
20231 ;          9084
20232 ;          9085   ENDTST;
20236
20237                                          .SBTTL  $T40 TEST CODE SECTION
20241 072474  004167  112040          $T40:   JSR     R1,$SAVE2           ;                                   8058
20242 072500  012767  177777  121314          MOV     #-1,IO.BUF          ;                                   9003
20243 072506  016702  122634                  MOV     RAS.INC,R2          ; *,DSA.ADRS                        9004
20244 072512  005402                          NEG     R2                  ; DSA.ADRS
20245 072514  005000                          CLR     R0                  ; FND.GD.CHK                        9005
20246 072516  152777  000040  122720  1$:     BISB    #40,aML.REG+40      ;                                   9008
20247 072524  016701  123302                  MOV     ML.DUT,R1
20248 072530  042701  177770                  BIC     #177770,R1
20249 072534  142777  000007  122702          BICB    #7,aML.REG+40
20250 072542  150177  122676                  BISB    R1,aML.REG+40
20251 072546  152777  000010  122670          BISB    #10,aML.REG+40      ;                                   9010
20252 072554  152777  000002  122742          BISB    #2,aML.REG+120      ;                                   9011
20253 072562  066702  122560                  ADD     RAS.INC,R2          ; *,DSA.ADRS                        9012
20254 072566  016777  122552  122620          MOV     W.C.SIZE,aML.REG+10 ;                                   9013
20255 072574  012777  014022  122622          MOV     #IO.BUF,aML.REG+20  ;                                   9014
20256 072602  010277  122626                  MOV     R2,aML.REG+30       ; DSA.ADRS,*                        9015
20257 072606  142777  000077  122570          BICB    #77,aML.REG         ;                                   9016
20258 072614  152777  000061  122562          BISB    #61,aML.REG
20259 072622  105777  122626          2$:     TSTB    aML.REG+50
20260 072626  100375                          BPL     2$
20261 072630  032777  100000  122546          BIT     #100000,aML.REG     ;                                   9019
20262 072636  001027                          BNE     4$
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        MOV     W.C.SIZE,@ML.REG+10     ;                                               9022
                                        MOV     #IO.BUF,@ML.REG+20      ;                                               9023
                                        MOV     R2,@ML.REG+30           ; DSA.ADRS,*                                    9024
                                        BICB    #77,@ML.REG             ;                                               9025
                                        BISB    #51,@ML.REG
                                3$:     TSTB    @ML.REG+50
                                        BPL     3$
                                        BIT     #100000,@ML.REG         ;                                               9028
                                        BNE     4$
                                        MOV     #1,R0                   ; *,FND.GD.CHK                                  9030
                                4$:     CMP     R0,#1                   ; FND.GD.CHK,*                                  9038
                                        BEQ     5$
                                        MOV     LST.ARR,R1
                                        ADD     ARR.INC,R1
                                        CMP     R2,R1                   ; DSA.ADRS,*
                                        BNE     1$
                                5$:     MOV     LST.ARR,R1              ;                                               9045
                                        ADD     ARR.INC,R1
                                        CMP     R2,R1                   ; DSA.ADRS,*
                                        BNE     6$
                                        TRAP    55                      ;                                               9048
                                        .WORD   157
                                        .WORD   INTER
                                        .WORD   DUMPER
                                        MOV     #WRD.56,-(SP)           ;                                               9049
                                        MOV     #WRD.60,-(SP)
                                        MOV     #WRD.50,-(SP)
                                        MOV     #FNC.17,-(SP)
                                        MOV     #FNC.13,-(SP)
                                        MOV     #FIV.FMT,-(SP)
                                        MOV     #6,-(SP)
                                        MOV     SP,R0                   ; SP,*
                                        TRAP    14
                                        MOV     #FNC.15,(SP)            ;                                               9050
                                        MOV     #PHR.10,-(SP)
                                        MOV     #WRD.14,-(SP)
                                        MOV     #THR.FMT,-(SP)
                                        MOV     #4,-(SP)
                                        MOV     SP,R0                   ; SP,*
                                        TRAP    14
                                        ADD     #26,SP                  ;                                               9047
                                        RTS     PC                      ;                                               9045
                                6$:     BISB    #40,@ML.REG+40          ;                                               9053
                                        MOV     ML.DUT,R1
                                        BIC     #177770,R1
                                        BICB    #7,@ML.REG+40
                                        BISB    R1,@ML.REG+40
                                        BISB    #10,@ML.REG+40          ;                                               9055
                                        BISB    #2,@ML.REG+120          ;                                               9056
                                        CLR     IO.BUF                  ;                                               9057
                                        MOV     R2,@ML.REG+30           ; DSA.ADRS,*                                    9058
                                        MOV     #-400,@ML.REG+10        ;                                               9059
```

```
20320                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
20321                                   ;                TEST CODE SECTION                      29-Mar-1982 16:21:03    PA:<
20322
20323 073144  012777  014022  122252            MOV     #IO.BUF,@ML.REG+20              ;                               9060
20324 073152  142777  000077  122224            BICB    #77,@ML.REG                     ;                               9061
20325 073160  152777  000061  122216            BISB    #61,@ML.REG
20326 073166  105777  122262            7$:     TSTB    @ML.REG+50
20327 073172  100375                            BPL     7$
20328 073174  152777  000040  122242            BISB    #40,@ML.REG+40                  ;                               9062
20329 073202  016701  122624                    MOV     ML.DUT,R1
20330 073206  042701  177770                    BIC     #177770,R1
20331 073212  142777  000007  122224            BICB    #7,@ML.REG+40
20332 073220  150177  122220                    BISB    R1,@ML.REG+40
20333 073224  152777  000010  122212            BISB    #10,@ML.REG+40                  ;                               9064
20334 073232  012767  177777  120562            MOV     #-1,IO.BUF                      ;                               9065
20335 073240  152777  000002  122256            BISB    #2,@ML.REG+120                  ;                               9066
20336 073246  010201                            MOV     R2,R1                           ; DSA.ADRS,*                    9067
20337 073250  005201                            INC     R1
20338 073252  010177  122156                    MOV     R1,@ML.REG+30
20339 073256  012777  014022  122140            MOV     #IO.BUF,@ML.REG+20              ;                               9068
20340 073264  016702  122054                    MOV     W.C.SIZE,R2                     ;                               9069
20341 073270  062702  000400                    ADD     #400,R2
20342 073274  010277  122114                    MOV     R2,@ML.REG+10
20343 073300  142777  000077  122076            BICB    #77,@ML.REG                     ;                               9070
20344 073306  152777  000051  122070            BISB    #51,@ML.REG
20345 073314  105777  122134            8$:     TSTB    @ML.REG+50
20346 073320  100375                            BPL     8$
20347 073322  032777  040000  122114            BIT     #40000,@ML.REG+40               ;                               9073
20348 073330  001441                            BEQ     9$
20349 073332  104455                            TRAP    55                              ;                               9076
20350 073334  000160                            .WORD   160
20351 073336  012706                            .WORD   ASYNC
20352 073340  026302                            .WORD   DUMPER
20353 073342  012746  010664                    MOV     #WRD.14,-(SP)                   ;                               9077
20354 073346  012746  011400                    MOV     #WRD.60,-(SP)
20355 073352  012746  011270                    MOV     #WRD.50,-(SP)
20356 073356  012746  012404                    MOV     #FMC.17,-(SP)
20357 073362  012746  010270                    MOV     #FC[illegible].FMT,-(SP)
20358 073366  012746  000005                    MOV     #[illegible]SP)
20359 073372  010600                            MOV     S[illegible])                   ; SP,*
20360 073374  104414                            TRAP    14
20361 073376  017716  122032                    MOV     @ML.REG+30,(SP)                 ;                               9078
20362 073402  005316                            DEC     (SP)
20363 073404  012746  007064                    MOV     #FMT.9,-(SP)
20364 073410  012746  000002                    MOV     #2,-(SP)
20365 073414  010600                            MOV     SP,R0                           ; SP,*
20366 073416  104414                            TRAP    14
20367 073420  016700  122404                    MOV     ML.LUN,R0                       ;                               9079
20368 073424  104451                            TRAP    51
20369 073426  104444                            TRAP    44
20370 073430  062706  000020                    ADD     #20,SP                          ;                               9075
20371 073434  000207                    9$:     RTS     PC                              ;                               8958
20372
20373                                   ; Routine Size:  241 words
20374                                   ; Maximum stack depth per invocation:  14 words
```

```
                                        ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
                                .SBTTL  T40 TEST CODE SECTION
                                T40::
                                1$:     JSR     PC,$T40                 ;                               9083
                                        TRAP    66
                                        ROR     R0
                                        BLO     1$
                                        RTS     PC

                                ; Routine Size:  6 words
                                ; Maximum stack depth per invocation:  0 words

;       9086  !<BLF/PAGE>
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (93)

```
20410 ;ML4AD
20411 ;                 TEST CODE SECTION
20412 ;
20413 ;          9087   !
20414 ;          9088   BGNTST;
20415 ;          9089
20416 ;          9090   !++
20417 ;          9091   ! TEST NUMBER:  TST 41
20418 ;          9092   !
20419 ;          9093   ! TEST NAME:    NIBBLE OFFSET TEST
20420 ;          9094   !
20421 ;          9095   ! TEST DESCRIPTION:
20422 ;          9096   !       TEST NIBBLE OFFSET COUNTERS TO OFFSET GOOD NIBBLE DATA A MAX
20423 ;          9097   !       OF 14 WORDS ON DETECTION OF ALL BAD NIBBLES BY:
20424 ;          9098   !
20425 ;          9099   !       1.  LOADING FIRST 2 1/4 WORDS OF THE IO_BUF WITH ZEROES AND THE
20426 ;          9100   !           REMAINING OF BUFFER WITH ONES.
20427 ;          9101   !
20428 ;          9102   !       2.  VIA DAT_DM MODE WRITE THE GOOD BLOCK WITH BACKGROUND
20429 ;          9103   !           ON ONES.
20430 ;          9104   !
20431 ;          9105   !       3.  VIA PROM R/W MODE FORCE ALL ARRAY NIBBLES BAD.
20432 ;          9106   !
20433 ;          9107   !       4.  VIA A MBUS WRITE FUNCTION LOAD IO_BUF INTO THE GOOD BLOCK.
20434 ;          9108   !
20435 ;          9109   !       5.  VIA DAT_DM MODE READ FIRST 15 ARRAY WORDS FOR ZEROES AND THE
20436 ;          9110   !           REMAINING WORDS FOR ONES.
20437 ;          9111   !
20438 ;          9112   ! IMPLICIT INPUTS:
20439 ;          9113   !       PD_TEMP
20440 ;          9114   !       A BIT VECTOR OF 16 BITS WHERE THE READ PROM DATA IS STORED AND
20441 ;          9115   !       ACCESSED FROM.
20442 ;          9116   !
20443 ;          9117   !       IO_BUF
20444 ;          9118   !       A VECTOR OF 256 WORDS WHERE DATA FOR MBUS READS AND WRITE
20445 ;          9119   !       FUNCTIONS ARE FOUND.
20446 ;          9120   !--
20447 ;          9121
20448 ;          9122   local
20449 ;          9123       DODU_FLG,                          !DROP UNIT FLAG
20450 ;          9124       TST_PAT,                           !TEST PATTERN
20451 ;          9125       START,                             !STARTING WORD
20452 ;          9126       FINISH,                            !ENDING WORD
20453 ;          9127       ERR_FLG;                           !ERROR FLAG
20454 ;          9128
20455 ;          9129   CLR_THRESHOLD;                         !CLEAR ERROR PRINT THRESHOLD
20456 ;          9130   BGNSUB;
20457 ;          9131   CLR_MBUS;
20458 ;          9132   DODO_FLG = ZERO;
20459 ;          9133
20460 ;          9134   incr WD_CNT from 0 to 255 do           !LOAD IO_BUF WITH ONES
20461 ;          9135       IO_BUF [.WD_CNT] = ONES;
20462 ;          9136
20463 ;          9137   IO_BUF [0] = ZEROES;                   !LOAD FIRST 2 1/4 WORDS WITH ZEROES
20464 ;          9138   IO_BUF [1] = ZEROES;
```

```
20466 :ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
20467 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (93)
20468
20469 ;          9139  IO_BUF [2] = %o'177760';
20470 ;          9140  MLD1 = ONES;                             !LOAD DATA DIAG REGISTERS WITH ONES
20471 ;          9141  MLD2 = ONES;
20472 ;          9142  MLE2 = ONES;
20473 ;          9143  DAT_DM_XFER ();                          !SET UP A DATA DIAG MODE XFERR
20474 ;          9144  MLCS1 = write;                           !DO A WRITE XFERR
20475 ;          9145
20476 ;          9146  incr WD_CNT from 0 to 127 do            !LOAD BLOCK WITH BG PAT
20477 ;          9147      begin
20478 ;          9148      DELAY (ONE_US);
20479 ;          9149      DAT_CLK = ONE;
20480 ;          9150      end;
20481 ;          9151
20482 ;          9152  CLR_MBUS;
20483 ;          9153  WRT_PD (ONES, 19);                       !FORCE ALL NIBBLES BAD
20484 ;          9154  PROM_RW = ONE;                           !SET PROM READ WRITE
20485 ;          9155  GD_BLK_XFER ();                          !SET UP A GOOD BLOCK XFERR
20486 ;          9156  MLCS1 = write;                           !WRITE ZEROES IN FIRST BLOCK WORD LOCATION
20487 ;          9157                                          !OFFSETTING 14 NIBBLES WITH ZEROES ALSO.
20488 ;          9158  TIME_OUT_LOOP;
20489 ;          9159  CLR_MBUS;
20490 ;          9160  START = ZERO;                           !START AT THE FIRST BLOCK WORD
20491 ;          9161  FINISH = 14;                            !END AT THE 14'TH BLOCK WORD
20492 ;          9162  TST_PAT = ZEROES;                       !TEST FOR ZEROES IN FIRST 14 WORDS
20493 ;          9163  DAT_DM_XFER ();                          !SET UP A DATA DIAG MODE XFERR
20494 ;          9164  MLCS1 = read;                            !DO A READ FUNCTION
20495 ;          9165  DELAY (ONE_US);
20496 ;          9166
20497 ;          9167  incr TWICE from 0 to 1 do               !READ WORDS 0-14 FOR 0'S AND 15-126 FOR 1'S
20498 ;          9168      begin
20499 ;          9169
20500 ;          9170      incr WRD_CNT from .START to .FINISH do   !READ BLOCK WORDS FORM START TO FINISH
20501 ;          9171          begin
20502 ;          9172          PD_TEMP = .MLPD;                !GET PROM DATA
20503 ;          9173          DAT_CLK = ONE;                  !CLOCK OUT THE DATA WORD
20504 ;          9174          DELAY (ONE_US);
20505 ;          9175          RD_LNG_WRD;                     !READ THE DATA DIAG REGISTERS
20506 ;          9176
20507 ;          9177          incr NIB_PTR from 0 to 8 do     !LOOK AT 9 NIBBLES
20508 ;          9178
20509 ;          9179              if .PD_TEMP [.NIB_PTR] IS_NOT_SET   !FIND GOOD NIBBLES
20510 ;          9180              then
20511 ;          9181                  begin
20512 ;          9182                  TST_LNG_WRD (.NIB_PTR, .TST_PAT, ERR_FLG);      !COMPARE NIBBLE WITH TST PAT
20513 ;          9183
20514 ;          9184                  if .ERR_FLG IS_SET      !SEE IF COMPARE FOUND AN ERROR
20515 ;          9185                  then
20516 ;          9186                      begin               !ERROR AND SET DODU_FLG IF ERROR FLG SET
20517 ;          9187                      CMP_THRESHOLD;      !COMPARE ERROR PRINT THRESHOLD
20518 ;          9188                      ERRDF (94, ARR_DAT, DUMPER);
20519 ;          9189                      PRINTB (THR_FMT, WRD_41, WRD_46, WRD_10);
20520 ;          9190                      PRINTB (FMT_6, .NIB_PTR);
```

```
20522 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
20523 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (93)
20524
20525 ;         9191                        DODU_FLG = ONE;
20526 ;         9192                        end;
20527 ;         9193
20528 ;         9194                    end;
20529 ;         9195
20530 ;         9196                end;
20531 ;         9197
20532 ;         9198            TST_PAT = not .TST_PAT;             !NOW READ FOR ONES
20533 ;         9199            START = 15;                         !START A 15
20534 ;         9200            FINISH = 126;                       !END AT 126
20535 ;         9201            end
20536 ;         9202
20537 ;         9203        ENDSUB;
20538 ;         9204
20539 ;         9205        if .DODU_FLG IS_SET                     !DROP THIS UNIT IF DODU_FLG SET
20540 ;         9206        then
20541 ;         9207            begin
20542 ;         9208            DODU (.ML_LUN);
20543 ;         9209            DOCLN;
20544 ;         9210            end;
20545 ;         9211
20546 ;         9212        ENDTST;
20550
20551                                           .SBTTL  $T41 TEST CODE SECTION
20555 073452  004167  111134          $T41:   JSR     R1,$SAVE5                   ;                       9085
20556 073456  162706  000012                  SUB     #12,SP
20557 073462  005067  121710                  CLR     P.CNT                       ;                       9127
20558 073466  104402                  1$:     TRAP    2                           ;                       9129
20559 073470  152777  000040  121746          BISB    #40,@ML.REG+40              ;                       9130
20560 073476  016704  122330                  MOV     ML.DUT,R4
20561 073502  042704  177770                  BIC     #177770,R4
20562 073506  142777  000007  121730          BICB    #7,@ML.REG+40
20563 073514  150477  121724                  BISB    R4,@ML.REG+40
20564 073520  005066  000004                  CLR     4(SP)                       ; DODU.FLG              9132
20565 073524  005002                          CLR     R2                          ; WD.CNT                9134
20566 073526  010203                  2$:     MOV     R2,R3                       ; WD.CNT,*              9135
20567 073530  006303                          ASL     R3
20568 073532  012763  177777  014022          MOV     #-1,IO.BUF(R3)
20569 073540  005202                          INC     R2                          ; WD.CNT                9134
20570 073542  020227  000377                  CMP     R2,#377                     ; WD.CNT,*
20571 073546  003767                          BLE     2$
20572 073550  005067  120246                  CLR     IO.BUF                      ;                       9137
20573 073554  005067  120244                  CLR     IO.BUF+2                    ;                       9138
20574 073560  012767  177760  120240          MOV     #-20,IO.BUF+4               ;                       9139
20575 073566  012777  177777  122000          MOV     #-1,@ML.REG+170             ;                       9140
20576 073574  012777  177777  122002          MOV     #-1,@ML.REG+200             ;                       9141
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
20578
20579
20580
20581 073602  012777  177777  121754        MOV     #-1,@ML.REG+160         ;                                       9142
20582 073610  004767  122576                JSR     PC,DAT.DM.XFER          ;                                       9143
20583 073614  012777  000061  121562        MOV     #61,@ML.REG             ;                                       9144
20584 073622  005001                        CLR     R1                      ; WD.CNT                                9146
20585 073624  012702  000001        3$:     MOV     #1,R2                   ; *,$STMP2                              9148
20586 073630  001411                4$:     BEQ     7$
20587 073632  016703  106260                MOV     L$DLY,R3                ; *,$STMP1
20588 073636  001404                        BEQ     6$
20589 073640  005066  000010        5$:     CLR     10(SP)                  ; $STMP
20590 073644  005303                        DEC     R3                      ; $STMP1
20591 073646  001374                        BNE     5$
20592 073650  005302                6$:     DEC     R2                      ; $STMP2
20593 073652  000766                        BR      4$
20594 073654  152777  000020  121642  7$:     BISB    #20,@ML.REG+120         ;                                       9149
20595 073662  005201                        INC     R1                      ; WD.CNT                                9146
20596 073664  020127  000177                CMP     R1,#177                 ; WD.CNT,*
20597 073670  003755                        BLE     3$
20598 073672  152777  000040  121544        BISB    #40,@ML.REG+40          ;                                       9150
20599 073700  016704  122126                MOV     ML.DUT,R4
20600 073704  042704  177770                BIC     #177770,R4
20601 073710  142777  000007  121526        BICB    #7,@ML.REG+40
20602 073716  150477  121522                BISB    R4,@ML.REG+40
20603 073722  012746  177777                MOV     #-1,-(SP)               ;                                       9153
20604 073726  012746  000023                MOV     #23,-(SP)
20605 073732  004767  127512                JSR     PC,WRT.PD
20606 073736  152777  000100  121560        BISB    #100,@ML.REG+120        ;                                       9154
20607 073744  004767  124342                JSR     PC,GD.BLK.XFER          ;                                       9155
20608 073750  012777  000061  121426        MOV     #61,@ML.REG             ;                                       9156
20609 073756  105777  121472        8$:     TSTB    @ML.REG+50
20610 073762  100375                        BPL     8$
20611 073764  152777  000040  121452        BISB    #40,@ML.REG+40          ;                                       9158
20612 073772  016704  122034                MOV     ML.DUT,R4
20613 073776  042704  177770                BIC     #177770,R4
20614 074002  142777  000007  121434        BICB    #7,@ML.REG+40
20615 074010  150477  121430                BISB    R4,@ML.REG+40
20616 074014  005066  000006                CLR     6(SP)                   ; START                                 9160
20617 074020  012766  000016  000004        MOV     #16,4(SP)               ; *,FINISH                              9161
20618 074026  005005                        CLR     R5                      ; TST.PAT                               9162
20619 074030  004767  122356                JSR     PC,DAT.DM.XFER          ;                                       9163
20620 074034  012777  000071  121342        MOV     #71,@ML.REG             ;                                       9164
20621 074042  012702  000001                MOV     #1,R2                   ; *,$STMP2                              9165
20622 074046  001411                9$:     BEQ     12$
20623 074050  016703  106042                MOV     L$DLY,R3                ; *,$STMP1
20624 074054  001404                        BEQ     11$
20625 074056  005066  000014        10$:    CLR     14(SP)                  ; $STMP
20626 074062  005303                        DEC     R3                      ; $STMP1
20627 074064  001374                        BNE     10$
20628 074066  005302                11$:    DEC     R2                      ; $STMP2
20629 074070  000766                        BR      9$
20630 074072  005004                12$:    CLR     R4                      ; TWICE                                 9167
20631 074074  016601  000006        13$:    MOV     6(SP),R1                ; START,WRD.CNT                         9170
20632 074100  005301                        DEC     R1                      ; WRD.CNT
```

```
20634                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
20635                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
20636
20637 074102  000545                      BR      23$
20638 074104  017767  121524  121230 14$: MOV     @ML.REG+230,PD.TEMP     ;                               9172
20639 074112  152777  000020  121404     BISB    #20,@ML.REG+120         ;                               9173
20640 074120  012702  000001             MOV     #1,R2                   ; *,$$TMP2                      9174
20641 074124  001411                     BEQ     18$
20642 074126  016703  105764       15$:  MOV     L$DLY,R3                ; *,$$TMP1
20643 074132  001404                     BEQ     17$
20644 074134  005066  000014       16$:  CLR     14(SP)                  ; $$TMP
20645 074140  005303                     DEC     R3                      ; $$TMP1
20646 074142  001374                     BNE     16$
20647 074144  005302             17$:    DEC     R2                      ; $$TMP2
20648 074146  000766                     BR      15$
20649 074150  017767  121420  117216 18$: MOV     @ML.REG+170,D1.TEMP
20650 074156  017767  121422  117212     MOV     @ML.REG+200,D2.TEMP
20651 074164  017767  121374  117206     MOV     @ML.REG+160,E2.TEMP
20652 074172  005002                     CLR     R2                      ; NIB.PTR                       9177
20653 074174  010203             19$:    MOV     R2,R3                   ; NIB.PTR,*                     9179
20654 074176  006203                     ASR     R3
20655 074200  006203                     ASR     R3
20656 074202  006203                     ASR     R3
20657 074204  062703  015342             ADD     #PD.TEMP,R3
20658 074210  010346                     MOV     R3,-(SP)
20659 074212  010246                     MOV     R2,-(SP)                ; NIB.PTR,*
20660 074214  042716  177770             BIC     #177770,(SP)
20661 074220  012746  000001             MOV     #1,-(SP)
20662 074224  005046                     CLR     -(SP)
20663 074226  004767  107402             JSR     PC,BL$GT2
20664 074232  062706  000010             ADD     #10,SP
20665 074236  005700                     TST     R0
20666 074240  001062                     BNE     22$
20667 074242  010246                     MOV     R2,-(SP)                ; NIB.PTR,*                     9182
20668 074244  010546                     MOV     R5,-(SP)                ; TST.PAT,*
20669 074246  012746  000020             MOV     #20,-(SP)
20670 074252  060616                     ADD     SP,(SP)                 ; ERR.FLG,*
20671 074254  004767  124116             JSR     PC,TST.LNG.WRD
20672 074260  026627  000020  000001     CMP     20(SP),#1               ; ERR.FLG,*                     9184
20673 074266  001045                     BNE     21$
20674 074270  005267  121102             INC     P.CNT                   ;                               9186
20675 074274  026767  121076  121076     CMP     P.CNT,LIMIT
20676 074302  003403                     BLE     20$
20677 074304  062706  000006             ADD     #6,SP
20678 074310  000442                     BR      23$
20679 074312  104455             20$:    TRAP    55                      ;                               9188
20680 074314  000136                     .WORD   136
20681 074316  013012                     .WORD   ARR.DAT
20682 074320  026302                     .WORD   DUMPER
20683 074322  012746  010630             MOV     #WRD.10,-(SP)           ;                               9189
20684 074326  012746  011226             MOV     #WRD.46,-(SP)
20685 074332  012746  011154             MOV     #WRD.41,-(SP)
20686 074336  012746  010256             MOV     #THR.FMT,-(SP)
20687 074342  012746  000004             MOV     #4,-(SP)
20688 074346  010600                     MOV     SP,R0                   ; SP,*
```

```
                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                    29-Mar-1982 16:21:03    PA:<
20690                                   ;ML4AD
20691                                   ;                   TEST CODE SECTION
20692
20693 074350  104414                              TRAP    14
20694 074352  010216                              MOV     R2,(SP)                   ; NIB.PTR,*                    9190
20695 074354  012746  006752                      MOV     #FMT.6,-(SP)
20696 074360  012746  000002                      MOV     #2,-(SP)
20697 074364  010600                              MOV     SP,R0                     ; SP,*
20698 074366  104414                              TRAP    14
20699 074370  012766  000001  000034              MOV     #1,34(SP)                 ; *,DODU.FLG                   9191
20700 074376  062706  000016                      ADD     #16,SP                    ;                              9186
20701 074402  062706  000006              21$:    ADD     #6,SP                     ;                              9181
20702 074406  005202                      22$:    INC     R2                        ; NIB.PTR                      9177
20703 074410  020227  000010                      CMP     R2,#10                    ; NIB.PTR,*
20704 074414  003667                              BLE     19$
20705 074416  005201                      23$:    INC     R1                        ; WRD.CNT                      9170
20706 074420  020166  000004                      CMP     R1,4(SP)                  ; WRD.CNT,FINISH
20707 074424  003627                              BLE     14$
20708 074426  005105                              COM     R5                        ; TST.PAT                      9198
20709 074430  012766  000017  000006              MOV     #17,6(SP)                 ; *,START                      9199
20710 074436  012766  000176  000004              MOV     #176,4(SP)                ; *,FINISH                     9200
20711 074444  005204                              INC     R4                        ; TWICE                        9167
20712 074446  020427  000001                      CMP     R4,#1                     ; TWICE,*
20713 074452  003610                              BLE     13$
20714 074454  022626                              CMP     (SP)+,(SP)+               ;                              9129
20715 074456  104467                              TRAP    67                        ;                              9201
20716 074460  006000                              ROR     R0
20717 074462  103002                              BHIS    24$
20718 074464  000167  176776                      JMP     1$
20719 074470  026627  000004  000001  24$:        CMP     4(SP),#1                  ; DODU.FLG,*                   9205
20720 074476  001004                              BNE     25$
20721 074500  016700  121324                      MOV     ML.LUN,R0                 ;                              9208
20722 074504  104451                              TRAP    51
20723 074506  104444                              TRAP    44
20724 074510  062706  000012              25$:    ADD     #12,SP                    ;                              9085
20725 074514  000207                              RTS     PC
20726
20727                                   ; Routine Size:  274 words
20728                                   ; Maximum stack depth per invocation:  23 words
20733
20734
20738
20739                                             .SBTTL  T41 TEST CODE SECTION
20743 074516                            T41::
20744 074516  004767  176730              1$:     JSR     PC,$T41                   ;                              9210
```

```
20746                                   ;ML4AD                                  29-Mar-1982 16:23.04    TOPS
20747                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
20748
20749 074522  104466                              TRAP    66
20750 074524  006000                              ROR     R0
20751 074526  103773                              BLO     1$
20752 074530  000207                              RTS     PC
20753
20754                                   ; Routine Size:  6 words
20755                                   ; Maximum stack depth per invocation:  0 words
20760
20761
20762 ;         9213  !<BLF/PAGE>
```

```
20764 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
20765 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (94)
20766 ;
20767 ;          9214  !
20768 ;          9215  BGNTST;
20769 ;          9216
20770 ;          9217  !++
20771 ;          9218  ! TEST NUMBER:  TST 42
20772 ;          9219  !
20773 ;          9220  ! TEST NAME:    CS1 FUNCTION ABORT TEST
20774 ;          9221  !
20775 ;          9222  ! TEST DESCRIPTION:
20776 ;          9223  !       TEST CS1 FUNCTION ABORTS ON DETECTION OF CLASS 'A' & 'B' ERRORS BY:
20777 ;          9224  !
20778 ;          9225  !       1.  VIA MBUS WRITE FUNCTION LOAD THE GOOD BLOCK WITH BACKGROUND
20779 ;          9226  !           PATTERN OF ONES.
20780 ;          9227  !
20781 ;          9228  !       2.  CLEAR THE IO_BUF
20782 ;          9229  !
20783 ;          9230  !       3.  DO A MBUS READ FUNCTION.  WHILE THE READ IS IN PROGRESS WRITE TO
20784 ;          9231  !           MLDA (CLASS 'A' ERROR) READ THE IO_BUF FOR ONES.
20785 ;          9232  !
20786 ;          9233  !       4.  CLEAR THE IO_BUF
20787 ;          9234  !
20788 ;          9235  !       5.  VIA PROM R/W MODE FORCE UV ERROR TO THE UV ADRS ERROR PROM
20789 ;          9236  !           (CLASS 'B' ERROR).  DO A MBUS READ.
20790 ;          9237  !
20791 ;          9238  !       6.  READ IO_BUF FOR ZEROES
20792 ;          9239  !
20793 ;          9240  ! IMPLICIT INPUTS:
20794 ;          9241  !       IO_BUF
20795 ;          9242  !       A VECTOR OF 256 WORDS WHERE DATA FOR MBUS READS AND
20796 ;          9243  !       WRITE FUNCTION ARE FOUND.
20797 ;          9244  !--
20798 ;          9245
20799 ;          9246  CLR_THRESHOLD;                          !CLEAR ERROR PRINT THRESHOLD
20800 ;          9247  CLR_MBUS;
20801 ;          9248  BAI = ONE;                              !SET ON FIRST IO_BUF ADRS
20802 ;          9249  IO_BUF = ONES;                          !LOAD FIRST IO_BUF ADRS
20803 ;          9250  GD_BLK_XFER ();                         !SET UP A GOOD BLOCK XFERR
20804 ;          9251  MLCS1 = write;                          !WRITE BACKGROUND PATTERN
20805 ;          9252  TIME_OUT_LOOP;
20806 ;          9253
20807 ;          9254  incr TWICE from 0 to 1 do               !FORCE CLASS 'A' AND CLASS 'B' ERRORS
20808 ;          9255      begin
20809 ;          9256      BGNSUB;
20810 ;          9257      CLR_MBUS;
20811 ;          9258
20812 ;          9259      incr CNT from 0 to 255 do
20813 ;          9260          IO_BUF [.CNT] = ZEROES;         !CLEAR OUT IO_BUF
20814 ;          9261
20815 ;          9262      if .TWICE eql 1                     !IF 2ND PASS THEN FORCE 'B' ERROR
20816 ;          9263      then
20817 ;          9264          begin
20818 ;          9265          PROM_RW = ONE;
```

```
20820 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
20821 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (94)
20822 ;
20823 ;          9266          MLPD = %o'777';
20824 ;          9267          end;
20825 ;          9268
20826 ;          9269      GD_BLK_XFER ();                       !SET UP A GOOD BLOCK XFERR
20827 ;          9270      MLCS1 = read;                         !DO A READ FUNCTION
20828 ;          9271
20829 ;          9272      if .TWICE eql 0 then MLDA = ONES;     !IF FIRST PASS THEN FORCE AN 'A' ERROR
20830 ;          9273
20831 ;          9274      TIME_OUT_LOOP;
20832 ;          9275
20833 ;          9276      if .TWICE eql 0                       !SEE WHICH PASS WE'RE ON
20834 ;          9277      then
20835 ;          9278          begin                             !CLASS 'A' ERROR
20836 ;          9279
20837 ;          9280          incr WRD_CNT from 0 to 64 do      !SEE IF XFERR WAY ALLOWED TO CONTINUE
20838 ;          9281              begin
20839 ;          9282
20840 ;          9283              if .IO_BUF [.WRD_CNT] neq ONES    !READ IO_BUF FOR BG PAT
20841 ;          9284              then
20842 ;          9285                  begin                     !ERROR AND EXIT LOOP IF ZEROES
20843 ;          9286                  CMP_THRESHOLD;            !COMPARE ERROR PRINT THRESHOLD
20844 ;          9287                  ERRDF (95, SYNC, DUMPER);
20845 ;          9288                  PRINTB (FOR_FMT, PHR_8, FNC_13, WRD_19, WRD_10);
20846 ;          9289                  exitloop;
20847 ;          9290                  end;
20848 ;          9291
20849 ;          9292              end;
20850 ;          9293
20851 ;          9294          end
20852 ;          9295      else                                  !CLASS 'B' ERROR
20853 ;          9296          begin
20854 ;          9297
20855 ;          9298          incr WRD_CNT from 0 to 64 do      !SEE IF XFERR WAS ABORTED
20856 ;          9299              begin
20857 ;          9300
20858 ;          9301              if .IO_BUF [.WRD_CNT] neq ZEROES  !READ IO_BUF CLEARED DATA
20859 ;          9302              then
20860 ;          9303                  begin                     !ERROR IF ONES AND EXIT LOOP
20861 ;          9304                  CMP_THRESHOLD;            !COMPARE ERROR PRINT THRESHOLD
20862 ;          9305                  ERRDF (96, SYNC, DUMPER);
20863 ;          9306                  PRINTB (FOR_FMT, PHR_9, FNC_13, WRD_19, WRD_10);
20864 ;          9307                  exitloop
20865 ;          9308                  end;
20866 ;          9309
20867 ;          9310              end;
20868 ;          9311
20869 ;          9312          end;
20870 ;          9313
20871 ;          9314      if .SC IS_NOT_SET                     !SEE IF SC BIT SET
20872 ;          9315      then
20873 ;          9316          begin                             !ERROR IF NOT SET
20874 ;          9317          ERRDF (104, SYNC, DUMPER);
```

```
20876 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
20877 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (94)
20878
20879 ;          9318          PRINTB (FIV_FMT, WRD_59, PHR_1, WRD_11, WRD_19, FNC_13)
20880 ;          9319          end;
20881 ;          9320
20882 ;          9321      ENDSUB;
20883 ;          9322      end;
20884 ;          9323
20885 ;          9324  ENDTST;
20889
20890                                          .SBTTL  $T42 TEST CODE SECTION
20894 074532  004167  110016          $T42:   JSR     R1,$SAVE3                       ;                       9212
20895 074536  005067  120634                  CLR     P.CNT                           ;                       9215
20896 074542  152777  000040  120674          BISB    #40,@ML.REG+40                  ;                       9246
20897 074550  016703  121256                  MOV     ML.DUT,R3
20898 074554  042703  177770                  BIC     #177770,R3
20899 074560  142777  000007  120656          BICB    #7,@ML.REG+40
20900 074566  150377  120652                  BISB    R3,@ML.REG+40
20901 074572  152777  000010  120644          BISB    #10,@ML.REG+40                  ;                       9248
20902 074600  012767  177777  117214          MOV     #-1,IO.BUF                      ;                       9249
20903 074606  004767  123500                  JSR     PC,GD.BLK.XFER                  ;                       9250
20904 074612  012777  000061  120564          MOV     #61,@ML.REG                     ;                       9251
20905 074620  105777  120630          1$:     TSTB    @ML.REG+50
20906 074624  100375                  BPL     1$
20907 074626  005003                  CLR     R3                              ; TWICE                 9254
20908 074630  104402          2$:     TRAP    2                               ;                       9255
20909 074632  152777  000040  120604          BISB    #40,@ML.REG+40                  ;                       9256
20910 074640  016702  121166                  MOV     ML.DUT,R2
20911 074644  042702  177770                  BIC     #177770,R2
20912 074650  142777  000007  120566          BICB    #7,@ML.REG+40
20913 074656  150277  120562                  BISB    R2,@ML.REG+40
20914 074662  005000                  CLR     R0                              ; CNT                   9259
20915 074664  010001          3$:     MOV     R0,R1                           ; CNT,*                 9260
20916 074666  006301                  ASL     R1
20917 074670  005061  014022                  CLR     IO.BUF(R1)
20918 074674  005200                  INC     R0                              ; CNT                   9259
20919 074676  020027  000377                  CMP     R0,#377                         ; CNT,*
20920 074702  003770                  BLE     3$
20921 074704  020327  000001                  CMP     R3,#1                           ; TWICE,*               9262
20922 074710  001006                  BNE     4$
20923 074712  152777  000100  120604          BISB    #100,@ML.REG+120                ;                       9265
20924 074720  012777  000777  120706          MOV     #777,@ML.REG+230                ;                       9266
20925 074726  004767  123360          4$:     JSR     PC,GD.BLK.XFER                  ;                       9269
20926 074732  012777  000071  120444          MOV     #71,@ML.REG                     ;                       9270
20927 074740  005002                  CLR     R2                              ;                       9272
20928 074742  005703                  TST     R3                              ; TWICE
20929 074744  001004                  BNE     5$
20930 074746  005202                  INC     R2
```

```
20932                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
20933                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
20934
20935 074750 012777 177777 120456       MOV     #-1,@ML.REG+30
20936 074756 105777 120472      5$:     TSTB    @ML.REG+50
20937 074762 100375                     BPL     5$
20938 074764 006002                     ROR     R2                              ;                       9276
20939 074766 103045                     BCC     8$
20940 074770 005002                     CLR     R2                              ; WRD.CNT               9280
20941 074772 010201             6$:     MOV     R2,R1                           ; WRD.CNT,*             9283
20942 074774 006301                     ASL     R1
20943 074776 026127 014022 177777       CMP     IO.BUF(R1),#-1
20944 075004 001431                     BEQ     7$
20945 075006 005267 120364              INC     P.CNT                           ;                       9285
20946 075012 026767 120360 120360       CMP     P.CNT,LIMIT
20947 075020 003075                     BGT     12$
20948 075022 104455                     TRAP    55                              ;                       9287
20949 075024 000137                     .WORD   137
20950 075026 012750                     .WORD   SYNC
20951 075030 026302                     .WORD   DUMPER
20952 075032 012746 010630              MOV     #WRD.10,-(SP)                   ;                       9288
20953 075036 012746 010730              MOV     #WRD.19,-(SP)
20954 075042 012746 012334              MOV     #FNC.13,-(SP)
20955 075046 012746 011762              MOV     #PHR.8,-(SP)
20956 075052 012746 010270              MOV     #FOR.FMT,-(SP)
20957 075056 012746 000005              MOV     #5,-(SP)
20958 075062 010600                     MOV     SP,R0                           ; SP,*
20959 075064 104414                     TRAP    14
20960 075066 000443                     BR      10$                             ;                       9289
20961 075070 005202             7$:     INC     R2                              ; WRD.CNT               9280
20962 075072 020227 000100              CMP     R2,#100                         ; WRD.CNT,*
20963 075076 003735                     BLE     6$
20964 075100 000445                     BR      12$                             ;                       9276
20965 075102 005002             8$:     CLR     R2                              ; WRD.CNT               9298
20966 075104 010201             9$:     MOV     R2,R1                           ; WRD.CNT,*             9301
20967 075106 006301                     ASL     R1
20968 075110 005761 014022              TST     IO.BUF(R1)
20969 075114 001433                     BEQ     11$
20970 075116 005267 120254              INC     P.CNT                           ;                       9303
20971 075122 026767 120250 120250       CMP     P.CNT,LIMIT
20972 075130 003031                     BGT     12$
20973 075132 104455                     TRAP    55                              ;                       9305
20974 075134 000140                     .WORD   140
20975 075136 012750                     .WORD   SYNC
20976 075140 026302                     .WORD   DUMPER
20977 075142 012746 010630              MOV     #WRD.10,-(SP)                   ;                       9306
20978 075146 012746 010730              MOV     #WRD.19,-(SP)
20979 075152 012746 012334              MOV     #FNC.13,-(SP)
20980 075156 012746 011774              MOV     #PHR.9,-(SP)
20981 075162 012746 010270              MOV     #FOR.FMT,-(SP)
20982 075166 012746 000005              MOV     #5,-(SP)
20983 075172 010600                     MOV     SP,R0                           ; SP,*
20984 075174 104414                     TRAP    14
20985 075176 062706 000014      10$:    ADD     #14,SP                          ;                       9307
20986 075202 000404                     BR      12$
```

```
20988                                   ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
20989                                   ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
20990
20991 075204  005202                    11$:    INC     R2                      ; WRD.CNT                       9298
20992 075206  020227  000100                    CMP     R2,#100                 ; WRD.CNT,*
20993 075212  003734                            BLE     9$
20994 075214  032777  100000  120162    12$:    BIT     #100000,@ML.REG         ;                               9314
20995 075222  001026                            BNE     13$
20996 075224  104455                            TRAP    55                      ;                               9317
20997 075226  000150                            .WORD   150
20998 075230  012750                            .WORD   SYNC
20999 075232  026302                            .WORD   DUMPER
21000 075234  012746  012334                    MOV     #FNC.13,-(SP)           ;                               9318
21001 075240  012746  010730                    MOV     #WRD.19,-(SP)
21002 075244  012746  010640                    MOV     #WRD.11,-(SP)
21003 075250  012746  011610                    MOV     #PHR.1,-(SP)
21004 075254  012746  011374                    MOV     #WRD.59,-(SP)
21005 075260  012746  010304                    MOV     #FIV.FMT,-(SP)
21006 075264  012746  000006                    MOV     #6,-(SP)
21007 075270  010600                            MOV     SP,R0                   ; SP,*
21008 075272  104414                            TRAP    14
21009 075274  062706  000016                    ADD     #16,SP                  ;                               9316
21010 075300  104467                    13$:    TRAP    67                      ;                               9319
21011 075302  006000                            ROR     R0
21012 075304  103002                            BHIS    15$
21013 075306  000167  177316            14$:    JMP     2$
21014 075312  005203                    15$:    INC     R3                      ; TWICE                         9254
21015 075314  020327  000001                    CMP     R3,#1                   ; TWICE,*
21016 075320  003772                            BLE     14$
21017 075322  000207                            RTS     PC                      ;                               9212
21018
21019                                   ; Routine Size:  189 words
21020                                   ; Maximum stack depth per invocation:  11 words
21025
21026
21030
21031                                           .SBTTL  T42 TEST CODE SECTION
21035 075324                            T42::
21036 075324  004767  177202            1$:     JSR     PC,$T42                 ;                               9322
21037 075330  104466                            TRAP    66
21038 075332  006000                            ROR     R0
21039 075334  103773                            BLO     1$
21040 075336  000207                            RTS     PC
21041
21042                                   ; Routine Size:  6 words
```

```
21044                                   ;ML4AD
21045                                   ;                TEST CODE SECTION
21046
21047                                   ; Maximum stack depth per invocation:  0 words
21052
21053
21054 ;          9325  !<BLF/PAGE>
```

```
21056 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
21057 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (95)
21058
21059 ;          9326  !
21060 ;          9327  !
21061 ;          9328  BGNTST;
21062 ;          9329
21063 ;          9330  !++
21064 ;          9331  ! TEST NUMBER:  TST 43
21065 ;          9332  !
21066 ;          9333  ! TEST NAME:    LAST BLOCK TRANSFER TEST
21067 ;          9334  !
21068 ;          9335  ! TEST DESCRIPTION:
21069 ;          9336  !
21070 ;          9337  !       TEST THE LAST BLOCK INDICATOR BIT
21071 ;          9338  !       FOR SETTING/NOT SETTING AND THE
21072 ;          9339  !       DSA REGISTER FOR INCREMENTING BY:
21073 ;          9340  !
21074 ;          9341  !       1.  DOING MBUS TRANSFERRS AT EACH
21075 ;          9342  !           BLOCK FROM BLOCK ZERO TO
21076 ;          9343  !           LAST BLOCK -1 AND TEST LBT
21077 ;          9344  !           CLEAR AND DSA REGISTER TO BE
21078 ;          9345  !           INCREMENTED.
21079 ;          9346  !
21080 ;          9347  !       2.  DO A MBUS TRANSFERR AT
21081 ;          9348  !           THE LAST BLOCK.
21082 ;          9349  !           TEST LBT TO BE SET AND
21083 ;          9350  !           TEST FOR CLEAR.
21084 ;          9351  !           TEST DSA REG TO BE INCREMENTED.
21085 ;          9352  !
21086 ;          9353  ! IMPLICIT INPUTS:
21087 ;          9354  !       IO_BUF
21088 ;          9355  !       A VECTOR OF 256 WORDS WHERE
21089 ;          9356  !       DATA FOR MBUS READS AND WRITE
21090 ;          9357  !       FUNCTION ARE FOUND.
21091 ;          9358  !
21092 ;          9359  !--
21093 ;          9360
21094 ;          9361  CLR_THRESHOLD;                                !CLEAR ERROR PRINT THRESHOLD
21095 ;          9362
21096 ;          9363  !
21097 ;          9364  !VERSION CZMLAD CHANGED TEST TO UNSIGNED TEST
21098 ;          9365  !
21099 ;          9366  incrU DSA_CNT from 0 to .LST_BLK - 1 do          !DO XFERRS UP TO THE LAST BLOCK
21100 ;          9367      begin
21101 ;          9368      BGNSUB;
21102 ;          9369      CLR_MBUS;
21103 ;          9370      ECC_DIS = ONE;                            !DISABLE ECC
21104 ;          9371      MLWC = not 255;                           !LOAD WORD COUNT
21105 ;          9372      MLBA = IO_BUF;                            !LOAD UBUS ADRS
21106 ;          9373      MLDA = .DSA_CNT;                          !LOAD DSA WITH DSA_CNT
21107 ;          9374      MLCS1 = write;                            !DO A WRITE FUNCTION
21108 ;          9375      TIME_OUT_LOOP;
21109 ;          9376
21110 ;          9377      if .LBT IS_SET                            !SEE IF THE LAST BLOCK XFERR BIT SET
```

```
21112 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
21113 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (95)
21114 ;
21115 ;          9378      then
21116 ;          9379          begin
21117 ;          9380          CMP_THRESHOLD;                   !COMPARE ERROR PRINT THRESHOLD
21118 ;          9381          ERRDF (97, ASYNC, DUMPER);
21119 ;          9382          PRINTB (THR_FMT, WRD_27, PHR_5, WRD_29);
21120 ;          9383          PRINTB (FMT_7, .DSA_CNT);
21121 ;          9384          end;
21122 ;          9385
21123 ;          9386      if .MLDA neq .DSA_CNT + 1            !SEE IF THE DSA REG INCREMENTED
21124 ;          9387      then
21125 ;          9388          begin
21126 ;          9389          CMP_THRESHOLD;                   !COMPARE ERROR PRINT THRESHOLD
21127 ;          9390          ERRDF (98, ASYNC, DUMPER);
21128 ;          9391          PRINTB (THR_FMT, REG_6, WRD_31, WRD_14);
21129 ;          9392          PRINTB (FMT_7, .DSA_CNT);
21130 ;          9393          end;
21131 ;          9394
21132 ;          9395      ENDSUB;
21133 ;          9396      end;
21134 ;          9397
21135 ;          9398  BGNSUB;
21136 ;          9399  CLR_MBUS;
21137 ;          9400  ECC_DIS = ONE;                           !DISABLE ECC
21138 ;          9401  LAST_BLK_XFER ();                        !SET UP A LAST BLOCK XFERR
21139 ;          9402  MLCST = write;                           !DO A WRITE FUNCTION
21140 ;          9403  TIME_OUT_LOOP;
21141 ;          9404
21142 ;          9405  if .MLDA neq .LST_BLK + 1                !SEE IF DSA REGISTER INCREMENTED
21143 ;          9406  then
21144 ;          9407      begin
21145 ;          9408      ERRDF (101, ASYNC, DUMPER);
21146 ;          9409      PRINTB (THR_FMT, REG_6, WRD_31, WRD_14);
21147 ;          9410      PRINTB (FMT_7, .LST_BLK);
21148 ;          9411      end;
21149 ;          9412
21150 ;          9413  if .LBT IS_SET                           !SEE IF LBT BIT SET
21151 ;          9414  then
21152 ;          9415      begin
21153 ;          9416      MLDA = ONES;                         !IF SET THEN TRY TO CLEAR IT
21154 ;          9417
21155 ;          9418      if .LBT IS_SET                       !SEE IF BIT CLEARED
21156 ;          9419      then
21157 ;          9420          begin                            !ERROR IF NOT
21158 ;          9421          ERRDF (99, ASYNC, DUMPER);
21159 ;          9422          PRINTB (FIV_FMT, WRD_27, PHR_2, WRD_11, WRD_17, REG_6);
21160 ;          9423          end;
21161 ;          9424
21162 ;          9425      end
21163 ;          9426  else                                     !LBT NOT SET
21164 ;          9427      begin
21165 ;          9428      ERRDF (100, ASYNC, DUMPER);
21166 ;          9429      PRINTB (FOR_FMT, WRD_27, PHR_1, WRD_11, WRD_27);
```

```
21168 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
21169 ;                TEST CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (95)
21170
21171 ;          9430      end;
21172 ;          9431
21173 ;          9432  ENDSUB;
21 74 ;          9433  ENDTST;
21178
21179                                      .SBTTL  $T43 TEST CODE SECTION
21183 075340  004167  107210        $T43: JSR     R1,$SAVE3                 ;                        9324
21184 075344  005067  120026              CLR     P.CNT                     ;                        9328
21185 075350  016703  116440              MOV     LST.BLK,R3                ;                        9366
21186 075354  005303                      DEC     R3
21187 075356  005001                      CLR     R1                        ; DSA.CNT
21188 075360  000551                      BR      7$
21189 075362  010102              1$:     MOV     R1,R2                     ; DSA.CNT,*              9386
21190 075364  005202                      INC     R2
21191 075366  104402              2$:     TRAP    2                         ;                        9367
21192 075370  152777  000040  120046      BISB    #40,@ML.REG+40            ;                        9368
21193 075376  016700  120430              MOV     ML.DUT,R0
21194 075402  042700  177770              BIC     #177770,R0
21195 075406  142777  000007  120030      BICB    #7,@ML.REG+40
21196 075414  150077  120024              BISB    R0,@ML.REG+40
21197 075420  152777  000002  120076      BISB    #2,@ML.REG+120            ;                        9370
21198 075426  012777  177400  117760      MOV     #-400,@ML.REG+10          ;                        9371
21199 075434  012777  014022  117762      MOV     #IO.BUF,@ML.REG+20        ;                        9372
21200 075442  010177  117766              MOV     R1,@ML.REG+30             ; DSA.CNT,*              9373
21201 075446  012777  000061  117730      MOV     #61,@ML.REG               ;                        9374
21202 075454  105777  117774        3$:   TSTB    @ML.REG+50
21203 075460  100375                      BPL     3$
21204 075462  032777  002000  117764      BIT     #2000,@ML.REG+50          ;                        9377
21205 075470  001437                      BEQ     4$
21206 075472  005267  117700              INC     P.CNT                     ;                        9379
21207 075476  026767  117674  117674      CMP     P.CNT,LIMIT
21208 075504  003076                      BGT     6$
21209 075506  104455                      TRAP    55                        ;                        9381
21210 075510  000141                      .WORD   141
21211 075512  012706                      .WORD   ASYNC
21212 075514  026302                      .WORD   DUMPER
21213 075516  012746  011032              MOV     #WRD.29,-(SP)             ;                        9382
21214 075522  012746  011714              MOV     #PHR.5,-(SP)
21215 075526  012746  011024              MOV     #WRD.27,-(SP)
21216 075532  012746  010256              MOV     #THR.FMT,-(SP)
21217 075536  012746  000004              MOV     #4,-(SP)
21218 075542  010600                      MOV     SP,R0                     ; SP,*
21219 075544  104414                      TRAP    14
21220 075546  010116                      MOV     R1,(SP)                   ; DSA.CNT,*              9383
21221 075550  012746  007002              MOV     #FMT.7,-(SP)
21222 075554  012746  000002              MOV     #2,-(SP)
```

```
21224                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
21225                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
21226
21227 075560 010600                             MOV     SP,R0           ; SP,*
21228 075562 104414                             TRAP    14
21229 075564 062706 000016                      ADD     #16,SP          ;                               9379
21230 075570 027702 117640              4$:     CMP     @ML.REG+30,R2   ;                               9386
21231 075574 001437                             BEQ     5$
21232 075576 005267 117574                      INC     P.CNT           ;                               9388
21233 075602 026767 117570 117570               CMP     P.CNT,LIMIT
21234 075610 003034                             BGT     6$
21235 075612 104455                             TRAP    55              ;                               9390
21236 075614 000142                             .WORD   142
21237 075616 012706                             .WORD   ASYNC
21238 075620 026302                             .WORD   DUMPER
21239 075622 012746 010664                      MOV     #WRD.14,-(SP)   ;                               9391
21240 075626 012746 011054                      MOV     #WRD.31,-(SP)
21241 075632 012746 012540                      MOV     #REG.6,-(SP)
21242 075636 012746 010256                      MOV     #THR.FMT,-(SP)
21243 075642 012746 000004                      MOV     #4,-(SP)
21244 075646 010600                             MOV     SP,R0           ; SP,*
21245 075650 104414                             TRAP    14
21246 075652 010116                             MOV     R1,(SP)         ; DSA.CNT,*                     9392
21247 075654 012746 007002                      MOV     #FMT.7,-(SP)
21248 075660 012746 000002                      MOV     #2,-(SP)
21249 075664 010600                             MOV     SP,R0           ; SP,*
21250 075666 104414                             TRAP    14
21251 075670 062706 000016                      ADD     #16,SP          ;                               9388
21252 075674 104467                     5$:     TRAP    67              ;                               9393
21253 075676 006000                             ROR     R0
21254 075700 103632                             BLO     2$
21255 075702 005201                     6$:     INC     R1              ; DSA.CNT                       9366
21256 075704 020103                     7$:     CMP     R1,R3           ; DSA.CNT,*
21257 075706 101625                             BLOS    1$
21258 075710 104402                     8$:     TRAP    2               ;                               9396
21259 075712 152777 000040 117524               BISB    #40,@ML.REG+40  ;                               9398
21260 075720 016703 120106                      MOV     ML.DUT,R3
21261 075724 042703 177770                      BIC     #177770,R3
21262 075730 142777 000007 117506               BICB    #7,@ML.REG+40
21263 075736 150377 117502                      BISB    R3,@ML.REG+40
21264 075742 152777 000002 117554               BISB    #2,@ML.REG+120  ;                               9400
21265 075750 004767 122370                      JSR     PC,LAST.BLK.XFER ;                              9401
21266 075754 012777 000061 117422               MOV     #61,@ML.REG     ;                               9402
21267 075762 105777 117466              9$:     TSTB    @ML.REG+50
21268 075766 100375                             BPL     9$
21269 075770 016701 116020                      MOV     LST.BLK,R1      ;                               9405
21270 075774 005201                             INC     R1
21271 075776 027701 117432                      CMP     @ML.REG+30,R1
21272 076002 001432                             BEQ     10$
21273 076004 104455                             TRAP    55              ;                               9408
21274 076006 000145                             .WORD   145
21275 076010 012706                             .WORD   ASYNC
21276 076012 026302                             .WORD   DUMPER
21277 076014 012746 010664                      MOV     #WRD.14,-(SP)   ;                               9409
21278 076020 012746 011054                      MOV     #WRD.31,-(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        
076024  012746  012540                          MOV     #REG.6,-(SP)
076030  012746  010256                          MOV     #THR.FMT,-(SP)
076034  012746  000004                          MOV     #4,-(SP)
076040  010600                                  MOV     SP,R0                           ; SP,*
076042  104414                                  TRAP    14
076044  016716  115744                          MOV     LST.BLK,(SP)                    ;                                       9410
076050  012746  007002                          MOV     #FMT.7,-(SP)
076054  012746  000002                          MOV     #2,-(SP)
076060  010600                                  MOV     SP,R0                           ; SP,*
076062  104414                                  TRAP    14
076064  062706  000016                          ADD     #16,SP                          ;                                       9407
076070  032777  002000  117356          10$:    BIT     #2000,@ML.REG+50                ;                                       9413
076076  001436                                  BEQ     11$
076100  012777  177777  117326                  MOV     #-1,@ML.REG+30                  ;                                       9416
076106  032777  002000  117340                  BIT     #2000,@ML.REG+50                ;                                       9418
076114  001453                                  BEQ     12$
076116  104455                                  TRAP    55                              ;                                       9421
076120  000143                                  .WORD   143
076122  012706                                  .WORD   ASYNC
076124  026302                                  .WORD   DUMPER
076126  012746  012540                          MOV     #REG.6,-(SP)                    ;                                       9422
076132  012746  010712                          MOV     #WRD.17,-(SP)
076136  012746  010640                          MOV     #WRD.11,-(SP)
076142  012746  011626                          MOV     #PHR.2,-(SP)
076146  012746  011024                          MOV     #WRD.27,-(SP)
076152  012746  010304                          MOV     #FIV.FMT,-(SP)
076156  012746  000006                          MOV     #6,-(SP)
076162  010600                                  MOV     SP,R0                           ; SP,*
076164  104414                                  TRAP    14
076166  062706  000016                          ADD     #16,SP                          ;                                       9420
076172  000424                                  BR      12$                             ;                                       9413
076174  104455                          11$:    TRAP    55                              ;                                       9428
076176  000144                                  .WORD   144
076200  012706                                  .WORD   ASYNC
076202  026302                                  .WORD   DUMPER
076204  012746  011024                          MOV     #WRD.27,-(SP)                   ;                                       9429
076210  012746  010640                          MOV     #WRD.11,-(SP)
076214  012746  011610                          MOV     #PHR.1,-(SP)
076220  012746  011024                          MOV     #WRD.27,-(SP)
076224  012746  010270                          MOV     #FDR.FMT,-(SP)
076230  012746  000005                          MOV     #5,-(SP)
076234  010600                                  MOV     SP,R0                           ; SP,*
076236  104414                                  TRAP    14
076240  062706  000014                          ADD     #14,SP                          ;                                       9427
076244  104467                          12$:    TRAP    67                              ;                                       9430
076246  006000                                  ROR     R0
076250  103617                                  BLO     8$
076252  000207                                  RTS     PC                              ;                                       9324

                                        ; Routine Size:  230 words
                                        ; Maximum stack depth per invocation:  11 words
```

```
21342
21343
21347
21348                                           .SBTTL  T43 TEST CODE SECTION
21352 076254                            T43::
21353 076254  004767  177060            1$:     JSR     PC,$T43                         ;                       9432
21354 076260  104466                            TRAP    66
21355 076262  006000                            ROR     R0
21356 076264  103773                            BLO     1$
21357 076266  000207                            RTS     PC
21358
21359                                   ; Routine Size:  6 words
21360                                   ; Maximum stack depth per invocation:  0 words
21365
21366
21367 ;         9434  !<BLF/PAGE>
```

```
21369 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
21370 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (96)
21371
21372 ;          9435  !
21373 ;          9436  !
21374 ;          9437  BGNTST;
21375 ;          9438
21376 ;          9439  !++
21377 ;          9440  ! TEST NUMBER:  TST 44
21378 ;          9441  !
21379 ;          9442  ! TEST NAME:    INVALID ADRS TEST
21380 ;          9443  !
21381 ;          9444  ! TEST DESCRIPTION:
21382 ;          9445  !
21383 ;          9446  !       TEST THE DETECTION OF ILLEGAL DSA
21384 ;          9447  !       ADDRESSES BY:
21385 ;          9448  !
21386 ;          9449  !       1.  DOING A MBUS WRITE FUNCTION
21387 ;          9450  !           AT ALL POSSIBLE ILLEGAL DSA
21388 ;          9451  !           ADDRESSES AND TEST THE
21389 ;          9452  !           IAE BIT SET.
21390 ;          9453  !
21391 ;          9454  ! IMPLICIT INPUTS:
21392 ;          9455  !
21393 ;          9456  !       IO_BUF
21394 ;          9457  !       A VECTOR OF 256 WORDS WHERE
21395 ;          9458  !       DATA FOR MBUS READS AND WRITE
21396 ;          9459  !       FUNCTION ARE FOUND.
21397 ;          9460  !
21398 ;          9461  !
21399 ;          9462  !--
21400 ;          9463
21401 ;          9464  local
21402 ;          9465      IAE_CNT;                              !INVLID ADRS COUNT
21403 ;          9466
21404 ;          9467  CLR_THRESHOLD;                           !CLEAR ERROR PRINT THRESHOLD
21405 ;          9468  IAE_CNT = .LST_BLK;                       !START AT LAST  BLOCK + 1
21406 ;          9469
21407 ;          9470  do                                        !TEST FOR ALL INVALID ADDRESSES
21408 ;          9471      begin
21409 ;          9472      IAE_CNT = .IAE_CNT + 1;               !INCREMENT IAE_CNT
21410 ;          9473      BGNSUB;
21411 ;          9474      CLR_MBUS;
21412 ;          9475      MLDA = .IAE_CNT;                      !LOAD DSA
21413 ;          9476      MLWC = not 255;                       !LOAD WORD COUNT
21414 ;          9477      MLBA = IO_BUF;                        !LOAD UBUS ADRS
21415 ;          9478      MLCS1 = write;                        !DO A WRITE FUNCTION
21416 ;          9479
21417 ;          9480      if .IAE IS_NOT_SET                    !SET IF IAE SET
21418 ;          9481      then
21419 ;          9482          begin                             !ERROR IF NOT SET
21420 ;          9483          CMP_THRESHOLD;                    !COMPARE ERROR PRINT THRESHOLD
21421 ;          9484          ERRDF (102, ASYNC, DUMPER);
21422 ;          9485          PRINTB (FIV_FMT, WRD_30, PHR_1, WRD_11, WRD_30, WRD_10);
21423 ;          9486          end;
```

```
21425 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
21426 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (96)
21427
21428 ;          9487
21429 ;          9488      ENDSUB;
21430 ;          9489      end
21431 ;          9490  !
21432 ;          9491  !VERSION CZMLAD CHANGED TEST TO UNSIGNED TEST
21433 ;          9492  !
21434 ;          9493  until .IAE_CNT eqlU %o'177777';              !REPEAT UNTIL ALL TESTED
21435 ;          9494
21436 ;          9495  ENDTST;
21440
21441                                          .SBTTL  $T44 TEST CODE SECTION
21445 076270  010146                  $T44:   MOV     R1,-(SP)                ;                                  9433
21446 076272  005067  117100                  CLR     P.CNT                   ;                                  9465
21447 076276  016701  115512                  MOV     LST.BLK,R1              ; *,IAE.CNT                        9468
21448 076302  005201                  1$:     INC     R1                      ; IAE.CNT                          9472
21449 076304  104402                  2$:     TRAP    2
21450 076306  152777  000040  117130          BISB    #40,@ML.REG+40          ;                                  9473
21451 076314  016700  117512                  MOV     ML.DUT,R0
21452 076320  042700  177770                  BIC     #177770,R0
21453 076324  142777  000007  117112          BICB    #7,@ML.REG+40
21454 076332  150077  117106                  BISB    R0,@ML.REG+40
21455 076336  010177  117072                  MOV     R1,@ML.REG+30           ; IAE.CNT,*                        9475
21456 076342  012777  177400  117044          MOV     #-400,@ML.REG+10        ;                                  9476
21457 076350  012777  014022  117046          MOV     #10.BUF,@ML.REG+20      ;                                  9477
21458 076356  012777  000061  117020          MOV     #61,@ML.REG             ;                                  9478
21459 076364  032777  002000  117072          BIT     #2000,@ML.REG+60        ;                                  9480
21460 076372  001034                          BNE     3$
21461 076374  005267  116776                  INC     P.CNT                   ;                                  9482
21462 076400  026767  116772  116772          CMP     P.CNT,LIMIT
21463 076406  003031                          BGT     4$
21464 076410  104455                          TRAP    55                      ;                                  9484
21465 076412  000146                          .WORD   146
21466 076414  012706                          .WORD   ASYNC
21467 076416  026302                          .WORD   DUMPER
21468 076420  012746  010630                  MOV     #WRD.10,-(SP)           ;                                  9485
21469 076424  012746  011046                  MOV     #WRD.30,-(SP)
21470 076430  012746  010640                  MOV     #WRD.11,-(SP)
21471 076434  012746  011610                  MOV     #PHR.1,-(SP)
21472 076440  012746  011046                  MOV     #WRD.30,-(SP)
21473 076444  012746  010304                  MOV     #FIV.FMT,-(SP)
21474 076450  012746  000006                  MOV     #6,-(SP)
21475 076454  010600                          MOV     SP,R0                   ; SP,*
21476 076456  104414                          TRAP    14
21477 076460  062706  000016                  ADD     #16,SP                  ;                                  9482
21478 076464  104467                  3$:     TRAP    67                      ;                                  9486
21479 076466  006000                          ROR     R0
```

```
                                ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<

076470  103705                          BLO     2$
076472  020127  177777          4$:     CMP     R1,#-1                  ; IAE.CNT,*                             9493
076476  001301                          BNE     1$
076500  012601                          MOV     (SP)+,R1                ;                                       9433
076502  000207                          RTS     PC

                                ; Routine Size:  70 words
                                ; Maximum stack depth per invocation:  8 words


                                        .SBTTL  T44 TEST CODE SECTION
076504                          T44::
076504  004767  177560          1$:     JSR     PC,$T44                 ;                                       9493
076510  104466                          TRAP    66
076512  006000                          ROR     R0
076514  103773                          BLO     1$
076516  000207                          RTS     PC

                                ; Routine Size:  6 words
                                ; Maximum stack depth per invocation:  0 words


;       9496  !<BLF/PAGE>
```

```
21523 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
21524 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (97)
21525
21526 ;          9497  !
21527 ;          9498  BGNTST;
21528 ;          9499
21529 ;          9500  !++
21530 ;          9501  ! TEST NUMBER:  TST 45
21531 ;          9502  !
21532 ;          9503  ! TEST NAME:    ADRS OVERFLOW BIT TEST
21533 ;          9504  !
21534 ;          9505  ! TEST DESCRIPTION:
21535 ;          9506  !       TEST THE DETECTION OF ADDRESS OVERFLOWS BY:
21536 ;          9507  !
21537 ;          9508  !       1.  STARTING AT THE LAST BLOCK DO A TWO BLOCK TRANSFER.
21538 ;          9509  !
21539 ;          9510  !       2.  READ THE AOE BIT SET.
21540 ;          9511  !
21541 ;          9512  ! IMPLICIT INPUTS:
21542 ;          9513  !       IO_BUF
21543 ;          9514  !       A VECTOR OF 256 WORDS WHERE DATA FOR MBUS READS AND WRITE
21544 ;          9515  !       FUNCTIONS ARE FOUND.
21545 ;          9516  !--
21546 ;          9517
21547 ;          9518  CLR_MBUS;
21548 ;          9519  MLWC = not 511;                           !DO TWO BLOCK XFERR
21549 ;          9520  MLBA = IO_BUF;                            !LOAD UBUS ADRS
21550 ;          9521  MLDA = .LST_BLK;                          !START AT LAST BLOCK
21551 ;          9522  MLCS1 = write;                            !DO A WRITE FUNCTION
21552 ;          9523  TIME_OUT_LOOP;
21553 ;          9524
21554 ;          9525  if .AOE IS_NOT_SET                        !SEE IF AOE SET
21555 ;          9526  then
21556 ;          9527      begin                                 !ERROR IF NOT SET
21557 ;          9528      ERRDF (103, SYNC, DUMPER);
21558 ;          9529      PRINTB (FOR_FMT, WRD_26, PHR_1, WRD_11, FNC_19);
21559 ;          9530      end;
21560 ;          9531
21561 ;          9532  ENDTST;
21565
21566                                          .SBTTL  $T45 TEST CODE SECTION
21570 076520  152777  000040  116716  $T45:   BISB    #40,@ML.REG+40          ;                       9498
21571 076526  016700  117300                  MOV     ML.DUT,R0
21572 076532  042700  177770                  BIC     #177770,R0
21573 076536  142777  000007  116700          BICB    #7,@ML.REG+40
21574 076544  150077  116674                  BISB    R0,@ML.REG+40
21575 076550  012777  177000  116636          MOV     #-1000,@ML.REG+10       ;                       9519
21576 076556  012777  014022  116640          MOV     #IO.BUF,@ML.REG+20      ;                       9520
21577 076564  016777  115224  116642          MOV     LST.BLK,@ML.REG+30      ;                       9521
```

```
21579                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
21580                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
21581
21582 076572  012777  000061  116604            MOV     #61,@ML.REG             ;                       9522
21583 076600  105777  116650           1$:      TSTB    @ML.REG+50
21584 076604  100375                            BPL     1$
21585 076606  032777  001000  116650            BIT     #1000,@ML.REG+60        ;                       9525
21586 076614  001024                            BNE     2$
21587 076616  104455                            TRAP    55                      ;                       9528
21588 076620  000147                            .WORD   147
21589 076622  012750                            .WORD   SYNC
21590 076624  026302                            .WORD   DUMPER
21591 076626  012746  012426                    MOV     #FNC.19,-(SP)           ;                       9529
21592 076632  012746  010640                    MOV     #WRD.11,-(SP)
21593 076636  012746  011610                    MOV     #PHR.1,-(SP)
21594 076642  012746  011016                    MOV     #WRD.26,-(SP)
21595 076646  012746  010270                    MOV     #FOR.FMT,-(SP)
21596 076652  012746  000005                    MOV     #5,-(SP)
21597 076656  010600                            MOV     SP,R0                   ; SP,*
21598 076660  104414                            TRAP    14
21599 076662  062706  000014                    ADD     #14,SP                  ;                       9527
21600 076666  000207           2$:      RTS     PC                              ;                       9495
21601
21602                                   ; Routine Size:  52 words
21603                                   ; Maximum stack depth per invocation:  6 words
21608
21609
21613
21614                                           .SBTTL  T45 TEST CODE SECTION
21618 076670                            T45::
21619 076670  004767  177624           1$:      JSR     PC,$T45                 ;                       9530
21620 076674  104466                            TRAP    66
21621 076676  006000                            ROR     R0
21622 076700  103773                            BLO     1$
21623 076702  000207                            RTS     PC
21624
21625                                   ; Routine Size:  6 words
21626                                   ; Maximum stack depth per invocation:  0 words
21631
21632
21633 ;         9533  !<BLF/PAGE>
```

```
21635 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
21636 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (98)
21637
21638 ;          9534  !
21639 ;          9535  BGNTST;
21640 ;          9536
21641 ;          9537  !++
21642 ;          9538  ! TEST NUMBER:  TST 46
21643 ;          9539  !
21644 ;          9540  ! TEST NAME:    SYNC BUS PARITY TEST
21645 ;          9541  !
21646 ;          9542  ! TEST DESCRIPTION:
21647 ;          9543  !       TEST ABILITY OF SYNC BUS TO DETECT AND GENERATE
21648 ;          9544  !       GOOD PARITY BY:
21649 ;          9545  !
21650 ;          9546  !       1.  VIA MBUS WRITE FUNCTION WRITE ALTERNATING ONES AND ZEROES TO THE
21651 ;          9547  !           DEVICE AND READ THE DPAR BIT CLEARED.
21652 ;          9548  !
21653 ;          9549  !       2.  REPEAT WITH SHIFTED DATA
21654 ;          9550  !
21655 ;          9551  !       3.  VIA MBUS READ FUNCTION READ THE ALTERNATING PATTERN AND MDPE CLEARED.
21656 ;          9552  !
21657 ;          9553  ! IMPLICIT INPUTS:
21658 ;          9554  !       IO_BUF
21659 ;          9555  !       A VECTOR OF 256 WORDS WHERE DATA FOR MBUS READS AND WRITES
21660 ;          9556  !       FUNCTIONS ARE FOUND.
21661 ;          9557  !--
21662 ;          9558
21663 ;          9559  if .PAR_DIS IS_SET                          !SEE IF PARITY IS DISABLED
21664 ;          9560  then
21665 ;          9561      begin                                   !PRINT MESSAGE AND EXIT TST IF YES
21666 ;          9562      PRINTB (THR_FMT, FNC_3, WRD_7, WRD_37);
21667 ;          9563      EXIT_TST;
21668 ;          9564      end;
21669 ;          9565
21670 ;          9566  CLR_MBUS;
21671 ;          9567  BAI = ONE;                                  !SET ON FIRST IO_BUF ADRS
21672 ;          9568  IO_BUF = %o'125252';                        !ALTERNATE 1, 0 PATTERN
21673 ;          9569
21674 ;          9570  incr TWICE from 0 to 1 do                   !REPEAT LOOP TWICE
21675 ;          9571      begin
21676 ;          9572      BGNSUB;
21677 ;          9573      GD_BLK_XFER ();                         !SET UP A GOOD BLOCK XFERR
21678 ;          9574      MLCS1 = write;                          !DO A WRITE FUNCTION
21679 ;          9575      TIME_OUT_LOOP;
21680 ;          9576
21681 ;          9577      if .DPAR IS_SET                         !SEE IF DPAR GOT SET
21682 ;          9578      then
21683 ;          9579          begin                               !ERROR IF SET
21684 ;          9580          ERRDF (105, SYNC, DUMPER);
21685 ;          9581          PRINTB (FOR_FMT, WRD_23, WRD_6, WRD_7, WRD_9);
21686 ;          9582          end;
21687 ;          9583
21688 ;          9584      IO_BUF = .IO_BUF^ONE;                   !SHIFT THE IO_BUF & REPEAT
21689 ;          9585      MLER = ZEROES;                          !CLEAR OUT ERROR REG & REPEAT
```

```
21691 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 BLiss-16 V2(212)
21692 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (98)
21693
21694 ;          9586      ENDSUB;
21695 ;          9587      end;
21696 ;          9588
21697 ;          9589  incr TWICE from 0 to 1 do                 !REPEATE LOOP TWICE
21698 ;          9590      begin
21699 ;          9591      BGNSUB;
21700 ;          9592      CLR_MBUS;
21701 ;          9593      BAI = ONE;                            !SET ON FIRST IO_BUF ADRS
21702 ;          9594      GD_BLK_XFER ();                       !SET UP A GOOD BLOCK XFERR
21703 ;          9595      MLCS1 = read;                         !DO A READ XFERR
21704 ;          9596      TIME_OUT_LOOP;
21705 ;          9597
21706 ;          9598      if .MDPE IS_SET                       !SEE IF READ GENERATED BAD PARITY
21707 ;          9599      then
21708 ;          9600          begin                             !ERROR IF MDPE SET
21709 ;          9601          ERRDF (106, SYNC, DUMPER);
21710 ;          9602          PRINTB (FOR_FMT, WRD_23, WRD_6, WRD_7, WRD_8);
21711 ;          9603          end;
21712 ;          9604
21713 ;          9605      ENDSUB;
21714 ;          9606      IO_BUF = .IO_BUF^ONE;                 !MAKE DATA PATTERN HAVE ONE LESS ONE
21715 ;          9607      GD_BLK_XFER ();                       !SET UP A GOOD BLK XFER
21716 ;          9608      MLCS1 = write;                        !CHANGE THE BACKGROUND IN MEMORY
21717 ;          9609      TIME_OUT_LOOP;
21718 ;          9610      end;
21719 ;          9611
21720 ;          9612  ENDTST;
21724
21725                                        .SBTTL  $T46 TEST CODE SECTION
21729 076704  010146                 $T46:   MOV     R1,-(SP)                ;                          9532
21730 076706  026727  115076  000001        CMP     PAR.DIS,#1              ;                          9559
21731 076714  001021                        BNE     1$
21732 076716  012746  011122                MOV     #WRD.37,-(SP)           ;                          9562
21733 076722  012746  010566                MOV     #WRD.7,-(SP)
21734 076726  012746  012172                MOV     #FNC.3,-(SP)
21735 076732  012746  010256                MOV     #THR.FMT,-(SP)
21736 076736  012746  000004                MOV     #4,-(SP)
21737 076742  010600                        MOV     SP,R0                   ; SP,*
21738 076744  104414                        TRAP    14
21739 076746  104463                        TRAP    63
21740 076750  062706  000012                ADD     #12,SP                  ;                          9559
21741 076754  000167  000402                JMP     9$                      ;                          9561
21742 076760  152777  000040  116456  1$:   BISB    #40,@ML.REG+40          ;                          9564
21743 076766  016701  117040                MOV     ML.DUT,R1
21744 076772  042701  177770                BIC     #177770,R1
21745 076776  142777  000007  116440        BICB    #7,@ML.REG+40
```

```
21747                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
21748                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
21749
21750 077004  150177  116434                    BISB    R1,@ML.REG+40
21751 077010  152777  000010  116426            BISB    #10,@ML.REG+40          ;                       9567
21752 077016  012767  125252  114776            MOV     #-52526,IO.BUF          ;                       9568
21753 077024  005001                            CLR     R1                      ; TWICE                 9570
21754 077026  104402                    2$:     TRAP    2                       ;                       9571
21755 077030  004767  121256                    JSR     PC,GD.BLK.XFER          ;                       9573
21756 077034  012777  000061  116342            MOV     #61,@ML.REG             ;                       9574
21757 077042  105777  116406            3$:     TSTB    @ML.REG+50
21758 077046  100375                            BPL     3$
21759 077050  132777  000040  116406            BITB    #40,@ML.REG+60          ;                       9577
21760 077056  001424                            BEQ     4$
21761 077060  104455                            TRAP    55                      ;                       9580
21762 077062  000151                            .WORD   151
21763 077064  012750                            .WORD   SYNC
21764 077066  026302                            .WORD   DUMPER
21765 077070  012746  010616                    MOV     #WRD.9,-(SP)            ;                       9581
21766 077074  012746  010566                    MOV     #WRD.7,-(SP)
21767 077100  012746  010560                    MOV     #WRD.6,-(SP)
21768 077104  012746  010766                    MOV     #WRD.23,-(SP)
21769 077110  012746  010270                    MOV     #FOR.FMT,-(SP)
21770 077114  012746  000005                    MOV     #5,-(SP)
21771 077120  010600                            MOV     SP,R0                   ; SP,*
21772 077122  104414                            TRAP    14
21773 077124  062706  000014                    ADD     #14,SP                  ;                       9579
21774 077130  006367  114666            4$:     ASL     IO.BUF                                          9584
21775 077134  005077  116324                    CLR     @ML.REG+60              ;                       9585
21776 077140  104467                            TRAP    67
21777 077142  006000                            ROR     R0
21778 077144  103730                            BLO     2$
21779 077146  005201                            INC     R1                      ; TWICE                 9570
21780 077150  020127  000001                    CMP     R1,#1                   ; TWICE,*
21781 077154  003724                            BLE     2$
21782 077156  005001                            CLR     R1                      ; TWICE                 9589
21783 077160  104402                    5$:     TRAP    2                       ;                       9590
21784 077162  152777  000040  116254            BISB    #40,@ML.REG+40          ;                       9591
21785 077170  016700  116636                    MOV     ML.DUT,R0
21786 077174  042700  177770                    BIC     #177770,R0
21787 077200  142777  000007  116236            BICB    #7,@ML.REG+40
21788 077206  150077  116232                    BISB    R0,@ML.REG+40
21789 077212  152777  000010  116224            BISB    #10,@ML.REG+40          ;                       9593
21790 077220  004767  121066                    JSR     PC,GD.BLK.XFER          ;                       9594
21791 077224  012777  000071  116152            MOV     #71,@ML.REG             ;                       9595
21792 077232  105777  116216            6$:     TSTB    @ML.REG+50
21793 077236  100375                            BPL     6$
21794 077240  032777  000400  116176            BIT     #400,@ML.REG+40         ;                       9598
21795 077246  001424                            BEQ     7$
21796 077250  104455                            TRAP    55                      ;                       9601
21797 077252  000152                            .WORD   152
21798 077254  012750                            .WORD   SYNC
21799 077256  026302                            .WORD   DUMPER
21800 077260  012746  010602                    MOV     #WRD.8,-(SP)            ;                       9602
21801 077264  012746  010566                    MOV     #WRD.7,-(SP)
```

```
21803                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
21804                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
21805
21806 077270  012746  010560                     MOV     #WRD.6,-(SP)
21807 077274  012746  010766                     MOV     #WRD.23,-(SP)
21808 077300  012746  010270                     MOV     #FOR.FMT,-(SP)
21809 077304  012746  000005                     MOV     #5,-(SP)
21810 077310  010600                             MOV     SP,R0                           ; SP,*
21811 077312  104414                             TRAP    14
21812 077314  062706  000014                     ADD     #14,SP                          ;                       9600
21813 077320  104467                     7$:     TRAP    67                              ;                       9603
21814 077322  006000                             ROR     R0
21815 077324  103715                             BLO     5$
21816 077326  006367  114470                     ASL     IO.BUF                          ;                       9606
21817 077332  004767  120754                     JSR     PC,GD.BLK.XFER                  ;                       9607
21818 077336  012777  000061  116040             MOV     #61,@ML.REG                     ;                       9608
21819 077344  105777  116104             8$:     TSTB    @ML.REG+50
21820 077350  100375                             BPL     8$
21821 077352  005201                             INC     R1                              ; TWICE                 9589
21822 077354  020127  000001                     CMP     R1,#1                           ; TWICE,*
21823 077360  003677                             BLE     5$
21824 077362  012601                     9$:     MOV     (SP)+,R1                        ;                       9532
21825 077364  000207                             RTS     PC
21826
21827                                   ; Routine Size:  153 words
21828                                   ; Maximum stack depth per invocation:  7 words
21833
21834
21838
21839                                           .SBTTL  T46 TEST CODE SECTION
21843 077366                             T46::
21844 077366  004767  177312             1$:     JSR     PC,$T46                         ;                       9610
21845 077372  104466                             TRAP    66
21846 077374  006000                             ROR     R0
21847 077376  103773                             BLO     1$
21848 077400  000207                             RTS     PC
21849
21850                                   ; Routine Size:  6 words
21851                                   ; Maximum stack depth per invocation:  0 words
21856
21857 ;         9613  !<BLF/PAGE>
```

```
21859 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
21860 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (99)
21861
21862 ;          9614   !
21863 ;          9615   !
21864 ;          9616   BGNTST;
21865 ;          9617
21866 ;          9618   !++
21867 ;          9619   ! TEST NUMBER:  TST 47
21868 ;          9620   !
21869 ;          9621   ! TEST NAME:    WRITE READ ML11
21870 ;          9622   !
21871 ;          9623   ! TEST DESCRIPTION:
21872 ;          9624   !
21873 ;          9625   !       PROVIDES A MBUS READ/WRITE
21874 ;          9626   !       DATA TRANSFER TROUBLE SHOOTING
21875 ;          9627   !       LOOP BY:
21876 ;          9628   !
21877 ;          9629   !       1.  LOAD APPROPRIATE RH REGISTERS.
21878 ;          9630   !           DO A WRITE FUNCTION.
21879 ;          9631   !
21880 ;          9632   !       2.  LOAD APPROPRIATE RH REGISTERS
21881 ;          9633   !           DO A WRITE CHECK FUNCTION.
21882 ;          9634   !
21883 ;          9635   !       3.  COMPLIMENT DATA AND
21884 ;          9636   !           REPEAT.
21885 ;          9637   !
21886 ;          9638   ! IMPLICIT INPUTS:
21887 ;          9639   !
21888 ;          9640   !       IO_BUF
21889 ;          9641   !       A VECTOR OF 256 WORDS WHERE
21890 ;          9642   !       DATA FOR MBUS READ AND WRITE
21891 ;          9643   !       FUNCTIONS IS FOUND.
21892 ;          9644   !
21893 ;          9645   !--
21894 ;          9646
21895 ;          9647   local
21896 ;          9648       TST_PAT;                             !TEST PATTERN
21897 ;          9649
21898 ;          9650   TST_PAT = %o'052525';
21899 ;          9651
21900 ;          9652   incr TWICE from 0 to 1 do                !WRITE READ 1'S AND 0'S ON MBUS
21901 ;          9653       begin
21902 ;          9654       CLR_MBUS;
21903 ;          9655       BAI = ONE;                           !SET ON FIRST IO_BUF ADRS
21904 ;          9656       IO_BUF = .TST_PAT;                   !LOAD FIRST IO_BUF ADRS
21905 ;          9657       GD_BLK_XFER ();                      !SET UP A GOOD BLOCK XFERR
21906 ;          9658       MLCS1 = write;                       !DO A WRITE FUNCTION
21907 ;          9659       TIME_OUT_LOOP;
21908 ;          9660       CLR_MBUS;
21909 ;          9661       BAI = ONE;                           !SET ON FIRST IO_BUF ADRS
21910 ;          9662       GD_BLK_XFER ();                      !SET UP A GOOD BLOCK XFERR
21911 ;          9663       MLCS1 = WRT_CHK;                     !DO A WRITE CHECK FUNCTION
21912 ;          9664       TIME_OUT_LOOP;
21913 ;          9665
```

```
21915 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
21916 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (99)
21917
21918 ;          9666       if .WCE IS_SET                      !SEE IF WRITE CHECK ERROR SET
21919 ;          9667       then
21920 ;          9668           begin                           !ERROR IF SET
21921 ;          9669           ERRDF (109, TRBLE_LOOP, DUMPER);
21922 ;          9670           PRINTB (SIX_FMT, FNC_4, WRD_10, WRD_12, FNC_5, FNC_6, FNC_3);
21923 ;          9671           end;
21924 ;          9672
21925 ;          9673       TST_PAT = not .TST_PAT;             !COMPLIMENT TST_PAT AND REPEAT
21926 ;          9674       end;
21927 ;          9675
21928 ;          9676   ENDTST;
21932
21933                                          .SBTTL  $T47 TEST CODE SECTION
21937 077402  004167  105132          $T47:   JSR     R1,$SAVE2                       ;                       9612
21938 077406  012701  052525                  MOV     #52525,R1                       ; *,TST.PAT             9650
21939 077412  005002                          CLR     R2                              ; TWICE                 9652
21940 077414  152777  000040  116022  1$:     BISB    #40,@ML.REG+40                  ;                       9653
21941 077422  016700  116404                  MOV     ML.DUT,R0
21942 077426  042700  177770                  BIC     #177770,R0
21943 077432  142777  000007  116004          BICB    #7,@ML.REG+40
21944 077440  150077  116000                  BISB    R0,@ML.REG+40
21945 077444  152777  000010  115772          BISB    #10,@ML.REG+40                  ;                       9655
21946 077452  010167  114344                  MOV     R1,IO.BUF                       ; TST.PAT,*             9656
21947 077456  004767  120630                  JSR     PC,GD.BLK.XFER                  ;                       9657
21948 077462  012777  000061  115714          MOV     #61,@ML.REG                     ;                       9658
21949 077470  105777  115760          2$:     TSTB    @ML.REG+50
21950 077474  100375                          BPL     2$
21951 077476  152777  000040  115740          BISB    #40,@ML.REG+40                  ;                       9659
21952 077504  016700  116322                  MOV     ML.DUT,R0
21953 077510  042700  177770                  BIC     #177770,R0
21954 077514  142777  000007  115722          BICB    #7,@ML.REG+40
21955 077522  150077  115716                  BISB    R0,@ML.REG+40
21956 077526  152777  000010  115710          BISB    #10,@ML.REG+40                  ;                       9661
21957 077534  004767  120552                  JSR     PC,GD.BLK.XFER                  ;                       9662
21958 077540  012777  000051  115636          MOV     #51,@ML.REG                     ;                       9663
21959 077546  105777  115702          3$:     TSTB    @ML.REG+50
21960 077552  100375                          BPL     3$
21961 077554  032777  040000  115662          BIT     #40000,@ML.REG+40               ;                       9666
21962 077562  001430                          BEQ     4$
21963 077564  104455                          TRAP    55                              ;                       9669
21964 077566  000155                          .WORD   155
21965 077570  013250                          .WORD   TRBLE.LOOP
21966 077572  026702                          .WORD   DUMPER
21967 077574  012746  012172                  MOV     #FNC.3,-(SP)                    ;                       9670
21968 077600  012746  012226                  MOV     #FNC.6,-(SP)
21969 077604  012746  012216                  MOV     #FNC.5,-(SP)
```

```
                                ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                
077610  012746  010650                  MOV     #WRD.12,-(SP)
077614  012746  010630                  MOV     #WRD.10,-(SP)
077620  012746  012200                  MOV     #FNC.4,-(SP)
077624  012746  010322                  MOV     #SIX.FMT,-(SP)
077630  012746  000007                  MOV     #7,-(SP)
077634  010600                          MOV     SP,R0                           ; SP,*
077636  104414                          TRAP    14
077640  062706  000020                  ADD     #20,SP                          ;                       9668
077644  005101                  4$:     COM     R1                              ; TST.PAT               9673
077646  005202                          INC     R2                              ; TWICE                 9652
077650  020227  000001                  CMP     R2,#1                           ; TWICE,*
077654  003657                          BLE     1$
077656  000207                          RTS     PC                              ;                       9612
                                
                                ; Routine Size:  87 words
                                ; Maximum stack depth per invocation:  11 words
                                
                                
                                
                                        .SBTTL  T47 TEST CODE SECTION
077660                          T47::
077660  004767  177516          1$:     JSR     PC,$T47                         ;                       9674
077664  104466                          TRAP    66
077666  006000                          ROR     R0
077670  103773                          BLO     1$
077672  000207                          RTS     PC
                                
                                ; Routine Size:  6 words
                                ; Maximum stack depth per invocation:  0 words
                                
                                
;               9677    !<BLF/PAGE>
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (100)

```
22021 ;ML4AD
22022 ;                 TEST CODE SECTION
22023
22024 ;          9678   !
22025 ;          9679   BGNTST;
22026 ;          9680
22027 ;          9681   !++
22028 ;          9682   ! TEST NUMBER:  TST 48
22029 ;          9683   !
22030 ;          9684   ! TEST NAME:    CRC DATA BUS TEST
22031 ;          9685   !
22032 ;          9686   ! TEST DESCRIPTION:
22033 ;          9687   !       TEST THE CRC DATA BUS BETWEEN THE CRC
22034 ;          9688   !       GENERATORS AND THE CRC/MBUS DATA
22035 ;          9689   !       MUX FOR CONTINUITY AND BIT UNIQUENESS
22036 ;          9690   !       BY:
22037 ;          9691   !
22038 ;          9692   !       1.  WHILE IN ECC DIAGNOSTIC MODE DO
22039 ;          9693   !           GOOD BLOCK TRANSFERS WITH VARIOUS
22040 ;          9694   !           CRC_A,CRC_B AND PAR_CRC_WRD WHICH
22041 ;          9695   !           WILL EXERCISE BUS CONTINUITY AND
22042 ;          9696   !           UNIQUENESS.
22043 ;          9697   !
22044 ;          9698   !       2.  THEN IN DATA DIAGNOSTEC MODE READ
22045 ;          9699   !           THE CRC NIBBLES FROM ONE CRC GROUP
22046 ;          9700   !           FOR CORRECT CRC_A,CRC_B AND PAR_CRC_WRD
22047 ;          9701   !           DATA PATTERNS.
22048 ;          9702   !
22049 ;          9703   ! IMPLICIT INPUTS:
22050 ;          9704   !       PD_TEMP
22051 ;          9705   !       A BIT VECTOR OF 16 BITS WHERE THE READ
22052 ;          9706   !       PROM DATA IS STORED OAND ACCESSED FROM.
22053 ;          9707   !
22054 ;          9708   !
22055 ;          9709   !--
22056 ;          9710
22057 ;          9711   local
22058 ;          9712       TMP_E1,                      !TEMP STORAGE FOR E1 DATA WORD
22059 ;          9713       DODO_FLG,                    !DROP UNIT FLAG
22060 ;          9714       CRC_NIB,                     !POINTER TO THE CRC NIBBLE
22061 ;          9715       CRC_TSTED,                   !STORES HOW MANY CRC NIBBLES WE HAVE TESTED
22062 ;          9716       ERR_FLG,                     !ERROR FLAG
22063 ;          9717       NIB_PAT;                     !TEST DATA FOR THE CRC NIBBLE
22064 ;          9718
22065 ;          9719   CLR_THRESHOLD;                   !CLEAR ERROR PRINT THRESHOLD
22066 ;          9720   CRC_NIB = 9;                     !SET CRC NIBBLE POINTER
22067 ;          9721   DODO_FLG = ZERO;                 !CLEAR THE DROP UNIT FLAG
22068 ;          9722
22069 ;          9723   incr LOOP from 0 to 4 do         !REPEAT THE TEST WITH FIVE NIBBLE PATTERNS
22070 ;          9724       begin
22071 ;          9725       BGNSUB;                      !START OF THE SCOPE LOOP
22072 ;          9726       CLR_MBUS;
22073 ;          9727       ECC_DM = ONE;                !SET ECC DIAG MOD
22074 ;          9728
22075 ;          9729       case .LOOP from 0 to 4 of    !SELECT ONE OF THE FIVE NIBBLE PATTERNS
```

```
22077 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
22078 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (100)
22079
22080 ;          9730          set
22081 ;          9731
22082 ;          9732          [0] :                                   !PATTERN 0
22083 ;          9733              NIB_PAT = %b'110';
22084 ;          9734
22085 ;          9735          [1] :                                   !PATTERN 1
22086 ;          9736              begin
22087 ;          9737              MLE1 = ONES;
22088 ;          9738              MLE2 = ONES;
22089 ;          9739              NIB_PAT = %b'001';
22090 ;          9740              end;
22091 ;          9741
22092 ;          9742          [2] :                                   !PATTERN 2
22093 ;          9743              begin
22094 ;          9744              CRC_A = ONES;
22095 ;          9745              CRC_B = ONES;
22096 ;          9746              NIB_PAT = %b'000';
22097 ;          9747              end;
22098 ;          9748
22099 ;          9749          [3] :                                   !PATTERN 3
22100 ;          9750              begin
22101 ;          9751              PAR_CRC_WRD = ONES;
22102 ;          9752              CRC_B = ONES;
22103 ;          9753              NIB_PAT = %b'011';
22104 ;          9754              end;
22105 ;          9755
22106 ;          9756          [4] :                                   !PATTERN 4
22107 ;          9757              begin
22108 ;          9758          !+
22109 ;          9759          ! THE FOLLOWING ASSIGNMENT:
221?0 ;          9760          !
22111 ;          9761          !       MLE1 = .TMP_E1
22112 ;          9762          !
22113 ;          9763          ! IS EQUIVALENT TO THE FOLLOWING
22114 ;          9764          ! TWO ASSIGNMENTS:
22115 ;          9765          !
22116 ;          9766          !   PAR_CRC_WRD = ONES;          !LOAD PAR_CRC_WRD WITH REM_TBL
22117 ;          9767          !   CRC_A = ONES;                !LOAD CRC_A WITH REM_TBL
22118 ;          9768          !
22119 ;          9769          ! THIS IS NECESSARY DUE TO THE FACT THAT
22120 ;          9770          ! THE E1 REGISTER IS WORD ORIENTATED AND
22121 ;          9771          ! THE BLISS COMPILER GENERATES BYTE INST
22122 ;          9772          ! TO ACCESS THE REGISTER.
22123 ;          9773          !-
22124 ;          9774
22125 ;          9775              TMP_E1 = ZEROES;                !CLEAR OUT THE TEMP WORD
22126 ;          9776              TMP_E1<0, 6> = ONES;            !LOAD CRC_A WITH REM_TBL
22127 ;          9777              TMP_E1<8, 6> = ONES;            !LOAD PAR_CRC_WRD WITH REM_TBL
22128 ;          9778              MLE1 = .TMP_E1;                 !LOAD THE E1 REGISTER WITH DATA
22129 ;          9779
22130 ;          9780              NIB_PAT = %b'101';
22131 ;          9781              end;
```

29-Mar-1982 16:23:04 TOPS-20 Bliss-16 V2(212)
29-Mar-1982 16:21:03 PA:<NEALE>ML4AD.BLI.4 (100)

```
22133 ;ML4AD
22134 ;                 TEST CODE SECTION
22135 ;
22136 ;          9782           tes;
22137 ;          9783
22138 ;          9784       GD_BLK_XFER ();                          !SET UP A GOOD BLOCK TRANSFER
22139 ;          9785       ML_CS1 = write;                          !DO A WRITE TRANSFER
22140 ;          9786       TIME_OUT_LOOP;                           !WAIT UNTIL DRIVE READY
22141 ;          9787       DAT_DM = ONE;                            !SET DATA DIAG MODE
22142 ;          9788       GD_BLK_XFER ();                          !SET UP A GOOD BLOCK TRANSFER
22143 ;          9789       ML_CS1 = read;                           !DO A READ TRANSFER
22144 ;          9790       CRC_TSTED = ZERO;
22145 ;          9791       DELAY (ONE_US);
22146 ;          9792
22147 ;          9793       do                                       !TEST ONE CRC GROUP '6 CRC NIBBLES'
22148 ;          9794           begin
22149 ;          9795           PD_TEMP = .ML_PD;                    !READ THE PROM DATA FOR THIS ARRAY WORD
22150 ;          9796           DAT_CLK = ONE;                       !CLOCK OUT AN ARRAY WORD INTO THE DATA DIAG REG'S
22151 ;          9797           DELAY (ONE_US);                      !DELAY ONE MICRO SECOND
22152 ;          9798           RD_LNG_WRD;                          !READ THE DATA DIAG REG'S INTO MEMORY
22153 ;          9799
22154 ;          9800           if .PD_TEMP [.CRC_NIB] IS_NOT_SET    !TEST THIS CRC NIBBLE IF GOOD
22155 ;          9801           then
22156 ;          9802               begin
22157 ;          9803               CRC_TSTED = .CRC_TSTED + 1;      !INCREMENT THE GOOD NIBBLE COUNTER
22158 ;          9804               TST_LNG_WRD (.CRC_NIB, .NIB_PAT, ERR_FLG);  !TEST THE CRC NIBBLE
22159 ;          9805
22160 ;          9806               if .ERR_FLG IS_SET               !SEE IF THE TEST FOUND AN ERROR
22161 ;          9807               then
22162 ;          9808                   begin                        !REPORT ERROR IF FLAG IS SET
22163 ;          9809                   CMP_THRESHOLD;               !COMPARE ERROR PRINT THRESHOLD
22164 ;          9810                   ERRDF (131, SYNC, DUMPER);
22165 ;          9811                   PRINTB (FOR_FMT, WRD_64, WRD_24, WRD_73, WRD_10);
22166 ;          9812                   PRINTB (FMT_5, .NIB_PAT, .NIB_SAVE [NIB_9], 8);
22167 ;          9813                   DODU_FLG = ONE;              !SET THE DROP UNIT FLAG
22168 ;          9814                   end;
22169 ;          9815
22170 ;          9816               end;
22171 ;          9817
22172 ;          9818           end
22173 ;          9819       until .CRC_TSTED eql 6;                  !REPEAT UNTIL ONE CRC GROUP HAS BEEN TESTED
22174 ;          9820
22175 ;          9821       ENDSUB;                                  !END OF SCOPE LOOP
22176 ;          9822       end;
22177 ;          9823
22178 ;          9824   if .DODU_FLG IS_SET
22179 ;          9825   then
22180 ;          9826       begin
22181 ;          9827       DODU (.ML_LUN);
22182 ;          9828       DOCLN;
22183 ;          9829       end;
22184 ;          9830
22185 ;          9831   ENDTST;
```

```
22193
22194                                          .SBTTL  $T48 TEST CODE SECTION
22198 077674  004167  104712          $T48:   JSR     R1,$SAVE5       ;                                9676
22199 077700  162706  000012                  SUB     #12,SP
22200 077704  005067  115466                  CLR     P.CNT           ;                                9717
22201 077710  012746  000011                  MOV     #11,-(SP)       ; *,CRC.NIB                      9720
22202 077714  005066  000006                  CLR     6(SP)           ; DODU.FLG                       9721
22203 077720  005001                          CLR     R1              ; LOOP                           9723
22204 077722  104402                  1$:     TRAP    2               ;                                9724
22205 077724  152777  000040  115512          BISB    #40,@ML.REG+40  ;                                9725
22206 077732  016705  116074                  MOV     ML.DUT,R5
22207 077736  042705  177770                  BIC     #177770,R5
22208 077742  142777  000007  115474          BICB    #7,@ML.REG+40
22209 077750  150577  115470                  BISB    R5,@ML.REG+40
22210 077754  152777  000001  115542          BISB    #1,@ML.REG+120  ;                                9727
22211 077762  010105                          MOV     R1,R5           ; LOOP,*                         9729
22212 077764  006305                          ASL     R5
22213 077766  066507  077772                  ADD     2$(R5),PC
22214 077772  000012                  2$:     .WORD   3$-2$
22215 077774  000020                          .WORD   4$-2$
22216 077776  000042                          .WORD   5$-2$
22217 100000  000062                          .WORD   6$-2$
22218 100002  000104                          .WORD   7$-2$
22219 100004  012703  000006          3$:     MOV     #6,R3           ; *,NIB.PAT                      9733
22220 100010  000444                          BR      8$              ;                                9729
22221 100012  012777  177777  115534  4$:     MOV     #-1,@ML.REG+150 ;                                9737
22222 100020  012777  177777  115536          MOV     #-1,@ML.REG+160 ;                                9738
22223 100026  012703  000001                  MOV     #1,R3           ; *,NIB.PAT                      9739
22224 100032  000433                          BR      8$              ;                                9729
22225 100034  152777  000077  115512  5$:     BISB    #77,@ML.REG+150 ;                                9744
22226 100042  152777  000077  115514          BISB    #77,@ML.REG+160 ;                                9745
22227 100050  005003                          CLR     R3              ; NIB.PAT                        9746
22228 100052  000423                          BR      8$              ;                                9729
22229 100054  052777  037400  115472  6$:     BIS     #37400,@ML.REG+150 ;                             9751
22230 100062  152777  000077  115474          BISB    #77,@ML.REG+160 ;                                9752
22231 100070  012703  000003                  MOV     #3,R3           ; *,NIB.PAT                      9753
22232 100074  000412                          BR      8$              ;                                9729
22233 100076  005066  000002          7$:     CLR     2(SP)           ; TMP.E1                         9775
22234 100102  052766  037477  000002          BIS     #37477,2(SP)    ; *,TMP.E1                       9777
22235 100110  016677  000002  115436          MOV     2(SP),@ML.REG+150 ; TMP.E1,*                     9778
22236 100116  012703  000005                  MOV     #5,R3           ; *,NIB.PAT                      9780
22237 100122  004767  120164          8$:     JSR     PC,GD.BLK.XFER  ;                                9784
22238 100126  012777  000061  115250          MOV     #61,@ML.REG     ;                                978[illegible]
22239 100134  105777  115314          9$:     TSTB    @ML.REG+50
22240 100140  100375                          BPL     9$
22241 100142  152777  000010  115354          BISB    #10,@ML.REG+120 ;                                9787
22242 100150  004767  120136                  JSR     PC,GD.BLK.XFER  ;                                9788
22243 100154  012777  000071  115222          MOV     #71,@ML.REG     ;                                9789
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        ;
100162  005066  000004                        CLR     4(SP)           ; CRC.TSTED                                             9790
100166  012704  000001                        MOV     #1,R4           ; *,$$TMP2                                              9791
100172  001411                      10$:      BEQ     13$
100174  016705  101716                        MOV     L$DLY,R5        ; *,$$TMP1
100200  001404                                BEQ     12$
100202  005066  000012                11$:    CLR     12(SP)          ; $$TMP
100206  005305                              DEC     R5              ; $$TMP1
100210  001374                              BNE     11$
100212  005304                      12$:    DEC     R4              ; $$TMP2
100214  000766                              BR      10$
100216  011602                      13$:    MOV     (SP),R2         ; CRC.NIB,*                                             9800
100220  006202                              ASR     R2
100222  006202                              ASR     R2
100224  006202                              ASR     R2
100226  062702  015342                        ADD     #PD.TEMP,R2
100232  017767  115376  115102      14$:    MOV     @ML.REG+230,PD.TEMP     ;                                       9795
100240  152777  000020  115256              BISB    #20,@ML.REG+120         ;                                       9796
100246  012704  000001                        MOV     #1,R4           ; *,$$TMP2                                      9797
100252  001411                      15$:      BEQ     18$
100254  016705  101636                        MOV     L$DLY,R5        ; *,$$TMP1
100260  001404                                BEQ     17$
100262  005066  000012                16$:    CLR     12(SP)          ; $$TMP
100266  005305                              DEC     R5              ; $$TMP1
100270  001374                              BNE     16$
100272  005304                      17$:    DEC     R4              ; $$TMP2
100274  000766                              BR      15$
100276  017767  115272  113070      18$:    MOV     @ML.REG+170,D1.TEMP
100304  017767  115274  113064              MOV     @ML.REG+200,D2.TEMP
100312  017767  115246  113060              MOV     @ML.REG+160,E2.TEMP
100320  010246                              MOV     R2,-(SP)        ;                                               9800
100322  016646  000002                        MOV     2(SP),-(SP)     ; CRC.NIB,*
100326  042716  177770                        BIC     #177770,(SP)
100332  012746  000001                        MOV     #1,-(SP)
100336  005046                              CLR     -(SP)
100340  004767  103270                        JSR     PC,BL$GT2
100344  062706  000010                        ADD     #10,SP
100350  005700                              TST     R0
100352  001102                              BNE     21$
100354  005266  000004                        INC     4(SP)           ; CRC.TSTED                                     9803
100360  011646                              MOV     (SP),-(SP)      ; CRC.NIB,*                                     9804
100362  010346                              MOV     R3,-(SP)        ; NIB.PAT,*
100364  012746  000016                        MOV     #16,-(SP)
100370  060616                              ADD     SP,(SP)         ; ERR.FLG,*
100372  004767  120000                        JSR     PC,TST.LNG.WRD
100376  026627  000016  000001              CMP     16(SP),#1       ; ERR.FLG,*                                     9806
100404  001063                              BNE     20$
100406  005267  114764                        INC     P.CNT           ;                                               9808
100412  026767  114760  114760              CMP     P.CNT,LIMIT
100420  003403                              BLE     19$
100422  062706  000006                        ADD     #6,SP
100426  000460                              BR      22$
100430  104455                      19$:    TRAP    55              ;                                               9810
```

```
22301                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
22302                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
22303
22304 100432  000203                            .WORD   203
22305 100434  012750                            .WORD   SYNC
22306 100436  026302                            .WORD   DUMPER
22307 100440  012746  010630                    MOV     #WRD.10,-(SP)           ;                               9811
22308 100444  012746  011532                    MOV     #WRD.73,-(SP)
22309 100450  012746  010774                    MOV     #WRD.24,-(SP)
22310 100454  012746  011446                    MOV     #WRD.64,-(SP)
22311 100460  012746  010270                    MOV     #FOR.FMT,-(SP)
22312 100464  012746  000005                    MOV     #5,-(SP)
22313 100470  010600                            MOV     SP,R0                   ; SP,*
22314 100472  104414                            TRAP    14
22315 100474  012716  000010                    MOV     #10,(SP)                ;                               9812
22316 100500  016705  112674                    MOV     NIB.SAVE+4,R5
22317 100504  006205                            ASR     R5
22318 100506  006205                            ASR     R5
22319 100510  006205                            ASR     R5
22320 100512  006205                            ASR     R5
22321 100514  000305                            SWAB    R5
22322 100516  042705  177770                    BIC     #177770,R5
22323 100522  010546                            MOV     R5,-(SP)
22324 100524  010346                            MOV     R3,-(SP)                ; NIB.PAT,*
22325 100526  012746  006650                    MOV     #FMT.5,-(SP)
22326 100532  012746  000004                    MOV     #4,-(SP)
22327 100536  010600                            MOV     SP,R0                   ; SP,*
22328 100540  104414                            TRAP    14
22329 100542  012766  000001  000040            MOV     #1,40(SP)               ; *,DODU.FLG                    9813
22330 100550  062706  000024                    ADD     #24,SP                  ;                               9808
22331 100554  062706  000006            20$:    ADD     #6,SP                   ;                               9802
22332 100560  026627  000004  000006    21$:    CMP     4(SP),#6                ; CRC.TSTED,*                   9819
22333 100566  001221                            BNE     14$
22334 100570  104467                    22$:    TRAP    67
22335 100572  006000                            ROR     R0
22336 100574  103002                            BHIS    24$
22337 100576  000167  177120            23$:    JMP     1$
22338 100602  005201                    24$:    INC     R1                      ; LOOP                          9723
22339 100604  020127  000004                    CMP     R1,#4                   ; LOOP,*
22340 100610  003772                            BLE     23$
22341 100612  026627  000006  000001            CMP     6(SP),#1                ; DODU.FLG,*                    9824
22342 100620  001004                            BNE     25$
22343 100622  016700  115202                    MOV     ML.LUN,R0               ;                               9827
22344 100626  104451                            TRAP    51
22345 100630  104444                            TRAP    44
22346 100632  062706  000014            25$:    ADD     #14,SP                  ;                               9676
22347 100636  000207                            RTS     PC
22348
22349                                   ; Routine Size:  242 words
22350                                   ; Maximum stack depth per invocation:  25 words
```

```
 22362
 22363                                          .SBTTL  T48 TEST CODE SECTION
 22367 100640                                   T48::
 22368 100640  004767  177030                   1$:     JSR     PC,$T48                 ;                    9829
 22369 100644  104466                                   TRAP    66
 22370 100646  006000                                   ROR     R0
 22371 100650  103773                                   BLO     1$
 22372 100652  000207                                   RTS     PC
 22373
 22374                                          ; Routine Size:  6 words
 22375                                          ; Maximum stack depth per invocation:  0 words
 22380
 22381
 22382 ;          9832  !<BLF/PAGE>
```

```
22384 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
22385 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (101)
22386 ;
22387 ;          9833   !
22388 ;          9834   BGNTST;
22389 ;          9835
22390 ;          9836   !++
22391 ;          9837   ! TEST NUMBER:  TST 49
22392 ;          9838   !
22393 ;          9839   ! TEST NAME:    UNIQUE NIBBLE CRC GENERATION TEST
22394 ;          9840   !
22395 ;          9841   ! TEST DESCRIPTION:
22396 ;          9842   !       TEST CRC CODES GENERATED FOR ONE CRC
22397 ;          9843   !       GROUP (52 UNIQUE UNIBUS NIBBLES) BY:
22398 ;          9844   !
22399 ;          9845   !       1.  DOING MASS BUS WRITE TRANSFERSS WITH THE
22400 ;          9846   !       FIRST IO_BUF CRC GROUP HAVING 51 NIBBLES
22401 ;          9847   !       OF %B'0000' PATTERN AND THE REMAINING NIBBLE
22402 ;          9848   !           WITH PATTERNS OF %B'0000' TO %B'1111'.
22403 ;          9849   !
22404 ;          9850   !       2.  THEN IN DATA DIAGNOSTIC MODE CALCULATE
22405 ;          9851   !           THE CRC CODE FOR THE FIRST CRC
22406 ;          9852   !           GROUP AND COMPARE IT AGAINST THE
22407 ;          9853   !           HARDWARE GENERATED CRC CODE.
22408 ;          9854   !
22409 ;          9855   !       3.  REPEAT PATTERN OF %B'0000' TO %B'1111'
22410 ;          9856   !           FOR EACH OF THE 52 NIBBLES.
22411 ;          9857   !
22412 ;          9858   ! IMPLICIT INPUTS:
22413 ;          9859   !       IO_BUF
22414 ;          9860   !       A  VECTOR OF 256 WORDS WHERE DATA
22415 ;          9861   !       FOR MBUS READS AND WRITES TRANSFERS
22416 ;          9862   !       IS FOUND.
22417 ;          9863   !
22418 ;          9864   !
22419 ;          9865   !--
22420 ;          9866
22421 ;          9867   local
22422 ;          9868       DODU_FLG,                            !DROP UNIT FLAG
22423 ;          9869       TEMP,                                !TEMPORARY STORAGE LOCATION
22424 ;          9870       NIB_SEL;                             !SELECTS 4 BITS 'ONE NIBBLE' FROM THE IO_BUF
22425 ;          9871
22426 ;          9872   DODU_FLG = ZEROES;                       !CLEAR THE DROP UNIT FLAG
22427 ;          9873   CLR_THRESHOLD;                           !CLEAR ERROR PRINT THRESHOLD
22428 ;          9874
22429 ;          9875   incr CNT from 0 to 13 do                 !CLEAR THE FIRST 14 IO_BUF WORDS
22430 ;          9876       IO_BUF [.CNT] = ZEROES;
22431 ;          9877
22432 ;          9878   incr WRD_CNT from 0 to 12 do             !DO THIS TEST ON 13 IO_BUF WORDS
22433 ;          9879       begin
22434 ;          9880       NIB_SEL = -4;                        !RESET THE NIBBLE SELECTOR
22435 ;          9881
22436 ;          9882       incr NIB_TST from 0 to 3 do          !DO THIS TEST ON 4 NIBBLES PER WORD
22437 ;          9883           begin
22438 ;          9884
```

```
22440 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
22441 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (101)
22442 ;
22443 ;          9885          if (.WRD_CNT eql 12) and (.NIB_TST eql 2) then exitloop;        !THE LAST 2 NIBBLES ARE NOT TESTED
22444 ;          9886
22445 ;          9887          NIB_SEL = .NIB_SEL + 4;                 !INCREMENT THE NIBBLE SELECTED
22446 ;          9888          TEMP = ZEROES;                          !CLEAR  TEMP LOCATION
22447 ;          9889
22448 ;          9890          incr NIB_PAT from %b'0000' to %b'1111' by %b'0001' do   !RUN PATTERNS ON THEIS NIBBLE
22449 ;          9891              begin
22450 ;          9892              BGNSUB;                             !START OF SCOPE LOOP
22451 ;          9893              TEMP<.NIB_SEL, 4> = .NIB_PAT;       !LOAD PATTERN INTO TEMP AT THIS NIBBLE
22452 ;          9894              IO_BUF [.WRD_CNT] = .TEMP;          !LOAD THE GENERATED PATTERN INTO THE IO_BUF
22453 ;          9895              CLR_MBUS;
22454 ;          9896              GD_BLK_XFER ();                     !SET UP A GOOD BLOCK TRANSFER
22455 ;          9897              ML_CSI = write;                     !DO A WRITE TRANSFER
22456 ;          9898              TIME_OUT_LOOP;                      !WAIT FOR THE TRANSFER TO COMPLETE
22457 ;          9899              A_GEN = ZEROES;                     !CLEAR THE GEN & CAL STORAGE LOCATIONS
22458 ;          9900              B_GEN = ZEROES;
22459 ;          9901              P_GEN = ZEROES;
22460 ;          9902              A_CAL = ZEROES;
22461 ;          9903              B_CAL = ZEROES;
22462 ;          9904              P_CAL = ZEROES;
22463 ;          9905              CAL_CRC ();                         !CALL ROUTINE TO CALCULATE THE CRC CODE FOR THIS PATTERN
22464 ;          9906
22465 ;          9907              if ERR_CHK_CRC ()                   !NOW SEE IF THE GEN CRC IS SAME AS CAL CRC
22466 ;          9908              then
22467 ;          9909                  begin                           !REPORT THE ERROR IF NOT THE SAME
22468 ;          9910                  CMP_THRESHOLD;                  !COMPARE ERROR PRINT THRESHOLD
22469 ;          9911                  ERRDF (132, SYNC, DUMPER);
22470 ;          9912                  PRINTB (THR_FMT, WRD_5, WRD_64, WRD_8);
22471 ;          9913                  PRINTB (FMT_19, .B_GEN, .A_GEN, .P_GEN);
22472 ;          9914                  PRINTB (FMT_20, .B_CAL, .A_CAL, .P_CAL);
22473 ;          9915                  DODU_FLG = ONE;
22474 ;          9916                  end;
22475 ;          9917
22476 ;          9918              ENDSUB;                             !END OF SCOPE LOOP
22477 ;          9919              end;
22478 ;          9920
22479 ;          9921          IO_BUF [.WRD_CNT] = ZEROES;             !CLEAR THIS IO_BUF WORD FO NEXT NIBBLE
22480 ;          9922          end;
22481 ;          9923
22482 ;          9924      end;
22483 ;          9925
22484 ;          9926  if .DODU_FLG IS_SET                           !DROP THIS UNIT IF THE DODU FLAG GOT SET
22485 ;          9927  then
22486 ;          9928      begin
22487 ;          9929      DODU (.ML_LUN);
22488 ;          9930      DOCLN;
22489 ;          9931      end;
22490 ;          9932
22491 ;          9933  ENDTST;
```

```
22496                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
22497                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
22498
22499
22500                                           .SBTTL  $T49 TEST CODE SECTION
22504 100654 004167 103732              $T49:   JSR     R1,$SAVE5               ;                                       9831
22505 100660 024646                             CMP     -(SP),-(SP)
22506 100662 005066 000002                      CLR     2(SP)                   ; DODU.FLG                              9872
22507 100666 005067 114504                      CLR     P.CNT
22508 100672 005000                             CLR     R0                      ; CNT                                   9875
22509 100674 010001                     1$:     MOV     R0,R1                   ; CNT,*                                 9876
22510 100676 006301                             ASL     R1
22511 100700 005061 014022                      CLR     IO.BUF(R1)
22512 100704 005200                             INC     R0                      ; CNT                                   9875
22513 100706 020027 000015                      CMP     R0,#15                  ; CNT,*
22514 100712 003770                             BLE     1$
22515 100714 005002                             CLR     R2                      ; WRD.CNT                               9878
22516 100716 012716 177774              2$:     MOV     #-4,(SP)                ; *,NIB.SEL                             9880
22517 100722 010201                             MOV     R2,R1                   ; WRD.CNT,*                             9894
22518 100724 006301                             ASL     R1
22519 100726 005004                             CLR     R4                      ; NIB.TST                               9882
22520 100730 020227 000014              3$:     CMP     R2,#14                  ; WRD.CNT,*                             9885
22521 100734 001003                             BNE     4$
22522 100736 020427 000002                      CMP     R4,#2                   ; NIB.TST,*
22523 100742 001575                             BEQ     10$
22524 100744 062716 000004              4$:     ADD     #4,(SP)                 ; *,NIB.SEL                             9887
22525 100750 005005                             CLR     R5                      ; TEMP                                  9888
22526 100752 005003                             CLR     R3                      ; NIB.PAT                               9890
22527 100754 104402                     5$:     TRAP    2                       ;                                       9891
22528 100756 010546                             MOV     R5,-(SP)                ; TEMP,*                                9893
22529 100760 016646 000002                      MOV     2(SP),-(SP)             ; NIB.SEL,*
22530 100764 012746 000004                      MOV     #4,-(SP)
22531 100770 010346                             MOV     R3,-(SP)                ; NIB.PAT,*
22532 100772 004767 103000                      JSR     PC,BL$PU1
22533 100776 010005                             MOV     R0,R5                   ; *,TEMP                                9891
22534 101000 010561 014022                      MOV     R5,IO.BUF(R1)           ; TEMP,*                                9894
22535 101004 152777 000040 114432               BISB    #40,@ML.REG+40
22536 101012 016700 115014                      MOV     ML.DUT,R0
22537 101016 042700 177770                      BIC     #177770,R0
22538 101022 142777 000007 114414               BICB    #7,@ML.REG+40
22539 101030 150077 114410                      BISB    R0,@ML.REG+40
22540 101034 004767 117252                      JSR     PC,GD.BLK.XFER          ;                                       9896
22541 101040 012777 000061 114336               MOV     #61,@ML.REG             ;                                       9897
22542 101046 105777 114402              6$:     TSTB    @ML.REG+50
22543 101052 100375                             BPL     6$
22544 101054 005067 114310                      CLR     A.GEN                   ;                                       9899
22545 101060 005067 114306                      CLR     B.GEN                   ;                                       9900
22546 101064 005067 114304                      CLR     P.GEN                   ;                                       9901
22547 101070 005067 114266                      CLR     A.CAL                   ;                                       9902
22548 101074 005067 114264                      CLR     B.CAL                   ;                                       9903
22549 101100 005067 114262                      CLR     P.CAL                   ;                                       9904
22550 101104 004767 115732                      JSR     PC,CAL.CRC              ;                                       9905
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        ;
22555 101110 004767 116326              JSR     PC,ERR.CHK.CRC          ;                                                       9907
22556 101114 006000                     ROR     R0
22557 101116 103066                     BCC     8$
22558 101120 005267 114252              INC     P.CNT                   ;                                                       9909
22559 101124 026767 114246 114246       CMP     P.CNT,LIMIT
22560 101132 003403                     BLE     7$
22561 101134 062706 000010              ADD     #10,SP
22562 101140 000462                     BR      9$
22563 101142 104455             7$:     TRAP    55                      ;                                                       9911
22564 101144 000204                     .WORD   204
22565 101146 012750                     .WORD   SYNC
22566 101150 026302                     .WORD   DUMPER
22567 101152 012746 010602              MOV     #WRD.8,-(SP)            ;                                                       9912
22568 101156 012746 011446              MOV     #WRD.64,-(SP)
22569 101162 012746 010552              MOV     #WRD.5,-(SP)
22570 101166 012746 010256              MOV     #THR.FMT,-(SP)
22571 101172 012746 000004              MOV     #4,-(SP)
22572 101176 010600                     MOV     SP,R0                   ; SP,*
22573 101200 104414                     TRAP    14
22574 101202 016716 114166              MOV     P.GEN,(SP)              ;                                                       9913
22575 101206 016746 114156              MOV     A.GEN,-(SP)
22576 101212 016746 114154              MOV     B.GEN,-(SP)
22577 101216 012746 007632              MOV     #FMT.19,-(SP)
22578 101222 012746 000004              MOV     #4,-(SP)
22579 101226 010600                     MOV     SP,R0                   ; SP,*
22580 101230 104414                     TRAP    14
22581 101232 016716 114130              MOV     P.CAL,(SP)              ;                                                       9914
22582 101236 016746 114120              MOV     A.CAL,-(SP)
22583 101242 016746 114116              MOV     B.CAL,-(SP)
22584 101246 012746 007702              MOV     #FMT.20,-(SP)
22585 101252 012746 000004              MOV     #4,-(SP)
22586 101256 010600                     MOV     SP,R0                   ; SP,*
22587 101260 104414                     TRAP    14
22588 101262 012766 000001 000044       MOV     #1,44(SP)               ; *,DODU.FLG                                            9915
22589 101270 062706 000032              ADD     #32,SP                  ;                                                       9909
22590 101274 062706 000010      8$:     ADD     #10,SP                  ;                                                       9891
22591 101300 104467                     TRAP    67                      ;                                                       9916
22592 101302 006000                     ROR     R0
22593 101304 103623                     BLO     5$
22594 101306 005203             9$:     INC     R3                      ; NIB.PAT                                               9890
22595 101310 020327 000017              CMP     R3,#17                  ; NIB.PAT,*
22596 101314 003617                     BLE     5$
22597 101316 005061 014022              CLR     10.BUF(R1)              ;                                                       9921
22598 101322 005204                     INC     R4                      ; NIB.TST                                               9882
22599 101324 020427 000003              CMP     R4,#3                   ; NIB.TST,*
22600 101330 003002                     BGT     10$
22601 101332 000167 177372              JMP     3$
22602 101336 005202             10$:    INC     R2                      ; WRD.CNT                                               9878
22603 101340 020227 000014              CMP     R2,#14                  ; WRD.CNT,*
22604 101344 003002                     BGT     11$
22605 101346 000167 177344              JMP     2$
22606 101352 026627 000002 000001 11$:  CMP     2(SP),#1                ; DODU.FLG,*                                            9926
```

```
 22608                                  ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
 22609                                  ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
 22610
 22611 101360  001004                             BNE     12$
 22612 101362  016700  114442                     MOV     ML.LUN,R0                       ;                       9929
 22613 101366  104451                             TRAP    51
 22614 101370  104444                             TRAP    44
 22615 101372  022626                   12$:      CMP     (SP)+,(SP)+                     ;                       9831
 22616 101374  000207                             RTS     PC
 22617
 22618                                  ; Routine Size:  169 words
 22619                                  ; Maximum stack depth per invocation:  25 words
 22624
 22625
 22629
 22630                                          .SBTTL  T49 TEST CODE SECTION
 22634 101376                           T49::
 22635 101376  004767  177252           1$:     JSR     PC,$T49                         ;                       9931
 22636 101402  104466                             TRAP    66
 22637 101404  006000                             ROR     R0
 22638 101406  103773                             BLO     1$
 22639 101410  000207                             RTS     PC
 22640
 22641                                  ; Routine Size:  6 words
 22642                                  ; Maximum stack depth per invocation:  0 words
 22647
 22648
 22649 ;         9934  !
 22650 ;         9935  !<BLF/PAGE>
```

```
22652 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
22653 ;                TEST CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (102)
22654
22655 ;          9936  !
22656 ;          9937  BGNTST;
22657 ;          9938
22658 ;          9939  !++
22659 ;          9940  ! TEST NUMBER:  TST 50
22660 ;          9941  !
22661 ;          9942  ! TEST NAME:            UNIQUE WORD CRC GENERATION TEST
22662 ;          9943  !
22663 ;          9944  ! TEST DESCRIPTION:
22664 ;          9945  !       TEST CRC CODES GENERATED FOR ONE
22665 ;          9946  !       CRC GROUP (13 UNIBUS WORDS) BY:
22666 ;          9947  !
22667 ;          9948  !       1.  DOING MASS BUS WRITE TRANSFERS
22668 ;          9949  !           USING VARIOUS WORD DATA PATTERENS.
22669 ;          9950  !
22670 ;          9951  !       2.  THEN IN DATA DIAGNOSTIC MODE
22671 ;          9952  !           CALCULATE THE CRC CODE FOR THE
22672 ;          9953  !           FIRST CRC GROUP AND COMPARE IT TO
22673 ;          9954  !           THE HARDWARE GENERATED CRC CODE.
22674 ;          9955  !
22675 ;          9956  ! IMPLICIT INPUTS:
22676 ;          9957  !       IO_BUF
22677 ;          9958  !       A VECTOR OF 256 WORDS WHERE DATA
22678 ;          9959  !       FOR MBUS READS AND WRITES TRANSFERS
22679 ;          9960  !       IS FOUND.
22680 ;          9961  !
22681 ;          9962  !--
22682 ;          9963
22683 ;          9964  local
22684 ;          9965      DODU_FLG,                          !DROP UNIT FLAG
22685 ;          9966      TST_PAT;                           !TEST PATTERN SAVE LOCATION
22686 ;          9967
22687 ;          9968  DODU_FLG = ZEROES;                     !CLEAR THE DROP UNIT FLAG
22688 ;          9969
22689 ;          9970  incr PAT_SEL from 0 to 3 do            !RUN THE TEST ON 4 PATTERNS
22690 ;          9971      begin
22691 ;          9972      BGNSUB;                            !START OF SCOPE LOOP
22692 ;          9973      CLR_MBUS;
22693 ;          9974
22694 ;          9975      case .PAT_SEL from 0 to 3 of       !SELECT ONE OF THE 4 PATTERNS
22695 ;          9976          set
22696 ;          9977
22697 ;          9978          [0] :
22698 ;          9979              TST_PAT = ONES;
22699 ;          9980
22700 ;          9981          [1] :
22701 ;          9982              TST_PAT = %o'052525';
22702 ;          9983
22703 ;          9984          [2] :
22704 ;          9985              TST_PAT = %o'125252';
22705 ;          9986
22706 ;          9987          [3] :
```

```
22708 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
22709 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (102)
22710 ;
22711 ;          9988             TST_PAT = %o'070707';
22712 ;          9989         tes;
22713 ;          9990
22714 ;          9991     incr CNT from 0 to 255 do                  !LOAD THE FIRST 13 IO_BUF WORDS WITH TST_PAT
22715 ;          9992         IO_BUF [.CNT] = .TST_PAT;
22716 ;          9993
22717 ;          9994     GD_BLK_XFER ();                            !SET UP A GOOD BLOCK TRANSFER
22718 ;          9995     ML_CS1 = write;                            !DO A WRITE TRANSFER
22719 ;          9996     TIME_OUT_LOOP;                             !WAIT FOR THE TRANSFER TO COMPLETE
22720 ;          9997     A_GEN = ZEROES;                            !CLEAR THE GEN & CAL SAVE LOCATIONS
22721 ;          9998     B_GEN = ZEROES;
22722 ;          9999     P_GEN = ZEROES;
22723 ;          10000    A_CAL = ZEROES;
22724 ;          10001    B_CAL = ZEROES;
22725 ;          10002    P_CAL = ZEROES;
22726 ;          10003    CAL_CRC ();                                !CALCULATE WHAT THE CRC CODE SHOULD BE
22727 ;          10004
22728 ;          10005    if ERR_CHK_CRC ()                          !NOW SEE IF THE GENERATED CRC CODE IS THE SAME
22729 ;          10006    then
22730 ;          10007        begin                                  !REPORT THE ERROR IF NOT THE SAME
22731 ;          10008        ERRDF (133, SYNC, DUMPER);
22732 ;          10009        PRINTB (THR_FMT, WRD_5, WRD_64, WRD_8);
22733 ;          10010        PRINTB (FMT_19, .B_GEN, .A_GEN, .P_GEN);
22734 ;          10011        PRINTB (FMT_20, .B_CAL, .A_CAL, .P_CAL);
22735 ;          10012        DODU_FLG = ONE;
22736 ;          10013        end;
22737 ;          10014
22738 ;          10015    ENDSUB;                                    !END OF SCOPE LOOP
22739 ;          10016    end;
22740 ;          10017
22741 ;          10018 if .DODU_FLG IS_SET                           !DROP THIS UNIT IF THE DODU FLAG GOT SET
22742 ;          10019 then
22743 ;          10020     begin
22744 ;          10021     DODU (.ML_LUN);
22745 ;          10022     DOCLN;
22746 ;          10023     end;
22747 ;          10024
22748 ;          10025 ENDTST;
22752
22753                                        .SBTTL  $T50 TEST CODE SECTION                                  9933
22757 101412  004167  103174          $T50:  JSR     R1,$SAVE5                ;                               9968
22758 101416  005005                        CLR     R5                       ; DODU.FLG                      9970
22759 101420  005004                        CLR     R4                       ; PAT.SEL                       9971
22760 101422  104402                  1$:   TRAP    2                        ;                               9972
22761 101424  152777  000040  114012        BISB    #40,@ML.REG+40           ;
22762 101432  016703  114374                MOV     ML.DUT,R3
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                                       29-Mar-1982 16:21:03    PA:<
22766
22767 101436  042703  177770            BIC     #177770,R3
22768 101442  142777  000007  113774    BICB    #7,@ML.REG+40
22769 101450  150377  113770            BISB    R3,@ML.REG+40
22770 101454  010403                    MOV     R4,R3                   ; PAT.SEL,*                     9975
22771 101456  006303                    ASL     R3
22772 101460  066307  101464            ADD     2$(R3),PC
22773 101464  000010            2$:     .WORD   3$-2$
22774 101466  000016                    .WORD   4$-2$
22775 101470  000024                    .WORD   5$-2$
22776 101472  000032                    .WORD   6$-2$
22777 101474  012701  177777    3$:     MOV     #-1,R1                  ; *,TST.PAT                     9979
22778 101500  000410                    BR      7$                      ;                               9975
22779 101502  012701  052525    4$:     MOV     #52525,R1               ; *,TST.PAT                     9982
22780 101506  000405                    BR      7$                      ;                               9975
22781 101510  012701  125252    5$:     MOV     #-52526,R1              ; *,TST.PAT                     9985
22782 101514  000402                    BR      7$                      ;                               9975
22783 101516  012701  070707    6$:     MOV     #70707,R1               ; *,TST.PAT                     9988
22784 101522  005002            7$:     CLR     R2                      ; CNT                           9991
22785 101524  010203            8$:     MOV     R2,R3                   ; CNT,*                         9992
22786 101526  006303                    ASL     R3
22787 101530  010163  014022            MOV     R1,IO.BUF(R3)           ; TST.PAT,*
22788 101534  005202                    INC     R2                      ; CNT                           9991
22789 101536  020227  000377            CMP     R2,#377                 ; CNT,*
22790 101542  003770                    BLE     8$
22791 101544  004767  116542            JSR     PC,GD.BLK.XFER          ;                               9994
22792 101550  012777  000061  113626    MOV     #61,@ML.REG             ;                               9995
22793 101556  105777  113672    9$:     TSTB    @ML.REG+50
22794 101562  100375                    BPL     9$
22795 101564  005067  113600            CLR     A.GEN                   ;                               9997
22796 101570  005067  113576            CLR     B.GEN                   ;                               9998
22797 101574  005067  113574            CLR     P.GEN                   ;                               9999
22798 101600  005067  113556            CLR     A.CAL                   ;                               1000
22799 101604  005067  113554            CLR     B.CAL                   ;                               1000
22800 101610  005067  113552            CLR     P.CAL                   ;                               1000
22801 101614  004767  115222            JSR     PC,CAL.CRC              ;                               1000
22802 101620  004767  115616            JSR     PC,ERR.CHK.CRC          ;                               1000
22803 101624  006000                    ROR     R0
22804 101626  103054                    BCC     10$
22805 101630  104455                    TRAP    55                      ;                               1000
22806 101632  000205                    .WORD   205
22807 101634  012750                    .WORD   SYNC
22808 101636  026302                    .WORD   DUMPER
22809 101640  012746  010602            MOV     #WRD.8,-(SP)            ;                               1000
22810 101644  012746  011446            MOV     #WRD.64,-(SP)
22811 101650  012746  010552            MOV     #WRD.5,-(SP)
22812 101654  012746  010256            MOV     #THR.FMT,-(SP)
22813 101660  012746  000004            MOV     #4,-(SP)
22814 101664  010600                    MOV     SP,R0                   ; SP,*
22815 101666  104414                    TRAP    14
22816 101670  016716  113500            MOV     P.GEN,(SP)              ;                               1001
22817 101674  016746  113470            MOV     A.GEN,-(SP)
22818 101700  016746  113466            MOV     B.GEN,-(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        ;
 22820                                  ;
 22821                                  ;
 22822
 22823 101704  012746  007632                   MOV     #FMT.19,-(SP)
 22824 101710  012746  000004                   MOV     #4,-(SP)
 22825 101714  010600                           MOV     SP,R0                   ; SP,*
 22826 101716  104414                           TRAP    14
 22827 101720  016716  113442                   MOV     P.CAL,(SP)              ;                               1001
 22828 101724  016746  113432                   MOV     A.CAL,-(SP)
 22829 101730  016746  113430                   MOV     B.CAL,-(SP)
 22830 101734  012746  007702                   MOV     #FMT.20,-(SP)
 22831 101740  012746  000004                   MOV     #4,-(SP)
 22832 101744  010600                           MOV     SP,R0                   ; SP,*
 22833 101746  104414                           TRAP    14
 22834 101750  012705  000001                   MOV     #1,R5                   ; *,DODU.FLG                    1001
 22835 101754  062706  000032                   ADD     #32,SP                  ;                               1000
 22836 101760  104467                   10$:    TRAP    67                      ;                               1001
 22837 101762  006000                           ROR     R0
 22838 101764  103616                           BLO     1$
 22839 101766  005204                           INC     R4                      ; PAT.SEL                       9970
 22840 101770  020427  000003                   CMP     R4,#3                   ; PAT.SEL,*
 22841 101774  003612                           BLE     1$
 22842 101776  005305                           DEC     R5                      ; DODU.FLG                      1001
 22843 102000  001004                           BNE     11$
 22844 102002  016700  114022                   MOV     ML.LUN,R0               ;                               1002
 22845 102006  104451                           TRAP    51
 22846 102010  104444                           TRAP    44
 22847 102012  000207                   11$:    RTS     PC                      ;                               9933
 22848
 22849                                  ; Routine Size:  129 words
 22850                                  ; Maximum stack depth per invocation:  19 words
 22855
 22856
 22860
 22861                                          .SBTTL  T50 TEST CODE SECTION
 22865 102014                           T50::
 22866 102014  004767  177372           1$:     JSR     PC,$T50                 ;                               1002
 22867 102020  104466                           TRAP    66
 22868 102022  006000                           ROR     R0
 22869 102024  103773                           BLO     1$
 22870 102026  000207                           RTS     PC
 22871
 22872                                  ; Routine Size:  6 words
 22873                                  ; Maximum stack depth per invocation:  0 words
```

```
22882
22883
22884 ;          10026 !<BLF/PAGE>
```

```
22886 ;ML4AD
22887 ;                 TEST CODE SECTION
22888
22889 ;          10027 !
22890 ;          10028 BGNTST;
22891 ;          10029
22892 ;          10030 !++
22893 ;          10031 ! TEST NUMBER:  TST 51
22894 ;          10032 !
22895 ;          10033 ! TEST NAME:            CORRECTABLE ERROR SYNDRONE DECODE TEST
22896 ;          10034 !
22897 ;          10035 ! TEST DESCRIPTION:
22898 ;          10036 !       TEST SYNDRONE DECODE AND ERROR
22899 ;          10037 !       CORRECTION TO DECODE AND CORRECT
22900 ;          10038 !       SINGLE BIT AND MULTIPLE BIT
22901 ;          10039 !       CHANNEL ERRORS BY:
22902 ;          10040 !
22903 ;          10041 !       1.  VIA ECC DIAG MODE FORCE SYNDRONE
22904 ;          10042 !           BITS TO DECODE SINGLE BIT AND
22905 ;          10043 !           MULTIPLE BIT CHANNEL ERRORS.
22906 ;          10044 !
22907 ;          10045 !       2.  THEN DO A MASS BUS READ TRANSFER
22908 ;          10046 !           AND EXAM THE IO_BUF FOR CORRECT
22909 ;          10047 !           BIT COMPLIMENTING.
22910 ;          10048 !
22911 ;          10049 ! IMPLICIT INPUTS:
22912 ;          10050 !       IO_BUF
22913 ;          10051 !       A  VECTOR OF 256 WORDS WHERE DATA
22914 ;          10052 !       FOR MBUS READS AND WRITES TRANSFERS
22915 ;          10053 !       IS FOUND.
22916 ;          10054 !
22917 ;          10055 !
22918 ;          10056 !--
22919 ;          10057
22920 ;          10058 local
22921 ;          10059     BITS_XFERED;                      !POINTS TO THE CHANNEL BEING TESTED
22922 ;          10060
22923 ;          10061 CLR_THRESHOLD;                        !CLEAR ERROR PRINT THRESHOLD
22924 ;          10062 BAI = ONE;                            !BEFORE WE START LETS CLEAR OUT THE ML11'S
22925 ;          10063 IO_BUF = ZEROES;                      !GOOD BLOCK BY WRITTING ZEROES TO IT
22926 ;          10064 GD_BLK_XFER ();
22927 ;          10065 MLCS1 = write;
22928 ;          10066 TIME_OUT_LOOP;
22929 ;          10067 BITS_XFERED = -1;                     !RESET THE CHANNEL POINTER
22930 ;          10068
22931 ;          10069 incr PLOG from 0 to 5 do              !TEST ONE CRC GROUP '6 ARRAY WORDS'
22932 ;          10070     begin
22933 ;          10071
22934 ;          10072     incr CHANNEL from 0 to 35 do      !TEST 36 BITS IN EACH ARRAY WORD
22935 ;          10073         begin
22936 ;          10074         BGNSUB;                       !START OF SCOPE LOOP
22937 ;          10075         CLR_MBUS;                     !CLEAR THE DRIVE
22938 ;          10076         BITS_XFERED = .BITS_XFERED + 1;   !INCREMENT THE CHANNEL POINTER
22939 ;          10077
22940 ;          10078         incr CNT from 0 to 255 do     !CLEAR THE FIRST CRC GROUP IN THE IO_BUF
```

```
22942 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
22943 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (103)
22944 ;
22945 ;          10079          IO_BUF [.CNT] = ZEROES;
22946 ;          10080
22947 ;          10081      FORCE_REM (.PLOG, .CHANNEL);          !FORCE THIS BIT IN THIS WORD IN ERROR
22948 ;          10082      GD_BLK_XFER ();                       !SET UP A GOOD BLOCK TRANSFER
22949 ;          10083      ECC_DIS = ZERO;                       !CLEAR ECC DISABLE
22950 ;          10084      MLCS1 = read;                         !DO A READ TRANSFER
22951 ;          10085      TIME_OUT_LOOP;                        !WAIT FOR THE TRANSFER TO COMPLETE
22952 ;          10086
22953 ;          10087      if not FIND_COMP_BIT (.BITS_XFERED)   !SEARCH THE IO_BUF FOR THE COMP BIT
22954 ;          10088      then
22955 ;          10089          begin                             !REPORT AN ERROR IF THIS BIT IS NOT COMP
22956 ;          10090          CMP_THRESHOLD;                    !COMPARE ERROR PRINT THRESHOLD
22957 ;          10091          ERRDF (134, SYNC, DUMPER);
22958 ;          10092          PRINTB (THR_FMT, WRD_74, WRD_75, PHR_1);
22959 ;          10093          PRINTB (FMT_21, .PLOG, .CHANNEL);
22960 ;          10094          end;
22961 ;          10095
22962 ;          10096      incr WRD_CNT from 0 to 12 do          !SEE IF ANY OTHER BITS GOT COMP'ED
22963 ;          10097
22964 ;          10098          if .IO_BUF [.WRD_CNT] neq ZEROES  !TEST THE IO_BUF FOR ZEROES
22965 ;          10099          then
22966 ;          10100              begin                         !REPORT AN ERROR IF ANY OTHERS ARE SET
22967 ;          10101              CMP_THRESHOLD;                !COMPARE ERROR PRINT THRESHOLD
22968 ;          10102              ERRDF (135, SYNC, DUMPER);
22969 ;          10103              PRINTB (FOR_FMT, WRD_61, WRD_74, WRD_75, PHR_5);
22970 ;          10104              PRINTB (FMT_21, .PLOG, .CHANNEL);
22971 ;          10105              end;
22972 ;          10106
22973 ;          10107      ENDSUB;                               !END OF SCOPE LOOP
22974 ;          10108      end;
22975 ;          10109
22976 ;          10110  end;
22977 ;          10111
22978 ;          10112 BITS_XFERED = -1;                          !RESET THE CHANNEL POINTER
22979 ;          10113
22980 ;          10114 incr CHANNEL from 0 to 35 do               !TEST 36 CHANNELS FOR MULTIPLE BIT ERRORS
22981 ;          10115      begin
22982 ;          10116      BGNSUB;                               !START OF SCOPE LOOP
22983 ;          10117      CLR_MBUS;                             !CLEAR THE DRIVE
22984 ;          10118      BITS_XFERED = .BITS_XFERED + 1;       !INCREMENT THE CHANNEL POINTER
22985 ;          10119
22986 ;          10120      incr CNT from 0 to 20 do              !CLEAR THE FIRST CRC GROUP IN THE IO_BUF
22987 ;          10121          IO_BUF [.CNT] = ZEROES;
22988 ;          10122
22989 ;          10123      FORCE_REM (58, .CHANNEL);             !FORCE ALL 6 BITS IN THIS CHANNEL IN ERROR
22990 ;          10124      GD_BLK_XFER ();                       !SET UP A GOOD BLOCK TRANSFER
22991 ;          10125      ECC_DIS = ZERO;                       !CLEAR ECC DISABLE
22992 ;          10126      MLCS1 = read;                         !DO A READ TRANSFER
22993 ;          10127      TIME_OUT_LOOP;                        !WAIT FOR THE TRANSFER TO CMOPLETE
22994 ;          10128
22995 ;          10129      incr BIT_OFFSET from 0 to 180 by 36 do !SEE IF EVERY 36TH BIT GOT COMP'ED
22996 ;          10130
```

```
 22998 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
 22999 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (103)
 23000
 23001 ;          10131          if not FIND_COMP_BIT (.BITS_XFERED + .BIT_OFFSET)       !SEARCH THE IO_BUF FOR THE COMP'ED BITS
 23002 ;          10132          then
 23003 ;          10133              begin                                               !REPORT AN ERROR IF ANY OF THE BITS ARE NOT COMP'ED
 23004 ;          10134              CMP_THRESHOLD;                                      !COMPARE ERROR PRINT THRESHOLD
 23005 ;          10135              ERRDF (134, SYNC, DUMPER);
 23006 ;          10136              PRINTB (THR_FMT, WRD_74, WRD_75, PHR_1);
 23007 ;          10137              PRINTB (FMT_21, 58, .CHANNEL);
 23008 ;          10138              end;
 23009 ;          10139
 23010 ;          10140      incr WRD_CNT from 0 to 12 do                            !ALSO SEE IF ANY OTHER BIT GOT COMP'ED
 23011 ;          10141
 23012 ;          10142          if .IO_BUF [.WRD_CNT] neq ZEROES                    !TEST THE IO_BUF FOR ALL ZEROES
 23013 ;          10143          then
 23014 ;          10144              begin                                           !REPORT AN ERROR IF ANY OTHERS ARE COMP'ED
 23015 ;          10145              CMP_THRESHOLD;                                  !COMPARE ERROR PRINT THRESHOLD
 23016 ;          10146              ERRDF (135, SYNC, DUMPER);
 23017 ;          10147              PRINTB (FIV_FMT, WRD_61, WRD_74, WRD_75, WRD_12, WRD_67);
 23018 ;          10148              PRINTB (FMT_21, 58, .CHANNEL);
 23019 ;          10149              end;
 23020 ;          10150
 23021 ;          10151      ENDSUB;                                                 !END OF SCOPE LOOP
 23022 ;          10152      end;
 23023 ;          10153
 23024 ;          10154 ENDTST;
 23028
 23029                                          .SBTTL  $T51 TEST CODE SECTION
 23033 102030  004167  102556          $T51:   JSR     R1,$SAVE5                       ;                                   1002
 23034 102034  005746                          TST     -(SP)
 23035 102036  005067  113334                  CLR     P.CNT                           ;                                   1005
 23036 102042  152777  000010  113374          BISB    #10,@ML.REG+40                  ;                                   1006
 23037 102050  005067  111746                  CLR     IO.BUF                          ;                                   1006
 23038 102054  004767  116232                  JSR     PC,GD.BLK.XFER                  ;                                   1006
 23039 102060  012777  000061  113316          MOV     #61,@ML.REG                     ;                                   1006
 23040 102066  105777  113362          1$:     TSTB    @ML.REG+50
 23041 102072  100375                          BPL     1$
 23042 102074  012716  177777                  MOV     #-1,(SP)                        ; *,BITS.XFERED                     1006
 23043 102100  005005                          CLR     R5                              ; PLOG                              1006
 23044 102102  005004                  2$:     CLR     R4                              ; CHANNEL                           1007
 23045 102104  104402                  3$:     TRAP    2                               ;                                   1007
 23046 102106  152777  000040  113330          BISB    #40,@ML.REG+40                  ;                                   1007
 23047 102114  016703  113712                  MOV     ML.DUT,R3
 23048 102120  042703  177770                  BIC     #177770,R3
 23049 102124  142777  000007  113312          BICB    #7,@ML.REG+40
 23050 102132  150377  113306                  BISB    R3,@ML.REG+40
 23051 102136  005216                          INC     (SP)                            ; BITS.XFERED                       1007
 23052 102140  005001                          CLR     R1                              ; CNT                               1007
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        4$:     MOV     R1,R2           ; CNT,*                                         1007
                                                ASL     R2
                                                CLR     IO.BUF(R2)
                                                INC     R1              ; CNT                                           1007
                                                CMP     R1,#377         ; CNT,*
                                                BLE     4$
                                                MOV     R5,-(SP)        ; PLOG,*                                        1008
                                                MOV     R4,-(SP)        ; CHANNEL,*
                                                JSR     PC,FORCE.REM
                                                JSR     PC,GD.BLK.XFER  ;                                               1008
                                                BICB    #2,@ML.REG+120  ;                                               1008
                                                MOV     #71,@ML.REG     ;                                               1008
                                        5$:     TSTB    @ML.REG+50
                                                BPL     5$
                                                MOV     4(SP),-(SP)     ; BITS.XFERED,*                                 1008
                                                JSR     PC,FIND.COMP.BIT
                                                TST     (SP)+
                                                ROR     R0
                                                BLO     7$
                                                INC     P.CNT           ;                                               1008
                                                CMP     P.CNT,LIMIT
                                                BLE     6$
                                                CMP     (SP)+,(SP)+
                                                BR      11$
                                        6$:     TRAP    55              ;                                               1009
                                                .WORD   206
                                                .WORD   SYNC
                                                .WORD   DUMPER
                                                MOV     #PHR.1,-(SP)    ;                                               1009
                                                MOV     #WRD.75,-(SP)
                                                MOV     #WRD.74,-(SP)
                                                MOV     #THR.FMT,-(SP)
                                                MOV     #4,-(SP)
                                                MOV     SP,R0           ; SP,*
                                                TRAP    14
                                                MOV     R4,(SP)         ; CHANNEL,*                                     1009
                                                MOV     R5,-(SP)        ; PLOG,*
                                                MOV     #FMT.21,-(SP)
                                                MOV     #3,-(SP)
                                                MOV     SP,R0           ; SP,*
                                                TRAP    14
                                                ADD     #20,SP          ;                                               1008
                                        7$:     CLR     R3              ; WRD.CNT                                       1009
                                        8$:     MOV     R3,R2           ; WRD.CNT,*                                     1009
                                                ASL     R2
                                                TST     IO.BUF(R2)
                                                BEQ     9$
                                                INC     P.CNT           ;                                               1010
                                                CMP     P.CNT,LIMIT
                                                BGT     10$
                                                TRAP    55              ;                                               1010
                                                .WORD   207
```

```
23110                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
23111                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
23112
23113 102376  012750                            .WORD   SYNC
23114 102400  026302                            .WORD   DUMPER
23115 102402  012746  011714                    MOV     #PHR.5,-(SP)            ;                                       1010
23116 102406  012746  011552                    MOV     #WRD.75,-(SP)
23117 102412  012746  011540                    MOV     #WRD.74,-(SP)
23118 102416  012746  011416                    MOV     #WRD.61,-(SP)
23119 102422  012746  01027C                    MOV     #FOR.FMT,-(SP)
23120 102426  012746  000005                    MOV     #5,-(SP)
23121 102432  010600                            MOV     SP,R0                   ; SP,*
23122 102434  104414                            TRAP    14
23123 102436  010416                            MOV     R4,(SP)                 ; CHANNEL,*                             1010
23124 102440  010546                            MOV     R5,-(SP)                ; PLOG,*
23125 102442  012746  007754                    MOV     #FMT.21,-(SP)
23126 102446  012746  000003                    MOV     #3,-(SP)
23127 102452  010600                            MOV     SP,R0                   ; SP,*
23128 102454  104414                            TRAP    14
23129 102456  062706  000022                    ADD     #22,SP                  ;                                       1010
23130 102462  005203                    9$:     INC     R3                      ; WRD.CNT                               1009
23131 102464  020327  000014                    CMP     R3,#14                  ; WRD.CNT,*
23132 102470  003725                            BLE     8$
23133 102472  022626                    10$:    CMP     (SP)+,(SP)+             ;                                       1007
23134 102474  104467                            TRAP    67                      ;                                       1010
23135 102476  006000                            ROR     R0
23136 102500  103601                            BLO     3$
23137 102502  005204                    11$:    INC     R4                      ; CHANNEL                               1007
23138 102504  020427  000043                    CMP     R4,#43                  ; CHANNEL,*
23139 102510  003002                            BGT     12$
23140 102512  000167  177366                    JMP     3$
23141 102516  005205                    12$:    INC     R5                      ; PLOG                                  1006
23142 102520  020527  000005                    CMP     R5,#5                   ; PLOG,*
23143 102524  003002                            BGT     13$
23144 102526  000167  177350                    JMP     2$
23145 102532  012716  177777            13$:    MOV     #-1,(SP)                ; *,BITS.XFERED                         1011
23146 102536  005003                            CLR     R3                      ; CHANNEL                               1011
23147 102540  104402                    14$:    TRAP    2                       ;                                       1011
23148 102542  152777  000040  112674            BISB    #40,@ML.REG+40          ;                                       1011
23149 102550  016705  113256                    MOV     ML.DUT,R5
23150 102554  042705  177770                    BIC     #177770,R5
23151 102560  142777  000007  112656            BICB    #7,@ML.REG+40
23152 102566  150577  112652                    BISB    R5,@ML.REG+40
23153 102572  005216                            INC     (SP)                    ; BITS.XFERED                           1011
23154 102574  005001                            CLR     R1                      ; CNT                                   1012
23155 102576  010102                    15$:    MOV     R1,R2                   ; CNT,*                                 1012
23156 102600  006302                            ASL     R2
23157 102602  005062  014022                    CLR     IO.BUF(R2)
23158 102606  005201                            INC     R1                      ; CNT                                   1012
23159 102610  020127  000024                    CMP     R1,#24                  ; CNT,*
23160 102614  003770                            BLE     15$
23161 102616  012746  000072                    MOV     #72,-(SP)               ;                                       1012
23162 102622  010346                            MOV     R3,-(SP)                ; CHANNEL,*
23163 102624  004767  115202                    JSR     PC,FORCE.REM
23164 102630  004767  115456                    JSR     PC,GD.BLK.XFER          ;                                       1012
```

```
23166                                          ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS
23167                                          ;              TEST CODE SECTION                          29-Mar-1982 16:21:03    PA:<
23168
23169 102634  142777  000002  112662           BICB    #2,@ML.REG+120          ;                                                 1012
23170 102642  012777  000071  112534           MOV     #71,@ML.REG             ;                                                 1012
23171 102650  105777  112600            16$:    TSTB    @ML.REG+50
23172 102654  100375                           BPL     16$
23173 102656  005002                           CLR     R2                      ; BIT.OFFSET                                      1012
23174 102660  010246                    17$:   MOV     R2,-(SP)                ; BIT.OFFSET,*                                    1013
23175 102662  066616  000006                   ADD     6(SP),(SP)              ; BITS.XFERED,*
23176 102666  004767  114766                   JSR     PC,FIND.COMP.BIT
23177 102672  005726                           TST     (SP)+
23178 102674  006000                           ROR     R0
23179 102676  103441                           BLO     18$
23180 102700  005267  112472                   INC     P.CNT                   ;                                                 1013
23181 102704  026767  112466  112466           CMP     P.CNT,LIMIT
23182 102712  003040                           BGT     19$
23183 102714  104455                           TRAP    55                      ;                                                 1013
23184 102716  000206                           .WORD   206
23185 102720  012750                           .WORD   SYNC
23186 102722  026302                           .WORD   DUMPER
23187 102724  012746  011610                   MOV     #PHR.1,-(SP)            ;                                                 1013
23188 102730  012746  011552                   MOV     #WRD.75,-(SP)
23189 102734  012746  011540                   MOV     #WRD.74,-(SP)
23190 102740  012746  010256                   MOV     #THR.FMT,-(SP)
23191 102744  012746  000004                   MOV     #4,-(SP)
23192 102750  010600                           MOV     SP,R0                   ; SP,*
23193 102752  104414                           TRAP    14
23194 102754  010316                           MOV     R3,(SP)                 ; CHANNEL,*                                       1013
23195 102756  012746  000072                   MOV     #72,-(SP)
23196 102762  012746  007754                   MOV     #FMT.21,-(SP)
23197 102766  012746  000003                   MOV     #3,-(SP)
23198 102772  010600                           MOV     SP,R0                   ; SP,*
23199 102774  104414                           TRAP    14
23200 102776  062706  000020                   ADD     #20,SP                  ;                                                 1013
23201 103002  062702  000044            18$:   ADD     #44,R2                  ; *,BIT.OFFSET                                    1012
23202 103006  020227  000264                   CMP     R2,#264                 ; BIT.OFFSET,*
23203 103012  003722                           BLE     17$
23204 103014  005001                    19$:   CLR     R1                      ; WRD.CNT                                         1014
23205 103016  010102                    20$:   MOV     R1,R2                   ; WRD.CNT,*                                       1014
23206 103020  006302                           ASL     R2
23207 103022  005762  014022                   TST     IO.BUF(R2)
23208 103026  001445                           BEQ     21$
23209 103030  005267  112342                   INC     P.CNT                   ;                                                 1014
23210 103034  026767  112336  112336           CMP     P.CNT,LIMIT
23211 103042  003043                           BGT     22$
23212 103044  104455                           TRAP    55                      ;                                                 1014
23213 103046  000207                           .WORD   207
23214 103050  012750                           .WORD   SYNC
23215 103052  026302                           .WORD   DUMPER
23216 103054  012746  011462                   MOV     #WRD.67,-(SP)           ;                                                 1014
23217 103060  012746  010650                   MOV     #WRD.12,-(SP)
23218 103064  012746  011552                   MOV     #WRD.75,-(SP)
23219 103070  012746  011540                   MOV     #WRD.74,-(SP)
23220 103074  012746  011416                   MOV     #WRD.61,-(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
23225 103100  012746  010304                   MOV     #FIV.FMT,-(SP)
23226 103104  012746  000006                   MOV     #6,-(SP)
23227 103110  010600                           MOV     SP,R0                   ; SP,*
23228 103112  104414                           TRAP    14
23229 103114  010316                           MOV     R3,(SP)                 ; CHANNEL,*                     1014
23230 103116  012746  000072                   MOV     #72.,-(SP)
23231 103122  012746  007754                   MOV     #FMT.21,-(SP)
23232 103126  012746  000003                   MOV     #3,-(SP)
23233 103132  010600                           MOV     SP,R0                   ; SP,*
23234 103134  104414                           TRAP    14
23235 103136  062706  000024                   ADD     #24,SP                  ;                               1014
23236 103142  005201                   21$:    INC     R1                      ; WRD.CNT                       1014
23237 103144  020127  000014                   CMP     R1,#14                  ; WRD.CNT,*
23238 103150  003722                           BLE     20$
23239 103152  022626                   22$:    CMP     (SP)+,(SP)+             ;                               1011
23240 103154  104467                           TRAP    67                      ;                               1014
23241 103156  006000                           ROR     R0
23242 103160  103002                           BHIS    24$
23243 103162  000167  177352           23$:    JMP     14$
23244 103166  005203                   24$:    INC     R3                      ; CHANNEL                       1011
23245 103170  020327  000043                   CMP     R3,#43                  ; CHANNEL,*
23246 103174  003772                           BLE     23$
23247 103176  005726                           TST     (SP)+                   ;                               1002
23248 103200  000207                           RTS     PC
23249
23250                                   ; Routine Size:  309 words
23251                                   ; Maximum stack depth per invocation:  19 words
23256
23257
23261
23262                                           .SBTTL  T51 TEST CODE SECTION
23266 103202                           T51::
23267 103202  004767  176622           1$:     JSR     PC,$T51                 ;                               1015
23268 103206  104466                           TRAP    66
23269 103210  006000                           ROR     R0
23270 103212  103773                           BLO     1$
23271 103214  000207                           RTS     PC
23272
23273                                   ; Routine Size:  6 words
23274                                   ; Maximum stack depth per invocation:  0 words
```

```
23283
23284
23285 ;          10155 !<BLF/PAGE>
```

```
23287 ;ML4AD
23288 ;                 TEST CODE SECTION
23289 ;
23290 ;          10156 !
23291 ;          10157 BGNTST;
23292 ;          10158
23293 ;          10159 !++
23294 ;          10160 ! TEST NUMBER:  TST 52
23295 ;          10161 !
23296 ;          10162 ! TEST NAME:            UNCORRECTABLE ERROR SYNDRONE DECODE TEST AT CHANNELS > 35
23297 ;          10163 !
23298 ;          10164 ! TEST DESCRIPTION:
23299 ;          10165 !       TEST SYNDRONE DECODE TO DETECT BUT
23300 ;          10166 !       NOT CORRECT UNCORRECTABLE CHANNEL
23301 ;          10167 !       ERRORS BY:
23302 ;          10168 !
23303 ;          10169 !       1.  VIA ECC DIAG MODE FORCE SYNDRONE
23304 ;          10170 !           BITS TO INDICATE CHANNEL ERRORS
23305 ;          10171 !           AT WORDS OF A CRC GROUP BUT AT CHANNELS
23306 ;          10172 !           GREATER THAN 35.
23307 ;          10173 !
23308 ;          10174 !       2.  DO A MASS BUS READ TRANSFER
23309 ;          10175 !
23310 ;          10176 !       3.  THEN EXAMIN THE IO_BUF FOR NO
23311 ;          10177 !           BITS COMPLIMENTED AND ECH  AND
23312 ;          10178 !           BITS SET
23313 ;          10179 !
23314 ;          10180 ! IMPLICIT INPUTS:
23315 ;          10181 !       IO_BUF
23316 ;          10182 !       A VECTOR OF 256 WORDS WHERE DATA
23317 ;          10183 !       FOR MBUS READS AND WRITES TRANSFERS
23318 ;          10184 !       IS FOUND.
23319 ;          10185 !
23320 ;          10186 !
23321 ;          10187 !--
23322 ;          10188
23323 ;          10189 local
23324 ;          10190     PLOG;                          !INDEX INTO REMAINDER TABLE 'REM_TBL'
23325 ;          10191
23326 ;          10192 CLR_THRESHOLD;                     !CLEAR ERROR PRINT THRESHOLD
23327 ;          10193 BAI = ONE;                         !FIRST LETS CLEAR THE ML11'S GOOD BLOCK
23328 ;          10194 IO_BUF = ZEROES;                   !BY WRITING ZEROES TO IT
23329 ;          10195 GD_BLK_XFER ();
23330 ;          10196 MLCS1 = write;
23331 ;          10197 TIME_OUT_LOOP;
23332 ;          10198
23333 ;          10199 incr PLOG_SEL from 0 to 6 do       !TEST SYNDRONE DECODE AT 7 DIFFERENT PLOG VALUES
23334 ;          10200     begin
23335 ;          10201
23336 ;          10202     case .PLOG_SEL from 0 to 6 of  !SELECT A PLOG VALUE
23337 ;          10203         set
23338 ;          10204
23339 ;          10205         [0] :                      !POINTS TO WORD 0 IN THE CRC GROUP
23340 ;          10206             PLOG = 0;
23341 ;          10207
```

```
23343 ;ML4AD
23344 ;                 TEST CODE SECTION
23345 ;
23346 ;          10208          [1] :                          !POINTS TO WORD 1 IN THE CRC GROUP
23347 ;          10209              PLOG = 1;
23348 ;          10210
23349 ;          10211          [2] :                          !POINTS TO WORD 2 IN THE CRC GROUP
23350 ;          10212              PLOG = 2;
23351 ;          10213
23352 ;          10214          [3] :                          !POINTS TO WORD 3 IN THE CRC GROUP
23353 ;          10215              PLOG = 3;
23354 ;          10216
23355 ;          10217          [4] :                          !POINTS TO WORD 4 IN THE CRC GROUP
23356 ;          10218              PLOG = 4;
23357 ;          10219
23358 ;          10220          [5] :                          !POINTS TO WORD 5 IN THE CRC GROUP
23359 ;          10221              PLOG = 5;
23360 ;          10222
23361 ;          10223          [6] :                          !POINTS TO ALL 6 WORDS IN THE CRC GROUP
23362 ;          10224              PLOG = 58;
23363 ;          10225          tes;
23364 ;          10226
23365 ;          10227      incr CHANNEL from 36 to 62 do      !TEST AT CHANNELS > 35 TO FORCE UNCORRECTABLE ERROR
23366 ;          10228          begin
23367 ;          10229          BGNSUB;                        !START OF SCOPE LOOP
23368 ;          10230          CLR_MBUS;                      !CLEAR THE DRIVE
23369 ;          10231
23370 ;          10232          incr COUNT from 0 to 255 do    !CLEAR THE FIRST CRC GROUP IN THE IO_BUF
23371 ;          10233              IO_BUF [.COUNT] = ZEROES;
23372 ;          10234
23373 ;          10235          FORCE_REM (.PLOG, .CHANNEL);   !FORCE UNCORRECTABLE ERROR AT THIS WORD AND CHANNEL
23374 ;          10236          GD_BLK_XFER ();                !SET UP A GOOD BLOCK TRANSFER
23375 ;          10237          ECC_DIS = ZERO;                !CLEAR ECC DISABLE
23376 ;          10238          MLCS1 = read;                  !DO A READ TRANSFER
23377 ;          10239          TIME_OUT_LOOP;                 !WAIT FOR THE  TRANSFER TO COMPLETE
23378 ;          10240
23379 ;          10241          if not ((.ECH_ERR) and (.UNC_ERR))   !SEE IF THE ERROR WAS DETECTED
23380 ;          10242          then
23381 ;          10243              begin                      !ERROR IF NOT DECTECTED
23382 ;          10244              CMP_THRESHOLD;             !COMPARE ERROR PRINT THRESHOLD
23383 ;          10245              ERRDF (136, SYNC, DUMPER);
23384 ;          10246              PRINTB (FOR_FMT, WRD_67, WRD_10, WRD_76, WRD_9);
23385 ;          10247              PRINTB (FMT_21, .PLOG, .CHANNEL);
23386 ;          10248              end;
23387 ;          10249
23388 ;          10250          incr CNT from 0 to 12 do       !SEE IF ANY CORRECTION WAS DONE
23389 ;          10251
23390 ;          10252              if .IO_BUF [.CNT] neq ZEROES   !SEARCH THE IO_BUF FOR ALL ZEROES
23391 ;          10253              then
23392 ;          10254                  begin                  !REPORT AN ERROR IF ANY CORRECTION WAS DONE
23393 ;          10255                  CMP_THRESHOLD;         !COMPARE ERROR PRINT THRESHOLD
23394 ;          10256                  ERRDF (137, SYNC, DUMPER);
23395 ;          10257                  PRINTB (FIV_FMT, WRD_61, WRD_74, WRD_75, WRD_12, WRD_67);
23396 ;          10258                  PRINTB (FMT_21, .PLOG, .CHANNEL);
23397 ;          10259                  end;
```

```
23399 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
23400 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (104)
23401
23402 ;          10260
23403 ;          10261          ENDSUB;                          !END OF SCOPE LOOP
23404 ;          10262          end;
23405 ;          10263
23406 ;          10264      end;
23407 ;          10265
23408 ;          10266 ENDTST;
23412
23413                                          .SBTTL  $T52 TEST CODE SECTION
23417 103216  004167  101370          $T52:   JSR     R1,$SAVE5                ;                                1015
23418 103222  005067  112150                  CLR     P.CNT                    ;                                1019
23419 103226  152777  000010  112210          BISB    #10,@ML.REG+40           ;                                1019
23420 103234  005067  110562                  CLR     IO.BUF                   ;                                1019
23421 103240  004767  115046                  JSR     PC,GD.BLK.XFER           ;                                1019
23422 103244  012777  000061  112132          MOV     #61,@ML.REG              ;                                1019
23423 103252  105777  112176          1$:     TSTB    @ML.REG+50
23424 103256  100375                          BPL     1$
23425 103260  005005                          CLR     R5                       ; PLOG.SEL                       1019
23426 103262  010504                  2$:     MOV     R5,R4                    ; PLOG.SEL,*                     1020
23427 103264  006304                          ASL     R4
23428 103266  066407  103272                  ADD     3$(R4),PC
23429 103272  000016                  3$:     .WORD   4$-3$
23430 103274  000022                          .WORD   5$-3$
23431 103276  000030                          .WORD   6$-3$
23432 103300  000036                          .WORD   7$-3$
23433 103302  000044                          .WORD   8$-3$
23434 103304  000052                          .WORD   9$-3$
23435 103306  000060                          .WORD   10$-3$
23436 103310  005003                  4$:     CLR     R3                       ; PLOG                           1020
23437 103312  000421                          BR      11$                      ;                                1020
23438 103314  012703  000001          5$:     MOV     #1,R3                    ; *,PLOG                         1020
23439 103320  000416                          BR      11$                      ;                                1020
23440 103322  012703  000002          6$:     MOV     #2,R3                    ; *,PLOG                         1021
23441 103326  000413                          BR      11$                      ;                                1020
23442 103330  012703  000003          7$:     MOV     #3,R3                    ; *,PLOG                         1021
23443 103334  000410                          BR      11$                      ;                                1020
23444 103336  012703  000004          8$:     MOV     #4,R3                    ; *,PLOG                         1021
23445 103342  000405                          BR      11$                      ;                                1020
23446 103344  012703  000005          9$:     MOV     #5,R3                    ; *,PLOG                         1022
23447 103350  000402                          BR      11$                      ;                                1020
23448 103352  012703  000072          10$:    MOV     #72,R3                   ; *,PLOG                         1022
23449 103356  012704  000044          11$:    MOV     #44,R4                   ; *,CHANNEL                      1022
23450 103362  104402                  12$:    TRAP    2                        ;                                1022
23451 103364  152777  000040  112052          BISB    #40,@ML.REG+40           ;                                1022
23452 103372  016702  112434                  MOV     ML.DUT,R2
23453 103376  042702  177770                  BIC     #177770,R2
```

```
23455                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
23456                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
23457
23458 103402  142777  000007  112034            BICB    #7,@ML.REG+40
23459 103410  150277  112030                    BISB    R2,@ML.REG+40
23460 103414  005001                            CLR     R1                      ; COUNT                 1023
23461 103416  010102                    13$:    MOV     R1,R2                   ; COUNT,*               1023
23462 103420  006302                            ASL     R2
23463 103422  005062  014022                    CLR     IO.BUF(R2)
23464 103426  005201                            INC     R1                      ; COUNT                 1023
23465 103430  020127  000377                    CMP     R1,#377                 ; COUNT,*
23466 103434  003770                            BLE     13$
23467 103436  010346                            MOV     R3,-(SP)                ; PLOG,*                1023
23468 103440  010446                            MOV     R4,-(SP)                ; CHANNEL,*
23469 103442  004767  114364                    JSR     PC,FORCE.REM
23470 103446  004767  114640                    JSR     PC,GD.BLK.XFER          ;                       1023
23471 103452  142777  000002  112044            BICB    #2,@ML.REG+120          ;                       1023
23472 103460  012777  000071  111716            MOV     #71,@ML.REG             ;                       1023
23473 103466  105777  111762            14$:    TSTB    @ML.REG+50
23474 103472  100375                            BPL     14$
23475 103474  132777  000100  111762            BITB    #100,@ML.REG+60         ;                       1024
23476 103502  001403                            BEQ     15$
23477 103504  005777  112104                    TST     @ML.REG+210
23478 103510  100444                            BMI     17$
23479 103512  005267  111660            15$:    INC     P.CNT                   ;                       1024
23480 103516  026767  111654  111654            CMP     P.CNT,LIMIT
23481 103524  003402                            BLE     16$
23482 103526  022626                            CMP     (SP)+,(SP)+
23483 103530  000520                            BR      22$
23484 103532  104455                    16$:    TRAP    55                      ;                       1024
23485 103534  000210                            .WORD   210
23486 103536  012750                            .WORD   SYNC
23487 103540  026302                            .WORD   DUMPER
23488 103542  012746  010616                    MOV     #WRD.9,-(SP)            ;                       1024
23489 103546  012746  011562                    MOV     #WRD.76,-(SP)
23490 103552  012746  010630                    MOV     #WRD.10,-(SP)
23491 103556  012746  011462                    MOV     #WRD.67,-(SP)
23492 103562  012746  010270                    MOV     #FOR.FMT,-(SP)
23493 103566  012746  000005                    MOV     #5,-(SP)
23494 103572  010600                            MOV     SP,R0                   ; SP,*
23495 103574  104414                            TRAP    14
23496 103576  010416                            MOV     R4,(SP)                 ; CHANNEL,*             1024
23497 103600  010346                            MOV     R3,-(SP)                ; PLOG,*
23498 103602  012746  007754                    MOV     #FMT.21,-(SP)
23499 103606  012746  000003                    MOV     #3,-(SP)
23500 103612  010600                            MOV     SP,R0                   ; SP,*
23501 103614  104414                            TRAP    14
23502 103616  062706  000022                    ADD     #22,SP                  ;                       1024
23503 103622  005001                    17$:    CLR     R1                      ; CNT                   1025
23504 103624  010102                    18$:    MOV     R1,R2                   ; CNT,*                 1025
23505 103626  006302                            ASL     R2
23506 103630  005762  014022                    TST     IO.BUF(R2)
23507 103634  001,44                            BEQ     19$
23508 103636  005267  111534                    INC     P.CNT                   ;                       1025
23509 103642  026767  111530  111530            CMP     P.CNT,LIMIT
```

```
23511                                   ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
23512                                   ;       TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
23513
23514 103650  003042                            BGT     20$
23515 103652  104455                            TRAP    55                      ;                               1025
23516 103654  000211                            .WORD   211
23517 103656  012750                            .WORD   SYNC
23518 103660  026302                            .WORD   DUMPER
23519 103662  012746  011462                    MOV     #WRD.67,-(SP)           ;                               1025
23520 103666  012746  010650                    MOV     #WRD.12,-(SP)
23521 103672  012746  011552                    MOV     #WRD.75,-(SP)
23522 103676  012746  011540                    MOV     #WRD.74,-(SP)
23523 103702  012746  011416                    MOV     #WRD.61,-(SP)
23524 103706  012746  010304                    MOV     #FIV.FMT,-(SP)
23525 103712  012746  000006                    MOV     #6,-(SP)
23526 103716  010600                            MOV     SP,R0                   ; SP,*
23527 103720  104414                            TRAP    14
23528 103722  010416                            MOV     R4,(SP)                 ; CHANNEL,*                     1025
23529 103724  010346                            MOV     R3,-(SP)                ; PLOG,*
23530 103726  012746  007754                    MOV     #FMT.21,-(SP)
23531 103732  012746  000003                    MOV     #3,-(SP)
23532 103736  010600                            MOV     SP,R0                   ; SP,*
23533 103740  104414                            TRAP    14
23534 103742  062706  000024                    ADD     #24,SP                  ;                               1025
23535 103746  005201                    19$:    INC     R1                      ; CNT                           1025
23536 103750  020127  000014                    CMP     R1,#14                  ; CNT,*
23537 103754  003723                            BLE     18$
23538 103756  022626                    20$:    CMP     (SP)+,(SP)+             ;                               1022
23539 103760  104467                            TRAP    67                      ;                               1025
23540 103762  006000                            ROR     R0
23541 103764  103002                            BHIS    22$
23542 103766  000167  177370            21$:    JMP     12$
23543 103772  005204                    22$:    INC     R4                      ; CHANNEL                       1022
23544 103774  020427  000076                    CMP     R4,#76                  ; CHANNEL,*
23545 104000  003772                            BLE     21$
23546 104002  005205                            INC     R5                      ; PLOG.SEL                      1019
23547 104004  020527  000006                    CMP     R5,#6                   ; PLOG.SEL,*
23548 104010  003002                            BGT     23$
23549 104012  000167  177244                    JMP     2$
23550 104016  000207                    23$:    RTS     PC                      ;                               1015
23551
23552                                   ; Routine Size:  193 words
23553                                   ; Maximum stack depth per invocation:  18 words
23558
23559
23563
23564                                           .SBTTL  T52 TEST CODE SECTION
```

SEQ 0487

```
23572 104020                        T52::
23573 104020  004767  177172       1$:     JSR     PC,$T52                 ;          1026
23574 104024  104466                       TRAP    66
23575 104026  006000                       ROR     R0
23576 104030  103773                       BLO     1$
23577 104032  000207                       RTS     PC
23578
23579                               ; Routine Size:  6 words
23580                               ; Maximum stack depth per invocation:  0 words
23585
23586
23587 ;          10267 !<BLF/PAGE>
```

```
23589 ;ML4AD
23590 ;                 TEST CODE SECTION
23591 ;
23592 ;          10268 !
23593 ;          10269 BGNTST;
23594 ;          10270
23595 ;          10271 !++
23596 ;          10272 ! TEST NUMBER:  TST 53
23597 ;          10273 !
23598 ;          10274 ! TEST NAME:              MULTIPLE CHANNEL ERROR SYNDRONE DECODE TEST
23599 ;          10275 !
23600 ;          10276 ! TEST DESCRIPTION:
23601 ;          10277 !       TEST SYNDRONE DECODE TO DETECT BUT NOT
23602 ;          10278 !       CORRECT UNCORRECTABLE MULTIPLE CHANNEL
23603 ;          10279 !       ERRORS BY:
23604 ;          10280 !
23605 ;          10281 !       1.  VIA ECC DIAGNOSTIC MODE FORCE SYNDRONE
23606 ;          10282 !           BITS TO INDICATE MULTIPLE CHANNEL ERRORS
23607 ;          10283 !           BY ASSIGNING CRC_A EQUAL TO CRC_B
23608 ;          10284 !
23609 ;          10285 !       2.  DO A MASS BUS READ TRANSFER
23610 ;          10286 !
23611 ;          10287 !       3.  THEN EXAMIN THE IO_BUF FOR  NO BITS
23612 ;          10288 !           COMPLIMENTED AND ECH AND UNC BITS SET
23613 ;          10289 !
23614 ;          10290 ! IMPLICIT INPUTS:
23615 ;          10291 !       IO_BUF
23616 ;          10292 !       A  VECTOR OF 256 WORDS WHERE DATA
23617 ;          10293 !       FOR MBUS READS AND WRITES TRANSFERS
23618 ;          10294 !       IS FOUND.
23619 ;          10295 !
23620 ;          10296 !
23621 ;          10297 !--
23622 ;          10298
23623 ;          10299 local
23624 ;          10300     PLOG;                                   !INDEX INTO REMAINDER TABLE 'REM_TBL'
23625 ;          10301
23626 ;          10302 CLR_THRESHOLD;                              !CLEAR ERROR PRINT THRESHOLD
23627 ;          10303 BAI = ONE;                                  !FIRST LETS CLEAR THE ML11'S GOOD
23628 ;          10304 IO_BUF = ZEROES;                            !BLOCK BY WRITING ZEROES TO IT
23629 ;          10305 GO_BLK_XFER ();
23630 ;          10306 ML[S1 = write;
23631 ;          10307 TIME_OUT_LOOP;
23632 ;          10308
23633 ;          10309 incr PLOG_SEL from 0 to 6 do                !TEST SYNDRONE DECODE AT 7 DIFFERENT PLOG VALUES
23634 ;          10310     begin
23635 ;          10311
23636 ;          10312     case .PLOG_SEL from 0 to 6 of           !SELECT A PLOG VALUE
23637 ;          10313         set
23638 ;          10314
23639 ;          10315         [0] :                               !POINTS TO CRC WORD 0
23640 ;          10316             PLOG = 0;
23641 ;          10317
23642 ;          10318         [1] :                               !POINTS TO CRC WORD 1
23643 ;          10319             PLOG = 1;
```

```
;ML4AD
;                    TEST CODE SECTION

;          10320
;          10321         [2] :                                   !POINTS TO CRC WORD 2
;          10322             PLOG = 2;
;          10323
;          10324         [3] :                                   !POINTS TO CRC WORD 3
;          10325             PLOG = 3;
;          10326
;          10327         [4] :                                   !POINTS TO CRC WORD 4
;          10328             PLOG = 4;
;          10329
;          10330         [5] :                                   !POINTS TO CRC WORD 5
;          10331             PLOG = 5;
;          10332
;          10333         [6] :                                   !POINTS TO ALL 6 WORDS IN CRC GROUP
;          10334             PLOG = 58;
;          10335         tes;
;          10336
;          10337     incr CHANNEL from 1 to 35 do                !TEST 35 CHANNELS STARTING AT CHANNEL 1
;          10338         begin
;          10339         AGNSUB;                                 !START OF SCOPE LOOP
;          10340         CLR_BUS;                                !CLEAR THE DRIVE
;          10341
;          10342         incr COUNT from 0 to 255 do             !CLEAR FIRST CRC GROUP IN THE IO_BUF
;          10343             IO_BUF [.COUNT] = ZEROES;
;          10344
;          10345         FORCE_REM (.PLOG, .CHANNEL);            !FORCE ERR AT THIS WORD AND CHANNEL
;          10346         CRC_A = .CRC_B;                         !CRC_A EQL TO CRC_B CAUSES THE UNC ERROR
;          10347         GD_BLK_XFER ();                         !SET UP A GOOD BLOCK TRANSFER
;          10348         ECC_DIS = ZERO;                         !CLEAR ECC DISABLE
;          10349         MLCS1 = read;                           !DO A READ TRANSFER
;          10350         TIME_OUT_LOOP;                          !WAIR UNTIL THE TRANSFER IS COMPLETE
;          10351
;          10352         if not ((.ECH_ERR) and (.UNC_ERR))      !SEE IF THE ERROR WAS DETECTED
;          10353         then
;          10354             begin                               !REPORT ERROR IF NOT DETECTED
;          10355             CMP_THRESHOLD;                      !COMPARE ERROR PRINT THRESHOLD
;          10356             ERRDF (138, SYNC, DUMPER);
;          10357             PRINTB (FOR_FMT, WRD_77, WRD_10, WRD_76, WRD_9);
;          10358             PRINTB (FMT_21, .PLOG, .CHANNEL);
;          10359             end;
;          10360
;          10361         incr CNT from 0 to 12 do                !SEE IF ANY ERROR CORRECTION WAS DONE
;          10362
;          10363             if .IO_BUF [.CNT] neq ZEROES        !TEST THE IO_BUF FOR ALL ZEROES
;          10364             then
;          10365                 begin                           !ERROR IF ANY BITS GOT FLIPPED
;          10366                 CMP_THRESHOLD;                  !COMPARE ERROR PRINT THRESHOLD
;          10367                 ERRDF (139, SYNC, DUMPER);
;          10368                 PRINTB (FIV_FMT, WRD_61, WRD_74, WRD_75, WRD_12, WRD_67);
;          10369                 PRINTB (FMT_21, .PLOG, .CHANNEL);
;          10370                 end;
;          10371
```

```
23701 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
23702 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (105)
23703
23704 ;         10372           ENDSUB;                         !END OF SCOPE LOOP
23705 ;         10373           end;
23706 ;         10374
23707 ;         10375       end;
23708 ;         10376
23709 ;         10377 ENDTST;
23713
23714                                           .SBTTL  $T53 TEST CODE SECTION                                  1026
23718 104034  004167  100552          $T53:    JSR     R1,$SAVE5                       ;                       1030
23719 104040  005067  111332                   CLR     P.CNT                           ;                       1030
23720 104044  152777  000010  111372           BISB    #10,@ML.REG+40                  ;                       1030
23721 104052  005067  107744                   CLR     IO.BUF                          ;                       1030
23722 104056  004767  114230                   JSR     PC,GD.BLK.XFER                  ;                       1030
23723 104062  012777  000061  111314           MOV     #61,@ML.REG                     ;
23724 104070  105777  111360          1$:      TSTB    @ML.REG+50
23725 104074  100375                          BPL     1$                                                      1030
23726 104076  005005                          CLR     R5                              ; PLOG.SEL              1031
23727 104100  010504                  2$:      MOV     R5,R4                           ; PLOG.SEL,*
23728 104102  006304                          ASL     R4
23729 104104  066407  104110                   ADD     3$(R4),PC
23730 104110  000016                  3$:      .WORD   4$-3$
23731 104112  000022                          .WORD   5$-3$
23732 104114  000030                          .WORD   6$-3$
23733 104116  000036                          .WORD   7$-3$
23734 104120  000044                          .WORD   8$-3$
23735 104122  000052                          .WORD   9$-3$
23736 104124  000060                          .WORD   10$-3$
23737 104126  005003                  4$:      CLR     R3                              ; PLOG                  1031
23738 104130  000421                          BR      11$                             ;                       1031
23739 104132  012703  000001          5$:      MOV     #1,R3                           ; *,PLOG                1031
23740 104136  000416                          BR      11$                             ;                       1031
23741 104140  012703  000002          6$:      MOV     #2,R3                           ; *,PLOG                1032
23742 104144  000413                          BR      11$                             ;                       1031
23743 104146  012703  000003          7$:      MOV     #3,R3                           ; *,PLOG                1032
23744 104152  000410                          BR      11$                             ;                       1031
23745 104154  012703  000004          8$:      MOV     #4,R3                           ; *,PLOG                1032
23746 104160  000405                          BR      11$                             ;                       1031
23747 104162  012703  000005          9$:      MOV     #5,R3                           ; *,PLOG                1033
23748 104166  000402                          BR      11$                             ;                       1031
23749 104170  012703  000072          10$:     MOV     #72,R3                          ; *,PLOG                1033
23750 104174  012704  000001          11$:     MOV     #1,R4                           ; *,CHANNEL             1033
23751 104200  104402                  12$:     TRAP    2                               ;                       1033
23752 104202  152777  000040  111234           BISB    #40,@ML.REG+40                  ;                       1033
23753 104210  016702  111616                   MOV     ML.DUT,R2
23754 104214  042702  177770                   BIC     #177770,R2
23755 104220  142777  000007  111216           BICB    #7,@ML.REG+40
```

```
23757                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
23758                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
23759
23760 104226  150277  111212                    BISB    R2,@ML.REG+40
23761 104232  005001                    CLR     R1                      ; COUNT                         1034
23762 104234  010102                    13$:    MOV     R1,R2           ; COUNT,*                       1034
23763 104236  006302                    ASL     R2
23764 104240  005062  014022                    CLR     IO.BUF(R2)
23765 104244  005201                    INC     R1                      ; COUNT                         1034
23766 104246  020127  000377                    CMP     R1,#377         ; COUNT,*
23767 104252  003770                    BLE     13$
23768 104254  010346                    MOV     R3,-(SP)                ; PLOG,*                        1034
23769 104256  010446                    MOV     R4,-(SP)                ; CHANNEL,*
23770 104260  004767  113546                    JSR     PC,FORCE.REM
23771 104264  117702  111274                    MOVB    @ML.REG+160,R2  ;                               1034
23772 104270  042702  177700                    BIC     #177700,R2
23773 104274  142777  000077  111252            BICB    #77,@ML.REG+150
23774 104302  150277  111246                    BISB    R2,@ML.REG+150
23775 104306  004767  114000                    JSR     PC,GD.BLK.XFER  ;                               1034
23776 104312  142777  000002  111204            BICB    #2,@ML.REG+120  ;                               1034
23777 104320  012777  000071  111056            MOV     #71,@ML.REG     ;                               1034
23778 104326  105777  111122            14$:    TSTB    @ML.REG+50
23779 104332  100375                    BPL     14$
23780 104334  132777  000100  111122            BITB    #100,@ML.REG+60 ;                               1035
23781 104342  001403                    BEQ     15$
23782 104344  005777  111244                    TST     @ML.REG+210
23783 104350  100444                    BMI     17$
23784 104352  005267  111020            15$:    INC     P.CNT           ;                               1035
23785 104356  026767  111014  111014            CMP     P.CNT,LIMIT
23786 104364  003402                    BLE     16$
23787 104366  022626                    CMP     (SP)+,(SP)+
23788 104370  000520                    BR      22$
23789 104372  104455            16$:    TRAP    55                      ;                               1035
23790 104374  000212                    .WORD   212
23791 104376  012750                    .WORD   SYNC
23792 104400  026302                    .WORD   DUMPER
23793 104402  012746  010616                    MOV     #WRD.9,-(SP)    ;                               1035
23794 104406  012746  011562                    MOV     #WRD.76,-(SP)
23795 104412  012746  010630                    MOV     #WRD.10,-(SP)
23796 104416  012746  011570                    MOV     #WRD.77,-(SP)
23797 104422  012746  010270                    MOV     #FOR.FMT,-(SP)
23798 104426  012746  000005                    MOV     #5,-(SP)
23799 104432  010600                    MOV     SP,R0                   ; SP,*
23800 104434  104414                    TRAP    14
23801 104436  010416                    MOV     R4,(SP)                 ; CHANNEL,*                     1035
23802 104440  010346                    MOV     R3,-(SP)                ; PLOG,*
23803 104442  012746  007754                    MOV     #FMT.21,-(SP)
23804 104446  012746  C00003                    MOV     #3,-(SP)
23805 104452  010600                    MOV     SP,R0                   ; SP,*
23806 104454  104414                    TRAP    14
23807 104456  062706  000022                    ADD     #22,SP          ;                               1035
23808 104462  005001            17$:    CLR     R1                      ; CNT                           1036
23809 104464  010102            18$:    MOV     R1,R2                   ; CNT,*                         1036
23810 104466  006302                    ASL     R2
23811 104470  005762  014022                    TST     IO.BUF(R2)
```

```
23813                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
23814                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
23815
23816 104474  001444                            BEQ     19$
23817 104476  005267  110674                    INC     P.CNT                   ;                       1036
23818 104502  026767  110670  110670            CMP     P.CNT,LIMIT
23819 104510  003042                            BGT     20$
23820 104512  104455                            TRAP    55                      ;                       1036
23821 104514  000213                            .WORD   213
23822 104516  012750                            .WORD   SYNC
23823 104520  026302                            .WORD   DUMPER
23824 104522  012746  011462                    MOV     #WRD.67,-(SP)           ;                       1036
23825 104526  012746  010650                    MOV     #WRD.12,-(SP)
23826 104532  012746  011552                    MOV     #WRD.75,-(SP)
23827 104536  012746  011540                    MOV     #WRD.74,-(SP)
23828 104542  012746  011416                    MOV     #WRD.61,-(SP)
23829 104546  012746  010304                    MOV     #FIV.FMT,-(SP)
23830 104552  012746  000006                    MOV     #6,-(SP)
23831 104556  010600                            MOV     SP,R0                   ; SP,*
23832 104560  104414                            TRAP    14
23833 104562  010416                            MOV     R4,(SP)                 ; CHANNEL,*             1036
23834 104564  010346                            MOV     R3,-(SP)                ; PLOG,*
23835 104566  012746  007754                    MOV     #FMT.21,-(SP)
23836 104572  012746  000003                    MOV     #3,-(SP)
23837 104576  010600                            MOV     SP,R0                   ; SP,*
23838 104600  104414                            TRAP    14
23839 104602  062706  000024                    ADD     #24,SP                  ;                       1036
23840 104606  005201                    19$:    INC     R1                      ; CNT                   1036
23841 104610  020127  000014                    CMP     R1,#14                  ; CNT,*
23842 104614  003723                            BLE     18$
23843 104616  022626                    20$:    CMP     (SP)+,(SP)+             ;                       1033
23844 104620  104467                            TRAP    67                      ;                       1037
23845 104622  006000                            ROR     R0
23846 104624  103002                            BHIS    22$
23847 104626  000167  177346                    JMP     12$
23848 104632  005204                    22$:    INC     R4                      ; CHANNEL               1033
23849 104634  020427  000043                    CMP     R4,#43                  ; CHANNEL,*
23850 104640  003772                            BLE     21$
23851 104642  005205                            INC     R5                      ; PLOG.SEL              1030
23852 104644  020527  000006                    CMP     R5,#6                   ; PLOG.SEL,*
23853 104650  003002                            BGT     23$
23854 104652  000167  177222                    JMP     2$
23855 104656  000207                    23$:    RTS     PC                      ;                       1026
23856
23857                                   ; Routine Size:  202 words
23858                                   ; Maximum stack depth per invocation:  18 words
23863
23864
```

```
                                        ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                        ;                TEST CODE SECTION      29-Mar-1982 16:21:03    PA:<
                                                .SBTTL   T53 TEST CODE SECTION
                                        T53::
                                        1$:     JSR      PC,$T53                ;                       1037
                                                TRAP     66
                                                ROR      R0
                                                BLO      1$
                                                RTS      PC
                                        ; Routine Size:  6 words
                                        ; Maximum stack depth per invocation:  0 words
                ;       10378 !<BLF/PAGE>
```

```
23894 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
23895 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (106)
23896 ;
23897 ;          10379 !
23898 ;          10380 BGNTST;
23899 ;          10381
23900 ;          10382 !++
23901 ;          10383 ! TEST NUMBER:  TST 54
23902 ;          10384 !
23903 ;          10385 ! TEST NAME:            SINGLE BIT ERROR SYNDRONE GENERATION & DECODE TEST
23904 ;          10386 !
23905 ;          10387 ! TEST DESCRIPTION:
23906 ;          10388 !       TEST SYNDRONE GENERATION, SYNDRONE DECODE
23907 ;          10389 !       AND ERROR CORRECTION FOR SINGLE BIT CHANNEL
23908 ;          10390 !       ERRORS BY:
23909 ;          10391 !
23910 ;          10392 !       1.  CLEAR THE FIRST CRC GROUP IN THE
23911 ;          10393 !           IO_BUF AND GOOD BLOCK TO ZEROES
23912 ;          10394 !
23913 ;          10395 !       2.  VIA DATA DIAGNOSTIC MODE FLIP A BIT
23914 ;          10396 !           TO A ONE
23915 ;          10397 !
23916 ;          10398 !       3.  THEN DO A MASS BUS READ TRANSFER AND
23917 ;          10399 !           EXAMIN THE IO_BUF FOR ZEROES INDICATING
23918 ;          10400 !           THE CORRECTION WAS PERFORMED
23919 ;          10401 !
23920 ;          10402 !       4.  REPEAT WITH ALL BITS IN THE CRC GROUP
23921 ;          10403 !
23922 ;          10404 ! IMPLICIT INPUTS:
23923 ;          10405 !       IO_BUF
23924 ;          10406 !       A  VECTOR OF 256 WORDS WHERE DATA
23925 ;          10407 !       FOR MBUS READS AND WRITES TRANSFERS
23926 ;          10408 !       IS FOUND.
23927 ;          10409 !
23928 ;          10410 !       PD_TEMP
23929 ;          10411 !       A BIT VECTOR OF 16 BITS WHERE THE READ
23930 ;          10412 !       PROM DATA IS STORED AND ACCESSED FROM.
23931 ;          10413 !
23932 ;          10414 !
23933 ;          10415 !--
23934 ;          10416
23935 ;          10417 local
23936 ;          10418     DONE,                                 !DONE FLAG
23937 ;          10419     NIB_PAT : bitvector [4],              !STORAGE FOR SBE DATA GENERATED
23938 ;          10420     NIB_SEL,                              !POINTER WHERE SBE IS TO BE WRITTEN
23939 ;          10421     GD_WRD_CNT;                           !COUNT OF WHERE GOOD 'NIB_SEL' ARE FOUND
23940 ;          10422
23941 ;          10423 CLR_THRESHOLD;                            !CLEAR ERROR PRINT THRESHOLD
23942 ;          10424
23943 ;          10425 incr WRD_CNT from 0 to 5 do               !FORCE SINGLE BIT ERRORS IN ONE CRC GROUP
23944 ;          10426     begin
23945 ;          10427
23946 ;          10428     incr BIT_CNT from 0 to 35 do          !FORCE SBE'S AT EACH BIT OF A WORD
23947 ;          10429         begin
23948 ;          10430
```

```
23950 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
23951 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (106)
23952 ;
23953 ;         10431           incr CNT from 0 to 255 do               !CLEAR FIRST CRC GROUP OF IO_BUF
23954 ;         10432               IO_BUF [.CNT] = ZEROES;
23955 ;         10433
23956 ;         10434           CLR_MBUS;                               !CLEAR THE DRIVE
23957 ;         10435           GD_BLK_XFER ();                         !SET UP A GOOF BLOCK TRANSFER
23958 ;         10436           MLCS1 = write;                          !DO A WRITE TRANSFER
23959 ;         10437           TIME_OUT_LOOP;                          !WAIT UNTIL THE TRANSFER IS COMPLETE
23960 ;         10438           CLR_MBUS;                               !CLEAR THE DRIVE AGAIN
23961 ;         10439           DONE = ZERO;                            !CLEAR THE DONE FLAG
23962 ;         10440           GD_WRD_CNT = -1;                        !RESET THE COUNT
23963 ;         10441           MLD1 = ZEROES;                          !LOAD THE DATA DIAG REG (BITS 0-38)
23964 ;         10442           MLD2 = ZEROES;                          !WITH ZEROES PAT AND CRC BIT FOR
23965 ;         10443           MLE2 = %o'060000';                      !ZEROES PAT
23966 ;         10444           NIB_SEL = .BIT_CNT/4;                   !CALCULATE THE NIBBLE WHERE THE SBE IS TO GO
23967 ;         10445           DAT_DM_XFER ();                         !SET UP A DATA DIAG MODE TRANSFER
23968 ;         10446           MLCS1 = write;                          !DO A WRITE TRANSFER
23969 ;         10447           DELAY (ONE_US);                         !GIVE THE PROM DATA TIME TO GET OUT
23970 ;         10448
23971 ;         10449           do                                      !FIND THE GOOD NIB AT THE TESTED WORD
23972 ;         10450               begin
23973 ;         10451               PD_TEMP = .MLPD;                    !READ THE PROM DATA FOR THIS ARRAY WORD
23974 ;         10452
23975 ;         10453               if .PD_TEMP [.NIB_SEL] IS_SET       !IS THIS A GOOD NIBBLE
23976 ;         10454               then
23977 ;         10455                   DAT_CLK = ONE                   !IF NOT THEN GET THE NEXT ARRAY WORD
23978 ;         10456               else
23979 ;         10457                   begin                           !ELSE SEE IF WE ARE AT THE TESTED WORD
23980 ;         10458                   GD_WRD_CNT = .GD_WRD_CNT + 1;   !UP THE COUNT
23981 ;         10459                                                   !AND SEE IF WE ARE DONE
23982 ;         10460
23983 ;         10461                   if .GD_WRD_CNT eql .WRD_CNT then DONE = ONE else DAT_CLK = ONE;
23984 ;         10462
23985 ;         10463                   end;
23986 ;         10464
23987 ;         10465               end
23988 ;         10466           until .DONE IS_SET;                     !REPEAT UNTIL WE ARE DONE
23989 ;         10467
23990 ;         10468           NIB_PAT = ZEROES;                       !CLEAR THE SAVE LOCATION
23991 ;         10469           NIB_PAT [.BIT_CNT mod 4] = ONE;         !AND SET THE SBE IN THIS NIBBLE
23992 ;         10470           D1_TEMP = ZEROES;                       !CLEAR THE OTHER NIBBLES IN THIS ARRAY WORD
23993 ;         10471           D2_TEMP = ZEROES;                       !TO BE ZEROES PATTERN AND ZEROES CRC PATTERN
23994 ;         10472           E2_TEMP = %o'060000';
23995 ;         10473           LD_LNG_WRD (.NIB_SEL, .NIB_PAT);        !LOAD THE SBE INTO THE SAVE LOCATION
23996 ;         10474           WRT_LNG_WRD;                            !AND WRITE THE SBE INTO THE DATA DIAG RES'S
23997 ;         10475           DAT_CLK = ONE;                          !CLOCK THE SBE INTO THE ARRAYS MEMORY
23998 ;         10476           DELAY (ONE_US);                         !GIVE IT TIME TO WRITE INTO THE MEMORY
23999 ;         10477           BGNSUB;                                 !START OF SCOPE LOOP
24000 ;         10478           CLR_MBUS;                               !CLEAR OUT THE DATA DIAG MODE XFERR
24001 ;         10479           GD_BLK_XFER ();                         !SET UP A GOOD BLOCK TRANSFER
24002 ;         10480           ECC_DIS = ZERO;                         !CLEAR ECC DISABLE
24003 ;         10481           MLCS1 = read;                           !AND READ OUT THE SBE
24004 ;         10482           TIME_OUT_LOOP;
```

```
24006 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
24007 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (106)
24008 ;
24009 ;          10483
24010 ;          10484          incr CNT from 0 to 13 do          !SEE IF THE SBE WAS CORRECTED
24011 ;          10485
24012 ;          10486              if .IO_BUF [.CNT] neq ZEROES  !TEST THE IO_BUF FOR ALL ZEROES
24013 ;          10487              then
24014 ;          10488                  begin                     !ERROR IF THE ERROR WAS NOT CORRECTED
24015 ;          10489                  CMP_THRESHOLD;            !COMPARE ERROR PRINT THRESHOLD
24016 ;          10490                  ERRDF (140, SYNC, DUMPER);
24017 ;          10491                  PRINTB (THR_FMT, PHR_12, WRD_76, WRD_9);
24018 ;          10492                  PRINTB (FMT_22, .WRD_CNT, .BIT_CNT);
24019 ;          10493                  end;
24020 ;          10494
24021 ;          10495          ENDSUB;                           !END OF SCOPE LOOP
24022 ;          10496          end;
24023 ;          10497
24024 ;          10498      end;
24025 ;          10499
24026 ;          10500 ENDTST;
24030
24031                                          .SBTTL  $T54 TEST CODE SECTION
24035 104674  004167  077712          $T54:   JSR     R1,$SAVE5                       ;                       1037
24036 104700  162706  000010                  SUB     #10,SP
24037 104704  005067  110466                  CLR     P.CNT                           ;                       1042
24038 104710  005001                          CLR     R1                              ; WRD.CNT               1042
24039 104712  005002                  1$:     CLR     R2                              ; BIT.CNT               1042
24040 104714  005003                  2$:     CLR     R3                              ; CNT                   1043
24041 104716  010304                  3$:     MOV     R3,R4                           ; CNT,*                 1043
24042 104720  006304                          ASL     R4
24043 104722  005064  014022                  CLR     IO.BUF(R4)
24044 104726  005203                          INC     R3                              ; CNT                   1043
24045 104730  020327  000377                  CMP     R3,#377                         ; CNT,*
24046 104734  003770                          BLE     3$
24047 104736  152777  000040  110500          BISB    #40,@ML.REG+40                  ;                       1043
24048 104744  016704  111062                  MOV     ML.DUT,R4
24049 104750  042704  177770                  BIC     #177770,R4
24050 104754  142777  000007  110462          BICB    #7,@ML.REG+40
24051 104762  150477  110456                  BISB    R4,@ML.REG+40
24052 104766  004767  113320                  JSR     PC,GD.BLK.XFER                  ;                       1043
24053 104772  012777  000061  110404          MOV     #61,@ML.REG                     ;                       1043
24054 105000  105777  110450          4$:     TSTB    @ML.REG+50
24055 105004  100375                          BPL     4$
24056 105006  152777  000040  110430          BISB    #40,@ML.REG+40                  ;                       1043
24057 105014  016704  111012                  MOV     ML.DUT,R4
24058 105020  042704  177770                  BIC     #177770,R4
24059 105024  142777  000007  110412          BICB    #7,@ML.REG+40
24060 105032  150477  110406                  BISB    R4,@ML.REG+40
```

```
                                                                                                    29-Mar-1982 16:23:04    TOPS
                                                                                                    29-Mar-1982 16:21:03    PA:<
24062                                   ;ML4AD
24063                                   ;       TEST CODE SECTION
24064
24065 105036 005066 000002                     CLR     2(SP)                   ; DONE                                  1043
24066 105042 012716 177777                     MOV     #-1,(SP)                ; *,GD.WRD.CNT                          1044
24067 105046 005077 110522                     CLR     @ML.REG+170             ;                                       1044
24068 105052 005077 110526                     CLR     @ML.REG+200             ;                                       1044
24069 105056 012777 060000 110500              MOV     #60000,@ML.REG+160      ;                                       1044
24070 105064 010246                            MOV     R2,-(SP)                ; BIT.CNT,*                             1044
24071 105066 012746 000004                     MOV     #4,-(SP)
24072 105072 004767 077350                     JSR     PC,BL$DIV
24073 105076 010005                            MOV     R0,R5                   ; *,NIB.SEL
24074 105100 004767 111306                     JSR     PC,DAT.DM.XFER          ;                                       1044
24075 105104 012777 000061 110272              MOV     #61,@ML.REG             ;                                       1044
24076 105112 012703 000001                     MOV     #1,R3                   ; *,$$TMP2                              1044
24077 105116 001411             5$:    BEQ     8$
24078 105120 016704 074772                     MOV     L$DLY,R4                ; *,$$TMP1
24079 105124 001404                            BEQ     7$
24080 105126 005066 000012      6$:    CLR     12(SP)                  ; $$TMP
24081 105132 005304                            DEC     R4                      ; $$TMP1
24082 105134 001374                            BNE     6$
24083 105136 005303             7$:    DEC     R3                      ; $$TMP2
24084 105140 000766                            BR      5$
24085 105142 010504             8$:    MOV     R5,R4                   ; NIB.SEL,*                             1045
24086 105144 006204                            ASR     R4
24087 105146 006204                            ASR     R4
24088 105150 006204                            ASR     R4
24089 105152 062704 015342                     ADD     #PD.TEMP,R4
24090 105156 017767 110452 110156 9$:  MOV     @ML.REG+230,PD.TEMP     ;                                       1045
24091 105164 010446                            MOV     R4,-(SP)                ;                               1045
24092 105166 010546                            MOV     R5,-(SP)                ; NIB.SEL,*
24093 105170 042716 177770                     BIC     #177770,(SP)
24094 105174 012746 000001                     MOV     #1,-(SP)
24095 105200 005046                            CLR     -(SP)
24096 105202 004767 076426                     JSR     PC,BL$GT2
24097 105206 062706 000010                     ADD     #10,SP
24098 105212 005300                            DEC     R0
24099 105214 001411                            BEQ     10$                     ;                               1045
24100 105216 005266 000004                     INC     4(SP)                   ; GD.WRD.CNT                    1045
24101 105222 026601 000004                     CMP     4(SP),R1                ; GD.WRD.CNT,WRD.CNT            1046
24102 105226 001004                            BNE     10$
24103 105230 012766 000001 000006              MOV     #1,6(SP)                ; *,DONE
24104 105236 000403                            BR      11$
24105 105240 152777 000020 110256 10$: BISB    #20,@ML.REG+120
24106 105246 026627 000006 000001 11$: CMP     6(SP),#1                ; DONE,*                                1046
24107 105254 001340                            BNE     9$
24108 105256 005066 000010                     CLR     10(SP)                  ; NIB.PAT                       1046
24109 105262 010246                            MOV     R2,-(SP)                ; BIT.CNT,*                     1046
24110 105264 012746 000004                     MOV     #4,-(SP)
24111 105270 004767 077164                     JSR     PC,BL$MOD
24112 105274 010004                            MOV     R0,R4
24113 105276 006200                            ASR     R0
24114 105300 006200                            ASR     R0
24115 105302 006200                            ASR     R0
24116 105304 012703 000014                     MOV     #14,R3
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        ;
105310  060603                                  ADD     SP,R3                   ; NIB.PAT,*
105312  060300                                  ADD     R3,R0
105314  010016                                  MOV     R0,(SP)
105316  010446                                  MOV     R4,-(SP)
105320  042716  177770                         BIC     #177770,(SP)
105324  012746  000001                         MOV     #1,-(SP)
105330  011646                                  MOV     (SP),-(SP)
105332  004767  076534                         JSR     PC,BL$PU2
105336  005067  106032                         CLR     D1.TEMP                 ;                               1047
105342  005067  106030                         CLR     D2.TEMP                 ;                               1047
105346  012767  060000  106024                 MOV     #60000,E2.TEMP          ;                               1047
105354  010516                                  MOV     R5,(SP)                 ; NIB.SEL,*                     1047
105356  016646  000022                         MOV     22(SP),-(SP)            ; NIB.PAT,*
105362  004767  113766                         JSR     PC,LD.LNG.WRD
105366  016777  106002  110200                 MOV     D1.TEMP,@ML.REG+170
105374  016777  105776  110202                 MOV     D2.TEMP,@ML.REG+200
105402  016777  105772  110154                 MOV     E2.TEMP,@ML.REG+160
105410  152777  000020  110106                 BISB    #20,@ML.REG+120         ;                               1047
105416  012703  000001                         MOV     #1,R3                   ; *,$STMP2                      1047
105422  001411                          12$:    BEQ     15$
105424  016704  074466                         MOV     L$DLY,R4                ; *,$STMP1
105430  001404                                  BEQ     14$
105432  005066  000026                  13$:    CLR     26(SP)                  ; $STMP
105436  005304                                  DEC     R4                      ; $STMP1
105440  001374                                  BNE     13$
105442  005303                          14$:    DEC     R3                      ; $STMP2
105444  000766                                  BR      12$
105446  104402                          15$:    TRAP    2
105450  152777  000040  107766                 BISB    #40,@ML.REG+40          ;                               1047
105456  016704  110350                         MOV     ML.DUT,R4
105462  042704  177770                         BIC     #177770,R4
105466  142777  000007  107750                 BICB    #7,@ML.REG+40
105474  150477  107744                         BISB    R4,@ML.REG+40
105500  004767  112606                         JSR     PC,GD.BLK.XFER          ;                               1047
105504  142777  000002  110012                 BICB    #2,@ML.REG+120          ;                               1048
105512  012777  000071  107664                 MOV     #71,@ML.REG             ;                               1048
105520  105777  107730                  16$:    TSTB    @ML.REG+50
105524  100375                                  BPL     16$
105526  005003                                  CLR     R3                      ; CNT                           1048
105530  010304                          17$:    MOV     R3,R4                   ; CNT,*                         1048
105532  006304                                  ASL     R4
105534  005764  014022                         TST     IO.BUF(R4)
105540  001440                                  BEQ     18$
105542  005267  107630                         INC     P.CNT                   ;                               1048
105546  026767  107624  107624                 CMP     P.CNT,LIMIT
105554  003036                                  BGT     19$
105556  104455                                  TRAP    55                      ;                               1049
105560  000214                                  .WORD   214
105562  012750                                  .WORD   SYNC
105564  026302                                  .WORD   DUMPER
105566  012746  010616                         MOV     #WRD.9,-(SP)            ;                               1049
105572  012746  011562                         MOV     #WRD.76,-(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        
105576  012746  012036                        MOV     #PHR.12,-(SP)
105602  012746  010256                        MOV     #THR.FMT,-(SP)
105606  012746  000004                        MOV     #4,-(SP)
105612  010600                              MOV     SP,R0                   ; SP,*
105614  104414                              TRAP    14
105616  010216                              MOV     R2,(SP)                 ; BIT.CNT,*                     1049
105620  010146                              MOV     R1,-(SP)                ; WRD.CNT,*
105622  012746  010026                      MOV     #FMT.22,-(SP)
105626  012746  000003                      MOV     #3,-(SP)
105632  010600                              MOV     SP,R0                   ; SP,*
105634  104414                              TRAP    14
105636  062706  000020                      ADD     #20,SP                  ;                               1048
105642  005203                      18$:    INC     R3                      ; CNT                           1048
105644  020327  000015                      CMP     R3,#15                  ; CNT,*
105650  003727                              BLE     17$
105652  104467                      19$:    TRAP    67                      ;                               1049
105654  006000                              ROR     R0
105656  103673                              BLO     15$
105660  062706  000020                      ADD     #20,SP                  ;                               1042
105664  005202                              INC     R2                      ; BIT.CNT                       1042
105666  020227  000043                      CMP     R2,#43                  ; BIT.CNT,*
105672  003002                              BGT     20$
105674  000167  177014                      JMP     2$
105700  005201                      20$:    INC     R1                      ; WRD.CNT                       1042
105702  020127  000005                      CMP     R1,#5                   ; WRD.CNT,*
105706  003002                              BGT     21$
105710  000167  176776                      JMP     1$
105714  062706  000010              21$:    ADD     #10,SP                  ;                               1037
105720  000207                              RTS     PC
                                        
                                        ; Routine Size:  267 words
                                        ; Maximum stack depth per invocation:  26 words
                                        
                                        
                                        
                                                .SBTTL  T54 TEST CODE SECTION
105722                                  T54::
105722  004767  176746              1$:     JSR     PC,$T54                 ;                               1049
105726  104466                              TRAP    66
105730  006000                              ROR     R0
105732  103773                              BLO     1$
105734  000207                              RTS     PC
```

```
24230                                   ;ML4AD                                  29-Mar-1982 16:23:04    TCPS
24231                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
24232
24233
24234                                   ; Routine Size:  6 words
24235                                   ; Maximum stack depth per invocation:  0 words
24240
24241
24242 ;           10501 !<BLF/PAGE>
```

```
24244 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
24245 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (107)
24246 ;
24247 ;          10502 !
24248 ;          10503 BGNTST;
24249 ;          10504
24250 ;          10505 !++
24251 ;          10506 ! TEST NUMBER:  TST 55
24252 ;          10507 !
24253 ;          10508 ! TEST NAME:            MULTIPLE BIT ERROR SYNDRONE GENERATION AND DECODE TEST
24254 ;          10509 !
24255 ;          10510 ! TEST DESCRIPTION:
24256 ;          10511 !       TEST SYNDRONE GENERATION, SYNDRONE DECODE
24257 ;          10512 !       AND ERROR CORRECTION FOR MULTIPLE BIT
24258 ;          10513 !       CHANNEL ERRORS BY:
24259 ;          10514 !
24260 ;          10515 !       1.  CLEAR THE FIRST CRC GROUP IN THE
24261 ;          10516 !           IO_BUF AND GOOD BLOCK TO ZEROES
24262 ;          10517 !
24263 ;          10518 !       2.  VIA DATA DIAG MODE FLIP ALL BITS IN
24264 ;          10519 !           A CHANNEL TO ONES
24265 ;          10520 !
24266 ;          10521 !       3.  THEN DO A MASS BUS READ TRANSFER AND
24267 ;          10522 !           EXAMIN THE IO_BUF FOR ZEROES INDICATING
24268 ;          10523 !           THE CORRECTION WAS PERFORMED
24269 ;          10524 !
24270 ;          10525 !       4.  REPEAT FOR ALL CHANNELS IN THE CRC GROUP
24271 ;          10526 !
24272 ;          10527 ! IMPLICIT INPUTS:
24273 ;          10528 !       PD_TEMP
24274 ;          10529 !       A BIT VECTOR OF 16 BITS WHERE THE READ
24275 ;          10530 !       PROM DATA IS STORED OAND ACCESSED FROM.
24276 ;          10531 !
24277 ;          10532 !       IO_BUF
24278 ;          10533 !       A  VECTOR OF 256 WORDS WHERE DATA
24279 ;          10534 !       FOR MBUS READS AND WRITES TRANSFERS
24280 ;          10535 !       IS FOUND.
24281 ;          10536 !
24282 ;          10537 !
24283 ;          10538 !--
24284 ;          10539
24285 ;          10540 local
24286 ;          10541     NIB_PAT : bitvector [4],              !STORAGE FOR SBE TO BE GENERATED
24287 ;          10542     NIB_SEL,                              !POINTER TO WHERE ERROR IS TO BE WRITTEN
24288 ;          10543     GD_WRD_CNT;                           !COUNT OF WHERE GOOD 'NIB_SEL' ARE FOUND
24289 ;          10544
24290 ;          10545 CLR_THRESHOLD;                            !CLEAR ERROR PRINT THRESHOLD
24291 ;          10546 E2_TEMP<12, 3> = %b'110';                 !LOAD DATA STRUCTURE WITH ZEROES CRC PATTERN
24292 ;          10547
24293 ;          10548 incr BIT_CNT from 0 to 35 do              !TEST FOR MULTILPLE ERRORS AT 36 CHANNELS
24294 ;          10549     begin
24295 ;          10550     CLR_MBUS;                             !CLEAR THE DRIVE
24296 ;          10551
24297 ;          10552     incr CNT from 0 to 255 do             !CLEAR FIRST CRC GROUP IN THE IO_BUF
24298 ;          10553         IO_BUF [.CNT] = ZEROES;
```

```
24300 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
24301 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (107)
24302 ;
24303 ;          10554
24304 ;          10555      GD_BLK_XFER ();                     !ALSO CLEAR THTE FIRST CRC GROUP
24305 ;          10556      MLCS1 = write;                      !IN THE ML11'S GOOD BLOCK
24306 ;          10557      TIME_OUT_LOOP;
24307 ;          10558      GD_WRD_CNT = ZERO;                  !CLEAR COUNT
24308 ;          10559      D1_TEMP = ZEROES;                   !CLEAR D1_TEMP
24309 ;          10560      D2_TEMP = ZEROES;                   !CLEAR D2_TEMP
24310 ;          10561      NIB_PAT = ZEROES;                   !CLEAR NIBBLE PATTERN
24311 ;          10562      NIB_SEL = .BIT_CNT/4;               !CALCULATE THE NIBBLE TO BE IN ERROR
24312 ;          10563      NIB_PAT [.BIT_CNT mod 4] = ONE;     !CALCULATE AND THE BIT TO BE IN ERROR
24313 ;          10564      LD_LNG_WRD (.NIB_SEL, .NIB_PAT);    !LOAD THE ERROR IN D1_TEMP OR D2_TEMP
24314 ;          10565      WRT_LNG_WRD;                        !LOAD THE REGISTER WITH THE ERROR
24315 ;          10566      DAT_DM_XFER ();                     !SET UP A DATA DIAG MODE TRANSFER
24316 ;          10567      MLCS1 = write;                      !DO A WRITE TRANSFER
24317 ;          10568      DELAY (ONE_US);                     !GIVE THE PROM DATA TIME TO COME OUT
24318 ;          10569
24319 ;          10570      do                                  !LOAD THIS CHANNEL WITH MULTIPLE ERRORS
24320 ;          10571          begin
24321 ;          10572          PD_TEMP = .MLPD;                !READ THIS ARRAY WORDS PROM_DATA
24322 ;          10573
24323 ;          10574          if .PD_TEMP [.NIB_SEL] IS_SET   !SEE IF THIS A GOOD NIBBLE
24324 ;          10575          then
24325 ;          10576              DAT_CLK = ONE               !CLOCK OUT ANOTHER ARRAY WORD IF BAD
24326 ;          10577          else
24327 ;          10578              begin                       !ELSE CLOCK IN THE ERROR INTO A GOOD NIBBLE
24328 ;          10579              GD_WRD_CNT = .GD_WRD_CNT + 1;
24329 ;          10580              DAT_CLR = ONE;
24330 ;          10581              end;
24331 ;          10582
24332 ;          10583          end
24333 ;          10584      until .GD_WRD_CNT eql 6;            !REPEAT UNTIL 6 WORDS ARE WRITTEN
24334 ;          10585
24335 ;          10586      BGNSUB;                             !START OF SCOPE LOOP
24336 ;          10587      CLR_MBUS;                           !CLEAR OUT THE DATA DISG MODE TRANSFER
24337 ;          10588      GD_BLK_XFER ();                     !SET UP A GOOD BLOCK TRANSFER
24338 ;          10589      ECC_DIS = 0;                        !ENABLE ERROR CORRECTION
24339 ;          10590      MLCS1 = read;                       !READ OUT THE ERRORS
24340 ;          10591      TIME_OUT_LOOP;                      !WAIT FOR THE TRANSFER TO COMPLETE
24341 ;          10592
24342 ;          10593      incr WRD_CNT from 0 to 13 do        !SEE IF THE CORRECTIONS WHERE DONE
24343 ;          10594
24344 ;          10595          if .IO_BUF [.WRD_CNT] neq ZEROES    !TEST THE IO_BUF FOR ALL ZEROES
24345 ;          10596          then
24346 ;          10597              begin                       !REPORT THE ERROR IF ANY LOCATIONS ARE NOT ZEROES
24347 ;          10598              CMP_THRESHOLD;              !COMPARE ERROR PRINT THRESHOLD
24348 ;          10599              ERRDF (141, SYNC, DUMPER);
24349 ;          10600              PRINTB (THR_FMT, PHR_13, WRD_76, WRD_9);
24350 ;          10601              PRINTB (FMT_22, .WRD_CNT, .BIT_CNT);
24351 ;          10602              end;
24352 ;          10603
24353 ;          10604      ENDSUB;                             !END OF SCOPE LOOP
24354 ;          10605      end;
```

```
24356 ;ML4AD
24357 ;                 TEST CODE SECTION
24358
24359 ;          10606
24360 ;          10607 ENDTST;
24364
24365                                          .SBTTL  $T55 TEST CODE SECTION
24369 105736  004167  076650          $T55:    JSR     R1,$SAVE5                ;                                1050
24370 105742  024646                           CMP     -(SP),-(SP)
24371 105744  005067  107426                   CLR     P.CNT                    ;                                1054
24372 105750  042767  070000  105422           BIC     #70000,E2.TEMP           ;                                1054
24373 105756  052767  060000  105414           BIS     #60000,E2.TEMP
24374 105764  005003                           CLR     R3                       ; BIT.CNT                        1054
24375 105766  152777  000040  107450  1$:      BISB    #40,@ML.REG+40           ;                                1054
24376 105774  016702  110032                   MOV     ML.DUT,R2
24377 106000  042702  177770                   BIC     #177770,R2
24378 106004  142777  000007  107432           BICB    #7,@ML.REG+40
24379 106012  150277  107426                   BISB    R2,@ML.REG+40
24380 106016  005001                           CLR     R1                       ; CNT                            1055
24381 106020  010102                  2$:      MOV     R1,R2                    ; CNT,*                          1055
24382 106022  006302                           ASL     R2
24383 106024  005062  014022                   CLR     IO.BUF(R2)
24384 106030  005201                           INC     R1                       ; CNT                            1055
24385 106032  020127  000377                   CMP     R1,#377                  ; CNT,*
24386 106036  003770                           BLE     2$
24387 106040  004767  112246                   JSR     PC,GD.BLK.XFER           ;                                1055
24388 106044  012777  000061  107332           MOV     #61,@ML.REG              ;                                1055
24389 106052  105777  107376          3$:      TSTB    @ML.REG+50
24390 106056  100375                           BPL     3$
24391 106060  005005                           CLR     R5                       ; GD.WRD.CNT                     1055
24392 106062  005067  105306                   CLR     D1.TEMP                  ;                                1055
24393 106066  005067  105304                   CLR     D2.TEMP                  ;                                1056
24394 106072  005016                           CLR     (SP)                     ; NIB.PAT                        1056
24395 106074  010346                           MOV     R3,-(SP)                 ; BIT.CNT,*                      1056
24396 106076  012746  000004                   MOV     #4,-(SP)
24397 106102  004767  076340                   JSR     PC,BL$DIV
24398 106106  010004                           MOV     R0,R4                    ; *,NIB.SEL
24399 106110  010346                           MOV     R3,-(SP)                 ; BIT.CNT,*                      1056
24400 106112  012746  000004                   MOV     #4,-(SP)
24401 106116  004767  076336                   JSR     PC,BL$MOD
24402 106122  010002                           MOV     R0,R2
24403 106124  006200                           ASR     R0
24404 106126  006200                           ASR     R0
24405 106130  006200                           ASR     R0
24406 106132  012701  000010                   MOV     #10,R1
24407 106136  060601                           ADD     SP,R1                    ; NIB.PAT,*
24408 106140  060100                           ADD     R1,R0
24409 106142  010016                           MOV     R0,(SP)
24410 106144  010246                           MOV     R2,-(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                                       29-Mar-1982 16:21:03    PA:<
                                        BIC     #177770,(SP)
                                        MOV     #1,-(SP)
                                        MOV     (SP),-(SP)
                                        JSR     PC,BL$PU2
                                        MOV     R4,(SP)                 ; NIB.SEL,*                                             1056
                                        MOV     16(SP),-(SP)            ; NIB.PAT,*
                                        JSR     PC,LD.LNG.WRD
                                        MOV     D1.TEMP,aML.REG+170
                                        MOV     D2.TEMP,a  .REG+200
                                        MOV     E2.TEMP,aML.REG+160
                                        JSR     PC,DAT.DM.XFER          ;                               1056
                                        MOV     #61,aML.REG             ;                               1056
                                        MOV     #1,R1                   ; *,$$TMP2                      1056
                                4$:     BEQ     7$
                                        MOV     L$DLY,R2                ; *,$$TMP1
                                        BEQ     6$
                                5$:     CLR     22(SP)                  ; $$TMP
                                        DEC     R2                      ; $$TMP1
                                        BNE     5$
                                6$:     DEC     R1                      ; $$TMP2
                                        BR      4$
                                7$:     MOV     R4,R2                   ; NIB.SEL,*                     1057
                                        ASR     R2
                                        ASR     R2
                                        ASR     R2
                                        ADD     #PD.TEMP,R2
                                8$:     MOV     aML.REG+230,PD.TEMP     ;                               1057
                                        MOV     R2,-(SP)                ;                               1057
                                        MOV     R4,-(SP)                ; NIB.SEL,*
                                        BIC     #177770,(SP)
                                        MOV     #1,-(SP)
                                        CLR     -(SP)
                                        JSR     PC,BL$GT2
                                        ADD     #10,SP
                                        DEC     R0
                                        BEQ     9$                      ;                               1057
                                        INC     R5                      ; GD.WRD.CNT                    1057
                                9$:     BISB    #20,aML.REG+120         ;                               1058
                                        CMP     R5,#6                   ; GD.WRD.CNT,*                  1058
                                        BNE     8$
                                10$:    TRAP    2
                                        BISB    #40,aML.REG+40          ;                               1058
                                        MOV     ML.DUT,R2
                                        BIC     #177770,R2
                                        BICB    #7,aML.REG+40
                                        BISB    R2,aML.REG+40
                                        JSR     PC,GD.BLK.XFER          ;                               1058
                                        BICB    #2,aML.REG+120          ;                               1058
                                        MOV     #71,aML.REG             ;                               1059
                                11$:    TSTB    aML.REG+50
                                        BPL     11$
                                        CLR     R1                      ; WRD.CNT                       1059
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
24471 106436  010102                    12$:    MOV     R1,R2                   ; WRD.CNT,*                                     1059
24472 106440  006302                            ASL     R2
24473 106442  005762  014022                    TST     IO.BUF(R2)
24474 106446  001440                            BEQ     13$
24475 106450  005267  106722                    INC     P.CNT                   ;                                               1059
24476 106454  026767  106716  106716            CMP     P.CNT,LIMIT
24477 106462  003036                            BGT     14$
24478 106464  104455                            TRAP    55                      ;                                               1059
24479 106466  000215                            .WORD   215
24480 106470  012750                            .WORD   SYNC
24481 106472  026302                            .WORD   DUMPER
24482 106474  012746  010616                    MOV     #WRD.9,-(SP)            ;                                               1060
24483 106500  012746  011562                    MOV     #WRD.76,-(SP)
24484 106504  012746  012060                    MOV     #PHR.13,-(SP)
24485 106510  012746  010256                    MOV     #THR.FMT,-(SP)
24486 106514  012746  000004                    MOV     #4,-(SP)
24487 106520  010600                            MOV     SP,R0                   ; SP,*
24488 106522  104414                            TRAP    14
24489 106524  010316                            MOV     R3,(SP)                 ; BIT.CNT,*                                     1060
24490 106526  010146                            MOV     R1,-(SP)                ; WRD.CNT,*
24491 106530  012746  010026                    MOV     #FMT.22,-(SP)
24492 106534  012746  000003                    MOV     #3,-(SP)
24493 106540  010600                            MOV     SP,R0                   ; SP,*
24494 106542  104414                            TRAP    14
24495 106544  062706  000020                    ADD     #20,SP                  ;                                               1059
24496 106550  005201                    13$:    INC     R1                      ; WRD.CNT                                       1059
24497 106552  020127  000015                    CMP     R1,#15                  ; WRD.CNT,*
24498 106556  003727                            BLE     12$
24499 106560  104467                    14$:    TRAP    67                      ;                                               1060
24500 106562  006000                            ROR     R0
24501 106564  103673                            BLO     10$
24502 106566  062706  000020                    ADD     #20,SP                  ;                                               1054
24503 106572  005203                            INC     R3                      ; BIT.CNT                                       1054
24504 106574  020327  000043                    CMP     R3,#43                  ; BIT.CNT,*
24505 106600  003002                            BGT     15$
24506 106602  000167  177160                    JMP     1$
24507 106606  022626                    15$:    CMP     (SP)+,(SP)+             ;                                               1050
24508 106610  000207                            RTS     PC
24509
24510                                   ; Routine Size:  214 words
24511                                   ; Maximum stack depth per invocation:  24 words
24516
24517
24521
24522                                           .SBTTL  T55 TEST CODE SECTION
```

```
24524                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
24525                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
24526
24530 106612                            T55::
24531 106612  004767  177120            1$:     JSR     PC,$T55                 ;                       1060
24532 106616  104466                            TRAP    66
24533 106620  006000                            ROR     R0
24534 106622  103773                            BLO     1$
24535 106624  000207                            RTS     PC
24536
24537                                   ; Routine Size:  6 words
24538                                   ; Maximum stack depth per invocation:  0 words
24543
24544
24545 ;         10608 !<BLF/PAGE>
```

```
24547 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
24548 ;                TEST CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (108)
24549 ;
24550 ;          10609 !
24551 ;          10610 BGNTST;
24552 ;          10611
24553 ;          10612 !++
24554 ;          10613 ! TEST NUMBER:  TST 56
24555 ;          10614 !
24556 ;          10615 ! TEST NAME:             ECC ERROR REGISTER TEST
24557 ;          10616 !
24558 ;          10617 ! TEST DESCRIPTION:
24559 ;          10618 !       TEST THE ECC ERROR REGISTER FOR
24560 ;          10619 !       CLEARING AND LATCHING OF ECC ERROR
24561 ;          10620 !       INFORMATION ON DETTECTION
24562 ;          10621 !       OF ECC ERRORS BY:
24563 ;          10622 !
24564 ;          10623 !       1.  THIS TEST IS TABLE DRIVEN.  DATA TABLE (DT_1)
24565 ;          10624 !           CONTAINS ERROR FORCING DATA AND EXPECTED
24566 ;          10625 !           MLEE DATA AS A RESULT OF THE FORCED ERROR
24567 ;          10626 !
24568 ;          10627 !       2.  THE TEST THEREFOR INDEXES INTO DT_1 TO FORCE
24569 ;          10628 !           AN ECC ERROR
24570 ;          10629 !
24571 ;          10630 !       3.  A MASS BUS READ TRANSFER IS DONE
24572 ;          10631 !
24573 ;          10632 !       4.  DT_1 IS AGAIN INDEXED AND ITS CONTENTS
24574 ;          10633 !           IS COMPARED AGAINST THE RESULTING
24575 ;          10634 !           MLEE REGISTER  CONTENTS
24576 ;          10635 !
24577 ;          10636 !       5.  A MASS BUS CLEAR IS DONE AN MLEE IS CHECKED FOR
24578 ;          10637 !           ZEROES
24579 ;          10638 !
24580 ;          10639 !       6.  THE ECH BIT IS ALSO EXAMINED FOR CORRECT
24581 ;          10640 !           LATCHING INFORMATION
24582 ;          10641 !
24583 ;          10642 !
24584 ;          10643 !
24585 ;          10644 !--
24586 ;          10645
24587 ;          10646 local
24588 ;          10647     TMP_E1,                          !TEMP STORAGE FOR E1 DATA WORD
24589 ;          10648     FINISH,                          !VARIABLE ENDING CONDITION FOR LATCH_LOOP
24590 ;          10649     ERR_FLG;                         !ERROR FLAG
24591 ;          10650
24592 ;          10651 CLR_MBUS;                            !CLEAR THE DRIVE
24593 ;          10652 FINISH = 4;                          !MAKE LATCH_LOOP DO 5 LOOPS AT FIRST
24594 ;          10653
24595 ;          10654 incr CLR_LOOP from 0 to 1 do         !THE FIRST PASS TESTS MLEE FOR LATCHING
24596 ;          10655     !THE SECOND PASS TESTS MLEE FOR CLEARING
24597 ;          10656     begin
24598 ;          10657
24599 ;          10658     incr LATCH_LOOP from 0 to .FINISH do    !TEST MLEE FOR LATCHING BY USING DT_1 DATA
24600 ;          10659         begin
24601 ;          10660         BGNSUB;                      !START OF SCOPE LOOP
```

```
24603 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
24604 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (108)
24605 ;
24606 ;          10661        ERR_FLG = ZERO;                  !CLEAR THE ERROR FLAG
24607 ;          10662        MLER = ZEROES;                   !CLEAR THE ERROR REGISTER
24608 ;          10663        ECC_DM = ONE;                    !ENABLE ECC DIAG MODE
24609 ;          10664        !+
24610 ;          10665        ! THE FOLLOWING ASSIGNMENT:
24611 ;          10666        !
24612 ;          10667        !       MLE1 = .TMP_E1
24613 ;          10668        !
24614 ;          10669        ! IS EQUIVALENT TO THE FOLLOWING
24615 ;          10670        ! TWO ASSINGMENTS:
24616 ;          10671        !
24617 ;          10672        !   PAR_CRC_WRD = .DT_1 [.LATCH_LOOP, P0_5];          !LOAD PAR_CRC_WRD WITH REM_TBL
24618 ;          10673        !   CRC_A = .DT_1 [.LATCH_LOOP, A0_5];                !LOAD CRC_A WITH REM_TBL
24619 ;          10674        !
24620 ;          10675        ! THIS IS NECESSARY DUE TO THE FACT THAT
24621 ;          10676        ! THE E1 REGISTER IS WORD ORIENTATED AND
24622 ;          10677        ! THE BLISS COMPILER GENERATES BYTE INST
24623 ;          10678        ! TO ACCESS THE REGISTER.
24624 ;          10679        !-
24625 ;          10680
24626 ;          10681        TMP_E1 = ZEROES;                                  !CLEAR OUT THE TEMP WORD
24627 ;          10682        TMP_E1<0, 6> = .DT_1 [.LATCH_LOOP, A0_5];                 !LOAD CRC_A WITH REM_TBL
24628 ;          10683        TMP_E1<8, 6> = .DT_1 [.LATCH_LOOP, P0_5];                 !LOAD PAR_CRC_WRD WITH REM_TBL
24629 ;          10684        MLE1 = .TMP_E1;                  !LOAD THE E1 REGISTER WITH DATA
24630 ;          10685
24631 ;          10686        CRC_B = .DT_1 [.LATCH_LOOP, B0_5];       !GET CRC_B FROM DT_1
24632 ;          10687        GD_BLK_XFER ();                  !SET UP A GOOD BLOCK TRANSFER
24633 ;          10688        ECC_DIS = ZERO;                  !DISABLE ECC DIABLE
24634 ;          10689        MLCS1 = read;                    !READ THE ERROR AND LACTH MLEE
24635 ;          10690        TIME_OUT_LOOP;
24636 ;          10691
24637 ;          10692        if .CRC_ERR neq .DT_1 [.LATCH_LOOP, CRC_DATA] then ERR_FLG = ONE;       !TEST CRC_ERR
24638 ;          10693
24639 ;          10694        if .SGL_ERR neq .DT_1 [.LATCH_LOOP, SGL_DATA] then ERR_FLG = ONE;       !TEST SGL_ERR
24640 ;          10695
24641 ;          10696        if .UNC_ERR neq .DT_1 [.LATCH_LOOP, UNC_DATA] then ERR_FLG = ONE;       !TEST UNC
24642 ;          10697
24643 ;          10698        if .BIT_IN_ERR neq .DT_1 [.LATCH_LOOP, E0_5] then ERR_FLG = ONE;        !TEST BIT IN ERROR
24644 ;          10699
24645 ;          10700        if .CHAN_IN_ERR neq .DT_1 [.LATCH_LOOP, C0_5] then ERR_FLG = ONE;       !TEST CHANNEL IN ERROR
24646 ;          10701
24647 ;          10702        if .ECH_ERR neq .DT_1 [.LATCH_LOOP, ECH_DATA]   !TEST IF ECH GOT SET
24648 ;          10703        then
24649 ;          10704            begin                        !REPORT ERROR IF NOT SET
24650 ;          10705            ERRDF (123, ASYNC, DUMPER);
24651 ;          10706            PRINTB (FOR_FMT, WRD_67, WRD_10, WRD_69, WRD_14);
24652 ;          10707            end;
24653 ;          10708
24654 ;          10709        if .ERR_FLG IS_SET               !TEST IF THE ERROR FLAG GOT SET
24655 ;          10710        then
24656 ;          10711            begin                        !REPORT ERROR IF SET
24657 ;          10712            ERRDF (124, SYNC, DUMPER);
```

```
;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (108)
;
;          10713            PRINTB (THR_FMT, REG_14, WRD_52, PHR_11);
;          10714            PRINTB (FMT_1, .DT_1 [.LATCH_LOOP, EE_DATA], .MLEE);
;          10715            PRINTB (FMT_19, .DT_1 [.LATCH_LOOP, B0_5], .DT_1 [.LATCH_LOOP, A0_5], .DT_1 [.LATCH_LOOP, P0_5])
;          10716            end;
;          10717
;          10718        ENDSUB;                                  !END OF SCOPE LOOP
;          10719        end;
;          10720
;          10721    CLR_MBUS;                                    !CLEAR THE REGISTER
;          10722
;          10723    if .MLEE neq ZERO                            !SEE IF THE REGISTER GOT CLEARED
;          10724    then
;          10725        begin                                    !REPORT ERROR IF NOT CLEARED
;          10726        ERRDF (125, SYNC, DUMPER);
;          10727        PRINTB (FOR_FMT, REG_14, WRD_52, FNC_7, WRD_14);
;          10728        end;
;          10729
;          10730    ECC_DM = ONE;                                !ENABLE ECC DISABLE
;          10731    FINISH = ZERO;                               !MAKE LATCH_LOOP LOOP ONCE TO CLEAR MLEE AGAIN
;          10732    end;
;          10733
;          10734 ENDTST;
;
;                                        .SBTTL  $T56 TEST CODE SECTION
;106626 004167 075760          $T56:    JSR     R1,$SAVE5                ;                                1060
;106632 162706 000006                   SUB     #6,SP
;106636 152777 000040 106600            BISB    #40,@ML.REG+40           ;                                1064
;106644 016705 107162                   MOV     ML.DUT,R5
;106650 042705 177770                   BIC     #177770,R5
;106654 142777 000007 106562            BICB    #7,@ML.REG+40
;106662 150577 106556                   BISB    R5,@ML.REG+40
;106666 011766 000004                   MOV     (PC),4(SP)               ; *,FINISH                       1065
;106672 005066 000002                   CLR     2(SP)                    ; CLR.LOOP                       1065
;106676 005004                 1$:      CLR     R4                       ; LATCH.LOOP                     1065
;106700 000167 000656                   JMP     16$
;106704 010446                 2$:      MOV     R4,-(SP)                 ; LATCH.LOOP,*                   1068
;106706 012746 000006                   MOV     #6,-(SP)
;106712 004767 075304                   JSR     PC,BL$MUL
;106716 010005                          MOV     R0,R5
;106720 012701 015764                   MOV     #DT.1,R1                 ;                                1069
;106724 060501                          ADD     R5,R1
;106726 012702 015766                   MOV     #DT.1+2,R2               ;                                1068
;106732 060502                          ADD     R5,R2
;106734 104402                 3$:      TRAP    2                        ;                                1065
;106736 005003                          CLR     R3                       ; ERR.FLG                        1066
;106740 005077 106520                   CLR     @ML.REG+60               ;                                1066
```

```
24715                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
24716                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
24717
24718 106744  152777  000001  106552            BISB    #1,aML.REG+120          ;                                       1066
24719 106752  005066  000004                    CLR     4(SP)                   ; TMP.E1                                1068
24720 106756  111200                            MOVB    (R2),R0                 ;                                       1068
24721 106760  042700  177700                    BIC     #177700,R0
24722 106764  142766  000077  000004            BICB    #77,4(SP)               ; *,TMP.E1
24723 106772  050066  000004                    BIS     R0,4(SP)                ; *,TMP.E1
24724 106776  011200                            MOV     (R2),R0                 ;                                       1068
24725 107000  006300                            ASL     R0
24726 107002  006300                            ASL     R0
24727 107004  042700  140377                    BIC     #140377,R0
24728 107010  042766  037400  000004            BIC     #37400,4(SP)            ; *,TMP.E1
24729 107016  050066  000004                    BIS     R0,4(SP)                ; *,TMP.E1
24730 107022  016677  000004  106524            MOV     4(SP),aML.REG+150       ; TMP.E1,*                              1068
24731 107030  116500  015770                    MOVB    DT.1+4(R5),R0           ;                                       1068
24732 107034  042700  177700                    BIC     #177700,R0
24733 107040  142777  000077  106516            BICB    #77,aML.REG+160
24734 107046  150077  106512                    BISB    R0,aML.REG+160
24735 107052  004767  111234                    JSR     PC,GD.BLK.XFER          ;                                       1068
24736 107056  142777  000002  106440            BICB    #2,aML.REG+120          ;                                       1068
24737 107064  012777  000071  106312            MOV     #71,aML.REG             ;                                       1068
24738 107072  105777  106356          4$:       TSTB    aML.REG+50
24739 107076  100375                            BPL     4$
24740 107100  011146                            MOV     (R1),-(SP)              ;                                       1069
24741 107102  042716  157777                    BIC     #157777,(SP)
24742 107106  017700  106502                    MOV     aML.REG+210,R0
24743 107112  042700  157777                    BIC     #157777,R0
24744 107116  020026                            CMP     R0,(SP)+
24745 107120  001402                            BEQ     5$
24746 107122  012703  000001                    MOV     #1,R3                   ; *,ERR.FLG
24747 107126  011146          5$:       MOV     (R1),-(SP)              ;                                       1069
24748 107130  042716  137777                    BIC     #137777,(SP)
24749 107134  017700  106454                    MOV     aML.REG+210,R0
24750 107140  042700  137777                    BIC     #137777,R0
24751 107144  020026                            CMP     R0,(SP)+
24752 107146  001402                            BEQ     6$
24753 107150  012703  000001                    MOV     #1,R3                   ; *,ERR.FLG
24754 107154  011146          6$:       MOV     (R1),-(SP)              ;                                       1069
24755 107156  042716  077777                    BIC     #77777,(SP)
24756 107162  017700  106426                    MOV     aML.REG+210,R0
24757 107166  042700  077777                    BIC     #77777,R0
24758 107172  020026                            CMP     R0,(SP)+
24759 107174  001402                            BEQ     7$
24760 107176  012703  000001                    MOV     #1,R3                   ; *,ERR.FLG
24761 107202  111146          7$:       MOVB    (R1),-(SP)              ;                                       1069
24762 107204  042716  177700                    BIC     #177700,(SP)
24763 107210  117700  106400                    MOVB    aML.REG+210,R0
24764 107214  042700  177700                    BIC     #177700,R0
24765 107220  020026                            CMP     R0,(SP)+
24766 107222  001402                            BEQ     8$
24767 107224  012703  000001                    MOV     #1,R3                   ; *,ERR.FLG
24768 107230  011146          8$:       MOV     (R1),-(SP)              ;                                       1070
24769 107232  042716  170077                    BIC     #170077,(SP)
```

```
                                        ;ML4AD                                                          29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
                                        ;
24774 107236  017700  106352                   MOV     @ML.REG+210,R0
24775 107242  042700  170077                   BIC     #170077,R0
24776 107246  020026                           CMP     R0,(SP)+
24777 107250  001402                           BEQ     9$
24778 107252  012703  000001                   MOV     #1,R3                   ; *,ERR.FLG
24779 107256  011246                   9$:     MOV     (R2),-(SP)              ;                                                       1070
24780 107260  005046                           CLR     -(SP)
24781 107262  032766  010000  000002           BIT     #10000,2(SP)
24782 107270  001401                           BEQ     10$
24783 107272  005216                           INC     (SP)
24784 107274  005000                   10$:    CLR     R0
24785 107276  132777  000100  106160           BITB    #100,@ML.REG+60
24786 107304  001401                           BEQ     11$
24787 107306  005200                           INC     R0
24788 107310  020026                   11$:    CMP     R0,(SP)+
24789 107312  001002                           BNE     12$
24790 107314  005726                           TST     (SP)+
24791 107316  000425                           BR      13$
24792 107320  005726                   12$:    TST     (SP)+
24793 107322  104455                           TRAP    55                      ;                                                       1070
24794 107324  000173                           .WORD   173
24795 107326  012706                           .WORD   ASYNC
24796 107330  026302                           .WORD   DUMPER
24797 107332  012746  010664                   MOV     #WRD.14,-(SP)           ;                                                       1070
24798 107336  012746  011474                   MOV     #WRD.69,-(SP)
24799 107342  012746  010630                   MOV     #WRD.10,-(SP)
24800 107346  012746  011462                   MOV     #WRD.67,-(SP)
24801 107352  012746  010270                   MOV     #FOR.FMT,-(SP)
24802 107356  012746  000005                   MOV     #5,-(SP)
24803 107362  010600                           MOV     SP,R0                   ; SP,*
24804 107364  104414                           TRAP    14
24805 107366  062706  000014                   ADD     #14,SP                  ;                                                       1070
24806 107372  020327  000001           13$:    CMP     R3,#1                   ; ERR.FLG,*                                             1070
24807 107376  001062                           BNE     14$
24808 107400  104455                           TRAP    55                      ;                                                       1071
24809 107402  000174                           .WORD   174
24810 107404  012750                           .WORD   SYNC
24811 107406  026302                           .WORD   DUMPER
24812 107410  012746  012020                   MOV     #PHR.11,-(SP)           ;                                                       1071
24813 107414  012746  011310                   MOV     #WRD.52,-(SP)
24814 107420  012746  012620                   MOV     #REG.14,-(SP)
24815 107424  012746  010256                   MOV     #THR.FMT,-(SP)
24816 107430  012746  000004                   MOV     #4,-(SP)
24817 107434  010600                           MOV     SP,R0                   ; SP,*
24818 107436  104414                           TRAP    14
24819 107440  017716  106150                   MOV     @ML.REG+210,(SP)        ;                                                       1071
24820 107444  011146                           MOV     (R1),-(SP)
24821 107446  012746  006442                   MOV     #FMT.1,-(SP)
24822 107452  012746  000003                   MOV     #3,-(SP)
24823 107456  010600                           MOV     SP,R0                   ; SP,*
24824 107460  104414                           TRAP    14
24825 107462  011200                           MOV     (R2),R0                 ;                                                       1071
```

```
24827                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
24828                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
24829
24830 107464  006200                            ASR     R0
24831 107466  006200                            ASR     R0
24832 107470  006200                            ASR     R0
24833 107472  006200                            ASR     R0
24834 107474  006200                            ASR     R0
24835 107476  006200                            ASR     R0
24836 107500  042700  177700                    BIC     #177700,R0
24837 107504  010016                            MOV     R0,(SP)
24838 107506  111246                            MOVB    (R2),-(SP)
24839 107510  042716  177700                    BIC     #177700,(SP)
24840 107514  116546  015770                    MOVB    DT.1+4(R5),-(SP)
24841 107520  042716  177700                    BIC     #177700,(SP)
24842 107524  012746  007632                    MOV     #FMT.19,-(SP)
24843 107530  012746  000004                    MOV     #4,-(SP)
24844 107534  010600                            MOV     SP,R0           ; SP,*
24845 107536  104414                            TRAP    14
24846 107540  062706  000030                    ADD     #30,SP          ;                       1071
24847 107544  104467                  14$:      TRAP    67              ;                       1071
24848 107546  006000                            ROR     R0
24849 107550  103002                            BHIS    15$
24850 107552  000167  177156                    JMP     3$
24851 107556  022626                  15$:      CMP     (SP)+,(SP)+     ;                       1065
24852 107560  005204                            INC     R4              ; LATCH.LOOP            1065
24853 107562  020466  000004            16$:    CMP     R4,4(SP)        ; LATCH.LOOP,FINISH
24854 107566  003002                            BGT     17$
24855 107570  000167  177110                    JMP     2$
24856 107574  152777  000040  105642  17$:      BISB    #40,@ML.REG+40  ;                       1071
24857 107602  016705  106224                    MOV     ML.DUT,R5
24858 107606  042705  177770                    BIC     #177770,R5
24859 107612  142777  000007  105624            BICB    #7,@ML.REG+40
24860 107620  150577  105620                    BISB    R5,@ML.REG+40
24861 107624  005777  105764                    TST     @ML.REG+210     ;                       1072
24862 107630  001424                            BEQ     18$
24863 107632  104455                            TRAP    55              ;                       1072
24864 107634  000175                            .WORD   175
24865 107636  012750                            .WORD   SYNC
24866 107640  026302                            .WORD   DUMPER
24867 107642  012746  010664                    MOV     #WRD.14,-(SP)   ;                       1072
24868 107646  012746  012234                    MOV     #FNC.7,-(SP)
24869 107652  012746  011310                    MOV     #WRD.52,-(SP)
24870 107656  012746  012620                    MOV     #REG.14,-(SP)
24871 107662  012746  010270                    MOV     #FOR.FMT,-(SP)
24872 107666  012746  000005                    MOV     #5,-(SP)
24873 107672  010600                            MOV     SP,R0           ; SP,*
24874 107674  104414                            TRAP    14
24875 107676  062706  000014                    ADD     #14,SP          ;                       1072
24876 107702  152777  000001  105614  18$:      BISB    #1,@ML.REG+120  ;                       1073
24877 107710  005066  000004                    CLR     4(SP)           ; FINISH                1073
24878 107714  005266  000002                    INC     2(SP)           ; CLR.LOOP              1065
24879 107720  026627  000002  000001            CMP     2(SP),#1        ; CLR.LOOP,*
24880 107726  003002                            BGT     19$
24881 107730  000167  176742                    JMP     1$
```

```
24883                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
24884                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
24885
24886 107734  062706  000006            19$:    ADD     #6,SP                   ;                       1060
24887 107740  000207                            RTS     PC
24888
24889                                   ; Routine Size:  294 words
24890                                   ; Maximum stack depth per invocation:  23 words
24895
24896
24900
24901                                           .SBTTL  T56 TEST CODE SECTION
24905 107742                            T56::
24906 107742  004767  176660            1$:     JSR     PC,$T56                 ;                       1073
24907 107746  104466                            TRAP    66
24908 107750  006000                            ROR     R0
24909 107752  103773                            BLO     1$
24910 107754  000207                            RTS     PC
24911
24912                                   ; Routine Size:  6 words
24913                                   ; Maximum stack depth per invocation:  0 words
24918
24919
24920 ;         10735 !<BLF/PAGE>
```

```
;ML4AD
;                TEST CODE SECTION

                10736 !
                10737 BGNTST;
                10738
                10739 !++
                10740 ! TEST NUMBER:  TST 57
                10741 !
                10742 ! TEST NAME:              ECC ERROR LOCATION REGISTER TEST
                10743 !
                10744 ! TEST DESCRIPTION:
                10745 !       TEST THE ECC ERROR LOCATION REGISTER FOR CLOCKING, BIT UNIQUENESS
                10746 !       CLEARING AND LATCHING OF DSA ADDRESSES ON DETECTION OF ECC ERROR BY:
                10747 !
                10748 !       1.  TEST FOR CLOCKING BY:
                10749 !           A. DO A MASS BUS CLEAR FORCING REGISTER BITS TO ZEROES
                10750 !           B. FORCE AN ECC ERROR AT THE LAST BLOCK AND DO A READ TRANSFER
                10751 !           C. CHECK MLEL FOR LAST BLOCK ADDRESS
                10752 !
                10753 !       2.  TEST FOR BIT UNIQUENESS BY:
                10754 !           A. WITH FORCED ECC ERRORS DO READ TRANSFERS AT VARIOUS DSA
                10755 !              ADDRESSES AND CHECK MLEL FOR LATCHED DSA ADDRESSES
                10756 !           B. DO CLEAR AND REPEAT
                10757 !
                10758 !       3.  TEST FOR LATCHING AND CLEARING BY:
                10759 !           A. WITH A FORCED SINGLE BIT ERROR DO A READ TRANSFER AT THE
                10760 !              LAST BLOCK. (LATCHES MLEL WITH THE LAST BLOCK ADDRESS TO START THE TEST OFF)
                10761 !           B. AGAIN WITH A FORCED SINGLE BIT ERROR DO A READ TRANSFER AT DSA
                10762 !              ZERO AND CHECK MLEL FOR NOT LATCHING.
                10763 !              NO CLEAR DONE
                10764 !           C. WITH FORCED UNCORRECTABLE ERRORS DO A READ TRANSFER AT DSA
                10765 !              ZERO  CHECK MLEL FOR LATCHED DSA ZERO
                10766 !              NO CLEAR DONE
                10767 !           D. WITH FORCED SINGLE BIT ERRORS DO A READ TRANSFER AT THE LAST
                10768 !              BLOCK AND CHECK MLEL FOR NOT LATCHING
                10769 !              NO CLEAR DONE
                10770 !           E. WITH A FORCED UNCORRECTABLE ERROR DO A READ TRANSFER AT
                10771 !              THE LAST BLOCK AN CHECK MLEL FOR NOT LATCHING
                10772 !           F. DO A MASS BUS CLEAR
                10773 !           G. WITH A FORCED SINGLE BIT ERROR DO A READ TRANSFER AT THE
                10774 !              LAST BLOCK
                10775 !           H. DO A MASS BUS CLEAR AGAIN AND CHECK MLEL FOR ZEROES
                10776 !
                10777 ! IMPLICIT INPUTS:
                10778 !       IO_BUF
                10779 !       A  VECTOR OF 256 WORDS WHERE DATA
                10780 !       FOR MBUS READS AND WRITES TRANSFERS
                10781 !       IS FOUND.
                10782 !
                10783 !
                10784 !--
                10785
                10786 local
                10787     SGL,                                  !SINGLE BIT ERROR PARRAMETER
```

```
  24978 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
  24979 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (109)
  24980 ;
  24981 ;          10788      UNC,                                !UNCORRECTABLE ERR PARRAMETER
  24982 ;          10789      SAVE,                               !TEMPORY SAVE LOCATION
  24983 ;          10790      SHF_DATA,                           !SHIFTING DATA PATTERN SAVE LOCATION
  24984 ;          10791      DSA_PAT;                            !EXPECTED DSA PATTERN LATCHED IN MLEL
  24985 ;          10792
  24986 ;          10793 CLR_THRESHOLD;                           !CLEAR ERROR PRINT THRESHOLD
  24987 ;          10794 BGNSUB;                                  !START OF SCOPE LOOP
  24988 ;          10795 CLR_MBUS;                                !CLEAR THE MLEL REGISTER
  24989 ;          10796 FOR_ECC_ERR (SGL = 1, UNC = 0);          !FORCE A SBE
  24990 ;          10797 MLDA = .LST_BLK;                         !LATCH THE LAST BLK ADRS INTO THE MLEL
  24991 ;          10798 MLWC = not 255;
  24992 ;          10799 MLBA = IO_BUF;
  24993 ;          10800 MLCS1 = read;                            !DO A READ AND LATCH THE MLEL
  24994 ;          10801 TIME_OUT_LOOP;
  24995 ;          10802
  24996 ;          10803 if .MLEL eql ZEROES                      !SEE IF THE MLEL GOT CLOCKED
  24997 ;          10804 then
  24998 ;          10805     begin                                !REPORT AN ERROR IF NOT CLOCKED
  24999 ;          10806     ERRDF (126, SYNC, DUMPER);
  25000 ;          10807     PRINTB (THR_FMT, REG_15, WRD_52, PHR_11);
  25001 ;          10808     EXIT_TST;
  25002 ;          10809     end;
  25003 ;          10810
  25004 ;          10811 ENDSUB;                                  !END OF SCOPE LOOP
  25005 ;          10812 SHF_DATA = .LST_ARR;                     !LOAD  THE SHIFT DATA
  25006 ;          10813
  25007 ;          10814 incr LOOP from 0 to 16 do                !FIRST TEST FOR 1'S AND 0'S THEN SHIFT DATA
  25008 ;          10815     begin
  25009 ;          10816     BGNSUB;                              !START OF SCOPE LOOP
  25010 ;          10817     CLR_MBUS;                            !CLEAR THE DRIVE
  25011 ;          10818     FOR_ECC_ERR (SGL = 1, UNC = 0);      !FORCE A SBE
  25012 ;          10819
  25013 ;          10820     selectone .LOOP of                   !SELECT THE TEST PATTERN
  25014 ;          10821         set
  25015 ;          10822
  25016 ;          10823         [0] :                            !ZEROES PATTERN
  25017 ;          10824             begin
  25018 ;          10825             DSA_PAT = ZEROES;
  25019 ;          10826             MLDA = .DSA_PAT;
  25020 ;          10827             end;
  25021 ;          10828
  25022 ;          10829         [1] :                            !MOSTLY ONES PATTERN
  25023 ;          10830             begin
  25024 ;          10831             DSA_PAT = .LST_BLK;
  25025 ;          10832             MLDA = .DSA_PAT;
  25026 ;          10833             end;
  25027 ;          10834
  25028 ;          10835         [otherwise] :                    !SHIFT PATTERN
  25029 ;          10836             begin
  25030 ;          10837             DSA_PAT = .SHF_DATA;
  25031 ;          10838             MLDA = .SHF_DATA;
  25032 ;          10839             SHF_DATA = .SHF_DATA^-ONE;
```

```
25034 ;ML4AD
25035 ;                 TEST CODE SECTION
25036
25037 ;          10840              end;
25038 ;          10841          tes;
25039 ;          10842
25040 ;          10843      MLWC = not 255;                          !SET UP THE TRANSFER
25041 ;          10844      MLBA = IO_BUF;
25042 ;          10845      MLCS1 = read;                            !DO THE TRANSFER AND LATCH MLEL
25043 ;          10846      TIME_OUT_LOOP;
25044 ;          10847      SAVE = .MLEL;                            !READ AND SAVE THE MLEL REGISTER
25045 ;          10848
25046 ;          10849      if .SAVE neq .DSA_PAT                    !SEE IF SAVE IS WHAT WE EXPECTED
25047 ;          10850      then
25048 ;          10851          begin                                !REPORT AN ERROR IF NOT THE SAME
25049 ;          10852          CMP_THRESHOLD;                       !COMPARE ERROR PRINT THRESHOLD
25050 ;          10853          ERRDF (127, ASYNC, DUMPER);
25051 ;          10854          PRINTB (TWO_FMT, REG_15, PHR_4);
25052 ;          10855          PRINTB (FMT_2, .DSA_PAT, .SAVE, (.DSA_PAT xor .SAVE));
25053 ;          10856          end;
25054 ;          10857
25055 ;          10858      ENDSUB;                                  !END OF SCOPE LOOP
25056 ;          10859      end;
25057 ;          10860
25058 ;          10861 CLR_MBUS;                                     !CLEAR THE DRIVE
25059 ;          10862 FOR_ECC_ERR (SGL = 1, UNC = 0);               !FORCE A SBE
25060 ;          10863 MLWC = not 255;                               !SET UP A LAST BLOCK TRANSFER
25061 ;          10864 MLBA = IO_BUF;                                !TO LATCH THE MLEL WITH T
25062 ;          10865 MLDA = .LST_BLK;
25063 ;          10866 MLCS1 = read;
25064 ;          10867 TIME_OUT_LOOP;
25065 ;          10868
25066 ;          10869 incr LOOP from 0 to 4 do                      !NOW TEST FOR CORRECT LATCHING
25067 ;          10870      begin
25068 ;          10871      BGNSUB;                                  !START OF SCOPE LOOP
25069 ;          10872      MLER = ZEROES;                           !CLEAR THE ERROR REGISTER
25070 ;          10873
25071 ;          10874      case .LOOP from 0 to 4 of                !SELECT TEST DATA
25072 ;          10875          set
25073 ;          10876
25074 ;          10877          [0] :                                !FORCE A SBE AND CHECK FOR THE LST BLK ADRS
25075 ;          10878              begin
25076 ;          10879              SGL = 1;
25077 ;          10880              UNC = 0;
25078 ;          10881              DSA_PAT = .LST_BLK;
25079 ;          10882              MLDA = ZEROES;
25080 ;          10883              end;
25081 ;          10884
25082 ;          10885          [1] :                                !FORCE A UNC ERROR AND CHECK FOR ADRS ZERO
25083 ;          10886              begin
25084 ;          10887              SGL = 0;
25085 ;          10888              UNC = 1;
25086 ;          10889              DSA_PAT = ZEROES;
25087 ;          10890              MLDA = ZEROES;
25088 ;          10891              end;
```

```
25090 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
25091 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (109)
25092 ;
25093 ;          10892
25094 ;          10893          [2] :                                !FORCE SBE AND CHECK FOR ADRS ZERO
25095 ;          10894              begin
25096 ;          10895              SGL = 1;
25097 ;          10896              UNC = 0;
25098 ;          10897              DSA_PAT = ZEROES;
25099 ;          10898              MLDA = .LST_BLK;
25100 ;          10899              end;
25101 ;          10900
25102 ;          10901          [3] :                                !FORCE UNC ERROR AND CHECK FOR ADRS ZERO
25103 ;          10902              begin
25104 ;          10903              SGL = 0;
25105 ;          10904              UNC = 1;
25106 ;          10905              DSA_PAT = ZEROES;
25107 ;          10906              MLDA = .LST_BLK;
25108 ;          10907              end;
25109 ;          10908
25110 ;          10909          [4] :                                !FORCE SBE AND CHECK FOR ADRS ZERO
25111 ;          10910              begin
25112 ;          10911              CLR_MBUS;
25113 ;          10912              SGL = 1;
25114 ;          10913              UNC = 0;
25115 ;          10914              DSA_PAT = ZEROES;
25116 ;          10915              MLDA = .LST_BLK;
25117 ;          10916              end;
25118 ;          10917          tes;
25119 ;          10918
25120 ;          10919      FOR_ECC_ERR (.SGL, .UNC);                !FORCE SELECTED FORCED ERROR INTO ML11
25121 ;          10920      MLWC = not 255;                          !SET UP A TRANSFER
25122 ;          10921      MLBA = IO_BUF;
25123 ;          10922      MLCS1 = read;                            !READ THE ERROR OUT AND LATCH MLEL
25124 ;          10923      TIME_OUT_LOOP;
25125 ;          10924
25126 ;          10925      if .LOOP neq 4                           !TEST THE REG FOR LATCH DATA IF LOOP NEQ 4
25127 ;          10926      then
25128 ;          10927          SAVE = .MLEL
25129 ;          10928      else
25130 ;          10929          begin                                !ELSE TEST THE REG FOR CLEAR
25131 ;          10930          CLR_MBUS;
25132 ;          10931          SAVE = .MLEL;
25133 ;          10932          end;
25134 ;          10933
25135 ;          10934      if .SAVE neq .DSA_PAT                    !SEE IF THE REG LATCHED  OK
25136 ;          10935      then
25137 ;          10936          begin                                !REPORT ERROR IF NOT LATCHED
25138 ;          10937          CMP_THRESHOLD;                       !COMPARE ERROR PRINT THRESHOLD
25139 ;          10938          ERRDF (128, SYNC, DUMPER);
25140 ;          10939          PRINTB (THR_FMT, REG_15, WRD_71, WRD_10);
25141 ;          10940          PRINTB (FMT_1, .DSA_PAT, .SAVE)
25142 ;          10941          end;
25143 ;          10942
25144 ;          10943      ENDSUB;                                  !END OF SCOPE LOOP
```

```
25146 ;ML4AD
25147 ;                 TEST CODE SECTION
25148
25149 ;          10944      end;
25150 ;          10945
25151 ;          10946 ENDTST;
25155
25156                                        .SBTTL  ST57 TEST CODE SECTION
25160 107756  004167  074630          ST57:  JSR     R1,$SAVE5                ;                              1073
25161 107762  005746                         TST     -(SP)
25162 107764  005067  105406                 CLR     P.CNT                    ;                              1079
25163 107770  104402                   1$:   TRAP    2                        ;                              1079
25164 107772  152777  000040  105444         BISB    #40,@ML.REG+40           ;                              1079
25165 110000  016705  106026                 MOV     ML.DUT,R5
25166 110004  042705  177770                 BIC     #177770,R5
25167 110010  142777  000007  105426         BICB    #7,@ML.REG+40
25168 110016  150577  105422                 BISB    R5,@ML.REG+40
25169 110022  012703  000001                 MOV     #1,R3                    ; *,SGL                        1079
25170 110026  010346                         MOV     R3,-(SP)                 ; SGL,*
25171 110030  005001                         CLR     R1                       ; UNC
25172 110032  005046                         CLR     -(SP)
25173 110034  004767  110150                 JSR     PC,FOR.ECC.ERR
25174 110040  016777  103750  105366         MOV     LST.BLK,@ML.REG+30       ;                              1079
25175 110046  012777  177400  105340         MOV     #-400,@ML.REG+10         ;                              1079
25176 110054  012777  014022  105342         MOV     #IO.BUF,@ML.REG+20       ;                              1079
25177 110062  012777  000071  105314         MOV     #71,@ML.REG              ;                              1080
25178 110070  105777  105360           2$:   TSTB    @ML.REG+50
25179 110074  100375                         BPL     2$
25180 110076  005777  105522                 TST     @ML.REG+220              ;                              1080
25181 110102  001025                         BNE     3$
25182 110104  104455                         TRAP    55                       ;                              1080
25183 110106  000176                         .WORD   176
25184 110110  012750                         .WORD   SYNC
25185 110112  026302                         .WORD   DUMPER
25186 110114  012746  012020                 MOV     #PHR.11,-(SP)            ;                              1080
25187 110120  012746  011310                 MOV     #WRD.52,-(SP)
25188 110124  012746  012626                 MOV     #REG.15,-(SP)
25189 110130  012746  010256                 MOV     #THR.FMT,-(SP)
25190 110134  012746  000004                 MOV     #4,-(SP)
25191 110140  010600                         MOV     SP,R0                    ; SP,*
25192 110142  104414                         TRAP    14
25193 110144  104463                         TRAP    63
25194 110146  062706  000016                 ADD     #16,SP                   ;                              1080
25195 110152  000167  001052                 JMP     31$                      ;                              1080
25196 110156  022626                   3$:   CMP     (SP)+,(SP)+              ;                              1079
25197 110160  104467                         TRAP    67                       ;                              1080
25198 110162  006000                         ROR     R0
25199 110164  103701                         BLO     1$
25200 110166  016705  103626                 MOV     LST.ARR,R5               ; *,SHF.DATA                   1081
```

```
25202                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
25203                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
25204
25205 110172  005002                    4$:     CLR     R2                      ; LOOP                  1081
25206 110174  104402                            TRAP    2                       ;                       1081
25207 110176  152777  000040  105240            BISB    #40,@ML.REG+40          ;                       1081
25208 110204  016700  105622                    MOV     ML.DUT,R0
25209 110210  042700  177770                    BIC     #177770,R0
25210 110214  142777  000007  105222            BICB    #7,@ML.REG+40
25211 110222  150077  105216                    BISB    R0,@ML.REG+40
25212 110226  012703  000001                    MOV     #1,R3                   ; *,SGL                 1081
25213 110232  010346                            MOV     R3,-(SP)                ; SGL,*
25214 110234  005001                            CLR     R1                      ; UNC
25215 110236  005046                            CLR     -(SP)
25216 110240  004767  107744                    JSR     PC,FOR.ECC.ERR
25217 110244  005702                            TST     R2                      ; LOOP                  1082
25218 110246  001002                            BNE     5$
25219 110250  005004                            CLR     R4                      ; DSA.PAT               1082
25220 110252  000405                            BR      6$                      ;                       1082
25221 110254  020227  000001            5$:     CMP     R2,#1                   ; LOOP,*                1082
25222 110260  001005                            BNE     7$
25223 110262  016704  103526                    MOV     LST.BLK,R4              ; *,DSA.PAT             1083
25224 110266  010477  105142            6$:     MOV     R4,@ML.REG+30           ; DSA.PAT,*             1083
25225 110272  000404                            BR      8$                      ;                       1082
25226 110274  010504                    7$:     MOV     R5,R4                   ; SHF.DATA,DSA.PAT      1083
25227 110276  010577  105132                    MOV     R5,@ML.REG+30           ; SHF.DATA,*            1083
25228 110302  006205                            ASR     R5                      ; SHF.DATA              1083
25229 110304  012777  177400  105102    8$:     MOV     #-400,@ML.REG+10        ;                       1084
25230 110312  012777  014022  105104            MOV     #IO.BUF,@ML.REG+20      ;                       1084
25231 110320  012777  000071  105056            MOV     #71,@ML.REG             ;                       1084
25232 110326  105777  105122            9$:     TSTB    @ML.REG+50
25233 110332  100375                            BPL     9$
25234 110334  017766  105264  000004            MOV     @ML.REG+220,4(SP)       ; *,SAVE                1084
25235 110342  026604  000004                    CMP     4(SP),R4                ; SAVE,DSA.PAT          1084
25236 110346  001451                            BEQ     11$
25237 110350  005267  105022                    INC     P.CNT                   ;                       1085
25238 110354  026767  105016  105016            CMP     P.CNT,LIMIT
25239 110362  003402                            BLE     10$
25240 110364  022626                            CMP     (SP)+,(SP)+
25241 110366  000445                            BR      12$
25242 110370  104455                    10$:    TRAP    55                      ;                       1085
25243 110372  000177                            .WORD   177
25244 110374  012706                            .WORD   ASYNC
25245 110376  026302                            .WORD   DUMPER
25246 110400  012746  011676                    MOV     #PHR.4,-(SP)            ;                       1085
25247 110404  012746  012626                    MOV     #REG.15,-(SP)
25248 110410  012746  010246                    MOV     #TWO.FMT,-(SP)
25249 110414  012746  000003                    MOV     #3,-(SP)
25250 110420  010600                            MOV     SP,R0                   ; SP,*
25251 110422  104414                            TRAP    14
25252 110424  016616  000014                    MOV     14(SP),(SP)             ; SAVE,*                1085
25253 110430  010446                            MOV     R4,-(SP)                ; DSA.PAT,*
25254 110432  046616  000002                    BIC     2(SP),(SP)
25255 110436  040466  000002                    BIC     R4,2(SP)                ; DSA.PAT,*
25256 110442  052616                            BIS     (SP)+,(SP)
```

```
25258                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
25259                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
25260
25261 110444  016646  000014                    MOV     14(SP),-(SP)            ; SAVE,*
25262 110450  010446                            MOV     R4,-(SP)                ; DSA.PAT,*
25263 110452  012746  006506                    MOV     #FMT.2,-(SP)
25264 110456  012746  000004                    MOV     #4,-(SP)
25265 110462  010600                            MOV     SP,R0                   ; SP,*
25266 110464  104414                            TRAP    14
25267 110466  062706  000020                    ADD     #20,SP                  ;                                       1085
25268 110472  022626            11$:    CMP     (SP)+,(SP)+             ;                                       1081
25269 110474  104467                            TRAP    67                      ;                                       1085
25270 110476  006000                            ROR     R0
25271 110500  103635                            BLO     4$
25272 110502  005202            12$:    INC     R2                      ; LOOP                                  1081
25273 110504  020227  000020                    CMP     R2,#20                  ; LOOP,*
25274 110510  003631                            BLE     4$
25275 110512  152777  000040  104724            BISB    #40,@ML.REG+40          ;                                       1085
25276 110520  016705  105306                    MOV     ML.DUT,R5
25277 110524  042705  177770                    BIC     #177770,R5
25278 110530  142777  000007  104706            BICB    #7,@ML.REG+40
25279 110536  150577  104702                    BISB    R5,@ML.REG+40
25280 110542  012700  000001                    MOV     #1,R3                   ; *,SGL                                 1086
25281 110546  010346                            MOV     R3,-(SP)                ; SGL,*
25282 110550  005001                            CLR     R1                      ; UNC
25283 110552  005046                            CLR     -(SP)
25284 110554  004767  107430                    JSR     PC,FOR.ECC.ERR
25285 110560  012777  177400  104626            MOV     #-400,@ML.REG+10        ;                                       1086
25286 110566  012777  014022  104630            MOV     #IO.BUF,@ML.REG+20      ;                                       1086
25287 110574  016777  103214  104632            MOV     LST.BLK,@ML.REG+30      ;                                       1086
25288 110602  012777  000071  104574            MOV     #71,@ML.REG             ;                                       1086
25289 110610  105777  104640            13$:    TSTB    @ML.REG+50
25290 110614  100375                            BPL     13$
25291 110616  005002                            CLR     R2                      ; LOOP                                  1086
25292 110620  104402            14$:    TRAP    2                       ;                                       1087
25293 110622  005077  104636                    CLR     @ML.REG+60              ;                                       1087
25294 110626  010205                            MOV     R2,R5                   ; LOOP,*                                1087
25295 110630  006305                            ASL     R5
25296 110632  066507  110636                    ADD     15$(R5),PC
25297 110636  000012            15$:    .WORD   16$-15$
25298 110640  000026                            .WORD   17$-15$
25299 110642  000044                            .WORD   19$-15$
25300 110644  000046                            .WORD   20$-15$
25301 110646  000056                            .WORD   21$-15$
25302 110650  012703  000001            16$:    MOV     #1,R3                   ; *,SGL                                 1087
25303 110654  005001                            CLR     R1                      ; UNC                                   1088
25304 110656  016704  103132                    MOV     LST.BLK,R4              ; *,DSA.PAT                             1088
25305 110662  000404                            BR      18$                     ;                                       1088
25306 110664  005003            17$:    CLR     R3                      ; SGL                                   1088
25307 110666  012701  000001                    MOV     #1,R1                   ; *,UNC                                 1088
25308 110672  005004                            CLR     R4                      ; DSA.PAT                               1088
25309 110674  005077  104534            18$:    CLR     @ML.REG+30              ;                                       1089
25310 110700  000430                            BR      24$                     ;                                       1087
25311 110702  000420            19$:    BR      22$                     ;                                       1089
25312 110704  005003            20$:    CLR     R3                      ; SGL                                   1090
```

```
25314                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
25315                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
25316
25317 110706  012701  000001            MOV     #1,R1           ; *,UNC                                 1090
25318 110712  000417                    BR      23$             ;                                       1090
25319 110714  152777  000040  104522  21$:     BISB    #40,@ML.REG+40  ;                               1091
25320 110722  016705  105104            MOV     ML.DUT,R5
25321 110726  042705  177770            BIC     #177770,R5
25322 110732  142777  000007  104504            BICB    #7,@ML.REG+40
25323 110740  150577  104500            BISB    R5,@ML.REG+40
25324 110744  012703  000001          22$:     MOV     #1,R3           ; *,SGL                         1091
25325 110750  005001                    CLR     R1              ; UNC                                   1091
25326 110752  005004                  23$:     CLR     R4              ; DSA.PAT                       1091
25327 110754  016777  103034  104452            MOV     LST.BLK,@ML.REG+30  ;                           1091
25328 110762  010346                  24$:     MOV     R3,-(SP)        ; SGL,*                         1091
25329 110764  010146                    MOV     R1,-(SP)        ; UNC,*
25330 110766  004767  107216            JSR     PC,FOR.ECC.ERR
25331 110772  012777  177400  104414            MOV     #-400,@ML.REG+10  ;                             1092
25332 111000  012777  014022  104416            MOV     #IO.BUF,@ML.REG+20  ;                           1092
25333 111006  012777  000071  104370            MOV     #71,@ML.REG     ;                               1092
25334 111014  105777  104434          25$:     TSTB    @ML.REG+50
25335 111020  100375                    BPL     25$
25336 111022  020227  000004            CMP     R2,#4           ; LOOP,*                                1092
25337 111026  001014                    BNE     26$             ;                                       1092
25338 111030  152777  000040  104406            BISB    #40,@ML.REG+40  ;                               1092
25339 111036  016705  104770            MOV     ML.DUT,R5
25340 111042  042705  177770            BIC     #177770,R5
25341 111046  142777  000007  104370            BICB    #7,@ML.REG+40
25342 111054  150577  104364            BISB    R5,@ML.REG+40
25343 111060  017766  104540  000010  26$:     MOV     @ML.REG+220,10(SP)  ; *,SAVE                    1093
25344 111066  026604  000010            CMP     10(SP),R4       ; SAVE,DSA.PAT                          1093
25345 111072  001443                    BEQ     28$
25346 111074  005267  104276            INC     P.CNT           ;                                       1093
25347 111100  026767  104272  104272            CMP     P.CNT,LIMIT
25348 111106  003402                    BLE     27$
25349 111110  022626                    CMP     (SP)+,(SP)+
25350 111112  000437                    BR      29$
25351 111114  104455                  27$:     TRAP    55              ;                               1093
25352 111116  000200                    .WORD   200
25353 111120  012750                    .WORD   SYNC
25354 111122  026302                    .WORD   DUMPER
25355 111124  012746  010630            MOV     #WRD.10,-(SP)   ;                                       1093
25356 111130  012746  011514            MOV     #WRD.71,-(SP)
25357 111134  012746  012626            MOV     #REG.15,-(SP)
25358 111140  012746  010256            MOV     #THR.FMT,-(SP)
25359 111144  012746  000004            MOV     #4,-(SP)
25360 111150  010600                    MOV     SP,R0           ; SP,*
25361 111152  104414                    TRAP    14
25362 111154  016616  000022            MOV     22(SP),(SP)     ; SAVE,*                                1094
25363 111160  010446                    MOV     R4,-(SP)        ; DSA.PAT,*
25364 111162  012746  006442            MOV     #FMT.1,-(SP)
25365 111166  012746  000003            MOV     #3,-(SP)
25366 111172  010600                    MOV     SP,R0           ; SP,*
25367 111174  104414                    TRAP    14
25368 111176  062706  000020            ADD     #20,SP          ;                                       1093
```

```
                                        ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                        ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        ;
25373 111202  022626                    28$:    CMP     (SP)+,(SP)+                     ;                               1087
25374 111204  104467                            TRAP    67                              ;                               1094
25375 111206  006000                            ROR     R0
25376 111210  103603                            BLO     14$
25377 111212  005202                    29$:    INC     R2                              ; LOOP                          1086
25378 111214  020227  000004                    CMP     R2,#4                           ; LOOP,*
25379 111220  003002                            BGT     30$
25380 111222  000167  177372                    JMP     14$
25381 111226  022626                    30$:    CMP     (SP)+,(SP)+                     ;                               1073
25382 111230  005726                    31$:    TST     (SP)+
25383 111232  000207                            RTS     PC
25384
25385                                   ; Routine Size:  343 words
25386                                   ; Maximum stack depth per invocation:  19 words
25391
25392
25396
25397                                           .SBTTL  T57 TEST CODE SECTION
25401 111234                            T57::
25402 111234  004767  176516            1$:     JSR     PC,$T57                         ;                               1094
25403 111240  104466                            TRAP    66
25404 111242  006000                            ROR     R0
25405 111244  103773                            BLO     1$
25406 111246  000207                            RTS     PC
25407
25408                                   ; Routine Size:  6 words
25409                                   ; Maximum stack depth per invocation:  0 words
25414
25415
25416 ;          10947 !<BLF/PAGE>
```

```
25418 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
25419 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (110)
25420 ;
25421 ;          10948 !
25422 ;          10949 BGNTST;
25423 ;          10950
25424 ;          10951 !++
25425 ;          10952 ! TEST NUMBER:  TST 58
25426 ;          10953 !
25427 ;          10954 ! TEST NAME:            ECC HARD ERROR BIT TEST
25428 ;          10955 !
25429 ;          10956 ! TEST DESCRIPTION:
25430 ;          10957 !       VIA ECC_DM AND ECC_DIS TEST THE
25431 ;          10958 !       ECH BIT FOR SETTING AND NOT SETTING BY:
25432 ;          10959 !
25433 ;          10960 !       1.  VIA ECC_DM AND A WRITE TRANSFER FORCE
25434 ;          10961 !           ECC ERRORS INTO THE ML11'S GOOD BLOCK
25435 ;          10962 !
25436 ;          10963 !       2.  WITH ECC_DM = 0 AND ECC_DIS = 0
25437 ;          10964 !           DO A READ TRANSFER AND CHECK ECH SET
25438 ;          10965 !
25439 ;          10966 !       3.  WITH ECC_DM = 0 AND ECC_DIS = 1
25440 ;          10967 !           DO A READ TRANSFER AND CHECK ECH NOT SET
25441 ;          10968 !
25442 ;          10969 ! IMPLICIT INPUTS:
25443 ;          10970 !       IO_BUF
25444 ;          10971 !       A  VECTOR OF 256 WORDS WHERE DATA
25445 ;          10972 !       FOR MBUS READS AND WRITES TRANSFERS
25446 ;          10973 !       IS FOUND.
25447 ;          10974 !
25448 ;          10975 !
25449 ;          10976 !--
25450 ;          10977
25451 ;          10978 local
25452 ;          10979     EXPECTED;                             !EXPECTED ECH_ERR VALUE
25453 ;          10980
25454 ;          10981 CLR_MBUS;                                 !CLEAR THE DRIVE
25455 ;          10982 ECC_DM = ONE;                             !SET ECC DIAG MODE
25456 ;          10983 PAR_CRC_WRD = ZEROES;                     !FORCE UNCORRECTABLE ERRORS INTO THE GOOD BLOCK
25457 ;          10984 CRC_A = ZEROES;
25458 ;          10985 CRC_B = ZEROES;
25459 ;          10986 BAI = ONE;
25460 ;          10987 IO_BUF = ONES;
25461 ;          10988 GD_BLK_XFER ();
25462 ;          10989 ML.CS1 = write;
25463 ;          10990 TIME_OUT_LOOP;
25464 ;          10991
25465 ;          10992 incr LOOP from 0 to 1 do                  !TEST ECH BIT FOR SETTING / NOT SETTING
25466 ;          10993     begin
25467 ;          10994     BGNSUB;                               !START OF SCOPE LOOP
25468 ;          10995     CLR_MBUS;                             !CLEAR THE DRIVE
25469 ;          10996     GD_BLK_XFER ();                       !SET UP A GOOD BLOCK TRANSFER
25470 ;          10997
25471 ;          10998     if .LOOP eql ZERO                     !SELECT THE TEST DATA
25472 ;          10999     then
```

```
  25474 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
  25475 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI 4 (110)
  25476 ;
  25477 ;          11000          begin                           !EXPECT ECH BIT TO SET
  25478 ;          11001          ECC_DIS = 0;
  25479 ;          11002          EXPECTED = 1;
  25480 ;          11003          end
  25481 ;          11004      else
  25482 ;          11005          begin                           !EXPECT ECH BIT NOT TO SET
  25483 ;          11006          ECC_DIS = 1;
  25484 ;          11007          EXPECTED = 0;
  25485 ;          11008          end;
  25486 ;          11009
  25487 ;          11010      MLCS1 = read;                       !READ THE ERROR OUT
  25488 ;          11011      TIME_OUT_LOOP;
  25489 ;          11012
  25490 ;          11013      if .ECH_ERR neq .EXPECTED           !IS ECH BIT WHAT WE EXPECTED
  25491 ;          11014      then
  25492 ;          11015          begin                           !ERROR IF NOT
  25493 ;          11016          ERRDF (129, SYNC, DUMPER);
  25494 ;          11017          PRINTB (FOR_FMT, WRD_67, WRD_10, WRD_69, WRD_14);
  25495 ;          11018          PRINTB (FMT_1, .EXPECTED, .ECH_ERR);
  25496 ;          11019          end;
  25497 ;          11020
  25498 ;          11021      ENDSUB;                             !END OF SCOPE LOOP
  25499 ;          11022      end;
  25500 ;          11023
  25501 ;          11024 ENDTST;
  25505
  25506                                          .SBTTL  $T58 TEST CODE SECTION
  25510 111250  004167  073300          $T58:   JSR     R1,$SAVE3                       ;                       1094
  25511 111254  152777  000040  104162          BISB    #40,@ML.REG+40                  ;                       1097
  25512 111262  016702  104544                  MOV     ML.DUT,R2
  25513 111266  042702  177770                  BIC     #177770,R2
  25514 111272  142777  000007  104144          BICB    #7,@ML.REG+40
  25515 111300  150277  104140                  BISB    R2,@ML.REG+40
  25516 111304  152777  000001  104212          BISB    #1,@ML.REG+120                  ;                       1098
  25517 111312  042777  037400  104234          BIC     #37400,@ML.REG+150              ;                       1098
  25518 111320  142777  000077  104226          BICB    #77,@ML.REG+150                 ;                       1098
  25519 111326  142777  000077  104230          BICB    #77,@ML.REG+160                 ;                       1098
  25520 111334  152777  000010  104102          BISB    #10,@ML.REG+40                  ;                       1098
  25521 111342  012767  177777  102452          MOV     #-1,IO.BUF                      ;                       1098
  25522 111350  004767  106736                  JSR     PC,GD.BLK.XFER                  ;                       1098
  25523 111354  012777  000061  104022          MOV     #61,@ML.REG                     ;                       1098
  25524 111362  105777  104066          1$:     TSTB    @ML.REG+50
  25525 111366  100375                  BPL     1$                                      ; LOOP                  1099
  25526 111370  005001                  CLR     R1                                      ;                       1099
  25527 111372  104402          2$:     TRAP    2                                       ;                       1099
  25528 111374  152777  000040  104042          BISB    #40,@ML.REG+40                  ;
```

```
25530                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
25531                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
25532
25533 111402  016700  104424                    MOV     ML.DUT,R0
25534 111406  042700  177770                    BIC     #177770,R0
25535 111412  142777  C00007  104024            BICB    #7,@ML.REG+40
25536 111420  150077  104020                    BISB    R0,@ML.REG+40
25537 111424  004767  106662                    JSR     PC,GD.BLK.XFER          ;                       1099
25538 111430  005701                            TST     R1                      ; LOOP                  1099
25539 111432  001006                            BNE     3$
25540 111434  142777  000002  104062            BICB    #2,@ML.REG+120          ;                       1100
25541 111442  012702  000001                    MOV     #1,R2                   ; *,EXPECTED            1100
25542 111446  000404                            BR      4$                      ;                       1099
25543 111450  152777  000002  104046  3$:       BISB    #2,@ML.REG+120          ;                       1100
25544 111456  005002                            CLR     R2                      ; EXPECTED              1100
25545 111460  012777  000071  103716  4$:       MOV     #71,@ML.REG             ;                       1101
25546 111466  105777  103762        5$:         TSTB    @ML.REG+50
25547 111472  100375                            BPL     5$
25548 111474  010203                            MOV     R2,R3                   ; EXPECTED,*            1101
25549 111476  005000                            CLR     R0
25550 111500  132777  000100  103756            BITB    #100,@ML.REG+60
25551 111506  001401                            BEQ     6$
25552 111510  005200                            INC     R0
25553 111512  020003                6$:         CMP     R0,R3
25554 111514  001441                            BEQ     8$
25555 111516  104455                            TRAP    55                      ;                       1101
25556 111520  000201                            .WORD   201
25557 111522  012750                            .WORD   SYNC
25558 111524  026302                            .WORD   DUMPER
25559 111526  012746  010664                    MOV     #WRD.14,-(SP)           ;                       1101
25560 111532  012746  011474                    MOV     #WRD.69,-(SP)
25561 111536  012746  010630                    MOV     #WRD.10,-(SP)
25562 111542  012746  011462                    MOV     #WRD.67,-(SP)
25563 111546  012746  010270                    MOV     #FOR.FMT,-(SP)
25564 111552  012746  000005                    MOV     #5,-(SP)
25565 111556  010600                            MOV     SP,R0                   ; SP,*
25566 111560  104414                            TRAP    14
25567 111562  005016                            CLR     (SP)                    ;                       1101
25568 111564  132777  000100  103672            BITB    #100,@ML.REG+60
25569 111572  001401                            BEQ     7$
25570 111574  005216                            INC     (SP)
25571 111576  010246                7$:         MOV     R2,-(SP)                ; EXPECTED,*
25572 111600  012746  006442                    MOV     #FMT.1,-(SP)
25573 111604  012746  000003                    MOV     #3,-(SP)
25574 111610  010600                            MOV     SP,R0                   ; SP,*
25575 111612  104414                            TRAP    14
25576 111614  062706  000022                    ADD     #22,SP                  ;                       1101
25577 111620  104467                8$:         TRAP    67                      ;                       1101
25578 111622  006000                            ROR     R0
25579 111624  103662                            BLO     2$
25580 111626  005201                            INC     R1                      ; LOOP                  1099
25581 111630  020127  000001                    CMP     R1,#1                   ; LOOP,*
25582 111634  003656                            BLE     2$
25583 111636  000207                            RTS     PC                      ;                       1094
25584
```

```
25586                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
25587                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:03    PA:<
25588
25589                                   ; Routine Size:  124 words
25590                                   ; Maximum stack depth per invocation:  13 words
25595
25596
25600
25601                                           .SBTTL  T58 TEST CODE SECTION
25605 111640                            T58::
25606 111640  004767  177404            1$:     JSR     PC,$T58                 ;                       1102
25607 111644  104466                            TRAP    66
25608 111646  006000                            ROR     R0
25609 111650  103773                            BLO     1$
25610 111652  000207                            RTS     PC
25611
25612                                   ; Routine Size:  6 words
25613                                   ; Maximum stack depth per invocation:  0 words
25618
25619
25620 ;         11025 !<BLF/PAGE>
```

```
25622 ;ML4AD
25623 ;                 TEST CODE SECTION
25624 ;
25625 ;          11026 !
25626 ;          11027 BGNTST;
25627 ;          11028
25628 ;          11029 !++
25629 ;          11030 ! TEST NUMBER:  TST 59
25630 ;          11031 !
25631 ;          11032 ! TEST NAME:              DATA CHECK ERROR BIT TEST
25632 ;          11033 !
25633 ;          11034 ! TEST DESCRIPTION:
25634 ;          11035 !       VIA ECC_EN, ECC_DM AND ECC_DM TEST THE
25635 ;          11036 !       DCK BIT FOR SETTING AND NOT SETTING BY:
25636 ;          11037 !
25637 ;          11038 !       1.  VIA ECC_DM AND A WRITE TRANSFER FORCE
25638 ;          11039 !           ECC ERRORS INTO THE ML11'S GOOD BLOCK
25639 ;          11040 !
25640 ;          11041 !       2.  WITH DCK_EN = 1, ECC_DM = 0, ECC_DIS = 0
25641 ;          11042 !           DO A READ TRANSFER AND CHECK THE DCK BIT SET
25642 ;          11043 !
25643 ;          11044 !       3.  WITH DCK_EN = 0, ECC_DM = 0, ECC_DIS = 0
25644 ;          11045 !           DO A READ TRANSFER AND CHECK THE DCK BIT NOT SET
25645 ;          11046 !
25646 ;          11047 !       4.  WITH ECK_EN = 1, ECC_DM = 0, ECC_DIS = 1
25647 ;          11048 !           DO A READ TRANSFER AND CHECK THE DCK BIT SET
25648 ;          11049 !
25649 ;          11050 !
25650 ;          11051 ! IMPLICIT INPUTS:
25651 ;          11052 !       IO_BUF
25652 ;          11053 !       A  VECTOR OF 256 WORDS WHERE DATA
25653 ;          11054 !       FOR MBUS READS AND WRITES TRANSFERS
25654 ;          11055 !       IS FOUND.
25655 ;          11056 !
25656 ;          11057 !
25657 ;          11058 !--
25658 ;          11059
25659 ;          11060 local
25660 ;          11061     SGL,                          !SINGLE BIT ERROR PARRAMETER
25661 ;          11062     UNC,                          !UNCORRECTABLE ERROR PARRAMETER
25662 ;          11063     EXPECTED;                     !EXPECTED DATA CHECK BIT VALUE
25663 ;          11064
25664 ;          11065 CLR_MBUS;                         !CLEAR THE DRIVE
25665 ;          11066 FOR_ECC_ERR (SGL = 1, UNC = 0);   !FORCE  A SBE
25666 ;          11067 BAI = ONE;
25667 ;          11068 IO_BUF = ZEROES;
25668 ;          11069 GD_BLK_XFER ();                   !SET UP A GOOD BLOCK TRANSFER
25669 ;          11070 MLCS1 = write;                    !WRITE THE DRIVE WITH THE ERROR
25670 ;          11071 TIME_OUT_LOOP;
25671 ;          11072
25672 ;          11073 incr LOOP from 0 to 2 do          !TEST DCK BIT FOR 3 CONDITIONS
25673 ;          11074     begin
25674 ;          11075     BGNSUB;                       !START OF SCOPE LOOP
25675 ;          11076     CLR_MBUS;                     !CLEAR THE DRIVE
25676 ;          11077     GD_BLK_XFER ();               !SET UP A GOOD BLOCK TRANSFER
```

```
25678 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
25679 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (111)
25680
25681 ;          11078
25682 ;          11079      case .LOOP from 0 to 2 of                   !SELECT THE TEST DATA
25683 ;          11080          set
25684 ;          11081
25685 ;          11082          [0] :                                   !EXPECT THE DCK BIT TO SET
25686 ;          11083              begin
25687 ;          11084              DCK_EN = 1;
25688 ;          11085              ECC_DIS = 0;
25689 ;          11086              EXPECTED = 1;
25690 ;          11087              end;
25691 ;          11088
25692 ;          11089          [1] :                                   !EXPECT THE DCK BIT NOT TO SET
25693 ;          11090              begin
25694 ;          11091              DCK_EN = 0;
25695 ;          11092              ECC_DIS = 0;
25696 ;          11093              EXPECTED = 0;
25697 ;          11094              end;
25698 ;          11095
25699 ;          11096          [2] :                                   !EXPECT THE DCK BIT TO SET
25700 ;          11097              begin
25701 ;          11098              DCK_EN = 1;
25702 ;          11099              ECC_DIS = 1;
25703 ;          11100              EXPECTED = 1;
25704 ;          11101              end;
25705 ;          11102          tes;
25706 ;          11103
25707 ;          11104      MLCS1 = read;                               !READ THE ERROR AND CLOCK THE DCK BIT
25708 ;          11105      TIME_OUT_LOOP;
25709 ;          11106
25710 ;          11107      if .DCK neq .EXPECTED                       !IS THE DCK BIT WHAT WE EXPECTED
25711 ;          11108      then
25712 ;          11109          begin                                   !REPORT THE ERRRO IF NOT THE SAME
25713 ;          11110
25714 ;          11111          if .LOOP neq ONE then ERRDF (130, SYNC, DUMPER) else ERRDF (130, ASYNC, DUMPER);
25715 ;          11112
25716 ;          11113                                                  !CHOOSE WHICH THE ERROR IS ON
25717 ;          11114          PRINTB (THR_FMT, WRD_72, PHR_5, WRD_10);
25718 ;          11115          PRINTB (FMT_1, .EXPECTED, .DCK);
25719 ;          11116          end;
25720 ;          11117
25721 ;          11118      ENDSUB;                                     !END OF THE SCOPE LOOP
25722 ;          11119      end;
25723 ;          11120
25724 ;          11121 ENDTST;
25728
25729                                  .SBTTL  $T59 TEST CODE SECTION
```

```
25734                                  ;ML4AD                                                    29-Mar-1982 16:23:04   TOPS
25735                                  ;       TEST CODE SECTION                                 29-Mar-1982 16:21:03   PA:<
25736
25737 111654  004167  072674          $T59:   JSR     R1,$SAVE3               ;                                        1102
25738 111660  152777  000040  103556          BISB    #40,@ML.REG+40          ;                                        1106
25739 111666  016702  104140                  MOV     ML.DUT,R2
25740 111672  042702  177770                  BIC     #177770,R2
25741 111676  142777  000007  103540          BICB    #7,@ML.REG+40
25742 111704  150277  103534                  BISB    R2,@ML.REG+40
25743 111710  012701  000001                  MOV     #1,R1                   ; *,SGL                                  1106
25744 111714  010146                          MOV     R1,-(SP)                ; SGL,*
25745 111716  005001                          CLR     R1                      ; UNC
25746 111720  005046                          CLR     -(SP)
25747 111722  004767  106262                  JSR     PC,FOR.ECC.ERR
25748 111726  152777  000010  103510          BISB    #10,@ML.REG+40          ;                                        1106
25749 111734  005067  102062                  CLR     IO.BUF                  ;                                        1106
25750 111740  004767  106346                  JSR     PC,GD.BLK.XFER          ;                                        1106
25751 111744  012777  000061  103432          MOV     #61,@ML.REG             ;                                        1107
25752 111752  105777  103476          1$:     TSTB    @ML.REG+50
25753 111756  100375                          BPL     1$
25754 111760  005001                          CLR     R1                      ; LOOP                                   1107
25755 111762  104402          2$:     TRAP    2                               ;                                        1107
25756 111764  152777  000040  103452          BISB    #40,@ML.REG+40          ;                                        1107
25757 111772  016700  104034                  MOV     ML.DUT,R0
25758 111776  042700  177770                  BIC     #177770,R0
25759 112002  142777  000007  103434          BICB    #7,@ML.REG+40
25760 112010  150077  103430                  BISB    R0,@ML.REG+40
25761 112014  004767  106272                  JSR     PC,GD.BLK.XFER          ;                                        1107
25762 112020  010100                          MOV     R1,R0                   ; LOOP,*                                 1107
25763 112022  006300                          ASL     R0
25764 112024  066007  112030                  ADD     3$(R0),PC
25765 112030  000006          3$:     .WORD   4$-3$
25766 112032  000024                  .WORD   5$-3$
25767 112034  000044                  .WORD   6$-3$
25768 112036  152777  000004  103460  4$:     BISB    #4,@ML.REG+120          ;                                        1108
25769 112044  142777  000002  103452          BICB    #2,@ML.REG+120          ;                                        1108
25770 112052  000416                          BR      7$                      ;                                        1108
25771 112054  142777  000004  103442  5$:     BICB    #4,@ML.REG+120          ;                                        1109
25772 112062  142777  000002  103434          BICB    #2,@ML.REG+120          ;                                        1109
25773 112070  005002                          CLR     R2                      ; EXPECTED                               1109
25774 112072  000410                          BR      8$                      ;                                        1107
25775 112074  152777  000004  103422  6$:     BISB    #4,@ML.REG+120          ;                                        1109
25776 112102  152777  000002  103414          BISB    #2,@ML.REG+120          ;                                        1109
25777 112110  012702  000001          7$:     MOV     #1,R2                   ; *,EXPECTED                             1110
25778 112114  012777  000071  103262  8$:     MOV     #71,@ML.REG             ;                                        1110
25779 112122  105777  103326          9$:     TSTB    @ML.REG+50
25780 112126  100375                          BPL     9$
25781 112130  010203                          MOV     R2,R3                   ; EXPECTED,*                             1110
25782 112132  005000                          CLR     R0
25783 112134  005777  103324                  TST     @ML.REG+60
25784 112140  100001                          BPL     10$
25785 112142  005200                          INC     R0
25786 112144  020003          10$:    CMP     R0,R3
25787 112146  001446                          BEQ     14$
25788 112150  020127  000001                  CMP     R1,#1                   ; LOOP,*                                 1111
```

```
25790                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
25791                                   ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
25792
25793 112154  001405                            BEQ     11$
25794 112156  104455                            TRAP    55
25795 112160  000202                            .WORD   202
25796 112162  012750                            .WORD   SYNC
25797 112164  026302                            .WORD   DUMPER
25798 112166  000404                            BR      12$
25799 112170  104455                    11$:    TRAP    55
25800 112172  000202                            .WORD   202
25801 112174  012706                            .WORD   ASYNC
25802 112176  026302                            .WORD   DUMPER
25803 112200  012746  010630            12$:    MOV     #WRD.10,-(SP)                   ;       1111
25804 112204  012746  011714                    MOV     #PHR.5,-(SP)
25805 112210  012746  011524                    MOV     #WRD.72,-(SP)
25806 112214  012746  010256                    MOV     #THR.FMT,-(SP)
25807 112220  012746  000004                    MOV     #4,-(SP)
25808 112224  010600                            MOV     SP,R0                           ; SP,*
25809 112226  104414                            TRAP    14
25810 112230  005016                            CLR     (SP)                            ;       1111
25811 112232  005777  103226                    TST     @ML.REG+60
25812 112236  100001                            BPL     13$
25813 112240  005216                            INC     (SP)
25814 112242  010246                    13$:    MOV     R2,-(SP)                        ; EXPECTED,*
25815 112244  012746  006442                    MOV     #FMT.1,-(SP)
25816 112250  012746  000003                    MOV     #3,-(SP)
25817 112254  010600                            MOV     SP,R0                           ; SP,*
25818 112256  104414                            TRAP    14
25819 112260  062706  000020                    ADD     #20,SP                          ;       1110
25820 112264  104467                    14$:    TRAP    67                              ;       1111
25821 112266  006000                            ROR     R0
25822 112270  103634                            BLO     2$
25823 112272  005201                            INC     R1                              ; LOOP          1107
25824 112274  020127  000002                    CMP     R1,#2                           ; LOOP,*
25825 112300  003630                            BLE     2$
25826 112302  022626                            CMP     (SP)+,(SP)+                     ;       1102
25827 112304  000207                            RTS     PC
25828
25829                                   ; Routine Size:  141 words
25830                                   ; Maximum stack depth per invocation:  14 words
25835
25836
25840
25841                                           .SBTTL  T59 TEST CODE SECTION
```

```
                                ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
                                ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<

                                T59::
112306                          1$:     JSR     PC,$T59                 ;                               1111
112306  004767  177342                  TRAP    66
112312  104466                          ROR     R0
112314  006000                          BLO     1$
112316  103773                          RTS     PC
112320  000207

                                ; Routine Size:  6 words
                                ; Maximum stack depth per invocation:  0 words


;       11122 !<BLF/PAGE>
```

```
25866 ;ML4AD                                          29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
25867 ;                TEST CODE SECTION              29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (112)
25868
25869 ;          11123 !
25870 ;          11124 BGNTST;
25871 ;          11125
25872 ;          11126 !++
25873 ;          11127 ! TEST NUMBER:  TST 60
25874 ;          11128 !
25875 ;          11129 ! TEST NAME:    PROM DATA TEST
25876 ;          11130 !
25877 ;          11131 ! TEST DESCRIPTION:
25878 ;          11132 !
25879 ;          11133 !       VERIFY THAT CHECK SUM VALUES FOR
25880 ;          11134 !       ALL PRESENT MEMORY ARRAY UV PROM
25881 ;          11135 !       LOCATIONS ARE ERROR FREE BY:
25882 ;          11136 !
25883 ;          11137 !       1.  DOING MBUS TRANSFERS
25884 ;          11138 !           AT ALL PRESENT BLOCKS
25885 ;          11139 !           AND TESTING THE UNS BIT
25886 ;          11140 !           TO BE CLEARED.
25887 ;          11141 !
25888 ;          11142 ! IMPLICIT INPUTS:
25889 ;          11143 !
25890 ;          11144 !       IO_BUF
25891 ;          11145 !
25892 ;          11146 !       A VECTOR OF 256 WORDS WHERE
25893 ;          11147 !       DATA FOR MBUS READ AND WRITE
25894 ;          11148 !       FUNCTIONS IS FOUND.
25895 ;          11149 !
25896 ;          11150 !
25897 ;          11151 !       CHIP_SIZ
25898 ;          11152 !       INDICATED THE SIZE OF THE
25899 ;          11153 !       ARRAY MODULES MOS RAMS.
25900 ;          11154 !
25901 ;          11155 !
25902 ;          11156 !--
25903 ;          11157
25904 ;          11158 CLR_THRESHOLD;                          !CLEAR ERROR PRINT THRESHOLD
25905 ;          11159
25906 ;          11160 !
25907 ;          11161 !VERSION CZMLAD CHANGED TEST TO UNSIGNED TEST
25908 ;          11162 !
25909 ;          11163 incrU DSA_CNT from 0 to .LST_BLK do     !WRITE TO ALL PRESENT BLK'S AND CHECK UNS BIT
25910 ;          11164     begin
25911 ;          11165     BGNSUB;
25912 ;          11166     CLR_MBUS;
25913 ;          11167     ECC_DIS = ONE;                     !DISABLE ECC
25914 ;          11168     MLWC = not 255;                    !LOAD WORD COUNT
25915 ;          11169     MLBA = IO_BUF;                     !LOAD UBUS ADRS
25916 ;          11170     MLDA = .DSA_CNT;                   !LOAD DSA
25917 ;          11171     MLCS1 = write;                     !DO A WRITE FUNCTION
25918 ;          11172     TIME_OUT_LOOP;
25919 ;          11173
25920 ;          11174     if .UNS IS_SET                     !SEE IF XFERR CAUSED AN UNS ERROR
```

```
25922 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
25923 ;                 TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<NEALE>ML4AD BLI.4 (112)
25924 ;
25925 ;          11175      then
25926 ;          11176          begin                                !ERROR IF SET
25927 ;          11177          CMP_THRESHOLD;                       !COMPARE ERROR PRINT THRESHOLD
25928 ;          11178          ERRDF (107, ARR_DAT, DUMPER);
25929 ;          11179          PRINTB (TWO_FMT, WRD_35, PHR_4);
25930 ;          11180          PRINTB (FMT_9, .DSA_CNT);
25931 ;          11181
25932 ;          11182          if .CHIP_SIZ eql 64                  !NEED TO KNOW CHIP SIZE TO PRINT ARRAY NUMBER
25933 ;          11183          then
25934 ;          11184              begin
25935 ;          11185              PRINTB (FMT_8, ((.DSA_CNT<11, 4>) + 1));     !64K MOS RAM
25936 ;          11186              end
25937 ;          11187          else
25938 ;          11188              begin
25939 ;          11189              PRINTB (FMT_8, ((.DSA_CNT<9, 4>) + 1));      !16K MOS RAM
25940 ;          11190              end
25941 ;          11191
25942 ;          11192          end;
25943 ;          11193
25944 ;          11194      ENDSUB;
25945 ;          11195      end;
25946 ;          11196
25947 ;          11197 ENDTST;
25951
25952                                          .SBTTL  $T60 TEST CODE SECTION
25956 112322  004167  072212          $T60:   JSR     R1,$SAVE2                ;                              1112
25957 112326  005067  103044                  CLR     P.CNT                    ;                              1112
25958 112332  016702  101456                  MOV     LST.BLK,R2               ;                              1116
25959 112336  005001                          CLR     R1                       ; DSA.CNT
25960 112340  000544                          BR      7$
25961 112342  104402                  1$:     TRAP    2                        ;                              1116
25962 112344  152777  000040  103072          BISB    #40,@ML.REG+40           ;                              1116
25963 112352  016700  103454                  MOV     ML.DUT,R0
25964 112356  042700  177770                  BIC     #177770,R0
25965 112362  142777  000007  103054          BICB    #7,@ML.REG+40
25966 112370  150077  103050                  BISB    R0,@ML.REG+40
25967 112374  152777  000002  103122          BISB    #2,@ML.REG+120           ;                              1116
25968 112402  012777  177400  103004          MOV     #-400,@ML.REG+10         ;                              1116
25969 112410  012777  014022  103006          MOV     #IO.BUF,@ML.REG+20       ;                              1116
25970 112416  010177  103012                  MOV     R1,@ML.REG+30            ; DSA.CNT,*                    1117
25971 112422  012777  000061  102754          MOV     #61,@ML.REG              ;                              1117
25972 112430  105777  103020          2$:     TSTB    @ML.REG+50
25973 112434  100375                          BPL     2$
25974 112436  032777  040000  103020          BIT     #40000,@ML.REG+60        ;                              1117
25975 112444  001476                          BEQ     5$
25976 112446  005267  102724                  INC     P.CNT                    ;                              1117
```

```
25978                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
25979                                   ;       TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
25980
25981 112452  026767  102720  102720            CMP     P.CNT,LIMIT
25982 112460  003073                            BGT     6$
25983 112462  104455                            TRAP    55                      ;                       1117
25984 112464  000153                            .WORD   153
25985 112466  013012                            .WORD   ARR.DAT
25986 112470  026302                            .WORD   DUMPER
25987 112472  012746  011676                    MOV     #PHR.4,-(SP)            ;                       1117
25988 112476  012746  011110                    MOV     #WRD.35,-(SP)
25989 112502  012746  010246                    MOV     #TWO.FMT,-(SP)
25990 112506  012746  000003                    MOV     #3,-(SP)
25991 112512  010600                            MOV     SP,R0                   ; SP,*
25992 112514  104414                            TRAP    14
25993 112516  010116                            MOV     R1,(SP)                 ; DSA.CNT,*             1118
25994 112520  012746  007064                    MOV     #FMT.9,-(SP)
25995 112524  012746  000002                    MOV     #2,-(SP)
25996 112530  010600                            MOV     SP,R0                   ; SP,*
25997 112532  104414                            TRAP    14
25998 112534  026727  101252  000100            CMP     CHIP.SIZ,#100           ;                       1118
25999 112542  001020                            BNE     3$
26000 112544  010100                            MOV     R1,R0                   ; DSA.CNT,*             1118
26001 112546  006200                            ASR     R0
26002 112550  006200                            ASR     R0
26003 112552  006200                            ASR     R0
26004 112554  000300                            SWAB    R0
26005 112556  042700  177760                    BIC     #177760,R0
26006 112562  010046                            MOV     R0,-(SP)
26007 112564  005216                            INC     (SP)
26008 112566  012746  007030                    MOV     #FMT.8,-(SP)
26009 112572  012746  000002                    MOV     #2,-(SP)
26010 112576  010600                            MOV     SP,R0                   ; SP,*
26011 112600  104414                            TRAP    14
26012 112602  000415                            BR      4$                      ;                       1118
26013 112604  010100                    3$:     MOV     R1,R0                   ; DSA.CNT,*             1118
26014 112606  006200                            ASR     R0
26015 112610  000300                            SWAB    R0
26016 112612  042700  177760                    BIC     #177760,R0
26017 112616  010046                            MOV     R0,-(SP)
26018 112620  005216                            INC     (SP)
26019 112622  012746  007030                    MOV     #FMT.8,-(SP)
26020 112626  012746  000002                    MOV     #2,-(SP)
26021 112632  010600                            MOV     SP,R0                   ; SP,*
26022 112634  104414                            TRAP    14
26023 112636  062706  000022            4$:     ADD     #22,SP                  ;                       1117
26024 112642  104467                    5$:     TRAP    67                      ;                       1119
26025 112644  006000                            ROR     R0
26026 112646  103635                            BLO     1$
26027 112650  005201                    6$:     INC     R1                      ; DSA.CNT               1116
26028 112652  020102                    7$:     CMP     R1,R2                   ; DSA.CNT,*
26029 112654  101632                            BLOS    1$
26030 112656  000207                            RTS     PC                      ;                       1112
26031
26032                                   ; Routine Size:  111 words
```

```
26034                                   ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
26035                                   ;               TEST CODE SECTION       29-Mar-1982 16:21:3?    PA:<
26036
26037                                   ; Maximum stack depth per invocation:  12 words
26042
26043
26047
26048                                           .SBTTL  T60 TEST CODE SECTION
26052 112660                            T60::
26053 112660  004767  177436            1$:     JSR     PC,$T60                 ;                       1119
26054 112664  104466                            TRAP    66
26055 112666  006000                            ROR     R0
26056 112670  103773                            BLO     1$
26057 112672  000207                            RTS     PC
26058
26059                                   ; Routine Size:  6 words
26060                                   ; Maximum stack depth per invocation:  0 words
26065
26066
26067 ;         11198 !<BLF/PAGE>
```

```
 26069 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
 26070 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (113)
 26071
 26072 ;          11199 !
 26073 ;          11200 !
 26074 ;          11201 BGNTST;                                  !BEGIN THE TEST
 26075 ;          11202
 26076 ;          11203 !++
 26077 ;          11204 !  TEST NUMBER: TST 61
 26078 ;          11205 !
 26079 ;          11206 !  TEST NAME:   BATTERY BACK-UP TEST
 26080 ;          11207 !
 26081 ;          11208 !  TEST DESCRIPTION:
 26082 ;          11209 !       THIS TEST IS DESIGNED SPECIFICALLY FOR THE
 26083 ;          11210 !       MARLBORO MFG'ING VERIFY STATION.  ITS PURPOSE
 26084 ;          11211 !       IS TO TEST THE ML-11 SYSTEM FOR BATTERY BACK-UP DURING
 26085 ;          11212 !       POWER LOSS AND NO ECC INITIALIZE DURING POWER
 26086 ;          11213 !       UP WITH GOOD BATTERY BACK-UP.
 26087 ;          11214 !
 26088 ;          11215 !--
 26089 ;          11216
 26090 ;          11217 local
 26091 ;          11218     DSA_CNT,                             !COUNTS THE NUMBER OF BLOCKS TRANSFERED
 26092 ;          11219     SIZE,                                !STORES THE SIZE OF MASS BUS TRANSFERS
 26093 ;          11220     DST,                                 !STORES THE DESTINATION ADRS OF MASS BUS TRANSFERS
 26094 ;          11221     SRC,                                 !STORES THE SOURCE ADRS OF MASS BUS TRANSFERS
 26095 ;          11222     INIT_ERR,                            !COUNTS THE # OF WORDS FOUND TO HAVE ZEROES DATA
 26096 ;          11223     BB_ERR;                    !COUNTS THE # OF WORDS FOUND TO HAVE NONE ONES DATA BUT NOT 0'S DATA
 26097 ;          11224
 26098 ;          11225 !+
 26099 ;          11226 ! PERFORM THIS TEST ONLY IF THE OPERATOR HAS
 26100 ;          11227 ! ENABLED MANUAL INTERVENTION TEST VIA THE S/W
 26101 ;          11228 ! QUESTIONS.
 26102 ;          11229 !-
 26103 ;          11230
 26104 ;          11231 if .INTERVEN                              !DO THIS TEST IF INTERVEN IS SET
 26105 ;          11232 then
 26106 ;          11233     begin
 26107 ;          11234 !
 26108 ;          11235 !
 26109 ;          11236 ! PRINT WHICH TEST NUMBER THIS
 26110 ;          11237 !
 26111 ;          11238 !
 26112 ;          11239     PRINTB (ONE_FMT, T_61);
 26113 ;          11240 !
 26114 ;          11241 !
 26115 ;          11242 ! TO START THE TEST OFF WRITE THE ENTIRE ML-11 MEMORY
 26116 ;          11243 ! WITH ALL ONES DATA.  THIS WILL BE THE BACK GROUND FOR
 26117 ;          11244 ! THE ECC INITIALIZE PORTION OF THIS TEST.  THIS ALL ONES
 26118 ;          11245 ! DATA PATTERN SHOULD STILL BE IN MEMORY AFTER THE POWER
 26119 ;          11246 ! IS TURNED BACK ON WITH GOOD BATTERY BACK-UP.
 26120 ;          11247 !
 26121 ;          11248 !
 26122 ;          11249     CLR_MBUS;                            !CLEAR THE MASS BUS
 26123 ;          11250     IO_BUF = ONES;                       !LOAD THE FIRST IO BUF WORD WITH ONES DATA
```

```
26125 ;ML4AD
26126 ;                 TEST CODE SECTION
26127 ;
26128 ;          11251      DSA_CNT = -1;                                   !RESET THE DSA COUNTER
26129 ;          11252
26130 ;          11253      do                                              !LOAD ALL OF MEMORY WITH ONE'S DATA
26131 ;          11254          begin
26132 ;          11255          BREAK;                                      !LOOK FOR CONTROL C
26133 ;          11256          DSA_CNT = .DSA_CNT + 1;                     !UP THE DSA COUNTER
26134 ;          11257          WRT_TRANSFER (SIZE = -256, DST = .DSA_CNT, SRC = IO_BUF);       !DO THE WRITE XFER
26135 ;          11258          end
26136 ;          11259      !
26137 ;          11260      !VERSION CZMLAD CHANGED TEST TO UNSIGNED TEST
26138 ;          11261      !
26139 ;          11262      until .DSA_CNT eqlU .LST_BLK;                   !REPEAT WRITING UNTIL THE LAST BLOCK IS DONE
26140 ;          11263
26141 ;          11264      !
26142 ;          11265      !
26143 ;          11266      ! SET THE VOLUMN VALID BIT 'VV'
26144 ;          11267      ! AND TELL THE OPERATOR TO TURN THE BOX
26145 ;          11268      ! POWER OFF WITH GOOD BATTERY BACK-UP.
26146 ;          11269      ! THE BACK GROUND PATTERN OF ALL ONES SHOULD
26147 ;          11270      ! BE MAINTAINED BY BATTERY BACK-UP AND ECC INIT
26148 ;          11271      ! ON POWER UP SHOULD NOT CLEAR THE PATTERN OUT.
26149 ;          11272      !
26150 ;          11273      !
26151 ;          11274      CLR_MBUS;                                       !CLEAR THE MASS BUS
26152 ;          11275      MLCS1 = RD_IN_PRE;                              !SET THE VV BIT via A RD_IN_PRE FUNC
26153 ;          11276      PRINTB (ONE_FMT, PWR_OFF);                      !TELL OPERATOR TO SHUT POWER OFF
26154 ;          11277
26155 ;          11278      do                                              !DO NOTHING
26156 ;          11279          begin
26157 ;          11280          BREAK;                                      !LOOK FOR CONTROL C
26158 ;          11281          end
26159 ;          11282      until not (.MOL);                               !UNTIL THE DRIVE POWER IS OFF
26160 ;          11283
26161 ;          11284      DELAY (TWO_TH_US);                              !DELAY FOR BATTERY BACK-UP MAINTAIN MEMORY
26162 ;          11285      !
26163 ;          11286      !
26164 ;          11287      ! NOW TELL THE OPERATOR TO POWER UP THE BOX
26165 ;          11288      ! WITH GOOD BATTERY BACK-UP.  THEN TEST THE
26166 ;          11289      ! VV BIT TO BE STILL SET AND THE BACK GROUND
26167 ;          11290      ! PATTERN OF ALL ONES TO STILL BE IN MEMORY.
26168 ;          11291      !
26169 ;          11292      !
26170 ;          11293      PRINTB (ONE_FMT, PUP_BB);                       !TELL OPERATOR TO TURN BOX POWER BACK ON
26171 ;          11294
26172 ;          11295      do                                              !DO NOTHING
26173 ;          11296          begin
26174 ;          11297          BREAK;                                      !LOOK FOR CONTROL C
26175 ;          11298          end
26176 ;          11299      until .DRY;                                     !UNTIL THE DRIVE IS READY
26177 ;          11300
26178 ;          11301      DELAY (10);                                     !WAIT FOR THE DRIVE TO SETILE
26179 ;          11302
```

```
26181 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
26182 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (113)
26183 ;
26184 ;          11303     if not (.VV)                        !DID RECOVERING UP WITH GOOD BB CLEAR THE VV BIT
26185 ;          11304     then
26186 ;          11305         begin                           !THE VV BIT GOT CLEARED
26187 ;          11306         ERRDF (154, ASYNC, DUMPER);     !REPORT THE ERROR TO THE OPERATOR
26188 ;          11307         PRINTB (ONE_FMT, BB_VV_ERR);    !TELL WHAT THE ERROR IS
26189 ;          11308         end;
26190 ;          11309
26191 ;          11310     INIT_ERR = ZERO;                    !CLEAR THE INIT COUNTER
26192 ;          11311     BB_ERR = ZERO;                      !CLEAR THE BATTERY BACK-UP COUNTER
26193 ;          11312     DSA_CNT = -1;                       !RESET THE DSA COUNTER
26194 ;          11313
26195 ;          11314     do                                  !WRITE CHECK MEMORY AND TEST FOR BAT BACK-UP AND/OR NO ECC INIT
26196 ;          11315         begin
26197 ;          11316         BREAK;                          !LOOK FOR CONTROL C
26198 ;          11317         DSA_CNT = .DSA_CNT + 1;         !UP THE DSA COUNTEER
26199 ;          11318         WRT_CHK_TRANSFER (SIZE = -256, DST = .DSA_CNT, SRC = IO_BUF);   !DO THE WRITE CHECK XFER
26200 ;          11319
26201 ;          11320         if .WCE                         !IS THIS BLOCK IN ERROR
26202 ;          11321         then
26203 ;          11322             begin                       !THIS BLOCK IS IN ERROR
26204 ;          11323
26205 ;          11324             if .MLDB eql ZERO           !SEE WHAT KIND OF AN ERROR IT IS
26206 ;          11325             then
26207 ;          11326                 INIT_ERR = .INIT_ERR + 1    !IT'S A INITIALIZE ERROR
26208 ;          11327             else
26209 ;          11328                 BB_ERR = .BB_ERR + 1;       !IT'S A BAT BACK-UP ERROR
26210 ;          11329
26211 ;          11330             end;
26212 ;          11331
26213 ;          11332         end
26214 ;          11333 !
26215 ;          11334 !VERSION CZMLAD CHANGED TEST TO UNSIGNED TEST
26216 ;          11335 !
26217 ;          11336     until .DSA_CNT eqlU .LST_BLK;       !REPEAT WRITE CHECKING UNTIL THE LAST BLOCK
26218 ;          11337
26219 ;          11338 !
26220 ;          11339 ! IF THERE ARE MORE THAN 127 SECTORS IN
26221 ;          11340 ! ERROR WITH ALL ZEORES DATA THEN THE
26222 ;          11341 ! PROBLEM IS PROBIBLY IN
26223 ;          11342 ! THE ECC INITIALIZE LOGIC AND NOT IN THE
26224 ;          11343 ! BATTERY BACK-UP OF MEMORY.
26225 ;          11344 !
26226 ;          11345 ! IF INIT_ERR IS NOT > 127 AND THERE ARE
26227 ;          11346 ! > 100 WORDS READ WITH DATA OTHER THAN
26228 ;          11347 ! ALL ONES OR ALL ZEROES THEN THE PROBLEM
26229 ;          11348 ! IS PROBIBLY CAUSED BY THE BATTERY BACK-UP
26230 ;          11349 ! LOGIC NOT MAINTAINING THE MEMORY DURING
26231 ;          11350 ! POWER FAILURE.
26232 ;          11351 !
26233 ;          11352
26234 ;          11353     if .INIT_ERR gtr 127                !IS THE ECC INIT LOGIC IN ERROR
26235 ;          11354     then
```

```
26237 ;ML4AD                                                    29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
26238 ;                TEST CODE SECTION                        29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (113)
26239 ;
26240 ;          11355         begin                           !THE ECC INIT LOGIC IS IN ERROR
26241 ;          11356         ERRDF (155, ASYNC, DUMPER);     !REPORT THE ERROR TO THE OPERATOR
26242 ;          11357         PRINTB (ONE_FMT, BB_INIT_ERR);  !TELL WHAT THE ERROR IS
26243 ;          11358         end
26244 ;          11359     else
26245 ;          11360         begin                           !THE ECC INIT LOGIC IS NOT IN ERROR
26246 ;          11361
26247 ;          11362         if .BB_ERR gtr 100              !IS THE BATTERY BACK-UP LOGIC IN ERROR
26248 ;          11363         then
26249 ;          11364             begin                       !THE BATTERY BACK-UP LOGIC IS IN ERROR
26250 ;          11365             ERRDF (156, ASYNC, DUMPER); !REPORT THE ERROR TO THE OPERATOR
26251 ;          11366             PRINTB (ONE_FMT, BB_BB_ERR); !TELL WHAT THE ERROR IS
26252 ;          11367             end;
26253 ;          11368
26254 ;          11369         end;
26255 ;          11370
26256 ;          11371     end;
26257 ;          11372
26258 ;          11373 ENDTST;                                   !END THE TEST
26262
26263                                        .SBTTL  $T61 TEST CODE SECTION
26267 112674  004167  071712          $T61: JSR     R1,$SAVES                    ;                    1119
26268 112700  024646                      CMP     -(SP),-(SP)
26269 112702  032767  000001  067500      BIT     #1,INTERVEN                  ;                    1123
26270 112710  001002                      BNE     1$
26271 112712  000167  000600              JMP     20$
26272 112716  012746  005012          1$: MOV     #T.61,-(SP)                  ;                    1123
26273 112722  012746  010240              MOV     #ONE.FMT,-(SP)
26274 112726  012746  000002              MOV     #2,-(SP)
26275 112732  010600                      MOV     SP,R0                        ; SP,*
26276 112734  104414                      TRAP    14
26277 112736  152777  000040  102500      BISB    #40,@ML.REG+40
26278 112744  016705  103062              MOV     ML.DUT,R5
26279 112750  042705  177770              BIC     #177770,R5
26280 112754  142777  000007  102462      BICB    #7,@ML.REG+40
26281 112762  150577  102456              BISB    R5,@ML.REG+40
26282 112766  012767  177777  101026      MOV     #-1,IO.BUF                   ;                    1125
26283 112774  012702  177777              MOV     #-1,R2                       ; *,DSA.CNT          1125
26284 113000  104422                  2$: TRAP    22                           ;                    1125
26285 113002  005202                      INC     R2                           ; DSA.CNT            1125
26286 113004  012705  177400              MOV     #-400,R5                     ; *,SIZE             1125
26287 113010  010546                      MOV     R5,-(SP)                     ; SIZE,*
26288 113012  010266  000010              MOV     R2,10(SP)                    ; DSA.CNT,DST
26289 113016  010246                      MOV     R2,-(SP)                     ; DSA.CNT,*
26290 113020  012701  014022              MOV     #IO.BUF,R1                   ; *,SRC
26291 113024  010146                      MOV     R1,-(SP)                     ; SRC,*
```

```
26293                                   ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
26294                                   ;       TEST CODE SECTION                               29-Mar-1982 16:21:03    PA:<
26295
26296 113026  004767  114374                    JSR     PC,WRT.TRANSFER
26297 113032  062706  000006                    ADD     #6,SP                   ;                                       1125
26298 113036  020267  100752                    CMP     R2,LST.BLK              ; DSA.CNT,*                             1126
26299 113042  001356                            BNE     2$
26300 113044  152777  000040  102372            BISB    #40,@ML.REG+40
26301 113052  016704  102754                    MOV     ML.DUT,R4
26302 113056  042704  177770                    BIC     #177770,R4
26303 113062  142777  000007  102354            BICB    #7,@ML.REG+40
26304 113070  150477  102350                    BISB    R4,@ML.REG+40
26305 113074  012777  000021  102302            MOV     #21,@ML.REG             ;                                       1127
26306 113102  012716  005112                    MOV     #PWR.OFF,(SP)           ;                                       1127
26307 113106  012746  010240                    MOV     #ONE.FMT,-(SP)
26308 113112  012746  000002                    MOV     #2,-(SP)
26309 113116  010600                            MOV     SP,R0                   ; SP,*
26310 113120  104414                            TRAP    14
26311 113122  104422            3$:             TRAP    22                      ;                                       1127
26312 113124  032777  010000  102322            BIT     #10000,@ML.REG+50       ;                                       1128
26313 113132  001373                            BNE     3$
26314 113134  012703  003720                    MOV     #3720,R3                ; *,$$TMP2                              1128
26315 113140  001411            4$:             BEQ     7$
26316 113142  016704  066750                    MOV     L$DLY,R4                ; *,$$TMP1
26317 113146  001404                            BEQ     6$
26318 113150  005066  000014            5$:     CLR     14(SP)                  ; $$TMP
26319 113154  005304                            DEC     R4                      ; $$TMP1
26320 113156  001374                            BNE     5$
26321 113160  005303            6$:             DEC     R3                      ; $$TMP2
26322 113162  000766                            BR      4$
26323 113164  012716  006060            7$:     MOV     #PUP.BB,(SP)            ;                                       1129
26324 113170  012746  010240                    MOV     #ONE.FMT,-(SP)
26325 113174  012746  000002                    MOV     #2,-(SP)
26326 113200  010600                            MOV     SP,R0                   ; SP,*
26327 113202  104414                            TRAP    14
26328 113204  104422            8$:             TRAP    22                      ;                                       1129
26329 113206  105777  102242                    TSTB    @ML.REG+50              ;                                       1129
26330 113212  100374                            BPL     8$
26331 113214  012703  000012                    MOV     #12,R3                  ; *,$$TMP2                              1130
26332 113220  001411            9$:             BEQ     12$
26333 113222  016704  066670                    MOV     L$DLY,R4                ; *,$$TMP1
26334 113226  001404                            BEQ     11$
26335 113230  005066  000020            10$:    CLR     20(SP)                  ; $$TMP
26336 113234  005304                            DEC     R4                      ; $$TMP1
26337 113236  001374                            BNE     10$
26338 113240  005303            11$:            DEC     R3                      ; $$TMP2
26339 113242  000766                            BR      9$
26340 113244  132777  000100  102202  12$:     BITB    #100,@ML.REG+50         ;                                       1130
26341 113252  001016                            BNE     13$
26342 113254  104455                            TRAP    55                      ;                                       1130
26343 113256  000232                            .WORD   232
26344 113260  012706                            .WORD   ASYNC
26345 113262  026302                            .WORD   DUMPER
26346 113264  012746  006150                    MOV     #BB.VV.ERR,-(SP)        ;                                       1130
26347 113270  012746  010240                    MOV     #ONE.FMT,-(SP)
```

```
                                        ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
                                        ;       TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<
                                        MOV     #2,-(SP)
                                        MOV     SP,R0           ; SP,*
                                        TRAP    14
                                        ADD     #6,SP           ;                                               1130
                                13$:    CLR     R3              ; INIT.ERR                                      1131
                                        CLR     R4              ; BB.ERR                                        1131
                                        MOV     #-1,R2          ; *,DSA.CNT                                     1131
                                14$:    TRAP    22              ;                                               1131
                                        INC     R2              ; DSA.CNT                                       1131
                                        MOV     #-400,R5        ; *,SIZE                                        1131
                                        MOV     R5,-(SP)        ; SIZE,*
                                        MOV     R2,20(SP)       ; DSA.CNT,DST
                                        MOV     R2,-(SP)        ; DSA.CNT,*
                                        MOV     #IO.BUF,R1      ; *,SRC
                                        MOV     R1,-(SP)        ; SRC,*
                                        JSR     PC,WRT.CHK.TRANSFE
                        102064          BIT     #40000,@ML.REG+40       ;                                       1132
                                        BEQ     16$
                                        TST     @ML.REG+110     ;                                               1132
                                        BNE     15$
                                        INC     R3              ; INIT.ERR                                      1132
                                        BR      16$             ;                                               1132
                                15$:    INC     R4              ; BB.ERR                                        1132
                                16$:    ADD     #6,SP           ;                                               1131
                                        CMP     R2,LST.BLK      ; DSA.CNT,*                                     1133
                                        BNE     14$
                                        CMP     R3,#177         ; INIT.ERR,*                                    1135
                                        BLE     17$
                                        TRAP    55              ;                                               1135
                                        .WORD   233
                                        .WORD   ASYNC
                                        .WORD   DUMPER
                                        MOV     #BB.INIT.ERR,-(SP)      ;                                       1135
                                        MOV     #ONE.FMT,-(SP)
                                        MOV     #2,-(SP)
                                        MOV     SP,R0           ; SP,*
                                        TRAP    14
                                        BR      18$             ;                                               1135
                                17$:    CMP     R4,#144         ; BB.ERR,*                                      1136
                                        BLE     19$
                                        TRAP    55              ;                                               1136
                                        .WORD   234
                                        .WORD   ASYNC
                                        .WORD   DUMPER
                                        MOV     #BB.BB.ERR,-(SP)        ;                                       1136
                                        MOV     #ONE.FMT,-(SP)
                                        MOV     #2,-(SP)
                                        MOV     SP,R0           ; SP,*
                                        TRAP    14
                                18$:    ADD     #6,SP           ;                                               1136
                                19$:    ADD     #16,SP          ;                                               1123
                                20$:    CMP     (SP)+,(SP)+     ;                                               1119
```

```
 26405                                  ;ML4AD                                          29-Mar-1982 16:23:04    TOPS
 26406                                  ;               TEST CODE SECTION               29-Mar-1982 16:21:03    PA:<
 26407
 26408 113520  000207                            RTS     PC
 26409
 26410                                  ; Routine Size:  203 words
 26411                                  ; Maximum stack depth per invocation:  18 words
 26416
 26417
 26421
 26422                                          .SBTTL  T61 TEST CODE SECTION
 26426 113522                           T61::
 26427 113522  004767  177146           1$:     JSR     PC,$T61                 ;       1137
 26428 113526  104466                           TRAP    66
 26429 113530  006000                           ROR     R0
 26430 113532  103773                           BLO     1$
 26431 113534  000207                           RTS     PC
 26432
 26433                                  ; Routine Size:  6 words
 26434                                  ; Maximum stack depth per invocation:  0 words
 26439
 26440
 26441 ;          11374 !<BLF/PAGE>
```

```
                                                                29-Mar-1982 16:23:04    TOPS-20 Bliss-16 V2(212)
                                                                29-Mar-1982 16:21:03    PA:<NEALE>ML4AD.BLI.4 (114)
;ML4AD
;                TEST CODE SECTION

;          11375 !
;          11376 ! CLEAN UP SECTION
;          11377 !
;          11378 !       THE CLEAN UP SECTION IS ENTERED WHEN:
;          11379 !       1.  A NORMAL END OF PASS IS DONE
;          11380 !           ie. WHEN ONE COMPLETE PASS OF
;          11381 !               THE DIAG IS DONE.
;          11382 !
;          11383 !       2.  WHEN A DRIVE ERROR IS DECTECTED AND
;          11384 !           AND THE UNIT IS DROPPED AND THE DOCLN
;          11385 !           MACRO IS CALLED.
;          11386 !
;          11387 !       3.  WHEN A ^C IS TYPE AT THE CONSOLE TERMINAL
;          11388 !           DURING EXECUTION OF A TEST.
;          11389 !
;          11390 !       IN ANY EVENT OF ENTERING THIS SECTION THE
;          11391 !       ML11 CONTROL BOARD TESTER'S POWER SUPPLIES
;          11392 !       ARE POWERED DOWN via THE ROUTINE CALL: ''
;          11393
;          11394 !++
;          11395 BGNCLN;                                          !BEGIN THE CLEAN UP CODE
;          11396 CLR = ONE;                                       !CLEAR THE MASS BUS
;          11397 return;                                          !RETURN TO DRS>
;          11398 ENDCLN;                                          !END THE CLEAN UP CODE

                                        .SBTTL  LCLEAN TEST CODE SECTION
113536  152777  000040  101700  LCLEAN: BISB    #40,@ML.REG+40          ;                1139
113544  000207                        RTS     PC                      ;                1137

                                ; Routine Size:  4 words
                                ; Maximum stack depth per invocation:  0 words


                                        .SBTTL  L$CLEAN TEST CODE SECTION
113546                          L$CLEAN::
```

```
                                ;ML4AD                                                  29-Mar-1982 16:23:04    TOPS
                                ;               TEST CODE SECTION                       29-Mar-1982 16:21:03    PA:<

113546  004767  177764                JSR     PC,LCLEAN               ;                                       1139
113552  104412                        TRAP    12
113554  000207                        RTS     PC

                                ; Routine Size:  4 words
                                ; Maximum stack depth per invocation:  0 words

;       11399 LASTAD;                                           !DEFINE THE DIAG'S LAST ADDRESS
;       11400 BGNSETUP (0);                                     !SET UP ZERO P-TABLES
;       11401 ENDSETUP;                                         !END THE SETUP

113556  113562                BL$LAS::.WORD   T$FREE
113560  000000                        .WORD   <<T$FREE-<BL$LAS+4>>/2>
113562  000000                T$FREE::.WORD   0

        113562                  L$LAST==            BL$LAS+4
        000000                  T$PTHV==            0

                                        .SBTTL  $END.LINK TEST CODE SECTION
113564                          $END.LINK::
113564  000207                        RTS     PC                      ;                                       1139

                                ; Routine Size:  1 word
                                ; Maximum stack depth per invocation:  0 words

;       11402 end
;       11403
;       11404 eludom
```

```
                                ;ML4AD                                  29-Mar-1982 16:23:04    TOPS
                                ;                TEST CODE SECTION      29-Mar-1982 16:21:03    PA:<
                                ; OTS external references
                                        .GLOBL  BL$GT2, $SAVE5, $SAVE4, $SAVE3
                                        .GLOBL  $SAVE2, BL$PU2, BL$PU1, BL$GT1
                                        .GLOBL  BL$DIV, BL$MOD, BL$MUL
                                ; Size:         15786 code + 2346 data words
                                ; Run Time:     02:46.0
                                ; Elapsed Time: 03:20.7
                                ; Memory Used:  124 pages
                                ; Compilation Complete
000001                                  .END
```

```
A)R    = 000020 G      C$CLCK= 000062      D2.TEM= 013376      FNC.19= 012426      HELP   = 000000
ARR.DA= 013012         C$CLEA= 000012      EF.CON= 000036 G    FNC.2  = 012164      HOE    = 100000 G
ARR.IN  014004         C$CLOS= 000035      EF.NEW= 000035 G    FNC.21= 012440      HW.OR.  013402
ARR.16  014016         C$CLP1= 000006      EF.PWR= 000034 G    FNC.22= 012452      IBE    = 010000 G
ASSEMB= 000010         C$CVEC= 000036      EF.RES= 000037 G    FNC.23= 012464      IDU    = 000040 G
ASYNC  = 012706        C$DCLN= 000044      EF.STA= 000040 G    FNC.3  = 012172      IER    = 020000 G
A.CAL   015362         C$DODU= 000051      EIG.FM= 010364      FNC.4  = 012200      INTER  = 013114
A.GEN   015370         C$DRPT= 000024      ELV.FM= 010466      FNC.5  = 012216      INTERV  002410 G
BB.BB.= 006334         C$DU   = 000053     ERRBLK  002160 G    FNC.6  = 012226      IO.BUF  014022
BB.INI= 006242         C$EDIT= 000003      ERRMSG  002156 G    FNC.7  = 012234      ISR    = 000100 G
BB.VV.= 006150         C$ERDF= 000055      ERRNBR  002154 G    FNC.8  = 012244      IXE    = 004000 G
BIT0   = 000001 G      C$ERHR= 000056      ERRTHR  002402 G    FNC.9  = 012260      I$AU   = 000041
BIT00  = 000001 G      C$ERRO= 000060      ERRTYP  002152 G    FORCE.  020032       I$AUTO= 000041
BIT01  = 000002 G      C$ERSF= 000054      ERR.CH  017442      FOR.EC  020210       I$CLN  = 000041
BIT02  = 000004 G      C$ERSO= 000057      EVL    = 000004 G   FOR.FM= 010270       I$DU   = 000041
BIT03  = 000010 G      C$ESCA= 000010      E$END  = 002100     F$AU   = 000015      I$HRD  = 000041
BIT04  = 000020 G      C$ESEG= 000005      E$LOAD= 000035      F$AUTO= 000020       I$INIT= 000041
BIT05  = 000040 G      C$ESUB= 000003      E2.TEM= 013400      F$BGN  = 000040      I$MOD  = 000041
BIT06  = 000100 G      C$ETST= 000001      FIND.C  017660      F$CLEA= 000007       I$MSG  = 000041
BIT07  = 000200 G      C$EXIT= 000032      FIRST.  020262      F$DU   = 000016      I$PROT= 000040
BIT08  = 000400 G      C$GETB= 000026      FIV.FM= 010304      F$END  = 000041      I$PTAB= 000041
BIT09  = 001000 G      C$GETW= 000027      FMT.1  = 006442     F$HARD= 000004       I$PWR  = 000041
BIT1   = 000002 G      C$GMAN= 000043      FMT.10= 007116      F$HW   = 000013      I$RPT  = 000041
BIT10  = 002000 G      C$GPHR= 000042      FMT.11= 007170      F$INIT= 000006       I$SEG  = 000041
BIT11  = 004000 G      C$GPLO= 000030      FMT.12= 007224      F$JMP  = 000050      I$SETU= 000041
BIT12  = 010000 G      C$GPRI= 000040      FMT.13= 007254      F$MOD  = 000000      I$SFT  = 000041
BIT13  = 020000 G      C$INIT= 000011      FMT.14= 007330      F$MSG  = 000011      I$SRV  = 000041
BIT14  = 040000 G      C$INLP= 000020      FMT.15= 007370      F$PROT= 000021       I$SUB  = 000041
BIT15  = 100000 G      C$MANI= 000050      FMT.16= 007436      F$PWR  = 000017      I$TST  = 000041
BIT2   = 000004 G      C$MEM  = 000031     FMT.17= 007526      F$RPT  = 000012      J$JMP  = 000167
BIT3   = 000010 G      C$MSG  = 000023     FMT.18= 007562      F$SEG  = 000003      LAST.B  020344
BIT4   = 000020 G      C$OPEN= 000034      FMT.19= 007632      F$SOFT= 000005       LAU     004704
BIT5   = 000040 G      C$PNTB= 000014      FMT.2  = 006506     F$SRV  = 000010      LAUTO   004660
BIT6   = 000100 G      C$PNTF= 000017      FMT.20= 007702      F$SUB  = 000002      LCLEAN  113536
BIT7   = 000200 G      C$PNTS= 000016      FMT.21= 007754      F$SW   = 000014      LDU     004672
BIT8   = 000400 G      C$PNTX= 000015      FMT.22= 010026      F$TEST= 000001       LD.LNG  021354
BIT9   = 001000 G      C$QIO  = 000377     FMT.23= 010072      GD.BLK  020312       LIMIT   015400
BL$DIV  004446 G       C$RDBU= 000007      FMT.24= 010142      GOOD.B  014006       LINIT   027650
BL$GT1  003512 G       C$REFG= 000047      FMT.25= 010166      G$CNTO= 000200       LOAD.S  016034
BL$GT2  003634 G       C$RESE= 000033      FMT.26= 010206      G$DELM= 000372       LOE    = 040000 G
BL$LAS  113556 G       C$REVI= 000003      FMT.3  = 006574     G$DISP= 000003       LOT    = 000010 G
BL$MOD  004460 G       C$RFLA= 000021      FMT.4  = 006620     G$EXCP= 000400       LRPT    004646
BL$MUL  004222 G       C$RPT  = 000025     FMT.5  = 006650     G$HILI= 000002       LST.AR  014020
BL$PU1  003776 G       C$SEFG= 000046      FMT.6  = 006752     G$LOLI= 000001       LST.BL  014014
BL$PU2  004072 G       C$SPRI= 000041      FMT.7  = 007002     G$NO   = 000000      LST.DU  015356
BL$SHF  004472 G       C$SVEC= 000037      FMT.8  = 007030     G$OFFS= 000400       L$ACP   002110 G
BOE    = 000400 G      C$TPRI= 000013      FMT.9  = 007064     G$OFSI= 000376       L$APT   002036 G
B.CAL   015364         DATA.L= 013154      FNC.1  = 012150     G$PRMA= 000001       L$AU    004706 G
B.GEN   015372         DAT.DM  016412      FNC.10= 012272      G$PRMD= 000002       L$AUT   002070 G
CAL.CR  017042         DFPTBL  002360 G    FNC.11= 012302      G$PRML= 000000       L$AUTO  004662 G
CHIP.S  014012         DIAGMC= 000000      FNC.12= 012322      G$RADA= 000140       L$CCP   002106 G
C$AU   = 000052        DIVMOD  004264      FNC.13= 012334      G$RADB= 000000       L$CLEA  113546 G
C$AUTO= 000061         DRIVE.  015354      FNC.14= 012344      G$RADD= 000040       L$CO    002032 G
C$BRK  = 000022        DROP.C  015402      FNC.15= 012360      G$RADL= 000120       L$DEPO  002011 G
C$BSEG= 000004         DT.1    015764      FNC.16= 012372      G$RADO= 000020       L$DESC  002130 G
C$BSUB= 000002         DUMPER  026302 G    FNC.17= 012404      G$XFER= 000004       L$DESP  002076 G
C$CEFG= 000045         D1.TEM= 013374      FNC.18= 012414      G$YES  = 000010      L$DEVP  002060 G
```

L$DISP	002164	G	MSGH7	003052		P.AAC	005112	P.ACH	010566	P.AEM	011454
L$DLY	002116	G	MSGS1	003160		P.AAD	005202	P.ACI	010602	P.AEN	011462
L$DTP	002040	G	MSGS2	003224		P.AAE	005272	P.ACJ	010616	P.AEO	011470
L$DTYP	002034	G	MSGS3	003270		P.AAF	005340	P.ACK	010630	P.AEP	011474
L$DU	004674	G	MSGS4	003334		P.AAG	005414	P.ACL	010640	P.AEQ	011502
L$DUT	002072	G	MSGS5	003400		P.AAH	005470	P.ACM	010650	P.AER	011514
L$DVTY	002122	G	M$DUMP	026312		P.AAI	005570	P.ACN	010660	P.AES	011524
L$EF	002052	G	NIB.SA	013374		P.AAJ	005652	P.ACO	010664	P.AET	011532
L$ENVI	002044	G	NIN.FM=	010410		P.AAK	005722	P.ACP	010676	P.AEU	011540
L$ERRT	002152	G	NO.INI=	005470		P.AAL	005764	P.ACQ	010704	P.AEV	011552
L$ETP	002102	G	ONEFIL=	000001		P.AAM	006060	P.ACR	010712	P.AEW	011562
L$EXP1	002046	G	ONEPAS	002406	G	P.AAN	006150	P.ACS	010724	P.AEX	011570
L$EXP4	002064	G	ONE.FM=	010240		P.AAO	006242	P.ACT	010730	P.AEY	011610
L$EXP5	002066	G	OP.NUM	014002		P.AAP	006334	P.ACU	010736	P.AEZ	011626
L$HARD	002414	G	O$APTS=	000001		P.AAQ	006442	P.ACV	010744	P.AFA	011644
L$HIME	002120	G	O$AU =	000001		P.AAR	006506	P.ACW	010752	P.AFB	011676
L$HPCP	002016	G	O$BGNR=	000001		P.AAS	006574	P.ACX	010766	P.AFC	011714
L$HPTP	002022	G	O$BGNS=	000001		P.AAT	006620	P.ACY	010774	P.AFD	011726
L$HW	002360	G	O$DU =	000001		P.AAU	006650	P.ACZ	011002	P.AFE	011740
L$ICP	002104	G	O$ERRT=	000001		P.AAV	006752	P.ADA	011016	P.AFF	011762
L$INIT	030714	G	O$GNSW=	000001		P.AAW	007002	P.ADB	011024	P.AFG	011774
L$LADP	002026	G	O$POIN=	000001		P.AAX	007030	P.ADC	011032	P.AFH	012006
L$LAST=	113562	G	O$SETU=	000001		P.AAY	007064	P.ADD	011046	P.AFI	012020
L$LOAD	002100	G	PAR.DI	014010		P.AAZ	007116	P.ADE	011054	P.AFJ	012036
L$LUN	002074	G	PD.TEM	015342		P.ABA	007170	P.ADF	011070	P.AFK	012060
L$MREV	002050	G	PHR.1 =	011610		P.ABB	007224	P.ADG	011076	P.AFL	012104
L$NAME	002000	G	PHR.10=	012006		P.ABC	007254	P.ADH	011102	P.AFM	012136
L$PRIO	002042	G	PHR.11=	012020		P.ABD	007330	P.ADI	011110	P.AFN	012150
L$PROT	003444	G	PHR.12=	012036		P.ABE	007370	P.ADJ	011116	P.AFO	012164
L$PRT	002112	G	PHR.13=	012060		P.ABF	007436	P.ADK	011122	P.AFP	012172
L$REPP	002062	G	PHR.14=	012104		P.ABG	007526	P.ADL	011132	P.AFQ	012200
L$REV	002010	G	PHR 15=	012136		P.ABH	007562	P.ADM	011140	P.AFR	012216
L$RPT	004650	G	PHR.2 =	011626		P.ABI	007632	P.ADN	011150	P.AFS	012226
L$SOFT	003122	G	PHR.3 =	011644		P.ABJ	007702	P.ADO	011154	P.AFT	012234
L$SPC	002056	G	PHR.4 =	011676		P.ABK	007754	P.ADP	011170	P.AFU	012244
L$SPCP	002020	G	PHR.5 =	011714		P.ABL	010026	P.ADQ	011176	P.AFV	012260
L$SPTP	002024	G	PHR.6 =	011726		P.ABM	010072	P.ADR	011206	P.AFW	012272
L$STA	002030	G	PHR.7 =	011740		P.ABN	010142	P.ADS	011214	P.AFX	012302
L$SW	002400	G	PHR.8 =	011762		P.ABO	010166	P.ADT	011226	P.AFY	012322
L$TEST	002114	G	PHR.9 =	011774		P.ABP	010206	P.ADU	011240	P.AFZ	012334
L$TIML	002014	G	PNT =	001000	G	P.ABQ	010240	P.ADV	011250	P.AGA	012344
L$UNIT	002012	G	PRI =	002000	G	P.ABR	010246	P.ADW	011260	P.AGB	012360
L10000	002376		PRI00 =	000000	G	P.ABS	010256	P.ADX	011270	P.AGC	012372
L10001	002412		PRI01 =	000040	G	P.ABT	010270	P.ADY	011276	P.AGD	012404
L10002	002510		PRI02 =	000100	G	P.ABU	010304	P.ADZ	011310	P.AGE	012414
L10003	003160		PRI03 =	000140	G	P.ABV	010322	P.AEA	011316	P.AGF	012426
MB.DIS=	005570		PRI04 =	000200	G	P.ABW	010342	P.AEB	011326	P.AGG	012440
MEM.AR=	013052		PRI05 =	000240	G	P.ABX	010364	P.AEC	011336	P.AGH	012452
ML.DUT	016032		PRI06 =	000300	G	P.ABY	010410	P.AED	011344	P.AGI	012464
ML.LUN	016030		PRI07 =	000340	G	P.ABZ	010436	P.AEE	011352	P.AGJ	012500
ML.REG	015404		PRSN	002400	G	P.ACA	010466	P.AEF	011362	P.AGK	012510
MSGH1	002510		PTBL.P	014000		P.ACB	010520	P.AEG	011374	P.AGL	012516
MSGH2	002556		PUP.BB=	006060		P.ACC	010524	P.AEH	011400	P.AGM	012524
MSGH3	002624		PWR.OF=	005112		P.ACD	010536	P.AEI	011416	P.AGN	012532
MSGH4	002670		PWR.ON=	005202		P.ACE	010544	P.AEJ	011432	P.AGO	012540
MSGH5	002736		P.AAA	004716		P.ACF	010552	P.AEK	011440	P.AGP	012546
MSGH6	003004		P.AAB	005012		P.ACG	010560	P.AEL	011446	P.AGQ	012554

SYMBOL TABLE

```
P.AGR   012562          REG.20= 012666          T$TEMP= 000000          T51     103202 G        WRD.43= 011176
P.AGS   012570          REG.21= 012676          T$TEST= 000000          T52     104020 G        WRD.44= 011206
P.AGT   012576          REG.3 = 012516          T$TSTM= 177777          T53     104660 G        WRD.45= 011214
P.AGU   012604          REG.4 = 012524          T$TSTS= 000000          T54     105722 G        WRD.46= 011226
P.AGV   012612          REG.5 = 012532          T$$HAR= 010002          T55     106612 G        WRD.47= 011240
P.AGW   012620          REG.6 = 012540          T$$HW = 010000          T56     107742 G        WRD.48= 011250
P.AGX   012626          REG.7 = 012546          T$$PRO= 010004          T57     111234 G        WRD.49= 011260
P.AGY   012634          REG.8 = 012554          T$$SOF= 010003          T58     111640 G        WRD.5 = 010552
P.AGZ   012642          REG.9 = 012562          T$$SW = 010001          T59     112306 G        WRD.50= 011270
P.AHA   012652          REM.TB  015664          T.21  = 004716          T6      033476 G        WRD.51= 011276
P.AHB   012660          RE2     004640          T.61  = 005012          T60     112660 G        WRD.52= 011310
P.AHC   012666          RE3     004636          T1      031134 G        T61     113522 G        WRD.53= 011316
P.AHD   012676          RE4     004634          T10     036266 G        T7      034354 G        WRD.54= 011326
P.AHE   012706          RH.ADD  016022          T11     036510 G        T8      035370 G        WRD.55= 011336
P.AHF   012750          RH.ERR= 013302          T12     037066 G        T9      035624 G        WRD.56= 011344
P.AHG   013012          RH.TYP  016024          T13     040230 G        UAM   = 000200 G        WRD.57= 011352
P.AHH   013052          RH.VEC  016026          T14     041462 G        UNS.ER= 005272          WRD.58= 011362
P.AHI   013114          SC.SET= 013214          T15     042714 G        VV.CLE= 005414          WRD.59= 011374
P.AHJ   013154          SEV.FM= 010342          T16     043556 G        VV.NOT= 005340          WRD.6 = 010560
P.AHK   013214          SFPTBL  002400 G        T17     045044 G        VV.SET= 005764          WRD.60= 011400
P.AHL   013250          SIX.FM= 010322          T18     045260 G        WC.ERR= 005652          WRD.61= 011416
P.AHM   013302          STACK   015034          T19     046430 G        WRD.1 = 010520          WRD.62= 011432
P.AHN   013330          STK.OF  015022          T2      031460 G        WRD.10= 010630          WRD.63= 011440
P.CAL   015366          STRIPP  016444          T20     047430 G        WRD.11= 010640          WRD.64= 011446
P.CNT   015376          SVCGBL= 177777          T21     051176 G        WRD.12= 010650          WRD.65= 011454
P.GEN   015374          SVCINS= 177777          T22     051724 G        WRD.13= 010660          WRD.67= 011462
RAS.IN  015346          SVCSUB= 177777          T23     052262 G        WRD.14= 010664          WRD.68= 011470
RD.CS1  021762          SVCTAG= 177777          T24     053456 G        WRD.15= 010676          WRD.69= 011474
RD.DA   022316          SVCTST= 177777          T25     054270 G        WRD.16= 010704          WRD.7 = 010566
RD.DAT  015352          SYNC  = 012750          T26     055466 G        WRD.17= 010712          WRD.70= 011502
RD.DS   025216          S$LSYM= 010000          T27     056244 G        WRD.18= 010724          WRD.71= 011514
RD.D1   024104          TEN.FM= 010436          T28     057230 G        WRD.19= 010730          WRD.72= 011524
RD.D2   024416          THR.FM= 010256          T29     060342 G        WRD.2 = 010524          WRD.73= 011532
RD.D3   024744          TIME.O= 013330          T3      031666 G        WRD.20= 010736          WRD.74= 011540
RD.EE   023760          TRBLE.= 013250          T30     061136 G        WRD.21= 010744          WRD.75= 011552
RD.EL   023716          TST.LN  020376          T31     062534 G        WRD.22= 010752          WRD.76= 011562
RD.ER   022140          TWO.FM= 010246          T32     064272 G        WRD.23= 010766          WRD.77= 011570
RD.E1   023074          T$ARGC= 000002          T33     065304 G        WRD.24= 010774          WRD.8 = 010602
RD.E2   023314          T$CODE= 004130          T34     066266 G        WRD.25= 011002          WRD.9 = 010616
RD.MR   022474          T$ERRN= 000000          T35     066744 G        WRD.26= 011016          WRT.CH  027156
RD.PA   022666          T$EXCP= 000000          T36     070030 G        WRD.27= 011024          WRT.CS  021712
RD.PD   023556          T$FREE  113562 G        T37     070756 G        WRD.29= 011032          WRT.DA  022246
RD.REG  025712          T$GMAN= 000000          T38     072032 G        WRD.3 = 010536          WRT.DS  025214
REGDMP  002404 G        T$HILI= 000007          T39     072460 G        WRD.30= 011046          WRT.D1  024020
REG.IN  015360          T$LAST= 000000          T4      032336 G        WRD.31= 011054          WRT.D2  024332
REG.1 = 012500          T$LOLI= 000000          T40     073436 G        WRD.32= 011070          WRT.D3  024644
REG.10= 012570          T$LSYM= 010000          T41     074516 G        WRD.33= 011076          WRT.EE  023756
REG.11= 012576          T$NEST= 177777          T42     075324 G        WRD.34= 011102          WRT.EL  023714
REG.12= 012604          T$NS0 = 000000          T43     076254 G        WRD.35= 011110          WRT.ER  022070
REG.13= 012612          T$NS1 = 000021          T44     076504 G        WRD.36= 011116          WRT.E1  023010
REG.14= 012620          T$PTHV= 000000 G        T45     076670 G        WRD.37= 011122          WRT.E2  023216
REG.15= 012626          T$PTNU= 000000          T46     077366 G        WRD.38= 011132          WRT.MR  022424
REG.16= 012634          T$SAVL= 177777          T47     077660 G        WRD.39= 011140          WRT.PA  022602
REG.17= 012642          T$SEGL= 177777          T48     100640 G        WRD.4 = 010544          WRT.PD  023450
REG.18= 012652          T$SUBN= 000000          T49     101376 G        WRD.40= 011150          WRT.RE  025324
REG.19= 012660          T$TAGL= 177777          T5      033006 G        WRD.41= 011154          WRT.TR  027426
REG.2 = 012510          T$TAGN= 010005          T50     102014 G        WRD.42= 011170          WT.DAT  015350
```

SYMBOL TABLE

```
W.C.SI  015774          $T11    036302          $T25    053472          $T39    072046          $T52    103216
W.ERR =  005422         $T12    036524          $T26    054304          $T4     031702          $T53    104034
XOR.LN  021072          $T13    037102          $T27    055502          $T40    072474          $T54    104674
X$ALWA= 000000          $T14    040244          $T28    056260          $T41    073452          $T55    105736
X$FALS= 000040          $T15    041476          $T29    057244          $T42    074532          $T56    106626
X$OFFS= 000400          $T16    042730          $T3     031474          $T43    075340          $T57    107756
X$TRUE= 000020          $T17    043572          $T30    060356          $T44    076270          $T58    111250
$END.L  113564 G        $T18    045060          $T31    061152          $T45    076520          $T59    111654
$PATCH  003452 G        $T19    045274          $T32    062550          $T46    076704          $T6     033022
$SAVE2  004540 G        $T2     031150          $T33    064306          $T47    077402          $T60    112322
$SAVE3  004554 G        $T20    046444          $T34    065320          $T48    077674          $T61    112674
$SAVE4  004572 G        $T21    047444          $T35    066302          $T49    100654          $T7     033512
$SAVE5  004612 G        $T22    051212          $T36    066760          $T5     032352          $T8     034370
$T1     030724          $T23    051740          $T37    070044          $T50    101412          $T9     035404
$T10    035640          $T24    052276          $T38    070772          $T51    102030
```

```
. ABS.  113566      000
        000000      001
ERRORS DETECTED:  0

VIRTUAL MEMORY USED:  35594 WORDS  ( 140 PAGES)
DYNAMIC MEMORY:  21558 WORDS  ( 82 PAGES)
ELAPSED TIME:  00:16:01
ML11,ML11/-SP/CR:SYM=SVC/ML,CZMLAD.DOC,ML2AD,OTS,ML3AD,ML4AD
```

ML11 CREATED BY MACRO ON 30-MAR-82 AT 11:24 PAGE 1 SEQ 0550

SYMBOL CROSS REFERENCE CREF

SYMBOL	VALUE		REFERENCES								
ADR	= 000020	G	#94-2561								
ARR.DA	= 013012		#98-2777	224-8947	230-9210	235-9514	243-9909	289-12284	290-12353	292-12438	336-14770
			342-15047	348-15402	349-15426	349-15450	350-15474	350-15494	361-16098	418-19076	424-19406
			447-20681	551-25985							
ARR.IN	014004		#88-2240	*205-8023	*205-8043	307-13243	308-13292	308-13294	359-15984	369-16514	369-16523
			388-17530	389-17548	391-17695	392-17713	440-20280	440-20284			
ARR.16	014016		#89-2251	*205-8008	*205-8024	*205-8044	308-13293				
ASSEMB	= 000010		6-13	6-13							
ASYNC	= 012706		#98-2775	216-8527	220-8730	224-8929	229-9188	235-9494	236-9556	243-9900	249-10237
			250-10261	250-10281	253-10418	256-10574	256-10590	257-10610	261-10817	261-10832	262-10853
			262-10870	262-10886	263-10924	263-10943	264-10971	268-11190	269-11209	269-11226	269-11243
			269-11259	270-11297	270-11316	271-11344	275-11587	276-11606	276-11623	276-11640	277-11660
			277-11694	278-11717	278-11741	282-11937	283-11957	283-11975	283-11991	284-12012	284-12029
			295-12602	299-12830	300-12851	300-12869	301-12905	301-12938	302-12984	306-13191	306-13207
			307-13228	307-13261	308-13311	316-13715	316-13729	316-13742	316-13758	317-13778	318-13835
			318-13855	319-13912	320-13958	324-14134	324-14156	325-14184	329-14369	355-15775	374-16800
			383-17250	393-17797	441-20351	458-21211	459-21237	459-21275	460-21301	460-21316	463-21466
			528-24795	536-25244	547-25801	557-26344	558-26382	558-26394			
A.CAL	015362		#89-2268	108-3283	*108-3284	*108-3285	111-3408	*483-22547	484-22582	*488-22798	489-22828
A.GEN	015370		#89-2271	111-3384	111-3408	*483-22544	484-22575	*488-22795	488-22817		
BB.BB.	= 006334		#95-2592	558-26396							
BB.INI	= 006242		#95-2591	558-26384							
BB.VV.	= 006150		#95-2590	557-26346							
BIT0	= 000001	G	#94-2545								
BIT00	= 000001	G	#94-2535								
BIT01	= 000002	G	#94-2534								
BIT02	= 000004	G	#94-2533								
BIT03	= 000010	G	#94-2532								
BIT04	= 000020	G	#94-2531								
BIT05	= 000040	G	#94-2530								
BIT06	= 000100	G	#94-2529								
BIT07	= 000200	G	#94-2528								
BIT08	= 000400	G	#94-2527								
BIT09	= 001000	G	#93-2522								
BIT1	= 000002	G	#94-2544								
BIT10	= 002000	G	#93-2521								
BIT11	= 004000	G	#93-2520								
BIT12	= 010000	G	#93-2519								
BIT13	= 020000	G	#93-2518								
BIT14	= 040000	G	#93-2517								
BIT15	= 100000	G	#93-2516								
BIT2	= 000004	G	#94-2543								
BIT3	= 000010	G	#94-2542								
BIT4	= 000020	G	#94-2541								
BIT5	= 000040	G	#94-2540								
BIT6	= 000100	G	#94-2539								
BIT7	= 000200	G	#94-2538								
BIT8	= 000400	G	#94-2537								
BIT9	= 001000	G	#94-2536								
BL$DIV	004446	G	#35-1170	112-3480	514-24072	520-24397	562-26560				
BL$GT1	003512	G	#11-169	424-19395	562-26559						
BL$GT2	003634	G	#16-384	104-3098	108-3255	113-3506	299-12824	301-12899	302-12978	334-14654	336-14740

ML11 CREATED BY MACRO ON 30-MAR-82 AT 11:24 PAGE 2 SEQ 0551
SYMBOL CROSS REFERENCE CREF

SYMBOL	VALUE		REFERENCES								
			348-15353	361-16070	368-16472	374-16773	380-17106	382-17223	389-17573	392-17737	399-18095
			406-18446	417-19045	418-19058	447-20663	478-22282	514-24096	521-24447	562-26558	
BL$LAS	113556	G	#561-26522	561-26523	561-26527						
BL$MOD	004460	G	#36-1201	113-3488	514-24111	520-24401	562-26560				
BL$MUL	004222	G	#32-1022	526-24705	562-26560						
BL$PU1	003776	G	#21-592	483-22532	562-26559						
BL$PU2	004072	G	#27-829	111-3383	111-3392	111-3401	301-12932	418-19097	515-24128	521-24418	562-26559
BL$SHF	004472	G	11-181	11-184	11-188	11-192	12-217	17-406	17-409	17-413	17-417
			17-438	21-595	21-599	21-605	22-632	27-838	27-842	27-848	28-880
			#37-1236								
BOE	= 000400	G	#94-2565								
B.CAL	015364		#89-2269	108-3289	*108-3290	*108-3291	111-3410	*483-22548	484-22583	*488-22799	489-22829
B.GEN	015372		#89-2272	111-3393	111-3410	*483-22545	484-22576	*488-22796	488-22818		
CAL.CR	017042		#107-3224	483-22550	488-22801						
CHIP.S	014012		#89-2248	*205-8022	*205-8042	551-25998					
C$AU	= 000052		#6-13								
C$AUTO	= 000061		#6-13								
C$BRK	= 000022		#6-13								
C$BSEG	= 000004		#6-13								
C$BSUB	= 000002		#6-13								
C$CEFG	= 000045		#6-13								
C$CLCK	= 000062		#6-13								
C$CLEA	= 000012		#6-13								
C$CLOS	= 000035		#6-13								
C$CLP1	= 000006		#6-13								
C$CVEC	= 000036		#6-13								
C$DCLN	= 000044		#6-13								
C$DODU	= 000051		#6-13								
C$DRPT	= 000024		#6-13								
C$DU	= 000053		#6-13								
C$EDIT	= 000003		#6-13	6-65							
C$ERDF	= 000055		#6-13								
C$ERHR	= 000056		#6-13								
C$ERRO	= 000060		#6-13								
C$ERSF	= 000054		#6-13								
C$ERSO	= 000057		#6-13								
C$ESCA	= 000010		#6-13								
C$ESEG	= 000005		#6-13								
C$ESUB	= 000003		#6-13								
C$ETST	= 000001		#6-13								
C$EXIT	= 000032		#6-13								
C$GETB	= 000026		#6-13								
C$GETW	= 000027		#6-13								
C$GMAN	= 000043		#6-13								
C$GPHR	= 000042		#6-13								
C$GPLO	= 000030		#6-13								
C$GPRI	= 000040		#6-13								
C$INIT	= 000011		#6-13								
C$INLP	= 000020		#6-13								
C$MANI	= 000050		#6-13								
C$MEM	= 000031		#6-13								
C$MSG	= 000023		#6-13								

ML11 CREATED BY MACRO ON 30-MAR-82 AT 11:24 PAGE 3 SEQ 0552

SYMBOL CROSS REFERENCE

SYMBOL	VALUE		REFERENCES
C$OPEN	= 000034		#6-13
C$PNTB	= 000014		#6-13
C$PNTF	= 000017		#6-13
C$PNTS	= 000016		#6-13
C$PNTX	= 000015		#6-13
C$QIO	= 000377		#6-13
C$RDBU	= 000007		#6-13
C$REFG	= 000047		#6-13
C$RESE	= 000033		#6-13 #6-13
C$REVI	= 000003		#6-13 6-65
C$RFLA	= 000021		#6-13
C$RPT	= 000025		#6-13
C$SEFG	= 000046		#6-13
C$SPRI	= 000041		#6-13
C$SVEC	= 000037		#6-13
C$TPRI	= 000013		#6-13
DATA.L	= 013154		#98-2780
DAT.DM	016412		#101-2946 103-3054 348-15380 373-16711 373-16732 397-18014 398-18054 404-18369 405-18405 417-19006 446-20582 446-20619 514-24074 521-24425
DFPTBL	002360	G	#6-119
DIAGMC	= 000000		6-13 6-13
DIVMOD	004264		#33-1091 35-1171 36-1202
DRIVE.	015354		#89-2262 *205-8019 *205-8039 236-9552 236-9565
DROP.C	015402		#89-2276 *203-7936 *204-7972 *204-7976 204-7979
DT.1	015764		#93-2485 526-24707 526-24709 527-24731 529-24840
DUMPER	026302	G	#191-7313 196-7603 196-7622 199-7727 199-7744 209-8208 212-8370 216-8528 219-8672 220-8731 224-8930 224-8939 224-8948 229-9189 229-9198 230-9211 235-9495 235-9506 235-9515 236-9557 243-9901 243-9910 249-10238 250-10262 250-10282 253-10419 256-10575 256-10591 257-10611 261-10818 262-10837 262-10854 262-10871 262-10887 263-10925 263-10930 263-10944 264-10972 264-10977 268-11191 269-11210 269-11227 269-11244 269-11260 270-11298 270-11303 271-11321 271-11345 271-11350 271-11371 275-11588 276-11607 276-11624 276-11641 277-11661 277-11695 277-11700 278-11718 278-11742 278-11747 279-11772 282-11938 283-11958 283-11976 283-11992 284-12013 284-12030 289-12285 290-12354 292-12439 295-12603 300-12835 300-12852 300-12870 301-12906 301-12939 302-12985 306-13192 306-13208 307-13229 307-13262 308-13312 316-13716 316-13730 316-13743 316-13759 317-13779 318-13836 318-13856 319-13913 320-13959 324-14135 324-14157 325-14185 329-14370 329-14385 335-14698 336-14771 342-15048 348-15403 349-15427 349-15451 350-15475 350-15495 355-15776 361-16099 369-16529 374-16801 380-17130 383-17251 391-17675 393-17798 399-18128 400-18154 406-18465 411-18690 418-19077 424-19407 430-19713 430-19748 431-19790 435-20024 440-20290 441-20352 447-20682 453-20951 453-20976 454-20999 458-21212 459-21238 459-21276 460-21302 460-21317 463-21467 466-21590 469-21764 469-21799 472-21966 479-22306 484-22566 488-22808 494-23084 495-23114 496-23186 496-23215 502-23487 503-23518 508-23792 509-23823 515-24170 522-24481 528-24796 528-24811 529-24866 535-25185 536-25245 538-25354 542-25558 547-25797 547-25802 551-25986 557-26345 558-26383 558-26395
D1.TEM	= 013374		#98-2785 *104-3082 *355-15744 *360-16052 367-16403 *368-16457 *374-16759 *380-17092 *382-17209 *398-18077 *405-18428 *417-19028 *447-20649 *478-22274 *515-24129 515-24135 *520-24392 521-24422
D2.TEM	= 013376		#98-2786 *104-3083 *355-15745 *361-16057 367-16404 *368-16458 *374-16760 *380-17093 *382-17210 *398-18078 *406-18433 *417-19029 *447-20650 *478-22275 *515-24130 515-24136 *520-24393 521-24423
EF.CON	= 000036	G	#94-2548
EF.NEW	= 000035	G	#94-2549
EF.PWR	= 000034	G	#94-2550
EF.RES	= 000037	G	#94-2547

SYMBOL	VALUE		REFERENCES								
EF.STA	= 000040	G	#94-2546								
EIG.FM	= 010364		#95-2626								
ELV.FM	= 010466		#95-2629								
ERRBLK	002160	G	#6-96								
ERRMSG	002156	G	#6-96								
ERRNBR	002154	G	#6-96								
ERRTHR	002402	G	#6-161	93-2513	205-8011						
ERRTYP	002152	G	#6-96								
ERR.CH	017442		#110-3367	484-22555	488-22802						
EVL	= 000004	G	#94-2559								
ESEND	= 002100		#6-13								
ESLOAD	= 000035		#6-13	6-65							
E2.TEM	= 013400		#98-2787	*104-3084	*355-15746	*361-16058	367-16405	*368-16459	*374-16761	*380-17094	*382-17211
			*398-18079	*406-18434	*417-19030	*447-20651	*478-22276	*515-24131	515-24137	*520-24372	*520-24373
			521-24424								
FIND.C	017660		#112-3475	494-23072	496-23176						
FIRST.	020262		#120-3807	261-10811	268-11184	275-11581	323-14119	341-14076	354-15696	354-15718	381-17164
FIV.FM	= 010304		#95-2623	212-8376	236-9525	256-10581	257-10601	257-10617	261-10824	262-10843	262-10860
			262-10877	263-10897	263-10936	264-10954	264-10983	268-11197	269-11216	269-11233	269-11250
			270-11270	270-11309	271-11327	271-11356	275-11594	276-11613	276-11630	276-11647	277-11667
			277-11706	278-11724	278-11753	283-11949	283-11964	283-11982	284-12003	284-12020	292-12445
			300-12858	301-12912	302-12949	306-13198	306-13215	307-13235	307-13268	308-13318	316-13749
			317-13769	317-13785	324-14141	324-14163	325-14191	355-15782	375-16811	406-18471	435-20030
			440-20296	454-21005	460-21308	463-21473	497-23225	503-23524	509-23829		
FMT.1	= 006442		#95-2593	220-8741	528-24821	538-25364	542-25572	547-25815			
FMT.10	= 007116		#95-2602	335-14711							
FMT.11	= 007170		#95-2603	213-8385							
FMT.12	= 007224		#95-2604	324-14146	324-14168	325-14196					
FMT.13	= 007254		#95-2605	337-14807							
FMT.14	= 007330		#95-2606	393-17809							
FMT.15	= 007370		#95-2607	431-19764							
FMT.16	= 007436		#95-2608	225-8970	230-9229	236-9532	243-9925	289-12303	291-12376	292-12452	319-13922
FMT.17	= 007526		#95-2609	206-8073							
FMT.18	= 007562		#95-2610								
FMT.19	= 007632		#95-2611	484-22577	489-22823	529-24842					
FMT.2	= 006506		#95-2594	219-8690	236-9566	253-10435	342-15067	411-18709	436-20045	537-25263	
FMT.20	= 007702		#95-2612	484-22584	489-22830						
FMT.21	= 007754		#95-2613	494-23094	495-23125	496-23196	497-23231	502-23498	503-23530	508-23803	509-23835
FMT.22	= 010026		#95-2614	516-24184	522-24491						
FMT.23	= 010072		#95-2615	192-7383							
FMT.24	= 010142		#95-2616	192-7390	192-7397	192-7404	193-7415	193-7422	193-7429	193-7436	193-7443
			193-7450	193-7457	193-7464	194-7475	194-7483	194-7492	194-7499		
FMT.25	= 010166		#95-2617	246-10078							
FMT.26	= 010206		#95-2618	246-10088							
FMT.3	= 006574		#95-2595								
FMT.4	= 006620		#95-2596	295-12613							
FMT.5	= 006650		#95-2597	406-18478	430-19728	431-19771	431-19805	479-22325			
FMT.6	= 006752		#95-2598	448-20695							
FMT.7	= 007002		#95-2599	302-12997	350-15511	458-21221	459-21247	460-21289			
FMT.8	= 007030		#95-2600	551-26008	551-26019						
FMT.9	= 007064		#95-2601	308-13277	308-13323	361-16108	441-20363	551-25994			
FNC.1	= 012150		#97-2728	253-10421							

SYMBOL	VALUE	REFERENCES
FNC.10	= 012272	#97-2737 306-13194 306-13210 307-13231 307-13264 308-13314
FNC.11	= 012302	#97-2738 306-13211 316-13731 316-13745 316-13761 317-13781
FNC.12	= 012322	#97-2739 324-14137 324-14159 325-14187
FNC.13	= 012334	#97-2740 381-17143 440-20295 453-20954 453-20979 454-21000
FNC.14	= 012344	#97-2741 355-15777
FNC.15	= 012360	#97-2742 369-16530 391-17680 440-20300
FNC.16	= 012372	#97-2743 374-16803
FNC.17	= 012404	#97-2744 391-17678 393-17801 440-20294 441-20356
FNC.18	= 012414	#97-2745 418-19083 424-19413
FNC.19	= 012426	#97-2746 466-21591
FNC.2	= 012164	#97-2729 256-10577 257-10597 257-10613 300-12872 301-12908
FNC.21	= 012440	#98-2751 335-14704
FNC.22	= 012452	#98-2752 380-17131
FNC.23	= 012464	#98-2753 209-8210 235-9517 292-12441
FNC.3	= 012172	#97-2730 219-8676 220-8734 283-11945 283-11995 284-12016 284-12036 468-21734 472-21967
FNC.4	= 012200	#97-2731 261-10820 262-10873 263-10893 263-10932 264-10950 264-10979 473-21976
FNC.5	= 012216	#97-2732 224-8952 230-9215 268-11193 269-11246 270-11266 270-11305 271-11323 271-11352 272-11377 289-12289 290-12358 399-18130 400-18156 406-18466 418-19079 430-19715 430-19750 431-19792 472-21969
FNC.6	= 012226	#97-2733 212-8371 224-8951 230-9214 275-11590 276-11643 277-11663 277-11702 278-11720 278-11749 279-11774 289-12288 290-12357 335-14699 411-18692 424-19409 435-20028 472-21968
FNC.7	= 012234	#97-2734 283-11944 283-11994 284-12015 284-12035 529-24868
FNC.8	= 012244	#97-2735 295-12604 295-12607 300-12836 300-12853
FNC.9	= 012260	#97-2736
FORCE.	020032	#115-3603 494-23065 495-23163 502-23469 508-23770
FOR.EC	020210	#118-3748 535-25173 536-25216 537-25284 538-25330 546-25747
FOR.FM	= 010270	#95-2622 295-12608 300-12840 300-12876 329-14375 329-14390 337-14794 342-15053 393-17803 441-20357 453-20956 453-20981 460-21322 466-21595 469-21769 470-21808 479-22311 495-23119 502-23492 508-23797 528-24801 529-24871 542-25563
F$AU	= 000015	#6-13
F$AUTO	= 000020	#6-13
F$BGN	= 000040	#6-13 6-39 7-229 7-277 7-316 7-348
F$CLEA	= 000007	#6-13
F$DU	= 000016	#6-13
F$END	= 000041	#6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-13 6-39 7-250 7-295 7-348
F$HARD	= 000004	#6-13 7-229 7-250
F$HW	= 000013	#6-13 6-119 6-139
F$INIT	= 000006	#6-13
F$JMP	= 000050	#6-13
F$MOD	= 000000	#6-13 6-39 7-348
F$MSG	= 000011	#6-13
F$PROT	= 000021	#6-13 7-316 7-322
F$PWR	= 000017	#6-13
F$RPT	= 000012	#6-13
F$SEG	= 000003	#6-13
F$SOFT	= 000005	#6-13 7-277 7-295
F$SRV	= 000010	#6-13
F$SUB	= 000002	#6-13
F$SW	= 000014	#6-13 6-150 6-165
F$TEST	= 000001	#6-13

SYMBOL		VALUE		REFERENCES								
GD.BLK		020312		#121-3858	398-18041	405-18396	410-18653	411-18674	416-18989	423-19351	423-19368	429-19683
				435-19990	435-20007	446-20607	452-20903	452-20925	469-21755	469-21790	470-21817	472-21947
				472-21937	477-22237	477-22242	483-22540	488-22791	493-23038	494-23066	495-23164	501-23421
				502-23470	507-23722	508-23775	513-24052	515-24154	520-24387	521-24461	527-24735	541-25522
				542-25537	546-25750	546-25761						
GOOD.B		014006		#88-2241	101-2948	121-3860	*205-8007	*369-16507				
G$CNTO	=	000200		#6-13								
G$DELM	=	000372		#6-13								
G$DISP	=	000003		#6-13								
G$EXCP	=	000400		#6-13								
G$HILI	=	000002		#6-13								
G$LOLI	=	000001		#6-13								
G$NO	=	000000		#6-13								
G$OFFS	=	000400		#6-13	7-242	7-243	7-244	7-245	7-246	7-247	7-248	7-288
				7-289	7-290	7-291	7-292					
G$OFSI	=	000376		#6-13	7-242	7-243	7-244	7-245	7-246	7-247	7-248	7-288
				7-289	7-290	7-291	7-292					
G$PRMA	=	000001		#6-13	7-242							
G$PRMD	=	000002		#6-13	7-243	7-244	7-245	7-247				
G$PRML	=	000000		#6-13	7-246	7-248	7-288	7-289	7-290	7-291	7-292	
G$RADA	=	000140		#6-13								
G$RADB	=	000000		#6-13								
G$RADD	=	000040		#6-13	7-245							
G$RADL	=	000120		#6-13	7-246	7-248	7-288	7-289	7-290	7-291	7-292	
G$RADO	=	000020		#6-13	7-242	7-243	7-244	7-247				
G$XFER	=	000004		#6-13								
G$YES	=	000010		#6-13	7-242	7-243	7-244	7-245	7-246	7-247	7-248	7-288
				7-289	7-290	7-291	7-292					
HELP	=	000000		#6-4	6-8	6-30	6-48	6-67	6-105	6-121	6-152	#7-170
				7-231	7-252	7-279	7-298	7-324	7-341	7-351		
HOE	=	100000	G	#94-2572								
HW.OR.		013402		#88-2234	*341-14991	342-15035						
IBE	=	010000	G	#94-2569								
IDU	=	000040	G	#94-2562								
IER	=	020000	G	#94-2570								
INTER	=	013114		#98-2779	196-7602	196-7621	199-7726	199-7743	219-8671	271-11370	279-11771	335-14697
				369-16528	380-17129	391-17674	400-18153	440-20289				
INTERV		002410	G	#6-164	93-2512	315-13690	556-26269					
IO.BUF		014022		#89-2253	101-2949	113-3492	*113-3493	120-3810	121-3861	122-3911	*317-13795	317-13803
				*320-13938	320-13945	360-16004	360-16028	366-16376	367-16429	389-17547	392-17712	*398-18039
				*405-18395	*410-18652	*411-18670	411-18681	416-18945	422-19309	*423-19359	424-19389	*429-19677
				*429-19678	*434-19980	*434-19981	*435-19998	435-20015	*439-20242	439-20255	440-20268	*440-20316
				441-20323	*441-20334	441-20339	*445-20568	*445-20572	*445-20573	*445-20574	*452-20902	*452-20917
				453-20943	453-20968	458-21199	463-21457	465-21576	*469-21752	*469-21774	*470-21816	*472-21946
				*483-22511	*483-22534	*484-22597	*488-22787	*493-23037	*494-23059	494-23102	*495-23157	496-23207
				*501-23420	*502-23463	502-23506	*507-23721	*508-23764	508-23811	*513-24043	515-24162	*520-24383
				522-24473	535-25176	536-25230	537-25286	538-25332	*541-25521	*546-25749	550-25969	*556-26282
				556-26290	558-26365							
ISR	=	000100	G	#94-2563								
IXE	=	004000	G	#94-2568								
I$AU	=	000041		#6-13								
I$AUTO	=	000041		#6-13								

SYMBOL	VALUE		REFERENCES
I$CLN	= 000041		#6-13
I$DU	= 000041		#6-13
I$HRD	= 000041		#7-229 #7-250
I$INIT	= 000041		#6-13
I$MOD	= 000041		#6-13 6-39 #6-39 7-348 #7-348
I$MSG	= 000041		#6-13
I$PROT	= 000040		#6-13 #7-316
I$PTAB	= 000041		#6-13
I$PWR	= 000041		#6-13
I$RPT	= 000041		#6-13
I$SEG	= 000041		#6-13
I$SETU	= 000041		#6-13
I$SFT	= 000041		#7-277 #7-295
I$SRV	= 000041		#6-13
I$SUB	= 000041		#6-13
I$TST	= 000041		#6-13
J$JMP	= 000167		#6-13
LAST.B	020344		#122-3908 379-17042 379-17064 381-17182 459-21265
LAU	004704		#44-188 44-206
LAUTO	004660		#42-87 42-105
LCLEAN	113536		#560-26478 561-26502
LDU	004672		#43-136 43-154
LD.LNG	021354		#133-4443 367-16398 515-24134 521-24421
LIMIT	015400		#89-2275 *205-8013 *205-8015 212-8365 224-8919 229-9178 235-9480 242-9886 289-12278 290-12347 292-12432 307-13257 308-13307 324-14130 324-14152 324-14176 335-14693 342-15043 348-15398 349-15422 349-15446 350-15470 350-15490 406-18458 411-18685 418-19070 424-19402 430-19708 430-19743 431-19785 447-20675 453-20946 453-20971 458-21207 459-21233 463-21462 478-22295 484-22559 494-23077 494-23105 496-23181 496-23210 502-23480 502-23509 508-23785 509-23818 515-24165 522-24476 536-25238 538-25347 551-25981
LINIT	027650		#203-7927 206-8101
LOAD.S	016034		#98-2795 104-3111
LOE	= 040000	G	#94-2571
LOT	= 000010	G	#94-2560
LRPT	004646		#41-34 41-52
LST.AR	014020		#89-2252 *205-8009 *205-8029 *205-8030 *206-8055 *206-8056 307-13242 308-13291 359-15983 369-16513 369-16522 440-20279 440-20283 535-25200
LST.BL	014014		#89-2250 122-3910 *205-8010 *205-8035 *205-8036 *205-8037 *206-8063 *206-8064 *206-8065 317-13807 320-13952 381-17151 458-21185 459-21269 460-21288 463-21447 465-21577 535-25174 536-25223 537-25287 537-25304 538-25327 550-25958 557-26298 558-26376
LST.DU	015356		#89-2264 194-7487 *206-8069 *206-8071 212-8338
L$ACP	002110	G	#6-65
L$APT	002036	G	#6-65
L$AU	004706	G	6-65 #44-206
L$AUT	002070	G	#6-65
L$AUTO	004662	G	6-65 #42-105
L$CCP	002106	G	#6-65
L$CLEA	113546	G	6-65 #560-26497
L$CO	002032	G	#6-65
L$DEPO	002011	G	#6-65
L$DESC	002130	G	6-65 #6-87
L$DESP	002076	G	#6-65
L$DEVP	002060	G	#6-65

SYMBOL	VALUE		REFERENCES
L$DISP	002164	G	6-65 #6-103
L$DLY	002116	G	#6-65 103-3031 103-3058 103-3071 209-8196 212-8355 216-8516 220-8711 256-10563 263-10904 270-11277 277-11674 282-11926 328-14354 334-14633 341-14982 341-15006 341-15019 354-15701 354-15722 355-15737 360-16010 360-16033 360-16045 367-16410 367-16433 368-16450 373-16716 373-16736 374-16752 379-17047 379-17068 380-17085 381-17186 382-17202 389-17553 392-17718 397-18019 398-18058 398-18070 405-18378 405-18409 405-18421 417-19010 417-19021 446-20587 446-20623 447-20642 478-22251 478-22267 514-24078 515-24141 521-24429 557-26316 557-26333
L$DTP	002040	G	#6-65
L$DTYP	002034	G	#6-65
L$DU	004674	G	6-65 #43-154
L$DUT	002072	G	#6-65
L$DVTY	002122	G	6-65 #6-80
L$EF	002052	G	#6-65
L$ENVI	002044	G	#6-65
L$ERRT	002152	G	6-65 #6-96
L$ETP	002102	G	#6-65
L$EXP1	002046	G	#6-65
L$EXP4	002064	G	#6-65
L$EXP5	002066	G	#6-65
L$HARD	002414	G	6-65 7-229 #7-229
L$HIME	002120	G	#6-65
L$HPCP	002016	G	#6-65
L$HPTP	002022	G	#6-65
L$HW	002360	G	6-65 6-119 #6-119
L$ICP	002104	G	#6-65
L$INIT	030714	G	6-65 #206-8101
L$LADP	002026	G	#6-65
L$LAST	= 113562	G	6-65 #561-26527
L$LOAD	002100	G	#6-65
L$LUN	002074	G	#6-65
L$MREV	002050	G	#6-65
L$NAME	002000	G	#6-65
L$PRIO	002042	G	#6-65
L$PROT	003444	G	6-65 #7-316
L$PRT	002112	G	#6-65
L$REPP	002062	G	#6-65
L$REV	002010	G	#6-65
L$RPT	004650	G	6-65 #41-52
L$SOFT	003122	G	6-65 7-277 #7-277
L$SPC	002056	G	#6-65
L$SPCP	002020	G	#6-65
L$SPTP	002024	G	#6-65
L$STA	002030	G	#6-65
L$SW	002400	G	6-65 6-150 #6-150
L$TEST	002114	G	#6-65
L$TIML	002014	G	#6-65
L$UNIT	002012	G	#6-65 203-7920 204-7942 204-7987
L10000	002376		6-119 #6-139
L10001	002412		6-150 #6-165
L10002	002510		7-229 #7-250
L10003	003160		7-277 #7-295

SYMBOL	VALUE	REFERENCES								
MB.DIS	= 005570	#95-2585	319-13914							
MEM.AR	= 013052	#98-2778								
ML.DUT	016032	#93-2509	103-3049	104-3120	169-6292	170-6317	173-6482	174-6507	178-6695	179-6723
		196-7586	199-7713	*205-8002	206-8078	209-8188	212-8348	216-8509	219-8661	219-8665
		219-8667	219-8683	219-8689	220-8702	220-8721	220-8726	220-8740	223-8898	229-9161
		234-9446	235-9468	240-9769	249-10227	250-10252	250-10272	253-10401	256-10556	261-10806
		263-10916	264-10963	268-11179	270-11289	271-11336	275-11576	277-11686	278-11733	282-11918
		289-12261	290-12330	291-12403	295-12587	299-12806	299-12813	299-12820	300-12884	301-12895
		301-12921	301-12928	302-12963	302-12967	302-12974	306-13181	307-13248	308-13298	315-13700
		317-13811	323-14114	328-14336	333-14606	340-14966	341-14997	347-15328	354-15688	354-15713
		359-15991	360-16022	366-16369	367-16422	373-16702	373-16728	379-17033	379-17059	381-17158
		381-17177	389-17539	392-17705	397-18006	398-18035	398-18047	404-18362	405-18390	405-18401
		410-18647	411-18663	416-18985	417-18998	422-19299	423-19564	423-19373	429-19668	434-19971
		435-20003	439-20247	440-20310	441-20329	445-20560	446-20599	446-20612	452-20897	452-20910
		458-21193	459-21260	462-21451	465-21571	468-21743	469-21785	472-21941	472-21952	477-22206
		483-22536	487-22762	493-23047	495-23149	501-23452	507-23753	513-24048	513-24057	515-24150
		520-24376	521-24457	526-24695	529-24857	535-25165	536-25208	537-25276	538-25320	538-25339
		541-25512	542-25533	546-25739	546-25757	550-25963	556-26278	557-26301		
ML.LUN	016030	#93-2508	196-7609	197-7632	199-7733	199-7750	*203-7935	*204-7941	204-7942	204-7945
		204-7981	*204-7985	*204-7986	204-7987	204-7990	206-8072	209-8223	213-8399	216-8541
		225-8989	230-9253	236-9573	243-9948	264-10995	272-11389	279-11786	292-12472	337-14819
		342-15082	356-15790	362-16124	369-16537	375-16815	400-18144	407-18501	412-18727	419-19120
		424-19437	432-19835	436-20060	441-20367	448-20721	479-22343	485-22612	489-22844	
ML.REG	015404	#89-2278	101-2947	101-2948	101-2949	101-2950	103-3048	103-3051	103-3052	103-3055
		103-3067	103-3068	104-3082	104-3083	104-3084	104-3119	104-3122	104-3123	115-3620
		115-3631	115-3634	115-3635	118-3749	118-3757	118-3758	120-3808	120-3809	120-3810
		120-3811	121-3859	121-3860	121-3861	121-3862	122-3909	122-3910	122-3911	122-3912
		135-4569	135 4571	135-4572	135-4574	137-4668	137-4670	137-4671	137-4674	137-4675
		138-4728	138-4730	138-4731	138-4733	140-4828	140-4830	140-4831	140-4834	140-4835
		141-4888	141-4890	141-4891	141-4893	143-4987	143-4989	143-4990	143-4993	143-4994
		144-5047	144-5049	144-5050	144-5052	146-5147	146-5149	146-5150	146-5153	146-5154
		147-5200	147-5206	147-5208	147-5209	147-5211	147-5212	149-5302	149-5308	149-5310
		149-5311	149-5314	149-5315	149-5320	150-5362	150-5368	150-5370	150-5371	150-5373
		150-5374	152-5464	152-5470	152-5472	152-5473	152-5476	152-5477	152-5482	153-5537
		*153-5538	153-5544	153-5546	153-5547	154-5553	*154-5554	154-5555	156-5649	*156-5650
		156-5656	156-5658	156-5659	156-5662	156-5663	*156-5668	156-5669	157-5724	157-5725
		157-5731	157-5733	158-5738	158-5740	158-5741	158-5742	158-5743	160-5837	160-5838
		160-5844	160-5846	160-5847	160-5850	160-5851	160-5856	160-5857	163-5990	166-6125
		167-6170	167-6176	167-6178	167-6179	167-6181	167-6182	169-6285	169-6286	169-6287
		169-6288	169-6291	169-6294	169-6295	169-6296	169-6302	169-6304	170-6309	170-6312
		170-6316	170-6319	170-6320	171-6362	171-6368	171-6370	171-6371	171-6373	171-6374
		173-6475	173-6476	173-6477	173-6478	173-6481	173-6484	173-6485	173-6486	173-6492
		173-6494	173-6495	174-6502	174-6506	174-6509	174-6510	175-6566	*175-6567	175-6573
		175-6575	175-6576	176-6582	*176-6583	176-6584	*178-6687	178-6688	178-6689	178-6690
		178-6691	178-6694	178-6697	178-6698	178-6699	178-6705	179-6711	179-6712	179-6715
		179-6716	*179-6721	179-6722	179-6725	179-6726	182-6869	182-6871	182-6872	182-6875
		182-6876	192-7387	192-7388	192-7394	192-7395	192-7401	192-7402	192-7408	192-7409
		193-7419	193-7420	193-7426	193-7427	193-7433	193-7434	193-7440	193-7441	193-7447
		193-7448	193-7454	193-7455	193-7461	193-7462	194-7472	194-7473	194-7480	194-7481
		194-7489	194-7490	194-7496	194-7497	196-7585	196-7588	196-7589	196-7590	196-7591
		196-7592	196-7593	196-7594	196-7595	196-7596	196-7598	196-7613	196-7615	196-7617
		199-7712	199-7715	199-7716	199-7717	199-7718	199-7719	199-7720	199-7721	199-7722

SYMBOL VALUE REFERENCES

199-7737 199-7739 *204-7963 206-8077 206-8080 206-8081 209-8187 209-8190 209-8191
209-8192 209-8193 209-8203 212-8347 212-8350 212-8351 212-8352 212-8362 213-8384
216-8508 216-8511 216-8512 216-8513 216-8523 219-8660 219-8663 219-8664 219-8665
219-8666 220-8706 220-8707 220-8708 220-8723 220-8724 220-8725 223-8897 223-8900
224-8905 225-8969 229-9160 229-9163 229-9164 230-9228 *234-9439 234-9445 234-9448
234-9449 234-9460 234-9461 234-9463 235-9470 235-9471 236-9531 *236-9551 236-9552
240-9768 240-9771 240-9772 243-9924 246-10050 246-10057 246-10060 246-10066 246-10076
249-10226 249-10229 249-10230 249-10231 249-10232 249-10233 250-10251 250-10254 250-10255
250-10256 250-10257 250-10271 250-10274 250-10275 250-10276 250-10277 252-10396 253-10403
253-10404 253-10407 253-10426 256-10555 256-10558 256-10559 256-10560 256-10570 256-10586
257-10606 261-10805 261-10808 261-10809 261-10812 261-10813 261-10828 262-10849 262-10866
262-10882 263-10911 263-10913 263-10915 263-10918 263-10919 263-10920 264-10960 264-10962
264-10965 264-10966 264-10967 268-11178 268-11181 268-11182 268-11185 268-11186 268-11201
269-11227 269-11239 269-11255 270-11284 270-11286 270-11288 270-11291 270-11292 270-11293
271-11333 271-11335 271-11338 271-11339 271-11340 271-11366 275-11575 275-11578 275-11579
275-11582 275-11583 276-11602 276-11619 276-11636 277-11656 277-11681 277-11683 277-11685
277-11688 277-11689 277-11690 278-11730 278-11732 278-11735 278-11736 278-11737 279-11767
282-11917 282-11920 282-11921 282-11922 282-11923 282-11933 283-11953 283-11971 283-11987
284-12008 284-12025 289-12260 289-12263 289-12264 289-12302 290-12329 290-12332 290-12333
291-12375 291-12402 291-12405 291-12406 291-12417 291-12418 292-12451 295-12586 295-12589
295-12590 295-12597 295-12598 299-12805 299-12808 299-12809 299-12810 299-12811 299-12812
300-12847 300-12864 300-12865 300-12883 301-12918 301-12919 301-12933 301-12934 302-12959
302-12960 302-12965 302-12966 306-13180 306-13183 306-13184 306-13185 306-13186 306-13187
306-13203 307-13224 307-13247 307-13250 307-13251 307-13252 307-13253 307-13254 308-13297
308-13300 308-13301 308-13302 308-13303 308-13304 315-13699 315-13702 315-13703 315-13704
315-13706 315-13707 316-13724 316-13725 316-13738 316-13754 317-13774 317-13810 317-13813
317-13814 318-13825 318-13829 318-13849 318-13851 319-13900 319-13901 319-13921 320-13948
323-14113 323-14116 323-14117 323-14120 323-14121 324-14127 324-14173 328-14335 328-14338
328-14339 328-14340 328-14347 328-14349 328-14351 328-14361 329-14380 333-14605 334-14612
334-14613 334-14615 334-14630 334-14640 340-14965 340-14968 340-14969 341-14975 341-14977
341-14978 341-14991 341-14992 341-14996 341-14999 341-15000 341-15001 341-15003 341-15013
341-15016 341-15026 347-15327 347-15330 347-15331 348-15381 348-15383 348-15384 348-15385
348-15386 354-15687 354-15690 354-15691 354-15692 354-15693 354-15694 354-15695 354-15697
354-15708 354-15712 354-15715 354-15716 354-15717 354-15719 355-15734 355-15744 355-15745
355-15746 359-15990 359-15993 359-15994 359-15995 359-15996 360-16001 360-16002 360-16003
360-16004 360-16005 360-16006 360-16017 360-16021 360-16024 360-16025 360-16026 360-16027
360-16028 360-16029 360-16030 360-16041 360-16042 360-16052 361-16057 361-16058 366-16368
366-16371 366-16372 366-16373 366-16374 366-16375 366-16376 367-16403 367-16404 367-16405
367-16406 367-16417 367-16421 367-16424 367-16425 367-16426 367-16427 367-16428 367-16429
367-16430 367-16442 367-16443 368-16457 368-16458 368-16459 373-16701 373-16704 373-16705
373-16708 373-16709 373-16710 373-16712 373-16723 373-16727 373-16730 373-16731 373-16733
373-16744 373-16745 374-16759 374-16760 374-16761 379-17032 379-17035 379-17036 379-17038
379-17039 379-17040 379-17041 379-17043 379-17054 379-17058 379-17061 379-17062 379-17063
379-17065 379-17077 380-17082 380-17092 380-17093 380-17094 381-17153 381-17154 381-17155
381-17157 381-17160 381-17161 381-17163 381-17165 381-17169 381-17176 381-17179 381-17180
381-17181 381-17183 382-17198 382-17199 382-17209 382-17210 382-17211 389-17538 389-17541
389-17542 389-17545 389-17546 389-17547 389-17549 389-17550 389-17560 390-17595 390-17603
390-17604 390-17609 390-17618 390-17619 390-17623 390-17631 390-17632 390-17637 391-17650
391-17651 391-17656 391-17657 391-17664 392-17704 392-17707 392-17708 392-17710 392-17711
392-17712 392-17714 392-17715 392-17725 392-17741 392-17754 393-17760 393-17762 393-17764
393-17766 393-17768 393-17774 393-17776 393-17782 393-17790 397-18005 397-18008 397-18009
397-18011 397-18012 397-18013 397-18015 397-18026 398-18034 398-18037 398-18038 398-18040

ML11 CREATED BY MACRO ON 30-MAR-82 AT 11:24 PAGE 11 SEQ 0560

SYMBOL CROSS REFERENCE CREF

SYMBOL VALUE REFERENCES

398-18042 398-18043 398-18046 398-18049 398-18050 398-18055 398-18066 398-18067 398-18077
398-18078 398-18079 404-18361 404-18364 404-18365 404-18366 404-18367 404-18368 404-18370
405-18385 405-18389 405-18392 405-18393 405-18394 405-18397 405-18398 405-18400 405-18403
405-18404 405-18406 405-18417 405-18418 405-18428 406-18433 406-18434 410-18646 410-18649
410-18650 410-18651 410-18654 410-18655 411-18662 411-18665 411-18666 411-18675 411-18676
416-18984 416-18987 416-18988 416-18990 416-18991 416-18993 417-19000 417-19001 417-19007
417-19017 417-19018 417-19028 417-19029 417-19030 422-19298 422-19301 422-19302 423-19352
423-19353 423-19363 423-19366 423-19367 423-19369 423-19370 423-19372 423-19375 423-19376
429-19667 429-19670 429-19671 429-19684 429-19685 434-19970 434-19973 434-19974 435-19991
435-19992 435-20002 435-20005 435-20006 435-20008 435-20009 439-20246 439-20249 439-20250
439-20251 439-20252 439-20254 439-20255 439-20256 439-20257 439-20258 439-20259 439-20261
440-20267 440-20268 440-20269 440-20270 440-20271 440-20272 440-20274 440-20309 440-20312
440-20313 440-20314 440-20315 440-20317 440-20318 441-20323 441-20324 441-20325 441-20326
441-20328 441-20331 441-20332 441-20333 441-20335 441-20338 441-20339 441-20342 441-20343
441-20344 441-20345 441-20347 441-20361 445-20559 445-20562 445-20563 445-20575 445-20576
446-20581 446-20583 446-20594 446-20598 446-20601 446-20602 446-20606 446-20608 446-20609
446-20611 446-20614 446-20615 446-20620 447-20638 447-20639 447-20649 447-20650 447-20651
452-20896 452-20899 452-20900 452-20901 452-20904 452-20905 452-20909 452-20912 452-20913
452-20923 452-20924 452-20926 453-20935 453-20936 454-20994 458-21192 458-21195 458-21196
458-21197 458-21198 458-21199 458-21200 458-21201 458-21202 458-21204 459-21230 459-21259
459-21262 459-21263 459-21264 459-21266 459-21267 459-21271 460-21294 460-21296 460-21297
463-21450 463-21453 463-21454 463-21455 463-21456 463-21457 463-21458 463-21459 465-21570
465-21573 465-21574 465-21575 465-21576 465-21577 466-21582 466-21583 466-21585 468-21742
468-21745 469-21750 469-21751 469-21756 469-21757 469-21759 469-21775 469-21784 469-21787
469-21788 469-21789 469-21791 469-21792 469-21794 470-21818 470-21819 472-21940 472-21943
472-21944 472-21945 472-21948 472-21949 472-21951 472-21954 472-21955 472-21956 472-21958
472-21959 472-21961 477-22205 477-22208 477-22209 477-22210 477-22221 477-22222 477-22225
477-22226 477-22229 477-22230 477-22235 477-22238 477-22239 477-22241 477-22243 478-22263
478-22264 478-22274 478-22275 478-22276 483-22535 483-22538 483-22539 483-22541 483-22542
487-22761 488-22768 488-22769 488-22792 488-22793 493-23036 493-23039 493-23040 493-23046
493-23049 493-23050 494-23067 494-23068 494-23069 495-23148 495-23151 495-23152 496-23169
496-23170 496-23171 501-23419 501-23422 501-23423 501-23451 502-23458 502-23459 502-23471
502-23472 502-23473 502-23475 502-23477 507-23720 507-23723 507-23724 507-23752 507-23755
508-23760 508-23771 508-23773 508-23774 508-23776 508-23777 508-23778 508-23780 508-23782
513-24047 513-24050 513-24051 513-24053 513-24054 513-24056 513-24059 513-24060 514-24067
514-24068 514-24069 514-24075 514-24090 514-24105 515-24135 515-24136 515-24137 515-24138
515-24149 515-24152 515-24153 515-24155 515-24156 515-24157 520-24375 520-24378 520-24379
520-24388 520-24389 521-24422 521-24423 521-24424 521-24426 521-24441 521-24452 521-24456
521-24459 521-24460 521-24462 521-24463 521-24464 526-24694 526-24697 526-24698 526-24713
527-24718 527-24730 527-24733 527-24734 527-24736 527-24737 527-24738 527-24742 527-24749
527-24756 527-24763 528-24774 528-24785 528-24819 529-24856 529-24859 529-24860 529-24861
529-24876 535-25164 535-25167 535-25168 535-25174 535-25175 535-25176 535-25177 535-25178
535-25180 536-25207 536-25210 536-25211 536-25224 536-25227 536-25229 536-25230 536-25231
536-25232 536-25234 537-25275 537-25278 537-25279 537-25285 537-25286 537-25287 537-25288
537-25289 537-25293 537-25309 538-25319 538-25322 538-25323 538-25327 538-25331 538-25332
538-25333 538-25334 538-25338 538-25341 538-25342 538-25343 541-25511 541-25514 541-25515
541-25516 541-25517 541-25518 541-25519 541-25520 541-25523 541-25524 541-25528 542-25535
542-25536 542-25540 542-25543 542-25545 542-25546 542-25550 542-25568 546-25738 546-25741
546-25742 546-25748 546-25751 546-25752 546-25756 546-25759 546-25760 546-25768 546-25769
546-25771 546-25772 546-25775 546-25776 546-25778 546-25779 546-25783 547-25811 550-25962
550-25965 550-25966 550-25967 550-25968 550-25969 550-25970 550-25971 550-25972 550-25974
556-26277 556-26280 556-26281 557-26300 557-26303 557-26304 557-26305 557-26312 557-26329

SYMBOL		VALUE		REFERENCES								
				557-26340	558-26368	558-26370	560-26478					
MSGH1		002510		7-242	#7-259							
MSGH2		002556		7-243	#7-260							
MSGH3		002624		7-244	#7-261							
MSGH4		002670		7-245	#7-262							
MSGH5		002736		7-246	#7-263							
MSGH6		003004		7-247	#7-264							
MSGH7		003052		7-248	#7-265							
MSGS1		003160		7-288	#7-304							
MSGS2		003224		7-289	#7-305							
MSGS3		003270		7-290	#7-306							
MSGS4		003334		7-291	#7-307							
MSGS5		003400		7-292	#7-308							
M$DUMP		026312		191-7313	#192-7374							
NIB.SA		013374		#88-2232	98-2785	98-2786	98-2787	99-2822	99-2828	99-2834	99-2840	99-2846
				99-2852	100-2866	100-2872	100-2882	100-2891	125-4066	125-4073	125-4084	126-4096
				126-4108	126-4115	126-4126	126-4134	126-4146	127-4158	130-4296	130-4299	130-4307
				130-4309	130-4311	130-4318	130-4324	130-4326	130-4332	130-4336	*133-4460	*133-4467
				*133-4471	*134-4483	*134-4484	*134-4487	*134-4494	*134-4498	*134-4506	*134-4507	*134-4511
				*134-4519	*134-4520	479-22316						
NIN.FM	=	010410		#95-2627								
NO.INI	=	005470		#95-2584	320-13960							
ONEFIL	=	000001		#2-4	4-1152	5-1153	6-34	6-167	7-193	7-364		
ONEPAS		002406	G	#6-163	93-2512	204-7977						
ONE.FM	=	010240		#95-2619	192-7379	196-7605	196-7624	199-7729	199-7746	216-8530	315-13694	316-13718
				317-13816	318-13838	318-13844	318-13858	319-13915	320-13961	556-26273	557-26307	557-26324
				557-26347	558-26385	558-26397						
OP.NUM		014002		#88-2238	*205-8006	205-8025	205-8031	205-8045	206-8057	253-10405	253-10433	308-13289
				389-17535	391-17696							
O$APTS	=	000001		#6-13	#6-46	6-65						
O$AU	=	000001		#6-13	#6-46	6-65						
O$BGNR	=	000001		#6-13	#6-46	6-65						
O$BGNS	=	000001		#6-13	#6-46	6-65						
O$DU	=	000001		#6-13	#6-46	6-65						
O$ERRT	=	000001		#6-13	#6-46	6-65						
O$GNSW	=	000001		#6-13	#6-46	6-65						
O$POIN	=	000001		#6-13	#6-46	6-46	6-65					
O$SETU	=	000001		#6-13	#6-46	6-65						
PAR.DI		014010		#89-2247	*205-8000	249-10222	468-21730					
PD.TEM		015342		#89-2256	*103-3067	104-3092	*360-16041	361-16064	*367-16442	368-16466	*373-16744	374-16767
				*379-17077	380-17100	*382-17198	382-17217	*389-17560	389-17567	*392-17725	392-17731	*398-18066
				399-18089	*405-18417	406-18440	*417-19017	417-19040	*447-20638	447-20657	478-22262	*478-22263
				514-24089	*514-24090	521-24440	*521-24441					
PHR.1	=	011610		#97-2713	261-10822	262-10841	264-10952	268-11195	269-11214	271-11325	275-11592	276-11611
				278-11722	283-11980	295-12606	300-12838	300-12855	307-13233	308-13316	324-14161	329-14373
				329-14388	349-15456	350-15480	350-15500	454-21003	460-21320	463-21471	466-21593	494-23085
				496-23187								
PHR.10	=	012006		#97-2722	369-16531	391-17681	440-20301					
PHR.11	=	012020		#97-2723	528-24812	535-25186						
PHR.12	=	012036		#97-2724	516-24177							
PHR.13	=	012060		#97-2725	522-24484							
PHR.14	=	012104		#97-2726	192-7378							

SYMBOL	VALUE		REFERENCES								
PHR.15	= 012136		#97-2727	246-10077	246-10087						
PHR.2	= 011626		#97-2714	256-10579	262-10858	263-10934	264-10981	269-11231	270-11307	271-11354	276-11628
			277-11704	278-11751	300-12874	301-12910	302-12947	306-13196	316-13747	324-14139	460-21306
PHR.3	= 011644		#97-2715	216-8529							
PHR.4	= 011676		#97-2716	209-8209	219-8678	224-8954	230-9217	236-9524	236-9558	289-12291	290-12360
			292-12444	342-15049	355-15780	375-16809	380-17133	399-18134	400-18160	430-19717	430-19752
			431-19794	435-20025	536-25246	551-25987					
PHR.5	= 011714		#97-2717	212-8374	257-10599	257-10615	262-10855	262-10875	263-10895	269-11228	269-11248
			270-11268	272-11279	276-11645	277-11665	279-11776	283-11947	283-11959	283-11962	284-12001
			284-12018	306-13213	307-13266	316-13763	317-13783	325-14189	349-15412	349-15432	458-21214
			495-23115	547-25804							
PHR.6	= 011726		#97-2718	262-10838	269-11211	276-11608	276-11625	283-11977	302-12990		
PHR.7	= 011740		#97-2719	302-12986							
PHR.8	= 011762		#97-2720	453-20955							
PHR.9	= 011774		#97-2721	453-20980							
PNT	= 001000	G	#94-2566								
PRI	= 002000	G	#94-2567								
PRI00	= 000000	G	#94-2558								
PRI01	= 000040	G	#94-2557								
PRI02	= 000100	G	#94-2556								
PRI03	= 000140	G	#94-2555								
PRI04	= 000200	G	#94-2554								
PRI05	= 000240	G	#94-2553								
PRI06	= 000300	G	#94-2552								
PRI07	= 000340	G	#94-2551								
PRSN	002400	G	#6-160	93-2512	245-10044						
PTBL.P	014000		#88-2236	*204-7947	204-7948	204-7950	204-7951	204-7953	*204-7992	205-7997	205-7999
			205-8001	205-8003	205-8016	206-8066					
PUP.BB	= 006060		#95-2589	557-26323							
PWR.OF	= 005112		#94-2575	317-13815	557-26306						
PWR.ON	= 005202		#94-2576	318-13843							
P.AAA	004716		#66-960	94-2573							
P.AAB	005012		#66-980	94-2574							
P.AAC	005112		#66-1002	94-2575							
P.AAD	005202		#67-1025	94-2576							
P.AAE	005272		#67-1044	94-2577							
P.AAF	005340		#67-1057	94-2578							
P.AAG	005414		#68-1076	95-2583							
P.AAH	005470		#68-1091	95-2584							
P.AAI	005570		#68-1113	95-2585							
P.AAJ	005652		#69-1134	95-2586							
P.AAK	005722		#69-1148	95-2587							
P.AAL	005764		#69-1160	95-2588							
P.AAM	006060		#70-1184	95-2589							
P.AAN	006150		#70-1203	95-2590							
P.AAO	006242		#70-1223	95-2591							
P.AAP	006334		#71-1247	95-2592							
P.AAQ	006442		#71-1271	95-2593							
P.AAR	006506		#71-1283	95-2594							
P.AAS	006574		#72-1305	95-2595							
P.AAT	006620		#72-1312	95-2596							
P.AAU	006650		#72-1320	95-2597							

SYMBOL	VALUE	REFERENCES	
P.AAV	006752	#72-1342	95-2598
P.AAW	007002	#73-1354	95-2599
P.AAX	007030	#73-1362	95-2600
P.AAY	007064	#73-1372	95-2601
P.AAZ	007116	#73-1381	95-2602
P.ABA	007170	#73-1395	95-2603
P.ABB	007224	#74-1409	95-2604
P.ABC	007254	#74-1417	95-2605
P.ABD	007330	#74-1432	95-2606
P.ABE	007370	#74-1443	95-2607
P.ABF	007436	#74-1456	95-2608
P.ABG	007526	#75-1479	95-2609
P.ABH	007562	#75-1489	95-2610
P.ABI	007632	#75-1503	95-2611
P.ABJ	007702	#76-1521	95-2612
P.ABK	007754	#76-1535	95-2613
P.ABL	010026	#76-1549	95-2614
P.ABM	010072	#76-1561	95-2615
P.ABN	010142	#77-1579	95-2616
P.ABO	010166	#77-1586	95-2617
P.ABP	010206	#77-1592	95-2618
P.ABQ	010240	#77-1601	95-2619
P.ABR	010246	#77-1603	95-2620
P.ABS	010256	#77-1606	95-2621
P.ABT	010270	#77-1610	95-2622
P.ABU	010304	#77-1614	95-2623
P.ABV	010322	#77-1619	95-2624
P.ABW	010342	#77-1625	95-2625
P.ABX	010364	#78-1635	95-2626
P.ABY	010410	#78-1642	95-2627
P.ABZ	010436	#78-1650	95-2628
P.ACA	010466	#78-1658	95-2629
P.ACB	010520	#78-1667	95-2630
P.ACC	010524	#78-1669	95-2631
P.ACD	010536	#78-1673	95-2632
P.ACE	010544	#78-1675	95-2633
P.ACF	010552	#78-1677	95-2634
P.ACG	010560	#78-1679	96-2639
P.ACH	010566	#78-1681	96-2640
P.ACI	010602	#79-1689	96-2641
P.ACJ	010616	#79-1693	96-2642
P.ACK	010630	#79-1697	96-2643
P.ACL	010640	#79-1700	96-2644
P.ACM	010650	#79-1703	96-2645
P.ACN	010660	#79-1706	96-2646
P.ACO	010664	#79-1708	96-2647
P.ACP	010676	#79-1712	96-2648
P.ACQ	010704	#79-1714	96-2649
P.ACR	010712	#79-1716	96-2650
P.ACS	010724	#79-1720	96-2651
P.ACT	010730	#79-1722	96-2652
P.ACU	010736	#79-1724	96-2653

SYMBOL CROSS REFERENCE

SYMBOL	VALUE	REFERENCES	
P.ACV	010744	#79-1726	96-2654
P.ACW	010752	#79-1728	96-2655
P.ACX	010766	#79-1732	96-2656
P.ACY	010774	#79-1734	96-2657
P.ACZ	011002	#79-1736	96-2658
P.ADA	011016	#80-1744	96-2659
P.ADB	011024	#80-1746	96-2660
P.ADC	011032	#80-1748	96-2661
P.ADD	011046	#80-1752	96-2662
P.ADE	011054	#80-1754	96-2663
P.ADF	011070	#80-1758	96-2664
P.ADG	011076	#80-1760	96-2665
P.ADH	011102	#80-1762	96-2666
P.ADI	011110	#80-1764	96-2667
P.ADJ	011116	#80-1766	96-2668
P.ADK	011122	#80-1768	96-2669
P.ADL	011132	#80-1771	96-2670
P.ADM	011140	#80-1773	96-2671
P.ADN	011150	#80-1776	96-2672
P.ADO	011154	#80-1778	96-2673
P.ADP	011170	#80-1782	96-2674
P.ADQ	011176	#80-1784	96-2675
P.ADR	011206	#80-1787	96-2676
P.ADS	011214	#80-1789	96-2677
P.ADT	011226	#80-1793	96-2678
P.ADU	011240	#81-1801	96-2679
P.ADV	011250	#81-1804	96-2680
P.ADW	011260	#81-1807	96-2681
P.ADX	011270	#81-1810	96-2682
P.ADY	011276	#81-1812	96-2683
P.ADZ	011310	#81-1816	96-2684
P.AEA	011316	#81-1818	96-2685
P.AEB	011326	#81-1821	96-2686
P.AEC	011336	#81-1824	96-2687
P.AED	011344	#81-1826	96-2688
P.AEE	011352	#81-1828	96-2689
P.AEF	011362	#81-1831	96-2690
P.AEG	011374	#81-1835	97-2695
P.AEH	011400	#81-1837	97-2696
P.AEI	011416	#81-1842	97-2697
P.AEJ	011432	#81-1846	97-2698
P.AEK	011440	#81-1848	97-2699
P.AEL	011446	#81-1850	97-2700
P.AEM	011454	#82-1856	97-2701
P.AEN	011462	#82-1858	97-2702
P.AEO	011470	#82-1860	97-2703
P.AEP	011474	#82-1862	97-2704
P.AEQ	011502	#82-1864	97-2705
P.AER	011514	#82-1868	97-2706
P.AES	011524	#82-1871	97-2707
P.AET	011532	#82-1873	97-2708
P.AEU	011540	#82-1875	97-2709

SYMBOL	VALUE	REFERENCES	
P.AEV	011552	#82-1879	97-2710
P.AEW	011562	#82-1882	97-2711
P.AEX	011570	#82-1884	97-2712
P.AEY	011610	#82-1890	97-2713
P.AEZ	011626	#82-1895	97-2714
P.AFA	011644	#82-1900	97-2715
P.AFB	011676	#83-1913	97-2716
P.AFC	011714	#83-1918	97-2717
P.AFD	011726	#83-1922	97-2718
P.AFE	011740	#83-1926	97-2719
P.AFF	011762	#83-1932	97-2720
P.AFG	011774	#83-1936	97-2721
P.AFH	012006	#83-1940	97-2722
P.AFI	012020	#83-1944	97-2723
P.AFJ	012036	#83-1949	97-2724
P.AFK	012060	#83-1955	97-2725
P.AFL	012104	#83-1962	97-2726
P.AFM	012136	#84-1975	97-2727
P.AFN	012150	#84-1979	97-2728
P.AFO	012164	#84-1983	97-2729
P.AFP	012172	#84-1985	97-2730
P.AFQ	012200	#84-1987	97-2731
P.AFR	012216	#84-1992	97-2732
P.AFS	012226	#84-1995	97-2733
P.AFT	012234	#84-1997	97-2734
P.AFU	012244	#84-2000	97-2735
P.AFV	012260	#84-2004	97-2736
P.AFW	012272	#84-2008	97-2737
P.AFX	012302	#84-2011	97-2738
P.AFY	012322	#84-2017	97-2739
P.AFZ	012334	#85-2025	97-2740
P.AGA	012344	#85-2028	97-2741
P.AGB	012360	#85-2032	97-2742
P.AGC	012372	#85-2036	97-2743
P.AGD	012404	#85-2040	97-2744
P.AGE	012414	#85-2043	97-2745
P.AGF	012426	#85-2047	97-2746
P.AGG	012440	#85-2051	98-2751
P.AGH	012452	#85-2055	98-2752
P.AGI	012464	#85-2059	98-2753
P.AGJ	012500	#85-2063	98-2754
P.AGK	012510	#85-2066	98-2755
P.AGL	012516	#85-2068	98-2756
P.AGM	012524	#85-2070	98-2757
P.AGN	012532	#85-2072	98-2758
P.AGO	012540	#85-2074	98-2759
P.AGP	012546	#86-2080	98-2760
P.AGQ	012554	#86-2082	98-2761
P.AGR	012562	#86-2084	98-2762
P.AGS	012570	#86-2086	98-2763
P.AGT	012576	#86-2088	98-2764
P.AGU	012604	#86-2090	98-2765

SYMBOL	VALUE	REFERENCES								
P.AGV	012612	#86-2092	98-2766							
P.AGW	012620	#86-2094	98-2767							
P.AGX	012626	#86-2096	98-2768							
P.AGY	012634	#86-2098	98-2769							
P.AGZ	012642	#86-2100	98-2770							
P.AHA	012652	#86-2103	98-2771							
P.AHB	012660	#86-2105	98-2772							
P.AHC	012666	#86-2107	98-2773							
P.AHD	012676	#86-2110	98-2774							
P.AHE	012706	#86-2113	98-2775							
P.AHF	012750	#86-2125	98-2776							
P.AHG	013012	#87-2141	98-2777							
P.AHH	013052	#87-2152	98-2778							
P.AHI	013114	#87-2164	98-2779							
P.AHJ	013154	#87-2175	98-2780							
P.AHK	013214	#87-2186	98-2781							
P.AHL	013250	#88-2200	98-2782							
P.AHM	013302	#88-2209	98-2783							
P.AHN	013330	#88-2217	98-2784							
P.CAL	015366	#89-2270	108-3277	*108-3278	*108-3279	111-3406	*483-22549	484-22581	*488-22800	489-22827
P.CNT	015376	#89-2274	*212-8336	*212-8364	212-8365	*223-8891	*224-8918	224-8919	*229-9153	*229-9177
		229-9178	*234-9438	*235-9479	235-9480	*240-9766	*242-9885	242-9886	*288-12252	*289-12277
		289-12278	*290-12346	290-12347	*292-12431	292-12432	*307-13241	*307-13256	307-13257	*308-13288
		*308-13306	308-13307	*323-14105	*324-14129	324-14130	*324-14151	324-14152	*324-14175	324-14176
		*333-14604	*335-14692	335-14693	*340-14964	*342-15042	342-15043	*347-15323	*348-15397	348-15398
		*349-15421	349-15422	*349-15445	349-15446	*350-15469	350-15470	*350-15489	350-15490	*404-18355
		*406-18457	406-18458	*410-18641	*411-18684	411-18685	*415-18934	*418-19069	418-19070	*422-19297
		*424-19401	424-19402	*429-19665	*430-19707	430-19708	*430-19742	430-19743	*431-19784	431-19785
		*445-20557	*447-20674	447-20675	*452-20895	*453-20945	453-20946	*453-20970	453-20971	*458-21184
		*458-21206	458-21207	*459-21232	459-21233	*463-21446	*463-21461	463-21462	*477-22200	*478-22294
		478-22295	*483-22507	*484-22558	484-22559	*493-23035	*494-23076	494-23077	*494-23104	494-23105
		*496-23180	496-23181	*496-23209	496-23210	*501-23418	*502-23479	502-23480	*502-23508	502-23509
		*507-23719	*508-23784	508-23785	*509-23817	509-23818	*513-24037	*515-24164	515-24165	*520-24371
		*522-24475	522-24476	*535-25162	*536-25237	536-25238	*538-25346	538-25347	*550-25957	*550-25976
		551-25981								
P.GEN	015374	#89-2273	111-3378	111-3406	*483-22546	484-22574	*488-22797	488-22816		
RAS.IN	015346	#89-2259	*205-8021	*205-8041	369-16509	439-20243	439-20253			
RD.CS1	021762	#137-4661	189-7216	242-9847						
RD.DA	022316	#143-4980	189-7226	242-9861						
RD.DAT	015352	#89-2261	*137-4676	137-4677	*140-4836	140-4837	*143-4995	143-4996	*146-5155	146-5156
		*149-5316	149-5317	*152-5478	152-5479	*156-5664	156-5665	*160-5852	160-5853	*163-5990
		163-5991	*166-6125	166-6126	*170-6312	170-6313	*174-6502	174-6503	*179-6717	179-6718
		*182-6877	182-6878	225-8963	230-9222	236-9529	243-9918	289-12296	290-12365	292-12449
		319-13919								
RD.DS	025216	#182-6862	190-7270							
RD.D1	024104	#169-6283	190-7275							
RD.D2	024416	#173-6473	190-7280							
RD.D3	024744	#178-6685	190-7285							
RD.EE	023760	#166-6123	189-7256							
RD.EL	023716	#163-5988	189-7261							
RD.ER	022140	#140-4821	189-7221	242-9854						
RD.E1	023074	#152-5462	189-7236	242-9875						

SYMBOL		VALUE		REFERENCES								
RD.E2		023314		#156-5647	189-7241	242-9882						
RD.MR		022474		#146-5140	189-7231							
RD.PA		022666		#149-5300	189-7246	242-9868						
RD.PD		023556		#160-5835	189-7251							
RD.REG		025712		#188-7189	224-8915	229-9174	235-9476	289-12274	290-12343	292-12428	319-13907	
REGDMP		002404	G	#6-162	93-2512	192-7375						
REG.IN		015360		#89-2266	169-6289	173-6479	178-6692	*291-12397	*291-12419	*292-12469		
REG.1	=	012500		#98-2754	192-7389							
REG.10	=	012570		#98-2763								
REG.11	=	012576		#98-2764								
REG.12	=	012604		#98-2765								
REG.13	=	012612		#98-2766								
REG.14	=	012620		#98-2767	194-7474	528-24814	529-24870					
REG.15	=	012626		#98-2768	194-7482	535-25188	536-25247	538-25357				
REG.16	=	012634		#98-2769								
REG.17	=	012642		#98-2770	193-7421	209-8211						
REG.18	=	012652		#98-2771	192-7396							
REG.19	=	012660		#98-2772	192-7403							
REG.2	=	012510		#98-2755	193-7428	300-12857						
REG.20	=	012666		#98-2773	194-7491							
REG.21	=	012676		#98-2774	194-7498							
REG.3	=	012516		#98-2756	193-7435	284-12031						
REG.4	=	012524		#98-2757	193-7449							
REG.5	=	012532		#98-2758	193-7442	301-12940	302-12987					
REG.6	=	012540		#98-2759	193-7414	219-8673	459-21241	460-21283	460-21303			
REG.7	=	012546		#98-2760	193-7456	236-9559						
REG.8	=	012554		#98-2761								
REG.9	=	012562		#98-2762	193-7463							
REM.TB		015664		#92-2448	108-3275	108-3281	108-3287	115-3622	115-3626	115-3632		
RE2		004640		39-1349	#39-1379							
RE3		004636		39-1357	#39-1378							
RE4		004634		39-1366	#39-1377							
RH.ADD		016022		#93-2505	*204-7950	204-7961						
RH.ERR	=	013302		#98-2783	209-8207	212-8369						
RH.TYP		016024		#93-2506	*204-7952							
RH.VEC		016026		#93-2507	*204-7954							
SC.SET	=	013214		#98-2781								
SEV.FM	=	010342		#95-2625	391-17683	399-18136	411-18698					
SFPTBL		002400	G	#6-150								
SIX.FM	=	010322		#95-2624	219-8679	224-8955	230-9218	272-11382	279-11779	284-12037	289-12292	290-12361
				302-12992	335-14705	337-14784	349-15414	349-15434	349-15458	350-15482	350-15502	400-18161
				418-19084	424-19414	430-19720	430-19755	431-19797	473-21977			
STACK		015034		#89-2255	*100-2885	*100-2886	*100-2898	*100-2899	107-3235	111-3377	429-19701	430-19726
				430-19739	431-19769	431-19782	431-19803					
STK.OF		015022		#89-2254	98-2798	*103-3044	104-3103	*104-3107				
STRIPP		016444		#103-3038	107-3228	429-19689						
SVCGBL	=	177777		#6-13	#6-22	6-65	6-65	6-65	6-65	6-65	6-65	6-65
				6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65
				6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65
				6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65
				6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65
				6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65	6-65

SYMBOL	VALUE	REFERENCES
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-80
		6-80 6-80 6-87 6-87 6-87 6-96 6-96 6-96 6-103
		6-103 6-103 6-119 6-119 6-119 6-119 6-119 6-119 6-150
		6-150 6-150 6-150 6-150 6-150 7-229 7-229 7-229 7-277
		7-277 7-277 7-316 7-316 7-316
SVCINS	= 177777	#6-13 #6-19 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65 6-65
		6-65 6-65 6-65 6-65 6-80 6-80 6-87 6-87 6-103
		6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103
		6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103
		6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103
		6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103
		6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-103
		6-103 6-103 6-103 6-103 6-103 6-103 6-103 6-119 6-150
		7-229 7-242 7-242 7-242 7-242 7-243 7-243 7-243 7-243
		7-243 7-244 7-244 7-244 7-244 7-244 7-245 7-245 7-245
		7-245 7-245 7-246 7-246 7-246 7-247 7-247 7-247 7-247
		7-247 7-248 7-248 7-248 7-250 7-277 7-288 7-288 7-288
		7-289 7-289 7-289 7-290 7-290 7-290 7-291 7-291 7-291
		7-292 7-292 7-292 7-295
SVCSUB	= 177777	#6-13 #6-21
SVCTAG	= 177777	#6-13 #6-23 6-139 6-139 6-139 6-165 6-165 6-165 7-250
		7-250 7-250 7-295 7-295 7-295
SVCTST	= 177777	#6-13 #6-20
SYNC	= 012750	#98-2776 224-8938 229-9197 235-9505 263-10929 264-10976 270-11302 271-11349 277-11699
		278-11746 329-14384 399-18127 406-18464 411-18689 430-19712 430-19747 431-19789 435-20023
		453-20950 453-20975 454-20998 466-21589 469-21763 469-21798 479-22305 484-22565 488-22807
		494-23083 495-23113 496-23185 496-23214 502-23486 503-23517 508-23791 509-23822 515-24169
		522-24480 528-24810 529-24865 535-25184 538-25353 542-25557 547-25796
S$LSYM	= 010000	#6-13 #6-139 #6-165 #7-250 #7-295
TEN.FM	= 010436	#95-2628
THR.FM	= 010256	#95-2621 209-8212 220-8735 243-9914 250-10246 250-10266 250-10286 361-16103 369-16533
		381-17138 383-17255 440-20303 447-20686 458-21216 459-21242 460-21284 468-21735 484-22570
		488-22812 494-23088 496-23190 516-24178 522-24485 528-24815 535-25189 538-25358 547-25806
TIME.O	= 013330	#98-2784
TRBLE.	= 013250	#98-2782 472-21965
TST.LN	020376	#125-4047 355-15752 361-16078 368-16480 374-16781 380-17114 382-17231 418-19066 447-20671
		478-22291
TWO.FM	= 010246	#95-2620 236-9560 251-10302 253-10422 316-13733 381-17144 536-25248 551-25989
T$ARGC	= 000002	#6-65 6-65 #6-65 6-65 6-65 #6-65 6-65 6-65 #6-65
		6-65 6-65 #6-65 6-65 6-65 #6-65 6-65 6-65
T$CODE	= 004130	#7-242 7-242 #7-242 7-242 #7-242 7-242 #7-243 7-243 #7-243

SYMBOL	VALUE		REFERENCES								
			7-243	#7-243	7-243	#7-244	7-244	#7-244	7-244	#7-244	7-244
			#7-245	7-245	#7-245	7-245	#7-245	7-245	#7-246	7-246	#7-246
			7-246	#7-246	7-246	#7-247	7-247	#7-247	7-247	#7-247	7-247
			#7-248	7-248	#7-248	7-248	#7-248	7-248	#7-288	7-288	#7-288
			7-288	#7-288	7-288	#7-289	7-289	#7-289	7-289	#7-289	7-289
			#7-290	7-290	#7-290	7-290	#7-290	7-290	#7-291	7-291	#7-291
			7-291	#7-291	7-291	#7-292	7-292	#7-292	7-292	#7-292	7-292
T$ERRN	= 000000		#6-13								
T$EXCP	= 000000		#7-242	7-242	#7-243	7-243	#7-244	7-244	#7-245	7-245	#7-247
			7-247								
T$FREE	113562	G	561-26522	561-26523	#561-26524						
T$GMAN	= 000000		#6-13								
T$HILI	= 000007		#7-242	7-242	#7-243	7-243	#7-244	7-244	#7-245	7-245	#7-247
			7-247								
T$LAST	= 000000		#6-13								
T$LOLI	= 000000		#7-242	7-242	#7-243	7-243	#7-244	7-244	#7-245	7-245	#7-247
			7-247								
T$LSYM	= 010000		#6-13	6-13	6-139	6-165	7-250	7-295			
T$NEST	= 177777		#6-13	6-39	#6-39	6-39	6-119	#6-119	6-119	6-139	6-139
			6-139	#6-139	6-150	#6-150	6-150	6-165	6-165	6-165	#6-165
			7-229	#7-229	7-229	7-250	7-250	7-250	#7-250	7-277	#7-277
			7-277	7-295	7-295	7-295	#7-295	7-316	#7-316	7-316	7-322
			7-322	7-322	#7-322	7-348	7-348	7-348	#7-348		
T$NS0	= 000000		#6-39	7-348							
T$NS1	= 000021		#6-119	6-139	#6-150	6-165	#7-229	7-250	#7-277	7-295	#7-316
			7-322								
T$PTHV	= 000000	G	6-65	#561-26528							
T$PTNU	= 000000		#6-13								
T$SAVL	= 177777		#6-13								
T$SEGL	= 177777		#6-13								
T$SUBN	= 000000		#6-13								
T$TAGL	= 177777		#6-13								
T$TAGN	= 010005		#6-13	6-119	6-119	#6-119	6-150	6-150	#6-150	7-229	7-229
			#7-229	7-277	7-277	#7-277	7-316	7-316	#7-316		
T$TEMP	= 000000		#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103
			#6-103	6-103	6-103	#6-103	6-103	6-103	#6-103	6-103	6-103

SYMBOL VALUE REFERENCES

#6-103 6-103 6-103 #6-103 6-103 6-103 #6-103 6-103 6-103
#6-103 6-103 6-103 #6-103 6-103 6-103 #6-103 6-103 6-103
#6-103 6-103 6-103 #6-103 #6-139 6-139 #6-165 6-165 #7-242
7-242 #7-242 7-242 #7-242 7-242 #7-243 7-243 #7-243 7-243
#7-243 7-243 #7-244 7-244 #7-244 7-244 #7-244 7-244 #7-245
7-245 #7-245 7-245 #7-245 7-245 #7-246 7-246 #7-246 7-246
#7-246 7-246 #7-247 7-247 #7-247 7-247 #7-247 7-247 #7-248
7-248 #7-248 7-248 #7-248 7-248 #7-250 7-250 #7-288 7-288
#7-288 7-288 #7-288 7-288 #7-289 7-289 #7-289 7-289 #7-289
7-289 #7-290 7-290 #7-290 7-290 #7-290 7-290 #7-291 7-291
#7-291 7-291 #7-291 7-291 #7-292 7-292 #7-292 7-292 #7-292
7-292 #7-295 7-295 #7-322 7-322 #7-348 7-348

T$TEST = 000000 #6-13
T$TSTM = 177777 #6-13
T$TSTS = 000000 #6-13
T$$HAR = 010002 #7-229 7-229 7-250
T$$HW = 010000 #6-119 6-119 6-139
T$$PRO = 010004 #7-316
T$$SOF = 010003 #7-277 7-277 7-295
T$$SW = 010001 #6-150 6-150 6-165
T.21 = 004716 #94-2573 315-13693
T.61 = 005012 #94-2574 556-26272
T1 031134 G 6-103 #210-8249
T10 036266 G 6-103 #251-10325
T11 036510 G 6-103 #254-10464
T12 037066 G 6-103 #257-10645
T13 040230 G 6-103 #265-11021
T14 041462 G 6-103 #272-11411
T15 042714 G 6-103 #279-11808
T16 043556 G 6-103 #285-12070
T17 045044 G 6-103 #293-12498
T18 045260 G 6-103 #296-12647
T19 046430 G 6-103 #303-13033
T2 031460 G 6-103 #213-8421
T20 047430 G 6-103 #309-13356
T21 051176 G 6-103 #321-13995
T22 051724 G 6-103 #325-14231
T23 052262 G 6-103 #330-14424
T24 053456 G 6-103 #338-14843
T25 054270 G 6-103 #343-15108
T26 055466 G 6-103 #351-15546
T27 056244 G 6-103 #356-15813
T28 057230 G 6-103 #362-16150
T29 060342 G 6-103 #370-16564
T3 031666 G 6-103 #217-8565
T30 061136 G 6-103 #375-16838
T31 062534 G 6-103 #383-17289
T32 064272 G 6-103 #394-17844
T33 065304 G 6-103 #400-18185
T34 066266 G 6-103 #407-18528
T35 066744 G 6-103 #412-18755
T36 070030 G 6-103 #419-19142

SYMBOL		VALUE		REFERENCES								
T37		070756	G	6-103	#425-19463							
T38		072032	G	6-103	#432-19857							
T39		072460	G	6-103	#436-20081							
T4		032336	G	6-103	#221-8773							
T40		073436	G	6-103	#442-20393							
T41		074516	G	6-103	#448-20743							
T42		075324	G	6-103	#454-21035							
T43		076254	G	6-103	#461-21352							
T44		076504	G	6-103	#464-21506							
T45		076670	G	6-103	#466-21618							
T46		077366	G	6-103	#470-21843							
T47		077660	G	6-103	#473-22004							
T48		100640	G	6-103	#480-22367							
T49		101376	G	6-103	#485-22634							
T5		033006	G	6-103	#225-9011							
T50		102014	G	6-103	#489-22865							
T51		103202	G	6-103	#497-23266							
T52		104020	G	6-103	#504-23572							
T53		104660	G	6-103	#510-23877							
T54		105722	G	6-103	#516-24223							
T55		106612	G	6-103	#523-24530							
T56		107742	G	6-103	#530-24905							
T57		111234	G	6-103	#539-25401							
T58		111640	G	6-103	#543-25605							
T59		112306	G	6-103	#548-25849							
T6		033476	G	6-103	#231-9279							
T60		112660	G	6-103	#552-26052							
T61		113522	G	6-103	#559-26426							
T7		034354	G	6-103	#237-9599							
T8		035370	G	6-103	#244-9974							
T9		035624	G	6-103	#247-10114							
UAM	=	000200	G	#94-2564								
UNS.ER	=	005272		#94-2577	318-13837							
VV.CLE	=	005414		#95-2583	316-13717							
VV.NOT	=	005340		#94-2578	316-13732							
VV.SET	=	005764		#95-2588	318-13857							
WC.ERR	=	005652		#95-2586	196-7604	196-7623						
WRD.1	=	010520		#95-2630	256-10580	261-10823	262-10839	262-10856	263-10935	264-10982	268-11196	269-11212
				269-11229	270-11308	271-11355	275-11593	276-11609	276-11626	277-11705	278-11752	283-11948
				283-11960	283-11978	306-13197	316-13748	324-14140				
WRD.10	=	010630		#96-2643	243-9911	335-14703	361-16100	383-17252	393-17799	406-18468	411-18695	418-19081
				424-19411	447-20683	453-20952	453-20977	463-21468	473-21975	479-22307	502-23490	508-23795
				528-24799	538-25355	542-25561	547-25803					
WRD.11	=	010640		#96-2644	256-10578	257-10598	257-10614	263-10933	264-10951	264-10980	270-11306	271-11324
				271-11353	277-11703	278-11721	278-11750	283-11946	300-12837	300-12854	300-12873	301-12909
				301-12942	302-12989	306-13195	306-13212	316-13746	316-13762	317-13782	324-14138	324-14160
				329-14372	329-14387	454-21002	460-21305	460-21319	463-21470	466-21592		
WRD.12	=	010650		#96-2645	212-8373	219-8677	224-8953	230-9216	235-9519	261-10821	262-10874	263-10894
				268-11194	269-11247	270-11267	272-11378	275-11591	276-11644	277-11664	279-11775	284-12000
				284-12017	289-12290	290-12359	292-12443	295-12605	307-13232	307-13265	308-13315	325-14188
				335-14702	355-15779	375-16808	391-17679	399-18132	400-18158	406-18467	411-18694	418-19080
				424-19410	430-19716	430-19751	431-19793	473-21974	496-23217	503-23520	509-23825	

SYMBOL	VALUE	REFERENCES								
WRD.13	= 010660	#96-2646	219-8674	284-12032	380-17132					
WRD.14	= 010664	#96-2647	220-8732	253-10420	284-12033	369-16532	391-17682	440-20302	441-20353	459-21239
		459-21277	528-24797	529-24867	542-25559					
WRD.15	= 010676	#96-2648	300-12839	300-12875	301-12911	302-12948	302-12991			
WRD.16	= 010704	#96-2649	300-12856	307-13234						
WRD.17	= 010712	#96-2650	301-12941	302-12988	460-21304					
WRD.18	= 010724	#96-2651								
WRD.19	= 010730	#96-2652	256-10576	257-10596	257-10612	261-10819	262-10872	262-10888	263-10931	264-10949
		264-10978	268-11192	269-11245	270-11265	270-11304	271-11322	271-11351	271-11372	275-11589
		276-11642	277-11662	277-11701	278-11719	278-11748	279-11773	282-11939	283-11993	284-12014
		284-12034	300-12871	301-12907	306-13193	306-13209	307-13230	307-13263	308-13313	316-13744
		316-13760	317-13780	324-14136	324-14158	325-14186	342-15050	399-18129	400-18155	411-18691
		418-19078	424-19408	430-19714	430-19749	431-19791	435-20027	453-20953	453-20978	454-21001
WRD.2	= 010524	#95-2631	262-10842	262-10859	264-10953	269-11215	269-11232	271-11326	276-11612	276-11629
		278-11723	283-11963	283-11981						
WRD.20	= 010736	#96-2653	272-11380	279-11777	329-14389					
WRD.21	= 010744	#96-2654	329-14371	329-14374	329-14386					
WRD.22	= 010752	#96-2655	355-15781	375-16810	399-18135					
WRD.23	= 010766	#96-2656	399-18131	400-18157	411-18693	430-19719	430-19754	431-19796	435-20029	469-21768
		470-21807								
WRD.24	= 010774	#96-2657	349-15408	349-15428	349-15452	350-15476	350-15496	406-18470	411-18697	479-22309
WRD.25	= 011002	#96-2658	406-18469	411-18696						
WRD.26	= 011016	#96-2659	466-21594							
WRD.27	= 011024	#96-2660	458-21215	460-21307	460-21318	460-21321				
WRD.29	= 011032	#96-2661	458-21213							
WRD.3	= 010536	#95-2632	257-10600	262-10876	269-11249	276-11646	284-12002	306-13214	317-13768	324-14162
WRD.30	= 011046	#96-2662	463-21469	463-21472						
WRD.31	= 011054	#96-2663	459-21240	459-21278						
WRD.32	= 011070	#96-2664	349-15411	349-15431	349-15455	350-15479	350-15499			
WRD.33	= 011076	#96-2665	349-15409	349-15429	349-15453	350-15477	350-15497			
WRD.34	= 011102	#96-2666	349-15413	349-15433	349-15457	350-15481	350-15501			
WRD.35	= 011110	#96-2667	335-14700	342-15052	361-16102	551-25988				
WRD.36	= 011116	#96-2668	342-15051							
WRD.37	= 011122	#96-2669	219-8675	220-8733	243-9912	361-16101	391-17677	393-17800	468-21732	
WRD.38	= 011132	#96-2670	243-9913							
WRD.39	= 011140	#96-2671	393-17802	430-19718	430-19753	431-19795	435-20026			
WRD.4	= 010544	#95-2633	257-10616	263-10896	270-11269	277-11666	284-12019	307-13267	308-13317	317-13784
		325-14190								
WRD.40	= 011150	#96-2672	336-14774	337-14790						
WRD.41	= 011154	#96-2673	447-20685							
WRD.42	= 011170	#96-2674	336-14775	337-14791						
WRD.43	= 011176	#96-2675	262-10840	262-10857	269-11213	269-11230	276-11610	276-11627	283-11961	283-11979
WRD.44	= 011206	#96-2676								
WRD.45	= 011214	#96-2677	335-14701	355-15778						
WRD.46	= 011226	#96-2678	337-14781	337-14793	447-20684					
WRD.47	= 011240	#96-2679	337-14792							
WRD.48	= 011250	#96-2680	374-16802							
WRD.49	= 011260	#96-2681								
WRD.5	= 010552	#95-2634	249-10241	349-15454	350-15478	350-15498	484-22569	488-22811		
WRD.50	= 011270	#96-2682	383-17254	418-19082	424-19412	440-20293	441-20355			
WRD.51	= 011276	#96-2683	337-14780	383-17253						
WRD.52	= 011310	#96-2684	212-8372	224-8950	230-9213	235-9518	289-12287	290-12356	292-12442	528-24813

SYMBOL	VALUE	REFERENCES							
		529-24869	535-25187						
WRD.53	= 011316	#96-2685	250-10296						
WRD.54	= 011326	#96-2686	337-14782						
WRD.55	= 011336	#96-2687	337-14783						
WRD.56	= 011344	#96-2688	224-8949	230-9212	235-9516	289-12286	290-12355	292-12440	381-17142	391-17676
		440-20291							
WRD.57	= 011352	#96-2689							
WRD.58	= 011362	#96-2690							
WRD.59	= 011374	#97-2695	454-21004						
WRD.6	= 010560	#96-2639	250-10265	250-10285	349-15410	349-15430	469-21767	470-21806	
WRD.60	= 011400	#97-2696	440-20292	441-20354					
WRD.61	= 011416	#97-2697	272-11381	279-11778	495-23118	496-23220	503-23523	509-23828	
WRD.62	= 011432	#97-2698	212-8375						
WRD.63	= 011440	#97-2699							
WRD.64	= 011446	#97-2700	479-22310	484-22568	488-22810				
WRD.65	= 011454	#97-2701							
WRD.67	= 011462	#97-2702	496-23216	502-23491	503-23519	509-23824	528-24800	542-25562	
WRD.68	= 011470	#97-2703							
WRD.69	= 011474	#97-2704	528-24798	542-25560					
WRD.7	= 010566	#96-2640	249-10240	250-10264	250-10284	250-10297	468-21733	469-21766	469-21801
WRD.70	= 011502	#97-2705							
WRD.71	= 011514	#97-2706	538-25356						
WRD.72	= 011524	#97-2707	547-25805						
WRD.73	= 011532	#97-2708	479-22308						
WRD.74	= 011540	#97-2709	494-23087	495-23117	496-23189	496-23219	503-23522	509-23827	
WRD.75	= 011552	#97-2710	494-23086	495-23116	496-23188	496-23218	503-23521	509-23826	
WRD.76	= 011562	#97-2711	502-23489	508-23794	515-24172	522-24483			
WRD.77	= 011570	#97-2712	508-23796						
WRD.8	= 010602	#96-2641	250-10283	469-21800	484-22567	488-22809			
WRD.9	= 010616	#96-2642	249-10239	250-10263	399-18133	400-18159	469-21765	502-23488	508-23793	515-24171
		522-24482							
WRT.CH	027156	#196-7584	320-13947	558-26367					
WRT.CS	021712	#135-4563	185-7017	240-9777	241-9809				
WRT.DA	022246	#141-4882	185-7027	241-9787	241-9817				
WRT.DS	025214	#180-6775	186-7071						
WRT.D1	024020	#167-6169	186-7076						
WRT.D2	024332	#171-6361	186-7081						
WRT.D3	024644	#175-6565	186-7086						
WRT.EE	023756	#164-6041	185-7057						
WRT.EL	023714	#161-5904	186-7066						
WRT.ER	022070	#138-4722	185-7022	240-9780	241-9813				
WRT.E1	023010	#150-5361	185-7037	241-9793	241-9825				
WRT.E2	023216	#153-5536	185-7042	241-9796					
WRT.MR	022424	#144-5041	185-7032						
WRT.PA	022602	#147-5199	185-7047	241-9790	241-9821				
WRT.PD	023450	#157-5723	185-7052	446-20605					
WRT.RE	025324	#184-6990	224-8910	229-9169	234-9454	289-12269	290-12338	291-12411	
WRT.TR	027426	#199-7711	317-13805	557-26296					
WT.DAT	015350	#89-2260	*137-4673	137-4677	*140-4833	140-4837	*143-4992	143-4996	*146-5152	146-5156
		*149-5313	149-5317	*152-5475	152-5479	*156-5661	156-5665	*160-5849	160-5853	*163-5989
		163-5991	*166-6124	166-6126	*170-6311	170-6313	*174-6501	174-6503	*179-6714	179-6718
		*182-6874	182-6878	225-8964	230-9223	243-9919	289-12297	291-12370		

ML11 CREATED BY MACRO ON 30-MAR-82 AT 11:24 PAGE 25 SEQ 0574

SYMBOL CROSS REFERENCE CREF

SYMBOL	VALUE		REFERENCES								
W.C.SI	015344		#89-2257	*205-8020	*205-8040	439-20254	440-20267	441-20340			
W.ERR	= 005722		#95-2587	199-7728	199-7745						
XOR.LN	021072		#129-4275	399-18104	406-18454						
XSALWA	= 000000		#6-13								
XSFALS	= 000040		#6-13								
XSOFFS	= 000400		#6-13								
XSTRUE	= 000020		#6-13								
$END.L	113564	G	#561-26535								
$PATCH	003452	G	#7-338								
$SAVE2	004540	G	32-1022	37-1269	#39-1344	112-3476	125-4048	135-4563	137-4661	138-4722	140-4821
			141-4882	143-4980	144-5041	146-5140	147-5199	149-5300	150-5361	152-5462	153-5536
			156-5647	157-5723	160-5835	167-6169	169-6283	171-6361	173-6473	175-6565	178-6685
			182-6862	184-6990	188-7189	209-8183	252-10394	261-10802	268-11175	275-11572	328-14331
			439-20241	472-21937	550-25956	562-26559					
$SAVE3	004554	G	11-169	12-217	16-384	17-438	27-829	28-880	#39-1351	98-2796	110-3368
			203-7927	219-8657	245-10043	249-10221	295-12585	299-12804	306-13179	452-20894	458-21183
			541-25510	546-25737	562-26558						
$SAVE4	004572	G	#39-1359	115-3604	129-4276	216-8504	223-8889	562-26558			
$SAVE5	004612	G	33-1091	37-1269	#39-1368	103-3039	107-3224	212-8334	229-9151	234-9436	240-9764
			288-12248	315-13688	323-14104	333-14602	340-14961	347-15321	354-15681	359-15979	366-16361
			373-16698	379-17029	388-17527	397-18003	404-18353	410-18640	415-18932	422-19295	429-19663
			434-19969	445-20555	477-22198	483-22504	487-22757	493-23033	501-23417	507-23718	513-24035
			520-24369	526-24692	535-25160	556-26267	562-26558				
$T1	030724		#209-8183	210-8250							
$T10	035640		#249-10221	251-10326							
$T11	036302		#252-10394	254-10465							
$T12	036524		#256-10552	257-10646							
$T13	037102		#261-10802	265-11022							
$T14	040244		#268-11175	272-11412							
$T15	041476		#275-11572	279-11809							
$T16	042730		#282-11914	285-12071							
$T17	043572		#288-12248	293-12499							
$T18	045060		#295-12585	296-12648							
$T19	045274		#299-12804	303-13034							
$T2	031150		#212-8334	213-8422							
$T20	046444		#306-13179	309-13357							
$T21	047444		#315-13688	321-13996							
$T22	051212		#323-14104	325-14232							
$T23	051740		#328-14331	330-14425							
$T24	052276		#333-14602	338-14844							
$T25	053472		#340-14961	343-15109							
$T26	054304		#347-15321	351-15547							
$T27	055502		#354-15681	356-15814							
$T28	056260		#359-15979	362-16151							
$T29	057244		#366-16361	370-16565							
$T3	031474		#216-8504	217-8566							
$T30	060356		#373-16698	375-16839							
$T31	061152		#379-17029	383-17290							
$T32	062550		#388-17527	394-17845							
$T33	064306		#397-18003	400-18186							
$T34	065320		#404-18353	407-18529							
$T35	066302		#410-18640	412-18756							

SYMBOL CROSS REFERENCE

SYMBOL	VALUE	REFERENCES	
$T36	066760	#415-18932	419-19143
$T37	070044	#422-19295	425-19464
$T38	070772	#429-19663	432-19858
$T39	072046	#434-19969	436-20082
$T4	031702	#219-8657	221-8774
$T40	072474	#439-20241	442-20394
$T41	073452	#445-20555	448-20744
$T42	074532	#452-20894	454-21036
$T43	075340	#458-21183	461-21353
$T44	076270	#463-21445	464-21507
$T45	076520	#465-21570	466-21619
$T46	076704	#468-21729	470-21844
$T47	077402	#472-21937	473-22005
$T48	077674	#477-22198	480-22368
$T49	100654	#483-22504	485-22635
$T5	032352	#223-8889	225-9012
$T50	101412	#487-22757	489-22866
$T51	102030	#493-23033	497-23267
$T52	103216	#501-23417	504-23573
$T53	104034	#507-23718	510-23878
$T54	104674	#513-24035	516-24224
$T55	105736	#520-24369	523-24531
$T56	106626	#526-24692	530-24906
$T57	107756	#535-25160	539-25402
$T58	111250	#541-25510	543-25606
$T59	111654	#546-25737	548-25850
$T6	033022	#229-9151	231-9280
$T60	112322	#550-25956	552-26053
$T61	112674	#556-26267	559-26427
$T7	033512	#234-9436	237-9600
$T8	034370	#240-9764	244-9975
$T9	035404	#245-10043	247-10115